

## 1、DNS轮询设置

exchange 2010服务器对应的A记录如下。

autodiscover	主机 (A)	172.168.1.100	静态
cas01	主机 (A)	172.168.1.10	2016/4/3 10:00:00
cas02	主机 (A)	172.168.1.20	2016/4/3 10:00:00
client2	主机 (A)	172.168.1.25	2015/12/6 12:00:00
dag-bj	主机 (A)	172.168.1.11	2016/4/2 9:00:00
dag01	主机 (A)	172.168.1.30	2016/4/3 10:00:00
dag02	主机 (A)	172.168.1.40	2016/4/3 10:00:00
dca	主机 (A)	172.168.1.1	静态
ex1601	主机 (A)	172.168.1.50	2016/4/3 10:00:00
ex1602	主机 (A)	172.168.1.51	2016/4/3 12:00:00
mail	主机 (A)	172.168.1.100	静态
outlook-bj	主机 (A)	172.168.1.100	静态


由于测试条件有限，没有HLB的设备，所以针对exchange 2016的两台服务器使用DNS轮询，对应的域名为mail1.demo.com。

```
mail1      主机 (A)      172.168.1.50
mail1      主机 (A)      172.168.1.51


C:\Users\Administrator>nslookup mail1.demo.com
DNS request timed out.
    timeout was 2 seconds.
服务器:  UnKnown
Address:  172.168.1.1

名称:     mail1.demo.com
Addresses: 172.168.1.50
          172.168.1.51
```

配置完成后，测试一下，可以使用<https://mail1.demo.com/owa>访问到exchange 2016服务器的OWA界面。




可以正常登陆web版outlook。



给exchange 2010上面的邮箱发一封测试邮件。可以收到。



2、配置exchange2016服务器的虚拟目录的externalURL属性  
以配置OWA为例。



全部配置完成后，用命令查看一下。

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-OwaVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
owa <Default Web Site>	https://ex1601.demo.com...	https://mail1.demo.com/
owa <Default Web Site>	https://ex1602.demo.com...	https://mail1.demo.com...

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-EcpVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
ecp <Default Web Site>	https://ex1601.demo.com...	https://mail1.demo.com...
ecp <Default Web Site>	https://ex1602.demo.com...	https://mail1.demo.com...

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-ActiveSyncVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
Microsoft-Server-Active...	https://ex1601.demo.com...	https://mail1.demo.com...
Microsoft-Server-Active...	https://ex1602.demo.com...	https://mail1.demo.com...

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-OabVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
OAB <Default Web Site>	https://ex1601.demo.com...	https://mail1.demo.com...
OAB <Default Web Site>	https://ex1602.demo.com...	https://mail1.demo.com...

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-PowerShellVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
PowerShell <Default Web...	http://ex1601.demo.com/...	http://mail1.demo.com/...
PowerShell <Default Web...	http://ex1602.demo.com/...	http://mail1.demo.com/...

```
[PS] C:\>Get-ClientAccessService -Identity ex160* | Get-WebServicesVirtualDirectory | select name,internalurl,externalurl
```

Name	InternalUrl	ExternalUrl
EWS <Default Web Site>	https://ex1601.demo.com...	https://mail1.demo.com...
EWS <Default Web Site>	https://ex1602.demo.com...	https://mail1.demo.com...