

4-10：管理邮箱代表发送权限

邮件代表发送就是A代表B去发送邮件。

当C收到A发送的邮件之后，邮件中显示该封邮件是由A代表B发送的。

1) 在用户邮箱的属性中赋予代表发送权限

The screenshot shows a web browser window titled "用户邮箱 - Internet Explorer". The main content area displays the configuration for "mailuser1". On the left is a navigation menu with the following items: "常规", "邮箱使用情况", "联系人信息", "组织", "电子邮件地址", "邮箱功能", "成员所属", "邮件提示", and "邮箱委托" (which is highlighted with a blue arrow). The main panel shows several expandable sections. The "代表发送" (Representing) section is expanded and highlighted with an orange border. It contains the text: "代表发送" followed by "“代表发送”权限允许代理人代表此邮箱发送邮件。代理人发送的任何邮件的“发件人”行都会指示邮件是代理人代表邮箱所有者发送的。". Below this text are expandable controls marked with "+" and "-" signs. Below the "代表发送" section is a "完全访问" (Full Control) section, also with expandable controls. At the bottom right of the window are two buttons: "保存" (Save) and "取消" (Cancel).

用户邮箱 - Internet Explorer

mailuser1



常规
邮箱使用情况
联系人信息
组织
电子邮件地址
邮箱功能
成员所属
邮件提示
▶ 邮箱委托

代表发送
“代表发送”权限允许代理人代表此邮箱发送邮件。代理人发送的任何邮件的“发件人”行都会指示邮件是代理人代表邮箱所有者发送的。
+ -

显示名称 ▲

完全访问
“完全访问”权限允许代理人打开该邮箱，并且可以像邮箱所有者一样操作。
+ -

保存 取消



2) 客户端测试

登录到mailuser12的邮箱，给mailuser13发送一封邮件。

邮件

搜索邮件和人员

发送 附加 应用 放弃 ...

收藏夹

收件箱

已发送邮件

草稿1

mailuser12

收件箱

草稿1

已发送邮件

已删除邮件

便笺

垃圾邮件

收件箱

所有

找不到要在这里显示的任何内容。

发件人 mailuser1@demo.com

收件人: MA mailuser13@demo.com

抄送:

主题: 代表发送测试

B I U Aa A+ ab A

邮件

搜索邮件和人员

新建 删除 存档 垃圾邮件 整理 移至 类别 ...

收藏夹

收件箱1

已发送邮件

草稿

mailuser13

收件箱1

草稿

已发送邮件

已删除邮件

便笺

收件箱

所有

今天

mailuser1

代表发送测试

test

15:41

代表发送测试

MA mailuser12 代表 mailuser1

收件人: mailuser13;

test