

Website Enumeration and Information Gathering

Tools Used

- Kali Linux
- Whatweb

Exercise 1

Detecting technologies used for the following targets

- example.com
- stackoverflow.com
- github.com

Commands Used:

whatweb example.com

whatweb stackoverflow.com

whatweb github.com

```

(kali@kali)-[~]
└─$ whatweb example.com
http://example.com [200 OK] Allow[GET, HEAD], Country[RESERVED][ZZ], HTML5, HTTPServer[cloudflare], IP[172.66.147.243], Title[Example Domain], UncommonHeaders[cf-cache-status,cf-ray]
https://example.com [200 OK] Allow[GET, HEAD], Country[UNITED STATES][US], HTML5, HTTPServer[cloudflare], IP[104.20.23.154], Title[Example Domain], UncommonHeaders[cf-cache-status,cf-ray]

(kali@kali)-[~]
└─$ whatweb stackoverflow.com
http://stackoverflow.com [301 Moved Permanently] Cookies[_cf_bm], Country[UNITED STATES][US], HTTPServer[cloudflare], HttpOnly[_cf_bm], IP[198.252.206.1], RedirectLocation[https://stackoverflow.com/], Title[301 Moved Permanently], UncommonHeaders[x-dns-prefetch-control,cf-ray]
https://stackoverflow.com/ [403 Forbidden] Cookies[_cf_bm], Country[UNITED STATES][US], HTML5, HTTPServer[cloudflare], HttpOnly[_cf_bm], IP[198.252.206.1], Script, Title[Just a moment ...], UncommonHeaders[accept-ch,cf-mitigated,content-security-policy,critical-ch,cross-origin-embedder-policy,cross-origin-opener-policy,cross-origin-resource-policy,origin-agent-cluster,permissions-policy,referrer-policy,server-timing,x-content-type-options,x-dns-prefetch-control,cf-ray], X-Frame-Options[SAMEORIGIN], X-UA-Compatible[IE=Edge]
https://stackoverflow.com/ [403 Forbidden] Country[UNITED STATES][US], HTML5, HTTPServer[cloudflare], IP[198.252.206.1], Script, Title[Just a moment ...], UncommonHeaders[accept-ch,cf-mitigated,content-security-policy,critical-ch,cross-origin-embedder-policy,cross-origin-opener-policy,cross-origin-resource-policy,origin-agent-cluster,permissions-policy,referrer-policy,server-timing,x-content-type-options,x-dns-prefetch-control,cf-ray], X-Frame-Options[SAMEORIGIN], X-UA-Compatible[IE=Edge]

(kali@kali)-[~]
└─$ whatweb github.com
http://github.com [301 Moved Permanently] Country[UNITED STATES][US], IP[140.82.121.4], RedirectLocation[https://github.com/]
https://github.com [200 OK] Content-Language[en-US], Cookies[_gh_sess,_octo,logged_in], Country[UNITED STATES][US], Email[you@domain.com], HTML5, HTTPServer[github.com], HttpOnly[_gh_sess,logged_in], IP[140.82.121.4], Open-Graph-Protocol[object][1401480693436528], OpenSearch[/opensearch.xml], Script[application/javascript,application/json], Strict-Transport-Security[max-age=31536000; includeSubdomains; preload], Title[GitHub · Change is constant. GitHub keeps you ahead. · GitHub], UncommonHeaders[x-content-type-options,referrer-policy,content-security-policy,x-github-request-id], X-Frame-Options[deny], X-XSS-Protection[0]
https://github.com/ [200 OK] Content-Language[en-US], Cookies[_gh_sess,_octo,logged_in], Country[UNITED STATES][US], Email[you@domain.com], HTML5, HTTPServer[github.com], HttpOnly[_gh_sess,logged_in], IP[140.82.121.4], Open-Graph-Protocol[object][1401480693436528], OpenSearch[/opensearch.xml], Script[application/javascript,application/json], Strict-Transport-Security[max-age=31536000; includeSubdomains; preload], Title[GitHub · Change is constant. GitHub keeps you ahead. · GitHub], UncommonHeaders[x-content-type-options,referrer-policy,content-security-policy,x-github-request-id], X-Frame-Options[deny], X-XSS-Protection[0]

```

1. example.com: HTML5 and Cloudflare
 2. stackoverflow.com: HTML5, Cloudflare, Script
 3. github.com: HTML5, JavaScript, JSON, Open Graph Protocol, OpenSearch
-

Exercise 2:


aggressive scan on the following targets:

- google.com
- facebook.com

Commands Used:

whatweb --aggression 3 google.com

whatweb -- aggression 3 facebook.com.



```
(kali@kali)-[~]
└─$ whatweb --aggression 3 google.com
http://google.com [301 Moved Permanently] Country[UNITED STATES][US], HTTPServer[gws], IP[172.217.22.110], RedirectLocation[http://www.google.com/], Title[301 Moved], UncommonHeaders[content-security-policy-report-only, X-Frame-Options[SAMEORIGIN], X-XSS-Protection[0]]
https://google.com [301 Moved Permanently] Country[UNITED STATES][US], HTTPServer[gws], IP[172.217.22.110], RedirectLocation[https://www.google.com/], Title[301 Moved], UncommonHeaders[content-security-policy-report-only,alt-svc], X-Frame-Options[SAMEORIGIN], X-XSS-Protection[0]]
http://www.google.com/ [200 OK] Cookies[AEC,NID,Secure-STRP], Country[UNITED STATES][US], HTML5, HTTPServer[gws], HttpOnly[AEC,NID], IP[142.251.156.119], Script, Title[Google], UncommonHeaders[content-security-policy-report-only, X-Frame-Options[SAMEORIGIN], X-XSS-Protection[0]]
https://www.google.com/ [200 OK] Cookies[AEC,NID,SOCS,Secure-STRP], Country[UNITED STATES][US], HTML5, HTTPServer[gws], HttpOnly[AEC,NID], IP[142.251.157.119], Script, Title[Google], UncommonHeaders[content-security-policy-report-only,accept-ch,alt-svc], X-Frame-Options[SAMEORIGIN], X-XSS-Protection[0]]

(kali@kali)-[~]
└─$ whatweb --aggression 3 facebook.com
http://facebook.com [301 Moved Permanently] Country[FRANCE][FR], HTTPServer[proxygen-bolt], IP[57.144.38.1], Meta-Facebook-Infrastructure, RedirectLocation[https://facebook.com/]
https://facebook.com [301 Moved Permanently] Country[FRANCE][FR], IP[57.144.38.1], RedirectLocation[https://www.facebook.com/], Strict-Transport-Security[max-age=15552000; preload], UncommonHeaders[x-fb-debug,x-fb-connection-quality,alt-svc]
https://www.facebook.com/ [302 Found] Country[FRANCE][FR], IP[57.144.38.1], RedirectLocation[https://web.facebook.com/?_rdc=16_rdr], Strict-Transport-Security[max-age=15552000; preload], UncommonHeaders[reporting-endpoints,report-to,cross-origin-opener-policy,x-fb-zr-redirect,origin-agent-cluster,x-fb-debug,x-fb-connection-quality,alt-svc]
https://facebook.com/ [301 Moved Permanently] Country[FRANCE][FR], IP[57.144.38.1], RedirectLocation[https://www.facebook.com/], Strict-Transport-Security[max-age=15552000; preload], UncommonHeaders[x-fb-debug,x-fb-connection-quality,alt-svc]
https://web.facebook.com/?_rdc=16_rdr [200 OK] Cookies[fr,sb], Country[FRANCE][FR], HTML5, HttpOnly[fr,sb], IP[57.144.38.141], Meta-Refresh-Redirect[/?_rdc=16_rdr&_fb_noscript=1], PasswordField[pass], Script[application/json], Strict-Transport-Security[max-age=15552000; preload], Title[Facebook], UncommonHeaders[accept-ch-lifetime,accept-ch,reporting-endpoints,report-to,content-security-policy,document-policy,permissions-policy,cross-origin-resource-policy,cross-origin-opener-policy,x-content-type-options,origin-agent-cluster,x-fb-debug,x-fb-connection-quality,alt-svc], X-Frame-Options[DENY], X-XSS-Protection[0]]

(kali@kali)-[~]
└─$
```

1. google.com: HTML5 and Script

2. facebook.com: HTML5,Script,JSON,Meta-Facebook-Infrastructure,Meta-Refresh-Redirect

Subdomain Hunting

Tools Used

- Kali Linux
- sublist3r
- dirb
- KnockPy

Exercise 1

sublist3r command for the following domains:

- github.com
- google.com

Findings:

1. Subdomains for github.com:
135 unique subdomains were discovered.


2. Subdomains for google.com:
180 unique subdomains were discovered.

Exercise 2:

Performed a directory discovery scan on the following targets

Commands used:

- dirb http://example.com
- dirb <http://example.org>



```
Session Actions Edit View Help

(kali㉿kali)-[~]
$ dirb http://example.org

DIRB v2.22
By The Dark Raver example.com
recon
Timeout: 3.0
START_TIME: Fri May 22 07:52:45 2026
URL_BASE: http://example.org/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt ; x64) AppleWebKit
Wordlist: /usr/lib/python3/dist-packages/knockpy/wordlist/wo
~/knockpy/reports.db
Silent: False
GENERATED WORDS: 4612

Scanning URL: http://example.org/

END_TIME: Fri May 22 08:09:17 2026
DOWNLOADED: 4612 - FOUND: 0

(kali㉿kali)-[~]
$
```

Provider	Status
VirusTotal	disabled
Shodan	disabled
	disabled

1. Directories for example.com:

- dirb tested 4612 possible directories/files but found nothing on <https://example.com>

2. Directories for example.org

- dirb tested 4612 possible directories/files but found nothing on <https://example.com>


Exercise 3

Used KnockPy to enumerate subdomains for the following domain:

Target Domain: example.com

Commands used:

Knockpy -d example.com --recon



```
(kali@kali)-[~]
$ knockpy -d example.com --recon

Knockpy v9.0.0
Runtime

Target      example.com
Mode        recon
Timeout     3.0
Threads     250
DNS         8.8.8.8
User-Agent  Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36.
Wordlist     /usr/lib/python3/dist-packages/knockpy/wordlist/wordlist.txt
Reports DB  ~/.knockpy/reports.db
Silent      False

Scans
-----
Mode      Status
Recon     [x] enabled
Bruteforce [x] disabled
Wildcard  [x] disabled

API Keys
-----
Provider  Status
VirusTotal [x] disabled
Shodan     [x] disabled

Scanning domains 1/1 0:00:06
Saved report #1

Domain      IP                        HTTP
example.com 172.66.147.243
             104.20.23.154
             2606:4700:10::6814:179a
             2606:4700:10::ac42:93f3

Note: AXFR on root domain: failed (2 NS checked).

Domains: 1 Elapsed: 00:00:08

(kali@kali)-[~]
$
```

Discovered Subdomains and Information:

KnockPy checked subdomains for example.com

- It found no subdomains
- It tried DNS zone transfer (AXFR) but failed

Basic Port Scanning

Tools Used


- Kali Linux
- nmap
- Nikto

Exercise 1:

Performed a basic port scan on your OWASP VM IP address

Command Used:

nmap 192.168.5.130



```
(kali@kali)-[~]
$ nmap 192.168.5.130

Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-22 09:17 -0400
Nmap scan report for 192.168.5.130
Host is up (0.0022s latency).
Not shown: 991 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
139/tcp    open  netbios-ssn
143/tcp    open  imap
443/tcp    open  https
445/tcp    open  microsoft-ds
5001/tcp   open  complex-link
8080/tcp   open  http-proxy
8081/tcp   open  blackice-icecap
MAC Address: 00:0C:29:CF:2B:E9 (VMware)

Nmap done: 1 IP address (1 host up) scanned in 0.76 seconds

(kali@kali)-[~]
$
```

findings:

- Open Ports: 8080,22,80,139,143,443,445,5001 and port 8081
-

Exercise 2:

Perform an aggressive scan on your OWASP VM IP address

Command used: `nmap -sV -O 192.168.5.130`

```
kali@kali:~$ nmap -sV -O 192.168.5.130
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-22 09:24 -0400
Nmap scan report for 192.168.5.130
Host is up (0.0018s latency).
Not shown: 991 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 5.3p1 Debian 3ubuntu4 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http         Apache httpd 2.2.14 ((Ubuntu) mod_mono/2.4.3 PHP/5.3.2-1ubuntu4.30 with Suhosin-Patch proxy_html/3.0.1 mod_python/3.3.1 Python/2.6.5 mod_ssl/2.2.14 OpenSSL ...)
139/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
143/tcp   open  imap         Courier Imapd (released 2008)
443/tcp   open  ssl/http     Apache httpd 2.2.14 ((Ubuntu) mod_mono/2.4.3 PHP/5.3.2-1ubuntu4.30 with Suhosin-Patch proxy_html/3.0.1 mod_python/3.3.1 Python/2.6.5 mod_ssl/2.2.14 OpenSSL ...)
445/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
5001/tcp  open  java-object  Java Object Serialization
8080/tcp  open  http         Apache Tomcat/Coyote JSP engine 1.1
8081/tcp  open  http         Jetty 6.1.25
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port5001-TCP:V=7.99%I=7%O=5/22%Time=6A105928%P=x86_64-pc-linux-gnu%r(NU
SF:LL,4,"xac\xed\0\x05");
MAC Address: 00:0C:29:CF:2B:E9 (VMware)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.17 - 2.6.36
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 14.42 seconds
```

findings:

Service Versions:

- OpenSSH 5.3p1 Debian 3ubuntu4
- Apache httpd 2.2.14
- Samba smbd 3.x – 4.x
- Courier IMAP (2008 release)
- Apache httpd 2.2.14 (SSL)
- Samba smbd 3.x – 4.x
- Java Object Serialization (port 5001)
- Apache Tomcat/Coyote JSP engine 1.1

- Jetty 6.1.25

Operating System:

- Linux 2.6.17 – 2.6.36 (Ubuntu Linux)
- VMware virtual machine

Exercise 3:

Conduct a vulnerability scan on your OWASP VM IP address

Commands Used: `nmap --script vuln 192.168.5.130`

```
kali@kali: ~  
$ nmap --script vuln 192.168.5.130  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-22 09:42 -0400  
Nmap scan report for 192.168.5.130  
Host is up (0.0022s latency).  
Not shown: 991 closed tcp ports (reset)  
PORT      STATE SERVICE  
22/tcp    open  ssh  
80/tcp    open  http  
| http-enum:  
| /wordpress/: Blog  
| /test/: Test page  
| /mono/: Mono  
| /crossdomain.xml: Adobe Flash crossdomain policy  
| /phpmyadmin/: phpMyAdmin  
| /wordpress/wp-login.php: Wordpress login page.  
| /cgi-bin/: Potentially interesting folder w/ directory listing  
| /icons/: Potentially interesting folder w/ directory listing  
| /images/: Potentially interesting folder w/ directory listing  
|_ http-stored-xss: Couldn't find any stored XSS vulnerabilities.  
| http-cookie-flags:  
| /mono/:  
|   ASP.NET_SessionId:  
|   httponly flag not set  
|_ http-cross-domain-policy:  
|   VULNERABLE:  
|   Cross-domain and Client Access policies.  
|   State: VULNERABLE  
|   A cross-domain policy file specifies the permissions that a web client such as Java, Adobe Flash, Adobe Reader,  
|   etc. use to access data across different domains. A client access policy file is similar to cross-domain policy  
|   but is used for M$ Silverlight applications. Overly permissive configurations enables Cross-site Request  
|   Forgery attacks, and may allow third parties to access sensitive data meant for the user.  
|   Check results:  
|   /crossdomain.xml:  
|   <?xml version="1.0"?>  
|   <!DOCTYPE cross-domain-policy SYSTEM "http://www.macromedia.com/xml/dtds/cross-domain-policy.dtd">  
|   <cross-domain-policy>  
|   <allow-access-from domain="*" />  
|   </cross-domain-policy>  
|   Extra information:  
|   Trusted domains:*  
|  
|   References:  
|   https://www.adobe.com/devnet/articles/crossdomain_policy_file_spec.html  
|   https://www.adobe.com/devnet-docs/acrobatetk/tools/AppSec/CrossDomain_PolicyFile_Specification.pdf  
|   http://acunetix.com/vulnerabilities/web/insecure-clientaccesspolicy-xml-file  
|   https://www.owasp.org/index.php/Test_RIA_cross_domain_policy_%28OTG-CONFIG-008%29
```

findings:

Vulnerabilities:

- Cross-domain and Client Access policy misconfiguration (/crossdomain.xml)
- Apache byterange filter DoS (CVE-2011-3192)
- HTTP TRACE method enabled
- Internal IP disclosure (127.0.1.1)
- CSRF vulnerabilities (multiple forms on WordPress, Rails Goat, phpBB2, etc.)
- SSL/TLS CCS Injection (CVE-2014-0224)
- Weak Diffie-Hellman group (1024-bit MODP)

- SSL POODLE vulnerability (CVE-2014-3566)
 - Missing HTTPOnly cookie flag (ASP.NET_SessionId)
 - Missing Secure cookie flag (HTTPS session cookies)
 - Directory listing enabled (/cgi-bin/, /icons/, /images/)
 - phpMyAdmin exposed (/phpmyadmin/)
 - WordPress login exposed (/wordpress/wp-login.php)
 - Apache Tomcat admin endpoints exposed (/manager/html, /upload)
 - Potential SQL injection script failure (http-sql-injection script error reported)
-

Exercise 4:

vulnerability scan on your OWASP VM

Commands Used:

1. nikto -h 192.168.5.130

```
kali@kali:~$ nikto -h 192.168.5.130
- Nikto v2.6.0

+ Target IP: 192.168.5.130
+ Target Hostname: 192.168.5.130
+ Target Port: 80
+ Platform: Unknown
+ Start Time: 2026-05-22 09:53:32 (GMT-4)

+ Server: Apache/2.2.14 (Ubuntu) mod_mono/2.4.3 PHP/5.3.2-1ubuntu4.30 with Suhosin-Patch proxy_html/3.0.1 mod_python/3.3.1 Python/2.6.5 mod_ssl/2.2.14 OpenSSL/0.9.8k Phusion_Passenger/4.0.38 mod_perl/2.0.4 Perl/v5.10.1
+ ERROR: Failed to check for updates: 403
+ [999984] /: Server may leak inodes via ETags, header found with file /, inode: 286483, size: 28067, mtime: Thu Jul 30 22:55:52 2015. See: https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ [750500] /icons/: Directory indexing found.
+ [750500] /cgi-bin/: Directory indexing found.
+ No CGI Directories found (use '-C all' to force check all possible dirs). CGI tests skipped.
+ [500670] /favicon.ico: identifies this app/server as: owasp.org. See: https://en.wikipedia.org/wiki/Favicon
+ [600625] PHP/5.3.2-1ubuntu4.30 appears to be outdated (current is at least 8.5.1).
+ [600595] OpenSSL/0.9.8k appears to be outdated (current is at least 3.6.0). OpenSSL 1.1.1w is current for 1.x and is supported via contract, and 3.0.12 for 3.0.x, and 3.1.4 for 3.1.x.
+ [600620] proxy_html/3.0.1 appears to be outdated (current is at least 3.1.2).
+ [600620] Perl/v5.10.1 appears to be outdated (current is at least v5.36.3).
+ [600511] mod_ssl/2.2.14 appears to be outdated (current is at least 2.9.6) (may depend on server version).
+ [600475] mod_mono/2.4.3 appears to be outdated (current is at least 3.13).
+ [600932] Phusion_Passenger/4.0.38 appears to be outdated (current is at least 6.0.14).
+ [600050] Apache/2.2.14 appears to be outdated (current is at least 2.4.66).
+ [600652] Python/2.6.5 appears to be outdated (current is at least 3.13.1).
+ [600487] mod_perl/2.0.4 appears to be outdated (current is at least 2.0.13).
+ [600494] mod_python/3.3.1 appears to be outdated (current is at least 3.5.0).
+ [999979] /images: IP address found in the 'location' header. The IP is '127.0.1.1'. See: https://portswigger.net/kb/issues/00600300_private-ip-addresses-disclosed
+ [999988] /images: The web server may reveal its internal or real IP in the Location header via a request to with HTTP/1.0. The value is '127.0.1.1'. See: https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2000-0649
+ [013587] /: Suggested security header missing: strict-transport-security. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security
+ [013587] /: Suggested security header missing: referrer-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy
+ [013587] /: Suggested security header missing: content-security-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP
+ [013587] /: Suggested security header missing: x-content-type-options. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Content-Type-Options
+ [013587] /: Suggested security header missing: permissions-policy. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Permissions-Policy
+ [999100] /index: Uncommon header(s) 'tcn' found, with contents: List.
+ [999965] /index: Apache mod_negotiation is enabled with MultiViews, which allows attackers to easily brute force file names. The following alternatives for 'index' were found: index.css, index.html. See: https://www.wisec.it/sectou.php?id=4698bdc59d15,https://exchange.xforce.ibmcloud.com/vulnerabilities/8275
+ [800132] /: mod_ssl/2.2.14 OpenSSL/0.9.8k Phusion_Passenger/4.0.38 mod_perl/2.0.4 Perl/v5.10.1 - mod_ssl 2.8.7 and lower are vulnerable to a remote buffer overflow which may allow a remote shell.
+ [800262] /: PHP/5.3 - PHP 3/4/5 and 7.0 are End of Life products without support.
+ [999990] OPTIONS: Allowed HTTP Methods: GET, HEAD, POST, OPTIONS, TRACE
+ [000434] /: HTTP TRACE method is active and replies which suggests the host is vulnerable to XST. See: https://owasp.org/www-community/attacks/Cross_Site_Tracing
+ [999986] /phpBB2/search.php?search_id=1\\: Retrieved x-powered-by header: PHP/5.3.2-1ubuntu4.30.
+ [95] /phpBB2/search.php?search_id=1\\: Cookie phpbb2owaspbwa_data created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
+ [95] /phpBB2/search.php?search_id=1\\: Cookie phpbb2owaspbwa_sid created without the httponly flag. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Cookies
```

findings:

Vulnerabilities Found:

- ETags inode leakage (CVE-2003-1418)
- Directory indexing enabled (/icons/, /cgi-bin/, /test/, /images/)

- Outdated Apache 2.2.14
- Outdated PHP 5.3.2 (EOL)
- Outdated OpenSSL 0.9.8k (EOL)
- Outdated Python 2.6.5 (EOL)
- Outdated Perl 5.10.1 (EOL)
- Outdated mod_ssl 2.2.14 (possible RCE risk)
- Outdated mod_mono 2.4.3
- Outdated Phusion Passenger 4.0.38
- Outdated mod_perl 2.0.4
- Outdated mod_python 3.3.1
- Internal IP disclosure (127.0.1.1 via Location header)
- Missing security headers:
 - HSTS
 - CSP
 - X-Content-Type-Options
 - Referrer-Policy
 - Permissions-Policy
- mod_negotiation MultiViews enabled (file brute-force risk)
- HTTP TRACE method enabled (XST risk)
- OPTIONS method enabled (GET, POST, TRACE, OPTIONS)
- mod_ssl buffer overflow risk (legacy versions)
- phpMyAdmin exposed (/phpmyadmin/)
- WordPress login exposed (/wordpress/wp-login/)
- phpBB cookies missing HttpOnly flag
- Apache default file exposed (/icons/README)
- Potential sensitive test directory exposed (/test/)