


Touch-free, Access is easier than ever

Face & Palm Vein Recognition Terminal -- BOWE Innovation



- 1. Multi-Languages support:** Chinese, English, Korean, Japanese, Spanish, Portugal, Italy, Russian, French, Thai, Turkish, Arabic, Indonesian, Ukrainian, Vietnamese, etc.
Support language customization.
- 2. Open SDK & API:** It is compatible with a variety of existing softwares through APIs. and R&D will provide free technical support during API integration.
- 3. Support Hardware & Software customization:** We undertake design and development projects for all AI vision products, and support OEM & ODM services.

Villas Video Intercom System with Face Recognition

* Door Bell + Object/ Pet identification& Alarm + Video intercom + Remote Monitoring*

- Support **Face, Card, QR code, Pincode** verifications all in one.
- Bottom AI camera with **Object recognition/Pet Recognition** Algorithm
- **PoE power supply**
- **IP65 Waterproof, can install outdoor**
- Communication: TCP/IP (WIFI+ 4G optional)
- Casing: ABS Casing+Acrylic Panel
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- **Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web**





Face&Palm Recognition Alcohol Detection Attendance System

* Attendance + Alcohol detection + Access Control

For managing employees who work under the influence of alcohol.

Face: 5,000

Palm: 5,000

Cards: 5,000

QR code: 5,000

Pincode: 5,000

Attendance Logs: 200,000

Communication: TCP/IP + USB + WiFi (4G optional)

Casing: ABS Casing+Acrylic Panel

System: LINUX system

The accuracy error < 1%

The response time < 3 seconds

Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web

Suitable for public transportation, mining/chemical industries, construction sites, and law enforcement agencies, eliminating the risks associated with working under the influence of alcohol.



Face&Palm Recognition Construction Site Management System



Face&Palm recognition terminal

Face&Palm recognition terminal

* Face& Palm recognition+ Access Control+Time Attendance+ Safety Supervision*

- 3,000 users/ 5,000 users/ 20,000 users/ 50,000 users available
- Support **Face, Palm, Fingerprint, Card, QR code, Pincode** verifications all in one.
- Communication: TCP/IP + USB + WiFi (4G optional)
- Casing: ABS Casing/ Metal Casing available
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- **Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web**




Face&Palm Recognition Locker Management System

* Smart Locker management + Biometric features*

It replaces traditional unlocking methods such as keys, passwords, and IC cards with biometric features (facial recognition)

- 3,000 users/ 5,000 users/ 20,000 users/ 50,000 users available
- Support **Face, Palm, Fingerprint, Card, QR code, Pincode** verifications all in one.
- Maximum support 64 locker management
- Simple wired interface, easy installation.
- Communication: TCP/IP + USB + WiFi (4G optional)
- Casing: ABS Casing/ Metal Casing available
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- **Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web**

Widely used in various settings such as offices, schools, supermarkets, gyms, and libraries.






Face&Palm Recognition Elevator Control System

* Elevator Control System + Biometric Features*

Professional Elevator control board of Face& Palm recognition and Fingerprint.

- 3,000 users/ 5,000 users/ 20,000 users/ 50,000 users available
- Support **Face, Palm, Fingerprint, Card, QR code, Pincode** verifications all in one.
- Maximum support 64 floors.
- Simple wired interface, easy installation.
- Each floor can set parameters separately
- Communication: TCP/IP + USB + WiFi (4G optional)
- Casing: ABS Casing/ Metal Casing available
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- **Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web**

Suitable for all type elevator control



Face&Palm Recognition & Video Intercom System

*** Accurate identification
+ Video intercom + Remote Monitoring***

It covers multiple scenarios, High accuracy& Fast response

- 3,000 users/ 5,000 users/ 20,000 users/ 50,000 users available
- Support **Face, Palm, Fingerprint, Card, QR code, Pincode** verifications all in one.
- Communication: TCP/IP + USB + WiFi (4G optional)
- Casing: ABS Casing/ Metal Casing available
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- **Free SDK: HTTP/ MQTT/ WebSocket/ TCP/ DUP/ Web**





Pedestrian & Gesture detection AI Camera (access control& alarm)

* Pedestrian Detection + Gesture Detection *


For Automatically Door Control/ Alarm

Use for door control or non-human area alarm

- Communication: QR code
- Casing: ABS Casing/ Metal Casing available
- System: LINUX system
- The accuracy error < 1%
- The response time < 3 seconds
- Recognition Area: 115*95*55
- Angle Range: 35 degree adjustable
- Night Vision: Supported
- **Special: Palm detection AI-power**
Human detection AI-power



Face&Palm Recognition Terminals



NEW

A3-8396

5 inches IPS full view HD screen
 Faces: 3,000
 Palm: 3,000
 Fingerprint: 100 (3,000 optional)
 Cards: 3,000
 QR code: 3,000
 Password: 3,000
 Attendance Logs: 200,000
PoE power supply
 WIFI+ TCP/IP (4G optional)
IP65 waterproof outdoor use
Support video intercom/ Door bell
 Free SDK



A3-8245

4.5 inches IPS full view HD screen
 Faces: 5,000
 Palm: 5,000
 Fingerprint: 5,000
 Cards: 5,000
 QR code: 5,000
 Password: 5,000
 Attendance Logs: 200,000
 WIFI+ TCP/IP (4G optional)
 Free SDK




NEW

A3-DJ35

3.5 inches IPS full view HD screen
 Faces: 1,000
 Cards: 1,000
 QR code: 1,000
 Password: 1,000
 Attendance Logs: 100,000
PoE power supply
 TCP/IP (WIFI and 4G optional)
IP65 waterproof outdoor use
Support video intercom/Door bell
 Free SDK
Object & Pet detection and Alarm


Face&Palm Recognition Terminals



HOT

A3-8190

5 inches IPS full view HD screen
 Faces: 20,000 (5,000 optional)
 Palm: 20,000
 Cards: 20,000
 QR code: 20,000
 Password: 20,000
 Attendance Logs: 1,000,000
 WIFI+ TCP/IP (4G optional)
 SONY Binocular Cameras
IP65 waterproof outdoor use optional
 Support video intercom
 Free SDK



HOT

A3-8255

5.5 inches IPS full view HD screen
 Faces: 20,000
 Palm: 20,000
 Fingerprint: 20,000
 Cards: 20,000
 QR code: 20,000
 Password: 20,000
 Attendance Logs: 1,000,000
 WIFI+ TCP/IP (4G optional)
 SONY Binocular Cameras
 Support video intercom
Anti-tampering design
 Free SDK



NEW

A3-8380


5 inches IPS full view HD screen
 Faces: 5,000
 Palm: 5,000
 Cards: 5,000
 QR code: 5,000
 Password: 5,000
 Attendance Logs: 200,000
 WIFI+ TCP/IP (4G optional)
Support Alcohol Detection
 Free SDK

Face&Palm Recognition Terminals



A3-8200

7 inches IPS full view HD screen
 Faces: 20,000
 Palm: 20,000
 Cards: 20,000
 QR code: 20,000
 Password: 20,000
 Attendance Logs: 1,000,000
 WIFI+ TCP/IP (4G optional)
 SONY Binocular Cameras
IP65 waterproof outdoor use
 Support video intercom
 Free SDK



A3-8890


8 inches IPS full view HD screen
 Faces: 20,000
 Palm: 20,000
 Fingerprint: 20,000
 Cards: 20,000
 QR code: 20,000
 Password: 20,000
 Attendance Logs: 1,000,000
 WIFI+ TCP/IP (4G optional)
IP65 waterproof outdoor use
 SONY Binocular Cameras
 Support SIP video intercom
 Free SDK



Video Intercom Indoor Unit


7 inches IPS full view HD screen
 4.3 inches IPS full view HD screen
 TCP/IP + WIFI
 Touch & Button Control available
Support Elevator Call
 Alarm input: 8 groups (anti-theft, door magnet, window, flooding, fire, gas, smoke, other)
 Alarm output: 1 group (can drive 100mA alarm light or horn)

Face&Palm Recognition Terminals



A3-8395

5 inches IPS full view HD screen
 Faces: 3,000
 Palm: 3,000
 Cards: 3,000
 QR code: 3,000
 Password: 3,000
 Attendance Logs: 200,000
 WIFI+ TCP/IP (4G optional)
IP65 waterproof outdoor use
 Support video intercom
 Free SDK




A3-8370

7 inches IPS full view HD screen
 Faces: 3,000
 Palm: 3,000
 Cards: 3,000
 QR code: 3,000
 Password: 3,000
 Attendance Logs: 200,000
 WIFI+ TCP/IP (4G optional)
IP65 waterproof outdoor use
 Support SIP video intercom
 Free SDK



A3-AU01

Vehicle's face recognition terminal
 4.5 inches IPS full view HD screen
 Faces: 500
 Cards: 500
 Password: 500
 Attendance Logs: 100,000
Explosion-proof rating: IK06
IP66 waterproof& dustproof
Vehicle start-stop control
GPS
Driver Fatigue Monitoring System
 Free SDK



Elevator/ Locker Control Board
6864MA

Cards Support:

Mifare card and CPU card

Cards Capacity: 60,000

Records Capacity: 130,000

Management Floor/Locker:

32 (add a extended board 64)

Communication Distance:

RS485 (1200m)



Bracket
Stand



Rain & Sun
Cover

Mainly suitable for installing on
Turnstile.
Outdoor use

Easy installation
Suitable for all devices



Access Control Power Supply
6X

Output:

DC Voltage: 12-14V

Rated Current: 5A

Protective Current: 6A

Rated Power: 60W

Ripple (peak value): 150-200mv


Input:

DC Voltage: 110-250VAC

Frequency Range: 50-60hz



AI-power Camera Module -- OEM& ODM projects are Welcome!



BOWE Management System

Three Types of Management

Keypad Management、CS System Management BS
Cloud/Mobile Management

More Convenient And Practical





Keypad Management



CS System Management



BS Cloud/Mobile
Management



Application

Intelligent Community Passage System, Office Building Hall Corridor Management System, Site Labor System, Club Membership Management System, Scenic Spot Ticket System, etc.



Construction Site



Office Building



Community




Scenic Area



Pedestrian Passage



Club



Government



School



ABOUT US

SINCE 2014

Focus on

AI-power vision products

- 11 Years OEM&ODM experience of AI vision products.
- Alibaba Top 3 supplier of Face& Palm Vein Recognition Access Control terminal.
- 2 production lines, monthly production capacity can reach out 9,000 units
- Free SDK, R&D support software& hardware customization, and protocol integrate.

Shenzhen BOWE Innovation Co., LTD

Year Established 2014

Main Product Face& Palm Vein recognition terminal

Location Shenzhen, China

Web <https://szbowe.en.alibaba.com/>

Officer 90-120 workers (assembly lines)

Company Area 2000m²

Address 411, Building G, Yuxing Technology Industrial Park, Baoan, Shenzhen






OUR FACTORY




— SECURITY —
FACTORY
— EFFICIENT —



OUR TEAM



CONTACT US



Shenzhen BOWE Innovation Co., LTD

Stay tuned!
Many new products are currently under development...



Ruby Ren
Sales Manager

TEL/ WhatsApp/ WeChat: +86 15914161037

<https://szbowe.en.alibaba.com>