

LYRIO DASHBOARD

Configuration & Variables Reference

Prepared for Jorge

HOW THE APP WORKS

All configuration files live inside the lyrio_dashboard/ project folder. Changes to the live app at lyrio-jorge.streamlit.app are made by updating these files and pushing to GitHub – Streamlit Cloud rebuilds automatically. Nothing is edited directly on the live site.

SECTION 1 SECRETS & API KEYS

File: .streamlit/secrets.toml

This file is private and not visible on GitHub. It holds all credentials.

Anthropic API Key (powers the AI Chat)

Variable: [anthropic] api_key

Value: sk-ant-... (your key)

To change: Replace the value in this file, or generate a new key at console.anthropic.com

GoHighLevel API Key (connects to GoHighLevel)

Variable: [ghl] api_key

Value: pit-688beb58...

To change: Replace with a new key from GHL > Settings > API Keys

GoHighLevel Location ID (identifies your GHL account location)

Variable: [ghl] location_id

Value: 3xt4qayAh35BldLaUv7P

To change: Find this in GHL > Settings > Business Profile

Data Mode

Variable: mode

Value: "live"

To change: Set to "demo" to force demo mode across all pages

Note: If your GHL API key is ever rotated, update it here. Same for Anthropic.

SECTION 2 APP BEHAVIOR DEFAULTS

File: app.py (lines 25-36)

These settings control what the app displays when it first loads.

page "Chat" Which page opens by default

cost_month "2026-02" Default month on the Costs page

activity_items_shown 20 Number of events shown in the Activity feed

data_mode "Demo" Starting mode when the app loads

SECTION 3 AI CHAT SETTINGS

File: backend/concierge.py (lines 166-167)

AI Model

Current: claude-sonnet-4-20250514
Purpose: Determines which Claude version answers questions in the chat
To change: Update the model name in this file
Options: Opus (smarter, higher cost) / Haiku (faster, lower cost)
Max Tokens
Current: 1024
Purpose: Sets the maximum length of AI responses
To change: Increase the number for longer responses
Chat Suggestion Buttons (the four quick-tap prompts on the Chat page)
File: pages/concierge_chat.py (lines 15-20)
To change: Edit the wording of any of the four suggestion strings

SECTION 4 DEMO DATA

Files: backend/demo_data.py and seed_constants.py
Controls the sample data Jorge sees when in Demo mode.
This data is illustrative only – it has no effect on real GHL data.
Random Seed 20260221 Determines which data is generated.
Changing this changes all names and scores.
Total Leads 18 Number of sample leads shown
Hot / Warm / Cold 3 / 6 / 9 Lead temperature distribution
Activity Events 50 Events shown in the Activity Feed
Lead Names 18 names Maria Gonzalez, David Chen, etc.
(editable in seed_constants.py)
Addresses 18 addresses Rancho Cucamonga area properties
(editable in seed_constants.py)

SECTION 5 COST & ROI CALCULATIONS

Files: backend/demo_data.py (demo mode)
backend/live_data.py (live mode)
These values drive the Cost & ROI Tracker page.
Claude Input Cost \$3.00 per 1M tokens Anthropic's current pricing
Claude Output Cost \$15.00 per 1M tokens Anthropic's current pricing
Average Commission \$18,000 Based on 3% of a \$600K sale
Update this if deal size changes
Expected Closed Deals 1 per period Used to calculate projected ROI

SECTION 6 LIVE MODE — GOHIGHLEVEL FIELD MAPPINGS

File: backend/live_data.py (lines 24-54)
These IDs must match the exact custom fields and workflows in Jorge's GoHighLevel account.
Custom Field IDs
Bot Type field YJ9EDgHQB3UoKnnTSouO Stores which bot handled a lead
Lead Score field FpLprsZwqpYTyUxYzgpS Stores the lead's score
Timeline field 7GGX1W3EKa51AsPU1wbP Stores buyer/seller timeline
Workflow IDs (currently placeholders – must be updated with real GHL IDs)
Hot Seller Workflow wf-hot-seller-placeholder
Warm Seller Workflow wf-warm-seller-placeholder
Hot Buyer Workflow wf-hot-buyer-placeholder
Notify Agent Workflow wf-notify-agent-placeholder

GHSL > Automations > open the workflow > copy the ID from the browser URL

```
Files: .streamlit/config.toml and theme.py
Accent Color #6366f1 Indigo Edit primaryColor in config.toml
Background #05070A Near-black
Hot Lead Color #ef4444 Red Edit in theme.py
Warm Lead Color #f59e0b Amber Edit in theme.py
Cold Lead Color #3b82f6 Blue Edit in theme.py
```

Situation File What to Update

GHSL API key rotated .streamlit/secrets.toml ghl api_key
 Anthropic key rotated .streamlit/secrets.toml anthropic api_key
 New GHSL location .streamlit/secrets.toml ghl location_id
 Switch to live data .streamlit/secrets.toml mode = "live"
 Average commission changed demo_data.py + live_data.py \$18,000 value
 Connect real GHSL workflows live_data.py (lines 49-54) Replace placeholders
 Adjust AI response length concierge.py (line 167) max_tokens value
 Change which AI model is used concierge.py (line 166) Model name
 Webhook URLs (set inside GHSL Automations, not in any code file)

Lead Bot trigger (tag added) POST <https://jorge-realty-ai-xxdf.onrender.com/api/ghl/tag-webhook>
 Seller/Buyer Bot trigger (reply) POST <https://jorge-realty-ai-xxdf.onrender.com/api/ghl/webhook>
 Bot server health check GET <https://jorge-realty-ai-xxdf.onrender.com/api/ghl/health>

```
The bots (Seller Bot, Buyer Bot, Lead Bot) are NOT part of the Lyrio Dashboard.
They run on a completely separate server hosted on Render.com.
Bot Server URL: https://jorge-realty-ai-xxdf.onrender.com
Platform: Render.com
Docker Image: docker.io/chunktort/jorge-realty-ai:v1.0.8
Health Check: https://jorge-realty-ai-xxdf.onrender.com/api/ghl/health
How It All Connects
GoHighLevel detects an event (new tag or inbound message)
|
| fires a webhook to the Render bot server
v
Render Bot Server receives the webhook and runs the appropriate bot
|
```

```
| bot uses Claude AI to generate a response, then writes back to GHL:
| - sends SMS to the lead
| - applies or removes tags
| - updates custom fields (score, timeline, bot type)
| - enrolls lead in a workflow
v
GoHighLevel is updated with the bot's actions
|
| Lyrio Dashboard polls GHL API to read the updated data
v
Lyrio Dashboard displays the results (bot stats, activity, lead scores)
Webhook Endpoints (configured inside GHL Automations, not in Lyrio)
Tag Webhook
URL: POST https://jorge-realty-ai-xxdf.onrender.com/api/ghl/tag-webhook
Trigger: "Needs Qualifying" tag is added to a contact
Action: Fires the Lead Bot to begin qualifying the lead
Message Webhook
URL: POST https://jorge-realty-ai-xxdf.onrender.com/api/ghl/webhook
Trigger: Contact with "Needs Qualifying" or "Buyer-Lead" tag sends a reply
Action: Fires the Seller Bot or Buyer Bot to respond
What the Bot Command Center Page Does
The Bot Command Center page inside Lyrio is display only. It shows bot
statistics pulled from GHL – conversations today, response times, lead
temperature distribution. It does not send commands to the bots.
The only place inside Lyrio where Jorge can take action is the Concierge
Chat page. From there, Jorge can instruct the AI to send an SMS, re-tag
a lead, update a score, or enroll someone in a workflow. Those actions go
through the GHL API directly – not through the bot server.
To Change Bot Behavior (prompts, logic, responses)
That requires updating the separate bot server codebase and pushing a new
Docker image to Docker Hub. The Lyrio Dashboard has no control over this.
Contact the developer to make changes to how the bots respond or qualify leads.
```

SUMMARY

The single most important file is `.streamlit/secrets.toml` – it holds all API keys and credentials. If Jorge ever hands the project to a new developer, that file (shared privately, never via GitHub) is what they need to connect to live data. All other settings are app behavior that a developer adjusts as needed. The bots themselves live on a separate Render server. Lyrio reads from GHL to display what the bots are doing, but does not control them directly.
