

INF 354: Advanced Programming



LP 09: lonic II



Make today matter www.up.ac.za

Outline

- Install & Configure
- ❖ Ionic CLI
- Ionic Framework Components
- Ionic Service API Integration
- Ionic Tabs & Routing
- Ionic Framework Components Implementation
- Additional Mentions
- In-Class Practice



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Install & Configure



Install & Configure

- Node.js (website)
- npm install -g @ionic/cli
- ionic start testproject tabs --type=angular
- ionic serve -o



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Ionic CLI



Ionic CLI

- https://ionicframework.com/docs/intro/cli
- ionic generate

```
PS D:\UP\Teaching\2023\INF354\Lecture09_Ionic_II\Ionic_II_app\hero> ionic generate

* What would you like to generate? (Use arrow keys)

* page

component

service

module

class

directive

guard

(Move up and down to reveal more choices)
```

Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Make today matter www.up.ac.za

UNIVERSITEIT VAN PRETORIA

YUNIBESITHI YA PRETORIA

Ionic Framework Components



Ionic Framework Components

https://ionicframework.com/docs/components



Button

Buttons let your users take action. They're an essential way to interact with and navigate through an app.



Card

Cards are a great way to display an important piece of content, and can contain images, buttons, text, and more.



Chip

Chips are a compact way to display data or actions.



Modal

Modals slide in and off screen to display a temporary UI and are often used for login or sign-up pages.




Toast

Toast is used to show a notification over the top of an app's content. It can be temporary or dismissable.



Refresher

Refresher provides pull-to-refresh functionality on a content component.



Beautifully designed icons for use in web, iOS,

Android, and desktop apps.



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo


Ionic Service API Integration



Ionic Service API Integration

ionic g s serviceName

```
import { Injectable } from '@angular/core';
import { HttpClient, HttpHeaders } from '@angular/common/http';
import { map, Observable, Subject } from 'rxjs';
import { Hero } from '../shared/hero';
@Injectable({
  providedIn: 'root'
export class HeroService {
  apiUrl = 'http://localhost:5116/api/'
  httpOptions ={
   headers: new HttpHeaders({
     ContentType: 'application/json'
  constructor(private _httpClient: HttpClient) { }
  getHeroes(): Observable<Hero[]>{
    return this._httpClient.get<Hero[]>(`${this.apiUrl}Hero/GetAllHeroes`)
    .pipe(map(result => result))
  getHero(heroId: number) {
    return this. httpClient.get(`${this.apiUrl}Hero/GetHero` + "/" + heroId)
    .pipe(map(result => result))
```





Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

```
HeroController.cs → X HeroRepository.cs
                                      IHeroRepository.cs
                                                          Hero.cs
■ lonic_II
                                                                _nerokepository - merokepository;
                      [HttpGet]
                      [Route("GetAllHeroes")]
                      0 references
                      public async Task<IActionResult> GetAllHeroes()
                          try
                              var results = await _heroRepository.GetAllHeroesAsync();
                              return Ok(results);
                          catch (Exception)
                              return StatusCode(500, "Internal Server Error. Please contact support.");
                      [HttpGet]
                      [Route("GetHero/{heroId}")]
                      public async Task<IActionResult> GetHero(int heroId)
                          try
                              var result = await _heroRepository.GetHeroAsync(heroId);
                              if (result == null) return NotFound("Hero does not exist. You need to create it first");
                              return Ok(result);
                          catch (Exception)
       48
                              return StatusCode(500, "Internal Server Error. Please contact support");
```



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

```
HeroRepository.cs
                          IHeroRepository.cs
                                               Hero.cs → X
using System.ComponentModel.DataAnnotations;
namespace Ionic_II.Models
    19 references
    public class Hero
        [Key]
        1 reference
        public int HeroId { get; set; }
        0 references
        public string Name { get; set; }
        0 references
        public int Age { get; set; }
        public string Birthday { get; set; }
        0 references
        public string Height { get; set; }
        0 references
        public bool isAlive { get; set; }
        public string FileName { get; set; }
        0 references
        public string ImageBase64 { get; set; }
```



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo


	_	3						
	Herold	Name	Age	Birthday	Height	isAlive	FileName	ImageBase64
1	1	Samuel Thomas 'Sam' Wilson (Falcon/Captain Ameri	40	September 23	178cm	1	Anthony-Mackie-Captain-America-4.webp	data:image/webp;base64,UklGRvhuAABXRUJQVIA4IOxuAAD
2	2	Scott Lang (Ant-Man)	34		178cm	1	antman-and-the-wasp-marvel-4.webp	data:image/webp;base64,UklGRmbqAABXRUJQVIA4IFrqAAD
3	3	Natasha Romanoff (Black Widow)	39	December 3	164cm	1	black-widow-1.webp	data:image/webp;base64,UklGRvRWAABXRUJQVIA4IOhWAA
4	4	Colonel James 'Rhodey' Rhodes (War Machine)	55	October 6	173cm	1	Don-cheadle-as-rhodey-Cropped.webp	data:image/webp;base64,UklGRgqCAABXRUJQVIA4IP6BAA
5	5	Clint Barton (Hawkeye)	53	June 18	173cm	1	hawkeye.webp	data:image/webp;base64,UklGRtKEAABXRUJQVIA4IMaEAA
6	6	Peter Parker (Spider-Man)	19	August 10	170cm	1	peter-parker-Cropped.webp	data:image/webp;base64,UklGRjl9AABXRUJQVIA4ICY9AACw
7	7	Steve Rogers (Captain America)	34	July 4	185cm	0	steve-rogers.webp	data:image/webp;base64,UklGRpQ4AABXRUJQVIA4IIg4AAB
8	8	Bruce Banner (The Hulk)	54	December 18	250cm	1	The-Incredible-Hulk.webp	data:image/webp;base64,UklGRI50AABXRUJQVIA4IFJ0AAD
9	9	Thor	1059		192cm	1	thor-lightning.webp	data:image/webp;base64,UklGRjhKAABXRUJQVIA4lCxKAAD
10	10	Tony Stark (Iron Man)	53	May 29	185cm	0	tony-stark-iron-man.webp	data:image/webp;base64,UklGRjiPAABXRUJQVIA4ICyPAAD
11	11	Vision	3	May 29	178cm	1	Vision-Civil-War-Cropped.webp	data:image/webp;base64,UklGRiRTAABXRUJQVIA4IBhTAAB
12	12	Wanda Maximoff (Scarlet Witch)	30	February 10	168cm	1	Wanda-Scarlet-Witch-Cropped.webp	data:image/webp;base64,UklGRs5XAABXRUJQVIA4IMJXAA



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Make today matter www.up.ac.za





Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo



```
Heroes: Observable<Hero[]>;
constructor(private _toastController: ToastController, private _heroService: HeroService) {
    this.Heroes = this._heroService.getHeroes();
}
```



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo



Demo...



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Make today matter www.up.ac.za

Ionic Tabs & Routing



Ionic Tabs & Routing

3 default tabs created with ionic start --tabs app.

```
∨ tab1

 tab1.page.html
 tab1.page.scss
TS tab1.page.spec.ts
TS tab1.page.ts
∨ tab2
 tab2.page.html
 tab2.page.scss
TS tab2.page.spec.ts
TS tab2.page.ts
∨ tab3
 tab3.page.html
 tab3.page.scss
TS tab3.page.spec.ts
TS tab3.page.ts
```

```
TS tab3.page.ts X
src > app > tab3 > TS tab3.page.ts > ...
       You, 4 days ago | 1 author (You)
  1 ∨ import { Component } from '@angular/core';
       import { IonicModule } from '@ionic/angular';
       import { ExploreContainerComponent } from '../explore-container/explore-container.component';
       You, 4 days ago | 1 author (You)
  5 ∨ @Component({
         selector: 'app-tab3',
         templateUrl: 'tab3.page.html',
         styleUrls: ['tab3.page.scss'],
         standalone: true,
         imports: [IonicModule, ExploreContainerComponent],
 11
 12 v export class Tab3Page {
         constructor() {}
 13
```




Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

default tabs folder created as well. Location for the tabs Routes.

```
tabs.page.html M X
src > app > tabs > ♦ tabs.page.html > ♦ ion-tabs > ♦ ion-tab-bar
       Go to component | You, 1 second ago | 1 author (You)
       <ion-tabs>
         <ion-tab-bar slot="bottom">
           <ion-tab-button tab="tab1">
             <ion-icon aria-hidden="true" name="people-sharp"></ion-icon>
             <ion-label>Heroes</ion-label>
           </ion-tab-button>
           <ion-tab-button tab="tab2">
             <ion-icon aria-hidden="true" name="information-circle-sharp"></ion-icon>
             <ion-label>Popover</ion-label>
           </ion-tab-button>
 11
 12
 13
           <ion-tab-button tab="tab3">
 14
             <ion-icon aria-hidden="true" name="person-sharp"></ion-icon>
             <ion-label>Profile</ion-label>
 15
           </ion-tab-button>
 16
         </ion-tab-bar>
 17
       </ion-tabs>
```





Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

tabs Routes

```
tabs.routes.ts M X
: > app > tabs > TS tabs.routes.ts > [@] routes
     You, 2 minutes ago | 1 author (You)
     import { Routes } from '@angular/router';
     import { TabsPage } from './tabs.page';
     export const routes: Routes = [
         path: 'tabs',
         component: TabsPage,
         children: [
             path: 'tab1',
             loadChildren: () => [
               path: ,
               loadComponent: () =>
               import('../tab1/tab1.page').then((m) => m.Tab1Page),
                 path: 'hero-detail/:heroId',
                 loadComponent: () => import('../hero-detail/hero-detail.page').t
             path: 'tab2',
             loadComponent: () =>
               import('../tab2/tab2.page').then((m) => m.Tab2Page),
             path: 'tab3',
             loadComponent: () =>
               import('../tab3/tab3.page').then((m) => m.Tab3Page),
```

```
path: '',
    redirectTo: '/tabs/tab1',
    pathMatch: 'full',
    },

path: '',
    redirectTo: '/tabs/tab1',
    pathMatch: 'full',
},
```



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

app Routes

```
app.routes.ts M X
rc > app > TS app.routes.ts > ...
     You, 31 seconds ago | 1 author (You)
     import { Routes } from '@angular/router';
     export const routes: Routes = [
          path: '',
          loadChildren: () => import('./tabs/tabs.routes').then((m) => m.routes),
             path: 'herostatus',
             loadComponent: () => import('./herostatus/herostatus.page').then( m => m.HerostatusPage)
            path: 'hero-detail',
             loadComponent: () => import('./hero-detail/hero-detail.page').then( m => m.HeroDetailPage)
```



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Make today matter www.up.ac.za

Demo...



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Ionic Framework Components Implementation



Ionic Framework Components Implementation

- ion-avatar
- ion-card
- ion-button | ion-fab-button
- ion-list
- ion-skeleton-text
- ion-refresher
- Modal
- Popover



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo



Ionic Framework Components Implementation

Demo...



Faculty of Engineering, Built Environment and Information Technology

Fakulteit Ingenieurswese, Bou-omgewing en Inligtingtegnologie / Lefapha la Boetšenere, Tikologo ya Kago le Theknolotši ya Tshedimošo

Additional Mentions



In-Class Practice

