

Università degli Studi di Bari Informatica e Tecnologie per la Produzione del Software Corso di Modelli e Metodi per la qualità del software 2022-2023

Matteo Scuro, matricola n. 644187, m.scuro@studenti.uniba.it Claudia Stefanizzi, matricola n. 644993, c.stefanizzi2@studenti.uniba.it

> Caso di studio: analisi preliminare Nome del gruppo: CiEmme

Indice

1	Introduzione	2
	1.1 Il caso di studio	2
2	La creazione del progetto	3
	2.1 Il repository	3
3	Maven	4
	3.1 Il test iniziale	4
4	SonarCloud	21
	4.1 Il setup iniziale	21
5	Gli ActionPlan[s]	22
	5.1 Download del .csv	22
	5.2 La pianificazione del lavoro	22

1 Introduzione

1.1 Il caso di studio

In questo documento viene descritta la fase preliminare relativa allo sviluppo del caso di studio per l'esame di Modelli e Metodi per la Qualità del software.

A partire dall'assegnazione del caso di studio stesso, si è proceduto dapprima con la clonazione del repository git, poi con l'analisi tramite SonarCloud con conseguente download del file csv denominato "Analisi#1". Successivamente, tramite un apposito script in Python, abbiamo eseguito il parsing del file creando dinamicamente i file ActionPlan#[X].csv.

2 La creazione del progetto

2.1 Il repository

Ci è stato assegnato il progetto "arquillian-core", disponibile al seguente url: "https://github.com/francescoZ93/arquillian-core".

Abbiamo quindi proceduto con la creazione di un'organizzazione e con la clonazione del repository. Di seguito i dettagli relativi agli account utilizzati:

- Organizzazione: CiEmmeModelli
- Url organizzazione: "https://github.com/CiEmmeModelli"
- Nome del progetto: CiEmme
- Url repository: "https://github.com/CiEmmeModelli/CiEmme"
- Username git: Matteo Scuro: AndreaMarinetti, Claudia Stefanizzi: stefaclaudia

3 Maven

3.1 Il test iniziale

Dopo aver clonato il repository, abbiam proceduto con il lancio dei test maven. Per fare questo, dopo aver risolto un problema con la versione di java, abbiamo lanciato il comando

\$ mvn test

Di seguito l'output del comando:

```
[INFO] Scanning for projects...
[INFO]
[INFO] Reactor Build Order:
[INFO]
[INFO] Arquillian Aggregator [pom]
[INFO] Arquillian Build [pom]
[INFO] Arquillian Core API [jar]
[INFO] Arquillian Core SPI [jar]
[INFO] Arquillian Core Implementation Base [jar]
[INFO] Arquillian Core Aggregator [pom]
[INFO] Arquillian Config API [jar]
[INFO] Arquillian Config SPI [jar]
[INFO] Arquillian Test API [jar]
[INFO] Arquillian Test SPI [jar]
[INFO] Arquillian Test Implementation Base [jar]
[INFO] Arquillian Config Implementation Base [jar]
[INFO] Arquillian Config Aggregator [pom]
[INFO] Arquillian Test Aggregator [pom]
[INFO] Arquillian Container SPI [jar]
[INFO] Arquillian Container Implementation Base [jar]
[INFO] Arquillian Container Test API [jar]
[INFO] Arquillian Container Test SPI [jar]
[INFO] Arquillian Container Test Implementation Base [jar]
[INFO] Arquillian Container Aggregator [pom]
[INFO] Arquillian TestRunner JUnit Core [jar]
[INFO] Arquillian TestRunner JUnit Standalone [jar]
[INFO] Arquillian TestRunner JUnit Container [jar]
[INFO] Arquillian TestRunner JUnit Aggregator [pom]
[INFO] Arquillian TestRunner TestNG Core [jar]
[INFO] Arquillian TestRunner TestNG Standalone [jar]
[INFO] Arquillian TestRunner TestNG Container [jar]
[INFO] Arquillian TestRunner TestNG Aggregator [pom]
[INFO] Arquillian TestEnricher CDI [jar]
[INFO] Arquillian TestEnricher EJB [jar]
[INFO] Arquillian TestEnricher Resource [jar]
[INFO] Arquillian TestEnricher InitialContext [jar]
[INFO] Arquillian TestEnricher Aggregator [pom]
[INFO] Arquillian Protocol Servlet 2.5/3.x [jar]
[INFO] Arquillian Protocol JMX [jar]
[INFO] Arquillian Protocol Aggregator [pom]
[INFO] Arquillian BOM [pom]
[INFO]
                                 < org.jboss.arquillian:arquillian—parent
[INFO]
[INFO] Building Arquillian Aggregator 1.6.1.
Final—SNAPSHOT [1/37]
[INFO] from pom.xml
```

```
[INFO]
                                                                     -----[ pom ]------
[INFO]
[INFO]
                          enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-parent --
[INFO]
[INFO]
                        enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-parent --
[INFO]
[INFO] -
                    -- buildnumber:1.4:create (get-scm-revision) at arquillian-parent --
[INFO] Executing: /bin/sh -c cd '/Users/matteoscuro/Documents/GitHub/CiEmme' && 'git' 'rev-parse' '--verify' 'HEAD'
[INFO] \ Working \ directory: /Users/matteoscuro/Documents/GitHub/CiEmme
[INFO]\ Storing\ buildNumber:\ b8ee5f8dc864dc83b12d67929fbe480b1f347ffe\ at\ timestamp:\ 1695912979384
[INFO] Storing buildScmBranch: main
[INFO]
[INFO]
                                                               -< org.jboss.arquillian:arquillian-build >-
[INFO] Building Arquillian Build 1.6.1.Final—SNAPSHOT [2/37]
[INFO] from build/pom.xml
                                                                                                                     --[ pom ]--
[INFO]
[INFO]
                      - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-build --
[INFO]
[INFO]
                       - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-build ---
[INFO]
[INFO]
                          buildnumber:1.4:create (get-scm-revision) at arquillian-build ---
[INFO]
[INFO]
                                                  -< org.jboss.arquillian.core:arquillian-core-api >----
[INFO] Building Arquillian Core API 1.6.1.Final—SNAPSHOT [3/37]
[INFO] from core/api/pom.xml
                                                                                                                     --[ jar ]--
[INFO]
[INFO]
                      - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-core-api --
[INFO]
[INFO]
                      - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-core-api ---
[INFO]
[INFO]
                      - buildnumber:1.4:create (get-scm-revision) at arquillian-core-api ---
[INFO]
[INFO] -
                      - resources:3.1.0:resources (default-resources) at arquillian-core-api ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                          {\it compiler:} 3.8.0-{\it jboss-2:} {\bf compile} \ ({\it default-compile}) \ {\it at arquillian-core-api-compile})
[INFO] Nothing to compile - all classes are up to date
[INFO]
                       - resources:3.1.0:testResources (default-testResources) at arquillian-core-api --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/api/src/test/resources \ for the property of the prop
[INFO]
[INFO] -
                    -- compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-core-api ---
[INFO] No sources to {f compile}
[INFO]
[INFO]
                      - surefire:2.22.0:test (default-test) at arquillian-core-api --
[WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
[INFO]
[INFO]
                                                -< org.jboss.arquillian.core:arquillian-core-spi >-
[INFO] Building Arquillian Core SPI 1.6.1.Final—SNAPSHOT [4/37]
[INFO] from core/spi/pom.xml
[INFO] -
                                                                                                       ----[ jar ]--
[INFO]
[{\rm INFO}] \ --- \ {\rm enforcer:} 3.0.0 - {\rm M2:enforce} \ ({\rm enforce-java-version}) \ {\rm at \ arquillian-core-spi} \ ----
[INFO]
[INFO] -
                          enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-core-spi ---
[INFO]
[INFO] -
                          build
number:1.4:create (get—scm—revision) at arquillian—core—spi ——
[INFO]
                        - resources:3.1.0:resources (default-resources) at arquillian-core-spi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/main/resources \ (INFO) \ skip \ resources \ (INFO) \ skip \ re
[INFO]
[INFO]
                      - compiler: 3.8.0-jboss-2:compile (default-compile) at arguillian-core-spi ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] -
                      - resources:3.1.0:testResources (default-testResources) at arquillian-core-spi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/core/spi/src/test/resources
[INFO]
                        - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-core-spi
[INFO] No sources to compile
[INFO] -
                        - surefire: 2.22.0:test (default-test) at arquillian-core-spi -
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO] No tests to run.
```

```
[INFO]
[INFO]
                         --< org.jboss.arquillian.core:arquillian-core-impl-base >-
[INFO] Building Arquillian Core Implementation Base 1.6.1.
Final—SNAPSHOT [5/37]
[INFO] from core/impl-base/pom.xml
                                                                                  --[ jar ]--
[INFO]
[INFO]
                enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-core-impl-base ---
[INFO]
[INFO]
                  enforcer:3.0.0-M2:enforce (enforce-mayen-version) at arguillian-core-impl-base --
[INFO]
[INFO]
                  buildnumber:1.4:create (get-scm-revision) at arquillian-core-impl-base --
[INFO]
[INFO]
                   resources:3.1.0:resources (default-resources) at arquillian-core-impl-base --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/core/impl-base/src/main/resources
[INFO]
                  compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-core-impl-base -
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                - resources: 3.1.0: testResources (default-testResources) at arguillian-core-impl-base ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                 [INFO] Nothing to compile - all classes are up to date
[INFO]
                  surefire:2.22.0:test (default-test) at arquillian-core-impl-base
[WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.core.impl.EventFireTestCase
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.102 s - in org.jboss.arquillian.core.impl.EventFireTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl. Extension Parse Test Case and the control of 
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s — in org.jboss.arquillian.core.impl.ExtensionParseTestCase
[INFO] Running org.jboss.arquillian.core.impl.ManagerImplTestCase
[INFO] Tests run: 8, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0 s - in org.jboss.arquillian.core.impl.ManagerImplTestCase
[INFO] \ Running \ org.jboss.arquillian.core.impl.IntegrationTestCase
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0 \ s-in \ org.jboss.arquillian.core.impl.IntegrationTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.InjectionPointImplTestCase
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0 s - in org.jboss.arquillian.core.impl.InjectionPointImplTestCase
[INFO] Running org.jboss.arquillian.core.impl.context.ContextActivationTestCase
[INFO] \ Tests \ run: 3, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0 \ s-in \ org.jboss.arquillian.core.impl.context.
        ContextActivationTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.ClassPermissionTestCase
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0 \ s - in \ org.jboss.arquillian.core.impl.ClassPermissionTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl. Extension Order Test Case
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0 \ s-in \ org.jboss.arquillian.core.impl. Extension Order Test Case
[INFO] Running org.jboss.arquillian.core.impl.ObserverInterceptorTestCase
[INFO] \ \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.01 \ s-in \ org.jboss.arquillian.core.impl.ObserverInterceptorTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.loadable.LoadableExtensionLoaderTestCase
[INFO] \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.001 \ s-in \ org.jboss.arquillian.core.impl.loadable.
        LoadableExtensionLoaderTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.loadable.JavaSPIExtensionLoaderTestCase
[INFO] \ \ Tests \ run: \ 3, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.095 \ s - in \ org.jboss.arquillian.core.impl.loadable.
        JavaSPIExtensionLoaderTestCase
[INFO] Running org.jboss.arquillian.core.impl.loadable.ServiceRegistryLoaderTestCase
[INFO] Tests run: 8, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.014 \text{ s} - \text{in} org.jboss.arquillian.core.impl.loadable.
        {\bf Service Registry Loader Test Case}
[INFO] Running org.jboss.arquillian.core.impl.loadable.ServiceRegistryTestCase
[INFO] \ Tests \ run: \ 4, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0 \ s-in \ org.jboss.arquillian.core.impl.loadable.
         ServiceRegistryTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.InstanceImplTestCase
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in org.jboss.arquillian.core.impl.InstanceImplTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.ObserverMethodAvailabilityFilterTestCase
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.011 s - in org.jboss.arquillian.core.impl.
        ObserverMethodAvailabilityFilterTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl. EventImplTestCase
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.004 \ s-in \ org.jboss.arquillian.core.impl.EventImplTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl.ManagerProcessingTestCase
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.002 s — in org.jboss.arquillian.core.impl.ManagerProcessingTestCase
[INFO] Running org.jboss.arquillian.core.impl.InjectorTestCase
[INFO] \ \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.004 \ s-in \ org.jboss.arquillian.core.impl.InjectorTestCase
[INFO]\ Running\ org.jboss.arquillian.core.impl. Exception Handling Test Case
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s — in org.jboss.arquillian.core.impl.ExceptionHandlingTestCase
[INFO] \ Running \ org.jboss.arquillian.core.impl. Threaded Executor Service Test Case
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.005 s - in org.jboss.arquillian.core.impl.
        {\bf Threaded Executor Service Test Case}
[INFO]
```

```
[INFO] Results:
 [INFO]
[INFO] Tests run: 50, Failures: 0, Errors: 0, Skipped: 0
[INFO]
 [INFO]
                                                                                   -< org.jboss.arquillian.core:arquillian-core-parent >
[INFO] Building Arquillian Core Aggregator 1.6.1.Final—SNAPSHOT [6/37]
[INFO] from core/pom.xml
[INFO]
                                                                                                                                                                        ---- [ pom ]---
[INFO]
[INFO]
                                         - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-core-parent ---
[INFO]
[INFO]
                                               enforce: 3.0.0-M2: enforce \ (enforce-maven-version) \ at \ arquillian-core-parent \ ---parent \ ---
[INFO]
 [INFO]
                                               build number: 1.4: create \ (get-scm-revision) \ at \ arquillian-core-parent \ ---
[INFO]
 [INFO]
                                                                                  < org.jboss.arquillian.config:arquillian-config-api >-
[INFO] Building Arquillian Config API 1.6.1.Final—SNAPSHOT [7/37]
 [INFO] from config/api/pom.xml
[INFO]
[INFO]
[INFO]

    enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-config-api ---

[INFO]
[INFO]
                                               enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-config-api ---
[INFO]
 [INFO]
                                               buildnumber: 1.4: create \ (get-scm-revision) \ at \ arquillian-config-api \ ---
[INFO]
 [INFO]
                                          - resources:3.1.0:resources (default-resources) at arquillian-config-api --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/config/api/src/main/resources
[INFO]
                                   --- compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-config-api ----
[INFO] -
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                                          - resources:3.1.0:testResources (default-testResources) at arquillian-config-api --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api/src/test/resources/GitHub/CiEmme/config/api
[INFO]
 [INFO]
                                           - \ compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - config-api \ - compiler: 3.8.0 - jboss - 2: test Compiler: 3.8.0 - jboss - 3: test Compiler: 3.
[INFO] No sources to compile
 [INFO]
                                            - surefire:2.22.0:test (default-test) at arquillian-config-api --
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO] No tests to run.
[INFO]
                                                                             -< org.jboss.arquillian.config:arquillian-config-spi >--
[INFO]
[INFO] Building Arquillian Config SPI 1.6.1. \mathrm{Final} - \mathrm{SNAPSHOT}~[8/37]
 [INFO] from config/spi/pom.xml
[INFO] -
 [INFO]
[INFO] -
                                     -- enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-config-spi --
 [INFO]
[INFO] -
                                          - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-config-spi --
 [INFO]
[INFO] -
                                   -- buildnumber:1.4:create (get-scm-revision) at arquillian-config-spi ---
[INFO]
[INFO] -
                                         - resources:3.1.0:resources (default-resources) at arquillian-config-spi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/config/spi/src/main/resources \ for the property of the pr
 [INFO]
 [INFO] -
                                               {\it compiler: 3.8.0-jboss-2:} \textbf{compile} \ ({\it default-\textbf{compile}}) \ {\it at arquillian-config-spi--compile})
 [INFO] Nothing to compile - all classes are up to date
 [INFO]
                                            - resources:3.1.0:testResources (default-testResources) at arquillian-config-spi --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/config/spi/src/test/resources \ for the property of the pr
 [INFO]
[INFO] -
                                  -- compiler:3.8.0-iboss-2:testCompile (default-testCompile) at arguillian-config-spi ---
[INFO] No sources to compile
 [INFO]
 [INFO] -
                                   -- surefire:2.22.0:test (default-test) at arquillian-config-spi ---
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
 [INFO] No tests to run.
 [INFO]
                                                                                             < org.jboss.arquillian.test:arquillian-test-api >-
 [INFO] Building Arquillian Test API 1.6.1.Final—SNAPSHOT [9/37]
[INFO] from test/api/pom.xml
 [INFO] -
                                                                                                                                                                                                                 --[ jar ]----
[INFO]
[INFO] \ --- \ enforcer: 3.0.0-M2: enforce \ (enforce-java-version) \ at \ arquillian-test-api \ ---
```

```
[INFO]
 [INFO]
                                        enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-test-api --
[INFO]
[INFO]
                                     - buildnumber:1.4:create (get-scm-revision) at arquillian-test-api -
[INFO]
 [INFO] -
                                 - resources: 3.1.0: resources (default-resources) at arquillian-test-api --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/main/resources
[INFO]
INFOL
                                   - compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-test-api --
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                                        resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-api \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/api/src/test/resources \ (INFO) \ skip \ resource \ (INFO) 
 [INFO]
                                    - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-test-api
[INFO] No sources to compile
[INFO]
[INFO] -

    surefire: 2.22.0:test (default—test) at arguillian—test—api ——-

 [WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: \ Use \ system Property Variables \ instead.
[INFO] No tests to run.
[INFO]
[INFO]
                                                                          -< org.jboss.arquillian.test:arquillian-test-spi >-
 [INFO] Building Arquillian Test SPI 1.6.1.Final-SNAPSHOT [10/37]
 [INFO] from test/spi/pom.xml
[INFO]
                                                                                                                                                                               ---[ jar ]--
 [INFO]
[INFO]

    enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-test-spi --

[INFO]
[INFO] -
                                  - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-test-spi ---
[INFO]
[INFO]

    buildnumber:1.4:create (get-scm-revision) at arquillian-test-spi ---

[INFO]
[INFO] -
                                  - resources:3.1.0:resources (default-resources) at arquillian-test-spi --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/main/resources \ (INFO) \ skip \ resource \ (INFO) 
[INFO]
 [INFO]
                                       {\it compiler:} 3.8.0-{\it jboss-2:} {\it compile} \ ({\it default-compile}) \ {\it at arquillian-test-spi-2:} \\
[INFO] Nothing to compile - all classes are up to date
 [INFO]
                                    - resources:3.1.0:testResources (default-testResources) at arquillian-test-spi ---
[INFO]
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/resources/GitHub/CiEmme/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/test/spi/src/spi/src/test/spi/src/spi/src/test/spi/src/test/spi/src/test/spi
[INFO]
[INFO] -
                                  -- compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-test-spi
[INFO] Nothing to \mathbf{compile} - \mathbf{all} classes are up to date
 [INFO]
[INFO] -
                                 - surefire:2.22.0:test (default-test) at arquillian-test-spi --
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
 [INFO]
[INFO] TESTS
 [INFO]
[INFO] Running org.jboss.arquillian.test.spi.ExceptionProxyTestCase
[INFO] \ \ Tests \ run: 6, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.156 \ s-in \ org.jboss.arquillian.test.spi. Exception Proxy Test Case
[INFO]\ Running\ org.jboss.arquillian.test.spi. Exception Proxy Serialization Test Case
[WARNING] Tests run: 1, Failures: 0, Errors: 0, Skipped: 1, Time elapsed: 0 \text{ s} - \text{in} org.jboss.arquillian.test.spi.
                  {\bf Exception Proxy Serialization Test Case}
[INFO]
 [INFO] Results:
[INFO]
 [WARNING] Tests run: 7, Failures: 0, Errors: 0, Skipped: 1
[INFO]
[INFO]
                                                            -< org.jboss.arquillian.test:arquillian-test-impl-base >-
 [INFO] Building Arquillian Test Implementation Base 1.6.1.Final—SNAPSHOT [11/37]
[INFO] from test/impl-base/pom.xml
[INFO] -
                                                                                                                                                                                 --[ jar ]--
[INFO]
[INFO] -
                                        enforcer: 3.0.0-M2: enforce\ (enforce-java-version)\ at\ arquillian-test-impl-base\ ----
 [INFO]
 [INFO]
                                        [INFO]
[INFO]
                                        build number: 1.4: create\ (get-scm-revision)\ at\ arquillian-test-impl-base\ --
 [INFO]
                                        {\it resources:} 3.1.0 : {\it resources} \ ({\it default-resources}) \ {\it at arquillian-test-impl-base} \ --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
```

```
[INFO] --- compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-test-impl-base -
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                  -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-test-impl-base \ -resources: 3.1.0: test Resources: 3.1
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/test/impl-base/src/test/resources
[INFO] -
                 - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-test-impl-base ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                  - surefire: 2.22.0:test (default-test) at arguillian-test-impl-base -
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] T E S T S
[INFO]\ Running\ org.jboss.arquillian.test.impl.enricher.resource. ArquillianResource Test Enricher Test Case
[INFO] Tests run: 8, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.373 s - in org.jboss.arquillian.test.impl.enricher.resource.
         ArquillianResourceTestEnricherTestCase
[INFO] Running org.iboss.arquillian.test.impl.EventTestRunnerAdaptorTestCase
[INFO] \ Tests \ run: \ 2, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.081 \ s - in \ org.jboss.arquillian.test.impl.
        {\bf EventTestRunnerAdaptorTestCase}
[INFO]\ Running\ org.jboss.arquillian.test.impl. Additional Test Class Observer Test Case
[INFO] \ Tests \ run: \ 3, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.067 \ s - in \ org.jboss.arquillian.test.impl.
         {\bf Additional Test Class Observer Test Case}
[INFO]\ Running\ org.jboss.arquillian.test.impl.TestInstanceEnricherTestCase
[INFO] \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.026 \ s - in \ org.jboss.arquillian.test.impl.
         TestInstance Enricher TestCase \\
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 14, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO]
                        -< org.jboss.arquillian.config:arquillian-config-impl-base >-
[INFO] Building Arquillian Config Implementation Base 1.6.1.Final—SNAPSHOT [12/37]
[INFO] from config/impl-base/pom.xml
[INFO]
[INFO]
[INFO]
                   enforce: 3.0.0-M2: enforce \ (enforce-java-version) \ at \ arquillian-config-impl-base \ ---
[INFO]
INFO
                   enforce:3.0.0-M2:enforce (enforce-maven-version) at arquillian-config-impl-base ---
[INFO]
[INFO]
                   buildnumber: 1.4:create (get-scm-revision) at arguillian-config-impl-base ---
[INFO]
[INFO]
                  - resources: 3.1.0:resources (default-resources) at arquillian-config-impl-base ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 2 resources
[INFO]
                   [INFO]
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                  - resources:3.1.0:testResources (default-testResources) at arquillian-config-impl-base --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 7 resources
[INFO]
[INFO]
                  compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-config-impl-base ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] -
                  - surefire:2.22.0:test (default-test) at arquillian-config-impl-base
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] T E S T S
[INFO]
[INFO]\ Running\ org.jboss.arquillian.config.impl.extension. Properties Parser Test Case
[INFO] Tests run: 28, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.339 s - in org. jboss.arquillian.config.impl.extension.
         PropertiesParserTestCase
[INFO] Running org.jboss.arquillian.config.impl.extension.ArquillianDescriptorPropertiesTestCase
[WARNING] \ Tests \ run: \ 18, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 2, \ Time \ elapsed: \ 0.637 \ s - in \ org.jboss.arquillian.config.impl.extension.
         {\bf Arquillian Descriptor Properties Test Case}
[INFO]\ Running\ org. jboss. arquillian. config. impl. extension. Class path Replacement In ArqXml Test Case
[\text{INFO}] \text{ Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.199 s} - \textbf{in} \text{ org.jboss.arquillian.config.impl.extension.}
         {\bf ClasspathReplacementInArqXmlTestCase}
[INFO]\ Running\ org.jboss.arquillian.config.impl.extension.ConfigurationRegistrarTestCase
[INFO] \ Tests \ run: 16, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.145 \ s-in \ org.jboss.arquillian.config.impl.extension.
         {\bf Configuration Registrar Test Case}
[INFO] Running org. jboss.arquillian.config.impl.extension.SyspropReplacementInArqXmlTestCase
[INFO] \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.016 \ s-in \ org.jboss.arquillian.config.impl.extension.
        SyspropReplacementInArqXmlTestCase
```

```
[INFO]\ Running\ org.jboss.arquillian.config.impl. extension. Arquillian Descriptor Class path Properties Test Case
[INFO] \ Tests \ run: 3, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.042 \ s-in \ org.jboss.arquillian.config.impl.extension.
               Arquillian Descriptor Class path Properties Test Case\\
[INFO]\ Running\ org.jboss.arquillian.config.descriptor.impl. Arquillian Descriptor Test Case
[WARNING] Tests run: 20, Failures: 0, Errors: 0, Skipped: 2, Time elapsed: 0.43 \text{ s} - \text{in} org.jboss.arquillian.config.descriptor.impl.
               ArquillianDescriptorTestCase
[INFO]
[INFO] Results:
[INFO]
[WARNING] Tests run: 87, Failures: 0, Errors: 0, Skipped: 4\,
[INFO]
[INFO]
[INFO]
                                                   -< org.jboss.arquillian.config:arquillian-config-parent >-
 [INFO] Building Arquillian Config Aggregator 1.6.1.
Final—SNAPSHOT [13/37]
 [INFO] from config/pom.xml
                                                                                                                                                         -[ pom ]-
[INFO]
[INFO]
                              - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-config-parent ---
[INFO]
[INFO]
                                  enforcer:3.0.0-M2:enforce (enforce-mayen-version) at arguillian-config-parent ---
[INFO]
[INFO]
                                  buildnumber:1.4:create (get-scm-revision) at arquillian-config-parent ---
[INFO]
[INFO]
                                                             -< org.jboss.arquillian.test:arquillian-test-parent >-
 [INFO] Building Arquillian Test Aggregator 1.6.1.
Final—SNAPSHOT [14/37]
 [INFO] from test/pom.xml
                                                                                                                                                       --[ pom ]--
[INFO]
 [INFO]
[INFO]
                               enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-test-parent --
[INFO]
[INFO]
                                  enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-test-parent ---
[INFO]
[INFO]
                                  buildnumber:1.4:create (get-scm-revision) at arquillian-test-parent ---
[INFO]
[INFO]
                                             -< org.jboss.arquillian.container:arquillian-container-spi >--
 [INFO] Building Arquillian Container SPI 1.6.1.Final—SNAPSHOT [15/37]
 [INFO] from container/spi/pom.xml
[INFO]
 [INFO]
[INFO]
                               enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-container-spi ---
 [INFO]
INFO
                                  enforce:3.0.0-M2:enforce (enforce-maven-version) at arquillian-container-spi ---
 [INFO]
                              - buildnumber:1.4:create (get-scm-revision) at arquillian-container-spi ---
[INFO]
[INFO]
[INFO]
                              - resources:3.1.0:resources (default-resources) at arquillian-container-spi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/resources/SitHub/CiEmme/container/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/spi/src/main/s
[INFO]
 [INFO]
                                  {\it compiler: 3.8.0-jboss-2:} \textbf{compile} \ ({\it default-compile}) \ {\it at arquillian-container-spi---}
[INFO] Nothing to \mathbf{compile} - \mathbf{all} classes are up to date
 [INFO]
[INFO]
                               - resources:3.1.0:testResources (default-testResources) at arquillian-container-spi --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/test/resources/GitHub/CiEmme/container/spi/src/t
[INFO]
[INFO] -
                              - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-container-spi ---
 [INFO] Nothing to compile - all classes are up to date
 [INFO]
 [INFO] -
                            - surefire:2.22.0:test (default-test) at arquillian-container-spi
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
 [INFO]
[INFO] T E S T S
 [INFO]
[INFO]\ Running\ org.jboss.arquillian.spi.client.deployment.DeploymentScenarioTestCase
[INFO] Tests run: 14, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.16 s - in org.jboss.arquillian.spi.client.deployment.
               DeploymentScenarioTestCase
[INFO]
[INFO] Results:
 [INFO]
 [INFO] Tests run: 14, Failures: 0, Errors: 0, Skipped: 0
[INFO]
 [INFO]
                                < {\it org.jboss.arquillian.container:arquillian-container-impl-base} > -
 [INFO] Building Arquillian Container Implementation Base 1.6.1.Final—SNAPSHOT [16/37]
[INFO] from container/impl-base/pom.xml
 [INFO] -
                                                                                                                                                      --[ jar ]--
[INFO]
[INFO] \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-container-impl-base \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-container-impl-base \ --- \ enforcer: 3.0.0 - M2: e
```

```
[INFO]
 [INFO]
                                                          [INFO]
                                                          build number: 1.4: create \ (get-scm-revision) \ at \ arquillian-container-impl-base \ -decomposition \ -decomposition
[INFO]
[INFO]
 [INFO]
                                                  - resources:3.1.0:resources (default-resources) at arquillian-container-impl-base --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                                                    - compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-container-impl-base --
[INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                                                           resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ --- \ (default-test Resources) \ at \ arquillian-container-impl-base \ arquillian-container-impl-b
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/impl-base/src/test/resources
 [INFO]
                                                        compiler: 3.8.0-jboss-2: test Compile \ (default-test Compile) \ at \ arquillian-container-impl-base-like \ (default-test Compile) \ at \ ar
[INFO] Nothing to compile - all classes are up to date
 [INFO]
[INFO]
                                                    - surefire: 2.22.0:test (default-test) at arguillian-container-impl-base --
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] TESTS
 [INFO]
 [INFO] Running org.jboss.arquillian.container.impl.MapObjectTestCase
[INFO] \ \ Tests \ run: \ 7, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.13 \ s-in \ org.jboss.arquillian.container.impl.MapObjectTestCase
 [INFO]\ Running\ org.jboss.arquillian.container.impl.ContainerRegistryTestCase
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.287 \mathrm{\ s-in} org.jboss.arquillian.container.impl.
                          ContainerRegistryTestCase
[INFO]\ Running\ org.jboss.arquillian.container.impl.client.container.DeploymentExceptionHandlerTestCase
[INFO] Tests run: 9, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.105 s - in org.jboss.arquillian.container.impl.client.container.
                          {\bf Deployment Exception Handler Test Case}
 [INFO]\ Running\ org.jboss.arquillian.container.impl.client.container.ContainerLifecycleControllerTest Case
[INFO] \ Tests \ run: \ 7, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.082 \ s - in \ org.jboss.arquillian.container.impl.client.container.
                           {\bf Container Life cycle Controller Test Case}
 [INFO] \ Running \ org.jboss.arquillian.container.impl.client.container.ContainerDeployControllerTest Case \ Annual ContainerDeployControllerTest Case \ Annual ContainerDeployControllerTest \ Case 
[INFO] \ Tests \ run: \ 4, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.087 \ s - in \ org.jboss.arquillian.container.impl.client.container.
                           {\bf Container Deploy Controller Test Case}
[INFO]\ Running\ org. jboss. arquillian. container. impl. client. container. Container Registry Creator Test Case
[INFO] \ \ Tests \ run: 13, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.06 \ s-in \ org.jboss.arquillian.container.impl.client.container.
                          {\bf Container Registry Creator Test Case}
 [INFO] Running org.jboss.arquillian.container.impl.client.deployment.ArchiveDeploymentExporterTestCase
[INFO] Tests run: 9, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.13 s - in org.jboss.arquillian.container.impl.client.deployment.
                          Archive Deployment Exporter Test Case\\
[INFO]
[INFO] Results:
 [INFO]
 [INFO] Tests run: 55, Failures: 0, Errors: 0, Skipped: 0
 [INFO]
 [INFO]
                                                                < org.jboss.arquillian.container:arquillian-container-test-api >
[INFO] Building Arquillian Container Test API 1.6.1.Final—SNAPSHOT [17/37]
 [INFO] from container/test-api/pom.xml
[INFO]
                                                                                                                                                                                                                                                         ---[ jar ]--
[INFO]
                                                   - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-container-test-api ---
[INFO]
[INFO]
 [INFO]
                                                           enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-container-test-api ---
 [INFO]
 [INFO]
                                                          buildnumber:1.4:create (get-scm-revision) at arquillian-container-test-api -
 [INFO]
 [INFO]
                                                      - resources:3.1.0:resources (default-resources) at arquillian-container-test-api --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/test-api/src/main/resources \ for the property of the property o
[INFO]
 [INFO] -
                                                  - compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-container-test-api ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                                                           resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-container-test-apillian and arquillian-container-test-apillian arquillian 
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test/resources/GitHub/CiEmme/container/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src/test-api/src
 [INFO]
 [INFO]
                                                        compiler: 3.8.0-jboss-2: test Compile \ (default-test Compile) \ at \ arquillian-container-test-apilent \ (default-test Compilent \ (default-tes
[INFO] No sources to compile
 [INFO]
                                                      - surefire:2.22.0:test (default-test) at arquillian-container-test-api -
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO] No tests to run.
[INFO]
```

```
--- org.jboss.arquillian.container:arquillian-container-test-spi
 [INFO] Building Arquillian Container Test SPI 1.6.1.Final—SNAPSHOT [18/37]
[INFO] {f from}\ {f container/test-spi/pom.xml}
 [INFO]
                                                                                                                                                              -[ jar ]-
[INFO]
[INFO]
                               - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-container-test-spi --
[INFO]
[INFO] -
                             -\ enforcer: 3.0.0 - M2: enforce\ (enforce-maven-version)\ at\ arquillian-container-test-spi\ ---
[INFO]
 [INFO]
                                  buildnumber:1.4:create (get-scm-revision) at arquillian-container-test-spi ---
[INFO]
 [INFO]
                              - resources:3.1.0:resources (default-resources) at arquillian-container-test-spi --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/container/test-spi/src/main/resources for the property of 
 [INFO]
                                  compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-container-test-spi --
 [INFO] Nothing to compile — all classes are up to date
[INFO]
 [INFO]
                             - resources: 3.1.0:testResources (default-testResources) at arquillian-container-test-spi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/container/test-spi/src/test/resources
[INFO]
[INFO]
                              - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-container-test-spi --
[INFO] No sources to compile
[INFO]
 [INFO]
                                   surefire:2.22.0:test (default-test) at arquillian-container-test-spi
 [WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
 [INFO] No tests to run.
 [INFO]
                              < org.jboss.arquillian.container:arquillian-container-test-impl-base >
[INFO] Building Arquillian Container Test Implementation Base 1.6.1.Final-SNAPSHOT [19/37]
 [INFO] from container/test-impl-base/pom.xml
[INFO]
                                                                                                                                                      ---[ jar ]--
[INFO]
[INFO]
                                  [INFO]
 [INFO]
                                   enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-container-test-impl-base ---
 [INFO]
 [INFO]
                                  [INFO]
                               resources:3.1.0:resources (default-resources) at arquillian-container-test-impl-base
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] Copying 1 resource
[INFO]
[INFO]
                               compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-container-test-impl-base ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                                    resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-container-test-impl-base-leading and the sum of the 
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] Copying 1 resource
 [INFO]
                                 compiler: 3.8.0 - jboss - 2: test Compile \ (default - test Compile) \ at \ arquillian - container - test - impl-base - container - contain
[INFO] Nothing to \mathbf{compile} - \mathbf{all} classes are up to date
 [INFO]
                               - surefire:2.22.0:test (default-test) at arquillian-container-test-impl-base -
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
 [INFO] TESTS
[INFO]
 [INFO] \ Running \ org.jboss.arquillian.container.test.impl.enricher.resource. Initial Context Provider Test Case \ Testing 
[INFO] \ \ Tests \ run: 7, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.515 \ s-in \ org. jboss. arquillian. container. test. impl.enricher. resource.
                InitialContextProviderTestCase
[INFO]\ Running\ org.; boss. arquillian. container. test. impl. enricher. resource. URL Resource Provider Test Case
[INFO] \ \ Tests \ run: 10, Failures: 0, Errors: 0, Skipped: 0, Time \ elapsed: 0.067 \ s-in \ org. jboss.arquillian.container.test.impl.enricher.resource.
               {\bf URLRe source Provider Test Case}
 [INFO] Running org.jboss.arquillian.container.test.impl.ContainerEventControllerTestCase
[WARNING] Tests run: 11, Failures: 0, Errors: 0, Skipped: 1, Time elapsed: 0.098 s - in org.jboss.arquillian.container.test.impl.
               ContainerEventControllerTestCase
[INFO]\ Running\ org.jboss.arquillian.container.test.impl.execution.LocalTestExecuterTestCase
[INFO] \ \ Tests \ run: 2, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.021 \ s-in \ org.jboss.arquillian.container.test.impl.execution.
                LocalTestExecuterTestCase
 [INFO]\ Running\ org.jboss.arquillian.container.test.impl.execution.ClientTestExecuterTestCase
[INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.038 s - in org.jboss.arquillian.container.test.impl.execution.
                ClientTestExecuterTestCase
 [INFO]\ Running\ org. jboss. arquillian. container. test. impl. execution. Remote Test Executer Test Case
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.046 \ s-in \ org.jboss.arquillian.container.test.impl.execution.
               RemoteTestExecuterTestCase
[INFO] Running org.jboss.arquillian.container.test.impl.domain.ProtocolRegistryTestCase
[INFO] Tests run: 7, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.01 s - in org.jboss.arquillian.container.test.impl.domain.
```

 ${\bf ProtocolRegistryTestCase}$ $[INFO]\ Running\ org.; boss. arquillian. container. test. impl. client. protocol. Protocol Registry Creator Test Case$ $[INFO] \ \ Tests \ run: \ 4, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.023 \ s-in \ org.jboss.arquillian.container.test.impl.client.protocol.$ ${\bf Protocol Registry Creator Test Case}$ $[INFO]\ Running\ org.jboss.arquillian.container.test.impl.client.container.ClientContainerControllerTestCase$ [INFO] Tests run: 20, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.149 s - in org.jboss.arquillian.container.test.impl.client.container. ${\bf Client Container Controller Test Case}$ [INFO] Running org.jboss.arquillian.container.test.impl.client.container.ContainerRestarterTestCase $[INFO] \ \ Tests \ run: 3, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.01 \ s-in \ org.jboss.arquillian.container.test.impl.client.container.$ ContainerRestarterTestCase $[INFO]\ Running\ org.jboss.arquillian.container.test.impl.client.deployment.AnnotationDeploymentScenarioGeneratorTestCase$ $[INFO] \ \ Tests \ run: 14, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.035 \ s - in \ org.jboss.arquillian.container.test.impl.client.deployment.$ Annotation Deployment Scenario Generator Test Case $[INFO]\ Running\ org.jboss.arquillian.container.test.impl.client.deployment.DeploymentGeneratorTestCase$ $[INFO] \ \ Tests \ run: 14, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.166 \ s-in \ org.jboss.arquillian.container.test.impl.client.deployment.$ ${\bf Deployment Generator Test Case}$ [INFO] Running org.jboss.arquillian.container.test.impl.client.deployment.ClientDeployerTestCase [INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.015 s - in org.jboss.arquillian.container.test.impl.client.deployment. ClientDeployerTestCase $[INFO]\ Running\ org.; joss. arquillian. container. test. impl. client. deployment. Automatic Deployment Scenario Generator Test Case$ $[INFO] \ Tests \ run: \ 2, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.029 \ s - in \ org.jboss.arquillian.container.test.impl.client.deployment.$ Automatic Deployment Scenario Generator Test Case $[INFO]\ Running\ org.jboss. arquillian. container. test. impl. client. deployment. tool. Archive Deployment Tooling Exporter Test Case$ $[WARNING] \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 1, \ Time \ elapsed: \ 0 \ s - in \ org.jboss.arquillian.container.test.impl.client.deployment.$ tool. Archive Deployment Tooling Exporter Test Case $[INFO]\ Running\ org.jboss.arquillian.container.test.impl.client.deployment.tool.ToolingDeploymentFormatterTestCase$ $[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.015 \ s-in \ org.jboss.arquillian.container.test.impl.client.deployment.$ tool. Tooling Deployment Formatter Test Case[INFO] [INFO] Results: [INFO] [WARNING] Tests run: 108, Failures: 0, Errors: 0, Skipped: 2 [INFO] [INFO] [INFO] -< org.jboss.arquillian.container:arquillian-container-parent >-[INFO] Building Arquillian Container Aggregator 1.6.1.Final—SNAPSHOT [20/37] [INFO] from container/pom.xml [INFO] [INFO] [INFO] enforce:3.0.0-M2:enforce (enforce-java-version) at arquillian-container-parent --[INFO] INFO enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-container-parent --[INFO] [INFO] buildnumber:1.4:create (get-scm-revision) at arguillian-container-parent ---[INFO] -< org.jboss.arquillian.junit:arquillian-junit-core >[INFO] [INFO] Building Arquillian TestRunner JUnit Core 1.6.1. Final—SNAPSHOT [21/37] [INFO] from junit/core/pom.xml [INFO] [INFO] [INFO] [INFO] $enforcer: 3.0.0 - M2: enforce \ (enforce-maven-version) \ at \ arquillian-junit-core-maven-version) \ at \ arquillian-junit-core-maven-version \ (enforce-maven-version) \ at \$ [INFO] [INFO] [INFO] buildnumber:1.4:create (get-scm-revision) at arquillian-junit-core ---[INFO] [INFO] resources:3.1.0:resources (default-resources) at arquillian-junit-core ---[INFO] Using 'UTF-8' encoding to copy filtered resources. [INFO] Copying 2 resources [INFO] [INFO] compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-junit-core -[INFO] Nothing to compile - all classes are up to date [INFO] - resources:3.1.0:testResources (default-testResources) at arquillian-junit-core --[INFO] Using 'UTF-8' encoding to copy filtered resources. [INFO] Copying 1 resource [INFO] [INFO] - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-junit-core ---[INFO] Nothing to compile - all classes are up to date [INFO] [INFO] - surefire:2.22.0:test (default-test) at arquillian-junit-core --[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead. [INFO] [INFO] [INFO] TESTS [INFO] $[INFO]\ Running\ org.jboss.arquillian.junit.JUnitIntegrationWithRuleTestCase$ [INFO] Tests run: 16, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.909 s - in org. jboss.arquillian.junit. ${\bf JUnitIntegrationWithRuleTestCase}$ $[INFO]\ Running\ org.jboss.arquillian.junit.extension. Update TestResult Before After Test Case$

```
[INFO] Tests run: 3, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.019 \text{ s} - \text{in} org.jboss.arquillian.junit.extension.
               UpdateTestResultBeforeAfterTestCase
[INFO]\ Running\ org.jboss.arquillian.junit.Initialization Exception Test Case
[INFO] \ \ Tests \ run: 1, Failures: 0, Errors: 0, Skipped: 0, Time \ elapsed: 0.007 \ s-in \ org.jboss.arquillian.junit.InitializationExceptionTestCase
[INFO]\ Running\ org.jboss.arquillian.junit.Initialization Exception With Rule Test Case
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.007 s - in org. jboss.arquillian.junit.
              Initialization Exception With Rule Test Case\\
[INFO]\ Running\ org.jboss.arquillian.junit.JUnitIntegrationTestCase
[INFO] \ \ Tests \ run: 14, Failures: 0, Errors: 0, Skipped: 0, Time \ elapsed: 0.671 \ s-in \ org.jboss.arquillian.junit.JUnitIntegrationTestCase
[INFO] Running org.jboss.arquillian.junit.rules.RulesEnrichmentTestCase
[INFO] \ \ Tests \ run: 6, Failures: 0, Errors: 0, Skipped: 0, Time \ elapsed: 0.095 \ s-in \ org.jboss.arquillian.junit.rules.RulesEnrichmentTestCase
 [INFO]\ Running\ org.jboss.arquillian.junit.InSequenceSorterTestCase
 [INFO] \ \ Tests \ run: \ 2, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.022 \ s - in \ org.jboss.arquillian.junit.InSequenceSorterTestCase
[INFO]
 [INFO] Results:
 [INFO] Tests run: 43, Failures: 0, Errors: 0, Skipped: 0
[INFO]
 [INFO]
                                  ----<{
m org.jboss.arquillian.junit:arquillian-junit-standalone}>-
[INFO]
 [INFO] Building Arquillian TestRunner JUnit Standalone 1.6.1.Final-SNAPSHOT [22/37]
[INFO] from junit/standalone/pom.xml
[INFO] -
                                                                                                                                        ----[ jar ]--
[INFO]
 [INFO] -
                                enforce: 3.0.0-M2: enforce \ (enforce-java-version) \ at \ arquillian-junit-standalone \ ----
 [INFO]
[INFO]
                                enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-junit-standalone -
 [INFO]
[INFO]
                                buildnumber:1.4:create (get-scm-revision) at arquillian-junit-standalone --
 [INFO]
[INFO]
                             - resources: 3.1.0:resources (default-resources) at arquillian-junit-standalone --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                               compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-junit-standalone --
 [INFO] Nothing to compile - all classes are up to date
[INFO]
                              - resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test Resources \ (default-test Resources) \ at \ arquillian-junit-standalone \ -- resources: 3.1.0: test 
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/junit/standalone/src/test/resources \ for the property of 
 [INFO]
                             - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-junit-standalone --
[INFO]
 [INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                             - surefire:2.22.0:test (default-test) at arquillian-junit-standalone -
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
 [INFO]
 [INFO] TESTS
 [INFO]
[INFO]\ Running\ org.jboss.arquillian.junit.JUnitIntegrationTestCase
 [INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.581 \ s-in \ org.jboss.arquillian.junit.JUnitIntegrationTestCase
[INFO]
 [INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
 [INFO]
                                             -< org.jboss.arquillian.junit:arquillian-junit-container >-
 [INFO] Building Arquillian TestRunner JUnit Container 1.6.1.Final—SNAPSHOT [23/37]
 [INFO] from junit/container/pom.xml
[INFO]
                                                                                                                                            ---[ jar ]--
 [INFO]
[INFO]
                             - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-junit-container --
 [INFO]
[INFO]
                              - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-junit-container -
 [INFO]
[INFO]
                             - buildnumber:1.4:create (get-scm-revision) at arquillian-junit-container ---
[INFO]
 [INFO]
                                 resources:3.1.0:resources (default-resources) at arquillian-junit-container --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] Copying 1 resource
[INFO]
 [INFO]
                                compiler: 3.8.0-jboss-2: \textbf{compile} \ (default-\textbf{compile}) \ at \ arquillian-junit-container-properties of the compiler of t
 [INFO] Nothing to compile - all classes are up to date
 [INFO]
                              - resources:3.1.0:testResources (default-testResources) at arquillian-junit-container --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
```

```
[INFO] --- compiler: 3.8.0 - jboss - 2: test Compile (default-test Compile) \ at \ arquillian - junit-container --- compiler: 3.8.0 - jboss - 2: test Compile (default-test Compile) \ at \ arquillian - junit-container --- compiler: 3.8.0 - jboss - 2: test Compile (default-test Compile) \ at \ arquillian --- junit-container 
[INFO] Nothing to compile - all classes are up to date
[INFO]
                    surefire: 2.22.0: test\ (default-test)\ at\ arquillian-junit-container
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.junit.container.JUnitTestRunnerTestCase
\hbox{[INFO] Tests run: 10, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.155 s - \textbf{in} org.jboss.arquillian.junit.container.}
         {\bf JUnitTestRunnerTestCase}
[INFO]\ Running\ org.jboss.arquillian.junit.container.JUnitIntegrationTestCase
[INFO] \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.258 \ s - in \ org.jboss.arquillian.junit.container.
         JUnitIntegrationTestCase
[INFO]\ Running\ org.jboss.arquillian.junit.container.JUnitDeploymentAppenderTestCase
[INFO] \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.266 \ s-in \ org. jboss.arquillian.junit.container.
         JUnitDeploymentAppenderTestCase
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO]
                                 -< org.jboss.arquillian.junit:arquillian-junit-parent >-
[INFO] Building Arquillian TestRunner JUnit Aggregator 1.6.1.Final—SNAPSHOT [24/37]
[INFO] \mathbf{from}\ \mathrm{junit/pom.xml}
[INFO]
                                                                                            --[ pom ]--
[INFO]
[INFO]
                  - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-junit-parent --
[INFO]
[INFO] -
                 - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-junit-parent ---
[INFO]
[INFO] -
                  - buildnumber:1.4:create (get-scm-revision) at arquillian-junit-parent -
[INFO]
[INFO]
                                   -< org.jboss.arquillian.testng:arquillian-testng-core >-
[INFO] Building Arquillian TestRunner TestNG Core 1.6.1.
Final—SNAPSHOT [25/37]
[INFO] from\ testng/core/pom.xml
[INFO]
                                                                                              -[ jar ]--
[INFO]
[INFO]
                  - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-testng-core --
INFO
[INFO] -
               -- enforcer: 3.0.0-M2: enforce (enforce-maven-version) at arquillian-testing-core --
[INFO]
[INFO] -
                 - buildnumber: 1.4: create (get-scm-revision) at arquillian-testing-core ---
[INFO]
[INFO] -
                 - resources:3.1.0:resources (default-resources) at arquillian-testng-core --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                   compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testng-core --
[INFO] Nothing to compile - all classes are up to date
[INFO] -
                  - resources:3.1.0:testResources (default-testResources) at arquillian-testng-core --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/testng/core/src/test/resources
[INFO]
[INFO] -
               -- compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-testng-core --
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                    surefire: 2.22.0: test (default-test) at arquillian-testng-core
[WARNING]\ Parameter\ 'system Properties'\ \textbf{is}\ deprecated:\ Use\ system Property Variables\ instead.
[INFO]
[INFO] T E S T S
[INFO] -
[INFO] Running org.jboss.arquillian.testng.TestNGIntegrationTestCase
[WARNING] Tests run: 11, Failures: 0, Errors: 0, Skipped: 2, Time elapsed: 0.772 s - in org.jboss.arquillian.testng.
        {\bf TestNGIntegrationTestCase}
[INFO]
[INFO] Results:
[INFO]
[WARNING] Tests run: 11, Failures: 0, Errors: 0, Skipped: 2
[INFO]
[INFO]
                           -< org.jboss.arquillian.testng:arquillian-testng-standalone >-
[INFO] Building Arquillian TestRunner TestNG Standalone 1.6.1.Final—SNAPSHOT [26/37]
[INFO] from testng/standalone/pom.xml
[INFO]
                                                                                              -[ jar ]--
[INFO]
```

```
[INFO] \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testng-standalone \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testng-standalone \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testng-standalone \ --- \ enforcer: 3.0.0 - M2: enforcer: 3.0.0 
 [INFO]
[INFO]
                                               enforce:3.0.0-M2:enforce (enforce-maven-version) at arquillian-testng-standalone --
[INFO]
[INFO]
                                               buildnumber:1.4:create (get-scm-revision) at arquillian-testng-standalone --
 [INFO]
[INFO] -
                                          - resources: 3.1.0:resources (default-resources) at arquillian-testng-standalone --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
                                          - compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testng-standalone --
[INFO]
[INFO] Nothing to \mathbf{compile} - \mathbf{all} classes are up to date
[INFO]
                                          - \ {\rm resources:} 3.1.0 : {\rm testResources} \ ({\rm default-testResources}) \ {\rm at \ arquillian-testng-standalone} \ ----
[INFO]
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testng/standalone/src/test/resources
 [INFO]
                                          - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-testng-standalone --
[INFO]
 [INFO] No sources to compile
[INFO]
 [INFO] -
                                           - surefire: 2.22.0:test (default-test) at arquillian-testng-standalone
[WARNING]\ Parameter\ 'system Properties'\ \textbf{is}\ deprecated:\ Use\ system Property Variables\ instead.
[INFO] No tests to run.
[INFO]
[INFO]
                                                           -< org.jboss.arquillian.testng:arquillian-testng-container >-
 [INFO] Building Arquillian TestRunner TestNG Container 1.6.1.Final—SNAPSHOT [27/37]
[INFO] from testng/container/pom.xml
 [INFO]
                                                                                                                                                                                                              --[ jar ]--
[INFO]
 [INFO] -
                                        - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-testng-container
[INFO]
[INFO] --- enforcer: 3.0.0-M2: enforce \ (enforce-maven-version) \ at \ arquillian-testng-container \ --- \ arquillian-testng-container 
[INFO]
[INFO] -
                                       - buildnumber:1.4:create (get-scm-revision) at arquillian-testng-container --
[INFO]
[INFO] -
                                        - resources:3.1.0:resources (default-resources) at arquillian-testng-container --
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
 [INFO]
                                               compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testng-container --
 [INFO] Nothing to compile — all classes are up to date
 [INFO]
                                        - resources: 3.1.0:testResources (default-testResources) at arquillian-testng-container
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/testng/container/src/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/test/resources/GitHub/CiEmme/te
[INFO]
[INFO] -
                                        [INFO] Nothing to compile - all classes are up to date
 [INFO]
 [INFO]
                                               surefire: 2.22.0: test\ (default-test)\ at\ arquillian-testng-container
[WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
 [INFO]
[INFO]
 [INFO] TESTS
[INFO]
[INFO] Running TestSuite
[INFO] Tests run: 7, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 1.032 s - in TestSuite
[INFO]
 [INFO] Results:
 [INFO]
 [INFO] Tests run: 7, Failures: 0, Errors: 0, Skipped: 0
[INFO]
 [INFO]
                                                                          -< org.jboss.arquillian.testng:arquillian-testng-parent >-
 [INFO] Building Arquillian TestRunner TestNG Aggregator 1.6.1.Final—SNAPSHOT [28/37]
[INFO] from testng/pom.xml
[INFO] -
                                                                                                                                                          ----- pom ]-----
[INFO]
[INFO] -
                                   -- enforcer: 3.0.0-M2: enforce (enforce-java-version) at arquillian-testing-parent ---
[INFO]
 [INFO] -
                                               enforce: 3.0.0-M2: enforce \ (enforce-maven-version) \ at \ arquillian-testng-parent \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ --- \ -
 [INFO]
 [INFO]
                                               buildnumber:1.4:create (get-scm-revision) at arquillian-testng-parent ---
 [INFO]
                                             < {\it org.jboss.arquillian.testenricher:arquillian-testenricher-cdi} >
 [INFO] Building Arquillian TestEnricher CDI 1.6.1.Final—SNAPSHOT [29/37]
[INFO] from testenrichers/cdi/pom.xml
 [INFO] -
                                                                                                                                                                           ----- jar ]--
[INFO]
[INFO] \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-cdi \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-cdi \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-cdi \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-cdi \ --- \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-cdi \ --- \ enforcer: 3.0.0 - M2: enforcer: 3.0.0
```

```
[INFO]
[INFO]
                          enforce:3.0.0-M2:enforce (enforce-maven-version) at arquillian-testenricher-cdi --
[INFO]
                         - build
number:1.4:create (get—scm—revision) at arquillian—testen
richer—cdi -
[INFO]
[INFO]
[INFO]
                      - resources: 3.1.0: resources (default-resources) at arquillian-testenricher-cdi ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                       - compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testenricher-cdi --
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
                          [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/cdi/src/test/resources \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ skip \ non \ exist
[INFO]
                         compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-testenricher-cdi
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] -
                        - surefire: 2.22.0:test (default-test) at arquillian-testenricher-cdi --
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.testenricher.cdi.BeansXMLProtocolProcessorTestCase
[INFO] \ Tests \ run: 9, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.176 \ s-in \ org.jboss.arquillian.testenricher.cdi.
            {\bf Beans XML Protocol Processor Test Case}
[INFO]\ Running\ org.jboss.arquillian.testenricher.cdi.CDIInjectionEnricherTestCase
[INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 1.016 s - in org.jboss.arquillian.testenricher.cdi.
           CDIInjectionEnricherTestCase
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 14, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
                        -< org.jboss.arquillian.testenricher:arquillian-testenricher-ejb>-
[INFO]
[INFO] Building Arquillian TestEnricher EJB 1.6.1.Final—SNAPSHOT [30/37]
[INFO] from testenrichers/ejb/pom.xml
[INFO]
                                                                                                                ----[ jar ]---
[INFO]
[INFO] -
                    -- enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-testenricher-ejb ---
[INFO]
[INFO] -
                      - enforcer: 3.0.0-M2: enforce (enforce-mayen-version) at arguillian-testenricher-ejb ---
[INFO]
[INFO] -
                     -- buildnumber:1.4:create (get-scm-revision) at arquillian-testenricher-ejb ---
[INFO]
[INFO]
                       - resources:3.1.0:resources (default-resources) at arquillian-testenricher-ejb ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
                         compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testenricher-ejb ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
                      - resources:3.1.0:testResources (default-testResources) at arquillian-testenricher-ejb ---
[INFO] -
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/ejb/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/ejb/src/test/resources \ (INFO) \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/ejb/src/test/resources \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ non \ existing \ resource \ (INFO) \ skip \ resource \ (
[INFO]
[INFO] -
                        - compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arquillian-testenricher-ejb --
[INFO] Nothing to compile - all classes are up to date
                          surefire: 2.22.0: test\ (default-test)\ at\ arquillian-testenricher-ejb
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.testenricher.ejb.EJBInjectionEnricher30TestCase
[INFO] \ Tests \ run: 5, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.14 \ s-in \ org.jboss.arquillian.testenricher.ejb.
            {\bf EJBInjectionEnricher 30 Test Case}
[INFO]\ Running\ org.jboss.arquillian.testenricher.ejb.EJBInjectionEnricher31TestCase
[INFO] \ Tests \ run: \ 4, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.001 \ s - in \ org.jboss.arquillian.testenricher.ejb.
            {\bf EJBInjectionEnricher 31 Test Case}
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 9, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
```

```
[{\rm INFO}] \ --< {\rm org.jboss.arquillian.testenricher: arquillian-testenricher-resource} >
 [INFO] Building Arquillian TestEnricher Resource 1.6.1.Final—SNAPSHOT [31/37]
[INFO] {f from} {f testenrichers/resource/pom.xml}
[INFO]
                                                                                                                                                                                                              -[ jar ]-
[INFO]
[INFO]
                                        - enforcer: 3.0.0-M2: enforce (enforce-java-version) at arquillian-testenricher-resource
[INFO]
[INFO] -
                                       - enforcer: 3.0.0-M2: enforce (enforce-maven-version) at arquillian-testenricher-resource -
[INFO]
[INFO]
                                             buildnumber:1.4:create (get-scm-revision) at arquillian-testenricher-resource --
[INFO]
 [INFO] ·
                                       - resources:3.1.0:resources (default-resources) at arquillian-testenricher-resource ---
 [INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
 [INFO]
                                           compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testenricher-resource -
 [INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO] -
                                     - resources: 3.1.0:testResources (default-testResources) at arquillian-testenricher-resource ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/resource/src/test/resources
[INFO]
[INFO]
                                        [INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                                             {\it surefire:} 2.22.0 : {\it test (default-test) at arquillian-testenricher-resource}
[WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
 [INFO]
[INFO]
[INFO] TESTS
[INFO]
[INFO]\ Running\ org.jboss.arquillian.testenricher.resource.ResourceInjectionEnricherTestCase
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.092 s - in org.jboss.arquillian.testenricher.resource.
                   ResourceInjectionEnricherTestCase
[INFO]
[INFO] Results:
 [INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
 [INFO]
 [INFO]
                                       < org.jboss.arquillian.testenricher:arquillian-testenricher-initialcontext >
[INFO] Building Arquillian TestEnricher InitialContext 1.6.1.Final—SNAPSHOT [32/37]
 [INFO] from testenrichers/initialcontext/pom.xml
[INFO]
                                                                                                                                                                                                         --[ jar ]--
[INFO]
[INFO]
                                        - \ enforcer: 3.0.0 - M2: enforce \ (enforce-java-version) \ at \ arquillian-testen richer-initial context \ ---- \ arquillian-testen richer-ini
[INFO]
 [INFO]
                                              enforce: 3.0.0-M2: enforce \ (enforce-maven-version) \ at \ arquillian-testen richer-initial context-version) \ at \ arquillian-testen richer-initial context-version \ and \ arquillian-testen richer-initial context-version \ arquillian-testen \ arquillia
 [INFO]
 [INFO]
                                             [INFO]
 [INFO]
                                             resources: 3.1.0: resources \ (default-resources) \ at \ arquillian-testen richer-initial context-resources \ (default-resources) \ at \ arquillian-testen \ (default-resources) \ at \ arquillian-testen
[INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] Copying 1 resource
[INFO]
[INFO] -
                                        compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-testenricher-initialcontext --
[INFO] Nothing to compile - all classes are up to date
[INFO]
 [INFO]
                                             [INFO] Using 'UTF-8' encoding to copy filtered resources.
 [INFO] \ skip \ non \ existing \ resource Directory \ / Users/matteoscuro/Documents/GitHub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/initial context/src/test/resources/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/testenrichers/sithub/CiEmme/
[INFO]
 [INFO]
                                          - compiler: 3.8.0-jboss-2: test Compile \ (default-test Compile) \ at \ arquillian-test enricher-initial context-properties and the compiler of the compiler
[INFO] No sources to compile
 [INFO]
[INFO]
                                          - surefire:2.22.0:test (default-test) at arquillian-testenricher-initialcontext -
 [WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO] No tests to run.
[INFO]
 [INFO]
                                        < {\it org.jboss.arquillian.testenricher:} arquillian-testenricher-parent > -
 [INFO] Building Arquillian TestEnricher Aggregator 1.6.1.
Final—SNAPSHOT [33/37]
 [INFO] from testenrichers/pom.xml
[INFO]
                                                                                                                                                                                                            -[ pom ]--
 [INFO]
[INFO]
                                             enforcer: 3.0.0-M2: enforce\ (enforce-java-version)\ at\ arquillian-testenricher-parent\ --version)
 [INFO]
[INFO]
                                             enforce: 3.0.0-M2: enforce \ (enforce-maven-version) \ at \ arquillian-testenricher-parent \ ---
 [INFO]
[INFO]
                                             buildnumber:1.4:create (get-scm-revision) at arquillian-testenricher-parent ---
[INFO]
```

```
[{\rm INFO}] \ ----< {\rm org.jboss.arquillian.protocol:arquillian-protocol-servlet} > ----
[INFO] Building Arquillian Protocol Servlet 2.5/3.x 1.6.1.Final—SNAPSHOT [34/37]
[INFO] from protocols/servlet/pom.xml
[INFO]
                                                               -[ jar ]-
[INFO] -
            - enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-protocol-servlet --
[INFO]
[INFO] -
          -- enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-protocol-servlet --
[INFO]
[INFO] -
            - buildnumber:1.4:create (get-scm-revision) at arquillian-protocol-servlet --
[INFO]
[INFO] -

    resources:3.1.0:resources (default-resources) at arquillian-protocol-servlet ---

[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 4 resources
[INFO]
             compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-protocol-servlet --
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] -
           - resources: 3.1.0:testResources (default-testResources) at arquillian-protocol-servlet ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 2 resources
[INFO]
[INFO]
            - compiler: 3.8.0 – jboss -2: test Compile (default – test Compile) at arquillian – protocol – servlet – -
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO]
              sure fire: 2.22.0: test\ (default-test)\ at\ arquillian-protocol-servlet
[WARNING] \ Parameter \ 'system Properties' \ \textbf{is} \ deprecated: Use \ system Property Variables \ instead.
[INFO]
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.protocol.servlet.BaseServletProtocolTestCase
[INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.093 s - in org.jboss.arquillian.protocol.servlet.
      BaseServletProtocolTestCase
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.v\_3.ServletProtocolDeploymentPackagerTestCase
[INFO] \ \ Tests \ run: 9, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.256 \ s-in \ org.jboss.arquillian.protocol.servlet.v \ \ 3.
      ServletProtocolDeploymentPackagerTestCase
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.v\_3. ProtocolDeployment Appender Test Case
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.006 s - in org.jboss.arquillian.protocol.servlet.v_3.
      {\bf Protocol Deployment Appender Test Case}
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.ProtocolTestCase
[INFO] \ \ Tests \ run: 6, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 1.027 \ s-in \ org. jboss.arquillian.protocol.servlet.ProtocolTestCase
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.v\_2\_5. Servlet Protocol Deployment Packager Test Case
[INFO] \ \ Tests \ run: 10, Failures: 0, Errors: 0, Skipped: 0, Time \ elapsed: 0.149 \ s-in \ org.jboss.arquillian.protocol.servlet.v \quad 2 \quad 5.
      ServletProtocolDeploymentPackagerTestCase
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.v\_2\_5. ProtocolDeployment Appender Test Case
[INFO] \ \ Tests \ run: 1, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.007 \ s - in \ org.jboss.arquillian.protocol.servlet.v\_2\_5.
      {\bf Protocol Deployment Appender Test Case}
[INFO]\ Running\ org.jboss.arquillian.protocol.servlet.ServletCommandServiceTestCase
[INFO] \ \ Tests \ run: \ 2, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 1.168 \ s-in \ org. jboss. arquillian.protocol.servlet.
      ServletCommandServiceTestCase\\
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 34, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] -
               ---- org.jboss.arquillian.protocol:arquillian-protocol-jmx >----
[INFO] Building Arquillian Protocol JMX 1.6.1.Final—SNAPSHOT [35/37]
[INFO] from protocols/jmx/pom.xml
[INFO] -
[INFO]
[INFO]
            - enforcer: 3.0.0-M2: enforce (enforce-java-version) at arquillian-protocol-jmx --
[INFO]
[INFO]
             - enforcer:3.0.0-M2:enforce (enforce-maven-version) at arquillian-protocol-jmx -
[INFO]
[INFO] -
          -- buildnumber:1.4:create (get-scm-revision) at arquillian-protocol-jmx ---
[INFO]
[INFO] -
           - resources: 3.1.0: resources (default-resources) at arquillian-protocol-jmx ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO]
             compiler:3.8.0-jboss-2:compile (default-compile) at arquillian-protocol-jmx ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
            - resources: 3.1.0: testResources (default-testResources) at arquillian-protocol-jmx --
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO]
[INFO] --- compiler:3.8.0-jboss-2:testCompile (default-testCompile) at arguillian-protocol-jmx ---
```

```
[INFO] Nothing to compile - all classes are up to date
           - surefire:2.22.0:test (default-test) at arquillian-protocol-jmx
[WARNING] Parameter 'systemProperties' is deprecated: Use systemPropertyVariables instead.
[INFO]
[INFO] TESTS
[INFO]
[INFO] Running org.jboss.arquillian.protocol.jmx.DummyTestCase
[INFO] \ \ Tests \ run: \ 1, \ Failures: \ 0, \ Errors: \ 0, \ Skipped: \ 0, \ Time \ elapsed: \ 0.076 \ s-in \ org.jboss.arquillian.protocol.jmx.DummyTestCase
[INFO] Running org.jboss.arquillian.protocol.jmx.JMXTestRunnerTestCase
[INFO] \ \ Tests \ run: 4, \ Failures: 0, \ Errors: 0, \ Skipped: 0, \ Time \ elapsed: 0.301 \ s-in \ org.jboss.arquillian.protocol.jmx.JMXTestRunnerTestCase
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 5, Failures: 0, Errors: 0, Skipped: 0
[INFO]
INFO
[INFO] -
              -- < org.jboss.arquillian.protocol:arquillian-protocol-parent >-
[INFO] Building Arquillian Protocol Aggregator 1.6.1.Final—SNAPSHOT [36/37]
[INFO] from protocols/pom.xml
[INFO]
                                                  -----[ pom ]--
[INFO]
[INFO]

    enforcer:3.0.0-M2:enforce (enforce-java-version) at arquillian-protocol-parent ---

[INFO]
[INFO]
           - enforcer:3.0.0-M2:enforce (enforce-mayen-version) at arquillian-protocol-parent
[INFO]
[INFO]
           - buildnumber:1.4:create (get-scm-revision) at arquillian-protocol-parent --
[INFO]
                                 < org.jboss.arquillian:arquillian-bom >-
[INFO] Building Arquillian BOM 1.6.1.Final—SNAPSHOT [37/37]
[INFO] from bom/pom.xml
[INFO]
                                                 ----[ pom ]--
INFOL
[INFO] Reactor Summary {\bf for} Arquillian Aggregator 1.6.1.Final—SNAPSHOT:
[INFO]
[INFO] Arquillian Aggregator ...... SUCCESS [ 1.414 s]
[INFO] Arquillian Build ....... SUCCESS [ 0.048 \text{ s}]
[INFO] Arquillian Core API ...... SUCCESS [ 1.064 s]
[INFO] Arquillian Core SPI ...... SUCCESS [ 0.100 s]
[INFO] Arquillian Core Implementation Base ...... SUCCESS [ 1.408 s]
[INFO] Arquillian Core Aggregator ...... SUCCESS [ 0.036 s]
[INFO] Arquillian Config API ...... SUCCESS [ 0.072 \text{ s}]
[INFO] Arquillian Config SPI ...... SUCCESS [ 0.029 s]
[INFO] Arquillian Test API ...... SUCCESS [ 0.027~\mathrm{s}]
[INFO] Arquillian Test SPI ....... SUCCESS [ 0.878~\mathrm{s}]
[INFO] Arquillian Test Implementation Base ....... SUCCESS [ 1.329~\mathrm{s}]
[INFO] Arquillian Config Implementation Base ...... SUCCESS [ 2.666 s]
[INFO] Arquillian Config Aggregator ....... SUCCESS [ 0.013~\mathrm{s}]
[INFO] Arquillian Test Aggregator ...... SUCCESS [ 0.005~\mathrm{s}]
[INFO] Arquillian Container SPI ...... SUCCESS [ 0.918 s]
[INFO] Arquillian Container Implementation Base .......... SUCCESS [ 1.708 s]
[INFO] Arquillian Container Test API ...... SUCCESS [ 0.032~\mathrm{s}]
[INFO] Arquillian Container Test SPI ...... SUCCESS [ 0.026 s]
[INFO] Arquillian Container Test Implementation Base ..... SUCCESS [ 2.091 s]
[INFO] Arquillian Container Aggregator ....... SUCCESS [ 0.022~\mathrm{s}]
[INFO] Arquillian TestRunner JUnit Core ....... SUCCESS [ 2.518~\mathrm{s}]
[INFO] Arquillian TestRunner JUnit Standalone ............ SUCCESS [ 1.349~\mathrm{s}]
[INFO] Arquillian TestRunner JUnit Container ...... SUCCESS [ 1.478 s]
[INFO] Arquillian TestRunner JUnit Aggregator ...... SUCCESS [ 0.016 s]
[INFO] Arquillian TestRunner TestNG Core ....... SUCCESS [ 1.551~\mathrm{s}]
[INFO] Arquillian TestRunner TestNG Standalone ........... SUCCESS [ 0.054~\mathrm{s}]
[INFO] Arquillian TestRunner TestNG Container ........... SUCCESS [ 1.789 s]
[INFO] Arquillian TestRunner TestNG Aggregator ........... SUCCESS [ 0.009 s]
[INFO] Arquillian TestEnricher CDI ...... SUCCESS [ 2.070 s]
[INFO] Arquillian TestEnricher EJB ...... SUCCESS [ 0.905 s]
[INFO] Arquillian TestEnricher Resource ....... SUCCESS [ 0.840 s]
[INFO] Arquillian TestEnricher InitialContext ............. SUCCESS [ 0.033 s]
[INFO] Arquillian Test
Enricher Aggregator ....... SUCCESS [ 0.007~\mathrm{s}]
[INFO] Arquillian Protocol Servlet 2.5/3.x ...... SUCCESS [ 3.645~\mathrm{s}]
[INFO] Arquillian Protocol JMX ...... SUCCESS [ 1.200~\mathrm{s}]
[INFO] Arquillian Protocol Aggregator ...... SUCCESS [ 0.009~\mathrm{s}]
[INFO] Arquillian BOM ...... SUCCESS [ 0.000 s]
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 32.162 s
[INFO] Finished at: 2023-09-17T16:56:49+02:00
[INFO]
```

4 SonarCloud


4.1 Il setup iniziale

Al fine di poter eseguire i test su SonarCloud, abbiamo importato da git dapprima l'organizzazione "CiEmmeModelli" e successivamente il progetto "CiEmme".

Fatto questo abbiamo potuto eseguire il primo test che ha prodotto più di 800 issues. Il report iniziale, rinominato "Analisi#1" è disponibile al seguente url:

 $https://sonarcloud.io/summary/overall?id=CiEmmeModelli_CiEmme.$

Di seguito uno screenshot relativo al primo report:



5 Gli ActionPlan[s]

5.1 Download del .csv

Il primo passo consiste nell'eseguire uno script JAVA da riga di comando in modo da scaricare il file csv che contiene l'intera lista con tutte le issues rilevate da SonarCloud nella prima analisi eseguita, denomita "Analisi#1". Il comando per eseguire il download è il seguente:

```
$ java -jar sonarCloudCsv.jar "CiEmmeModelli_CiEmme" "Analisi#1"
```

Fatto questo abbiamo ottenuto un file csv ("Analisi#1.csv") contenente tutte le issues inizialmente rilevate da SonarCloud.

5.2 La pianificazione del lavoro

A partire da questo momento abbiamo cercato di programmare al meglio la suddivisione del lavoro tra i componenti del gruppo. La soluzione che ci è parsa più adatta, è stata quella di dividere gli ActionPlan basandoci su ciascun file .java oggetto della issue rilevata da SonarCloud. Abbiamo fatto questa scelta perché riteniamo che, dal momento che i componenti del gruppo lavoreranno al progetto in momenti diversi della giornata, ed in via indipendente, questo metodo possa minimizzare il rischio della presenza di eventuali conflitti nei branch che si andranno a fondere su git. Inoltre questa scelta dovrebbe anche offrire una distribuzione casuale delle diverse tipologie e categorie di issue per ciascun componente del gruppo.

Abbiamo quindi creato uno script in python per rendere dinamica la creazione di tutti i file .csv divisi per ciascun ActionPlan. Nella progettazione abbiam tenuto conto dei seguenti fattori:

• Ogni issue deve essere identificata da un id univoco che è presente, all'interno del file "Analisi#1.csv", nella colonna "description";

- Anche l'informazione relativa al Filepath è contenuta all'interno del campo "description" e deve essere estrapolata;
- Per ogni file .java diverso si procede con la creazione di un ActionPlan;
- Le attività di ciascun ActionPlan devono essere assegnate alternativamente a ciascun componente del gruppo;
- Si rende necessario aggiungere alcune colonne come data di inizio e fine relativa alla risoluzione di quella issue ed il tempo realmente impiegato per risolverla (in modo da confrontarlo con la previsione fornita da SonarCloud) nonché una colonna dedicata all'hash del commit su git.

Di seguito il contenuto dello script Python:

```
import pandas as pd
import re
# Define a function to convert time to minutes
def convert to minutes(time):
    time = time.replace('min', '')
    # if the time contains hour, let's convert hour to minutes
   if 'h' in time:
        time parts = time.split('h')
        time = int(time parts[0])*60 + int(time parts[1])
    return time
# Loading CSV in a DataFrame
df = pd.read csv('Analisi#1.csv', sep = ',', on bad lines='skip')
# Splitting the 'Description' column getting 'Key' attribute
df[['Key', 'Description']] = df['Description'].str.split('Path:', expand=True)
# Removing Key: string and white spaces at the end of the string
df['Key'] = df['Key'].str.replace('Key: ','').str.strip()
df['Description'] = df['Description'].str.strip()
# Splitting the 'Description' column getting 'Filepath' attribute
df[['Filepath', 'Description']] = df['Description'].str.split(' - ', expand=True)]
# Creating the new column
key\_column = df.pop('Key')
# Putting the key column at the beginning
df.insert(0, 'Key', key_column)
```

```
\# Creating the new column
filepath column = df.pop('Filepath')
# Putting the filepath column after 'Priority' field
df.insert(4, 'Filepath', filepath column)
# Apply the conversion function to the 'Time' column and create a new 'TimeInMinutes' column
df['Estimated time'] = df['Estimated time'].apply(convert to minutes)
# Rename of 'Estimated time' column
df = df.rename(columns={'Estimated time': 'Estimated time [min]'})
# Saving the new .csv file
df.to csv('Analisi#1 formatted.csv', index=False)
# Getting unique values from 'Filepath' column
filepath values = df['Filepath'].unique()
# Creating the array of the owners
owners = ['Matteo Scuro', 'Claudia Stefanizzi']
# Iteration on all unique values in
for idx, filepath value in enumerate(filepath values):
    # Adding owner column in alternative way among Matteo and Claudia
   df['Owner'] = owners[idx \% 2]
   owner\_column = df.pop('Owner')
    # Putting the Owner at index 4
   df.insert(4, 'Owner', owner column)
    \# Adding empty columns
   df['Start\ date'] = "
   start date column = df.pop('Start date')
   df.insert(9, 'Start date', start date column)
   df['End date'] = "
   end date column = df.pop('End date')
   df.insert(10, 'End date', end date column)
   df['Time spent [min]'] = "
   time spent column = df.pop('Time spent [min]')
    df.insert(11, 'Time spent [min]', time spent column)
   df['Commit hash'] = "
    commit hash column = df.pop('Commit hash')
```

```
df.insert(14, 'Commit hash', commit_hash_column)

# Filtering the df on the current filepath value
filtered_df = df[df['Filepath'] == filepath_value]

# Creating the new .csv file
otuput_actionPlan_file = f'../RisoluzioneIssues/actionPlans/ActionPlan#{1+idx}.csv'

# Saving the new file
filtered_df.to_csv(otuput_actionPlan_file, index=False)

print("Done")
```

In seguito al run sono stati prodotti 225 Action Plan file e si può procedere, pertanto, con la risoluzione delle issues.