# **Documentation**

# Usage

## Widget 1



<Widget1 size={200} />

### Widget 2



```
<Widget2
  width={200}
  defaultValue={4}
  showStatus={true} />
```

#### **Linear Slider**



```
const [value, setValue] = useState(0)

<LinearSlider
   width={200}
   max={10}
   value={value}
   setValue={setValue} />
```

#### **Circular Progress**



```
const [value, setValue] = useState(0)

<CircularProgress
    size={200}
    value={value}
    setValue={setValue}
    parentStyle={{ marginBottom: "30px" }}
    percentage={(value / 10) * 100} />
```

# **Options**

### Widget 1

Property	Туре	Description	Default
size	Int	Size of the widget	200

max	Int	Maximum value of the slider	100
min	Int	Minimum value of the slider	0

## Widget 2

Property	Туре	Description	Default
width	Int	Size of the widget	200
defaultValue	Int	Default value of the widget (0-4)	0
showStatus	Boolean	To display the status text (Low, Medium, High)	true

#### **Linear Slider**

Property	Туре	Description	Default
width	Int	Width of the widget	200
min	Int	Minimum value of the slider	0
max	Int	Maximum value of the slider	100
value	Int	Value of the widget	-
setValue	Function	function with 1 parameter	-

## **Circular Progress**

Property	Туре	Description	Default
size	Int	Size of the widget	200
value	Int	Value of the widget	0
percentage	Int	Percentage of the progress circle	0
strokeWidth	Int	Width of the progress circle	3