LPodolski (http://lpodolski.com/)

PHP, MYSQL, JS, JQUERY, LINUX, BASH PROGRAMING

default composer path on windows

JULY 19, 2014 (HTTP://LPODOLSKI.COM/BLOG/DEFAULT-COMPOSER-PATH-ON-WINDOWS/) BY LPODOLSKI (HTTP://LPODOLSKI.COM/AUTHOR/LEXIMAX/) · 0 COMMENTS (HTTP://LPODOLSKI.COM/BLOG/DEFAULT-COMPOSER-PATH-ON-WINDOWS/#RESPOND)

composer path used in windows environmental variables is:

1 C:\ProgramData\ComposerSetup\bin

This is default path of composer on windows machine when using windows installer.

Useful to set up PhpStorm command line tool support for composer, you need only paste this to configuration:

1 C:\ProgramData\ComposerSetup\bin\composer.phar

screenshot: http://screencast.com/t/43dYedLr6y1s (http://screencast.com/t/43dYedLr6y1s)

composer (http://lpodolski.com/tag/composer/) phpstorm (http://lpodolski.com/tag/phpstorm/)

Previous

Zenbox.pl - cron setup (http://lpodolski.com/linux/zenbox-pl-cron-setup/)

Next

PhpStorm symfony – search only: src, web, app directories (http://lpodolski.com/blog/phpstorm-symfony-search-only-src-web-app-directories/)

Proudly powered by WordPress (http://wordpress.org/). Theme: Flat 1.7.7 by Themeisle (https://themeisle.com/themes/flat/).