
Вайбкодинг в медиапроектах: от идеи до прототипа.
Создание собственных цифровых инструментов и
сервисов (чат-ботов, парсеров, интерактивных виджетов
для статей) без классического программирования.


Использование естественного языка для написания кода:
как правильно формулировать запросы к ИИ, чтобы
получить работающий программный скрипт для сбора
или обработки медиаданных

C11 C12

ЯРОЧКИН 2026

этапы

- Идея
- Декомпозиция
- Создание промпта
- Генерация
- Тестирование
- Новая Идея
- ...



напиши промпт на английском для реплит который делает готовый сайт

Для создания полноценного веб-приложения на Replit через AI (например, через их встроенный «Replit Agent» или чат) важно дать **структурированный контекст**, чтобы ИИ не просто написал код, а собрал все файлы в рабочую систему.

Вот мощный промпт, который превратит Replit в работающий «Медиа-монитор» (парсер + база данных + интерфейс).


Промпт для ИИ (копируйте и адаптируйте):

"Act as a professional Python developer and web architect. Please build a complete web application using Flask and Replit Database. The app should perform the following tasks:

1. **Web Scraping:** Create a function that scrapes news headlines and links from [BCTABbTE URL САЙТА, например: <https://news.ycombinator.com>] using BeautifulSoup.
2. **Data Storage:** Store the scraped data into the Replit Database (db) so it persists after the script restarts.
3. **Web Interface:** Create an index.html file inside the 'templates' folder. The page should have:
 - A 'Refresh Data' button that triggers the scraping function.
 - A clean, modern UI (use simple CSS) to display the headlines as a list of clickable cards.
 - A logic to pull data from the Replit database and render it using Jinja2.

Requirements:


Версия 1.




+ выделяет заголовки

+ Сохраняет заголовки

- Нельзя выбирать
источник




Версия 2




Продолжаем диалог
Просим добавить поле для ввода
источников
Проверяем
Публикуем
Проверяем
Пользуемся)


[https://news-scraper-hub--
cifrotrans1.replit.app/](https://news-scraper-hub--cifrotrans1.replit.app/)



- Дорабатываем визуал
- Публикуем
- тестируем





Ошибка произошла но пользователь не узнал






I ned app to log any error in console and any request error in UI



Just now








Контроль версий



GIT



Скачем с ветки на ветку. Понравилось - публикуем



Что такое GITHUB

The screenshot shows the GitHub interface for a repository named 'News-Scraper-Hub' owned by 'Cifrotrans'. The repository is private and has 0 stars, 0 forks, and 0 watchers. The main content area displays a list of files and their commit history. The files include 'artifacts', 'lib', 'scripts', '.gitignore', '.npmrc', '.replit', '.replitignore', 'package.json', 'pnpm-lock.yaml', 'pnpm-workspace.yaml', 'replit.md', 'tsconfig.base.json', and 'tsconfig.json'. The commit history shows that the repository is 1 commit ahead of and 1 commit behind the 'main' branch. The right sidebar contains sections for 'About', 'Releases', 'Packages', 'Contributors', and 'Languages'. The 'About' section provides a link to the repository on Replit. The 'Releases' section indicates that no releases have been published. The 'Packages' section indicates that no packages have been published. The 'Contributors' section shows one contributor, 'Cifrotrans'. The 'Languages' section shows that the repository is primarily composed of TypeScript (95.8%) and CSS (2.1%).

News-Scraper-Hub Private

Watch 0 Fork 0 Star 0

replit-agent Add real-time keyword filtering to news headlines list c18c03c · 17 minutes ago 11 Commits

artifacts	Add real-time keyword filtering to news headlines list	17 minutes ago
lib	Add warnings for websites with no headlines and display scra...	34 minutes ago
scripts	Initial commit	last week
.gitignore	Initial commit	last week
.npmrc	Initial commit	last week
.replit	Published your App	53 minutes ago
.replitignore	Initial commit	last week
package.json	Initial commit	last week
pnpm-lock.yaml	Add ability to scrape custom RSS and HTML feeds	1 hour ago
pnpm-workspace.yaml	Initial commit	last week
replit.md	Add functionality to scrape and display news headlines	1 hour ago
tsconfig.base.json	Initial commit	last week
tsconfig.json	Initial commit	last week

About

Repository for <https://replit.com/@cifrotrans1/News-Scraper-Hub>

replit.com/@cifrotrans1/News-Scrap...

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors 1

Cifrotrans


Languages

TypeScript 95.8% CSS 2.1%

Git — система управления версиями (Version Control System, VCS)


Это не аббревиатура!

I'm an egotistical bastard, so I name all my projects after myself. First Linux, now git.




Делаем Сайт на Github Pages

- Поиск темы: Word stat Google Trends
- SEO optimization
- Роль – веб дизайнер
- Задача создать сайт (код сайта)
- Контекст
 - Ваш текст
 - Ключевые слова
- ФОРМАТ: HTML CSS JS



Запускаем локально



AI Safety: EDD Framework

This page summarizes the perspectives of **Dmitry Andreevich Yarochkin** regarding **EDD** (Evolutionary Development Design) in the context of Artificial Intelligence safety.

Core Philosophy

Yarochkin's approach to EDD emphasizes that AI safety should not be viewed as a static "alignment" problem, but as an *evolutionary process* where systems must maintain robustness through continuous architectural adjustments rather than final-state constraints.

"Safety in AI is not a destination of perfect alignment, but the rigorous management of developmental trajectories to prevent emergent maladaptive behaviors."


Key Principles of EDD

- **Recursive Robustness:** Systems should be designed to self-evaluate their own decision-making boundaries.

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *



Repository name *

test_ai_safety_AI_generated

✔ test_ai_safety_AI_generated is available.

Great repository names are short and memorable. How about [urban-octo-barnacle](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Start with a template

Templates pre-configure your repository with files.

No template

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On



Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

Files

main

Go to file

README.md

test_ai_safety_AI_generated / index.html in main

Cancel changes

Commit changes...

Edit

Preview

Spaces

2

No wrap

```
23 <h1>AI Safety: EDD Framework</h1>
24 <p>This page summarizes the perspectives of
25
26 <section>
27   <h2>Core Philosophy</h2>
28   <p>Yarochkin's approach to EDD emphasizes
29
30   <div class="quote">
31     "Safety in AI is not a destination or
32   </div>
33 </section>
34
35 <section>
36   <h2>Key Principles of EDD</h2>
37   <ul>
38     <li><strong>Recursive Robustness:</strong>
39     <li><strong>Dynamic Guardrails:</strong>
40     <li><strong>Evolutionary Feedback Loops
41   </ul>
42 </section>
43
44   <button id="alertBtn">Understand the Importance
45 </div>
46
47 <script>
48   document.getElementById('alertBtn').addEventListener
49     alert("The EDD approach focuses on ensuring that as AI evolves, its safety mechanisms evolve at a faster or equal rate.");
50   });
51 </script>
52
53 <footer>
54   &copy; 2026 AI Safety Research Initiative
55 </footer>
```

Commit changes

Commit message

Create index.html

Extended description

Add an optional extended description...

- ☒ Commit directly to the main branch
- ☐ Create a new branch for this commit and start a pull request [Learn more about pull requests](#)

Cancel

Commit changes

Use **Control + Shift + m** to toggle the **tab** key moving focus. Alternatively, use **esc** then **tab** to move to the next interactive element on the page.

Публикуем ЖДЕМ

GitHub Pages source saved.

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Models

Webhooks

Copilot

Environments

Codespaces

Pages

Security and quality

Advanced Security

Deploy keys

Secrets and variables

Integrations

GitHub Pages

[GitHub Pages](#) is designed to host your personal, organization, or project pages from a GitHub repository.

Build and deployment

Source

[Deploy from a branch](#)

Branch

Your GitHub Pages site is currently being built from the `main` branch. [Learn more about configuring the publishing source for your site.](#)

`main` `/docs` [Save](#)

Learn how to [add a Jekyll theme](#) to your site.

Custom domain

Custom domains allow you to serve your site from a domain other than `cifrotrans.github.io`. [Learn more about configuring custom domains.](#)

[Save](#) [Remove](#)

Enforce HTTPS

☒ **Enforce HTTPS**

— Required for your site because you are using the default domain (`cifrotrans.github.io`)


HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site. When HTTPS is enforced, your site will only be served over HTTPS. [Learn more about securing your GitHub Pages site with HTTPS.](#)

Visibility [GitHub Enterprise](#)

With a GitHub Enterprise account, you can restrict access to your GitHub Pages site by publishing it privately. You can use privately published sites to share your internal documentation or knowledge base with members of your enterprise. You can


Вы в интернете

<https://cifrotrans.github.io/ideal-telegram>



IDE

- VSCODE + GIGACODE



<https://gitverse.ru/features/gigacode/install>

1


Скачайте плагин в формате VSIX-файла:




Скачать плагин GigaCode

2

Перейдите во вкладку «Extensions». Выберите пункт **«Install from VSIX...»**, выберите скачанный ранее VSIX-файл:




На нижней панели появится кнопка **«Connect GigaCode»**, нажав на нее, плагин предложит перейти на GitVerse:



Мне одному кажется, что деепричастный оборот как то иначе согласуется????


4

После успешной авторизации, к вашему аккаунту будет привязано новое устройство, которое сразу отобразится в личном кабинете GitVerse:




5

Перезапустите IDE, чтобы изменения вступили в силу. Теперь можно начинать!




Отдельный скрипт Парсер ВК

- Идея
- Контекст – доки
- Среда
- Тестирование
 - Перед продом проверяем безопасность
 - Проверяем все ключи и секретки!
- Доработка функционала





<https://colab.research.google.com/drive/1qsKx7bQvezR80vVXyXJ8tZNZCfrLMI4s?usp=sharing>

Что такое API



Пишем парсер



- Инструкция
1. Выберите приложение
 2. Нажмите на него
 3. Затем нажмите "разрешить"
 4. Скопируйте часть адресной строки от `access_token=` до `&expires_in`



Залог Успеха

- Правильные промпты
- Правильные Инструменты
- Декомпозиция
- Контроль Версий
- Тесты
- Репететативность

