

Informal learning in everyday human–LLM interaction

Zixin Chen¹, Haotian Li^{2*}, Ziang Xiao³, Huamin Qu¹, Xing Xie²

¹The Hong Kong University of Science and Technology, Hong Kong, China.

²Microsoft Research Asia, Beijing, China.

³Johns Hopkins University, Baltimore, 21218, Maryland, United States.

*Corresponding author(s). E-mail(s): haotian.li@microsoft.com;
Contributing authors: zchendf@connect.ust.hk; ziang.xiao@jhu.edu;
huamin@cse.ust.hk; xing.xie@microsoft.com;

Abstract

As LLMs become increasingly capable of completing tasks for users, a central concern is that working with them may erode the opportunities through which people develop their own capabilities. We analyse large scale human–LLM conversations to surface how users engage with LLMs in learning-oriented ways, revealing the prevalence and interactional mechanisms through which informal learning may occur in everyday AI use. Across 128,569 naturalistic conversations, we translated learning-science constructs into turn-level behavioural signatures. Cognitive engagement—visible uptake of assistant output—appeared in 31.9% of 491,685 user turns, whereas constructive engagement, the deepest observable form of learning-oriented engagement, appeared in 4.9%, showing that deeper sense-making was recurrent but selective. Our study further identifies factors associated with these forms of engagement. Scaffolded assistant support, present in 31.7% of assistant turns, consistently marked richer constructive participation, with associations varying by user framing, task ecology, support form, timing and prior user state. These findings make behavioural signatures of informal learning observable at scale and shift AI evaluation: from answer-delivery efficiency toward the preservation of cognitive opportunities for users to reason, test ideas and construct understanding in the course of everyday problem-solving.

Keywords: human–AI interaction, informal learning, large language models, scaffolding, learner engagement

1 Introduction

Large language models (LLMs) are becoming embedded in the cognitive work of everyday life: people increasingly turn to them to write, code, search and reason through unfamiliar problems [1–3]. Much of human competence, however, is acquired precisely by doing such work: reasoning through a problem, attempting a solution, reworking it until it holds [4, 5]. A growing body of evidence warns that delegating that effort to machines can erode the very capabilities the work would otherwise build [6, 7]. Whether working with an assistant diminishes *users’ own cognitive work* or instead becomes an occasion for thought depends not on the technology but on how people engage with it: they may take an answer and move on, or use it to test their own ideas, seek out explanations and pursue a question to its root [8, 9]. Everyday human–LLM interaction has thus become a vast and mostly undesigned setting for informal learning—and, as AI does more of this work, an increasingly consequential one for whether people keep learning and thinking for themselves [10–12]. *We use informal learning to mean learning-oriented activity that arises outside formal curricula, teaching plans or assessment, as people pursue self-directed goals and work through uncertainty, explanation, testing and revision.*

Yet this informal learning has gone largely unexamined. Existing research on LLMs and learning has focused instead on settings where learning support is deliberately designed, such as automated feedback, question generation, retrieval practice and tutoring systems [13–17]. These studies show that LLMs can enact instructional strategies when learning is the explicit design target [18, 19]; they tell us less about general-purpose LLM use, where users usually seek task progress rather than instruction. Everyday use is also harder to study: it follows no curriculum and yields no test score, so the learning at stake is easy to suspect but hard to see. Learning science offers a way to detect it: deeper forms of overt engagement are associated with stronger learning outcomes, so engagement can serve as an observable process indicator in informal, user-generated interactions whose goals and endpoints are not pre-specified by curricula or study protocols [20–22]. We therefore ask whether learning-oriented engagement is visible in everyday human–LLM interaction, where its deepest constructive form appears, and how assistant scaffolding is coupled with further constructive participation.

We analyse 128,569 naturalistic conversations from three public large-scale conversational corpora: WildChat, LMSYS Chat and ShareChat [23–25]. Across these corpora, we focus on coding and writing as two common task ecologies in which LLMs are used to produce, revise and troubleshoot knowledge work [1, 8, 26], yielding 491,685 user turns and 489,785 assistant turns. Our analyses move from engagement prevalence, to the contextual organization of constructive engagement, to how assistant scaffolding is associated with user participation at conversation-level, support-form and adjacent-turn scales. To make these questions measurable in naturalistic logs, we translate theories of engagement and scaffolding into role-specific, turn-level behavioural signature. *User turns are coded by the depth of visible uptake of assistant output: *passive* receipt, *active* use or follow-up, and *constructive* engagement, where users elaborate, test, revise or extend ideas in the exchange [20, 21]. Constructive engagement is therefore the clearest observable signature of informal learning in*




Fig. 1 Analytic framework for studying informal learning in everyday human-LLM interaction. **a**, Public conversations are situated by data source, task ecology and user framing. **b**, Engagement and scaffolding constructs are translated into role-specific turn-level labels for user engagement and assistant support; passive, active and constructive labels form depth levels within cognitive engagement, while user framing is a conversation-level label shown in panel a. Assistant support is further characterized by support intent (I1-I3: metacognitive, cognitive and affective) and support form (M1-M6: feedback, hinting, instructing, explaining, modelling and questioning); Supplementary Table C1 provides plain-language examples of each label. **c**, These labels support analyses of engagement presence, contextual organization and support-engagement coupling at conversation-level, support-form and adjacent-turn scales; adjacent-turn analyses examine the immediately preceding user state, the assistant response and the next user turn. Labels indicate observable learning-oriented participation, not durable learning outcomes or causal instructional effects.

these logs: it marks moments when task progress becomes explicit knowledge work rather than simple answer use. Assistant turns are coded by whether they primarily deliver the requested content or provide scaffolded support: contingent assistance that diagnoses difficulties, decomposes tasks, explains rationales, gives feedback or hints, or prompts reflection while leaving the user to continue the work [27–30]. Together, these signatures allow us to examine where users remain actively involved in reasoning with generated output, and how constructive participation is organized by task context, assistant support and local turn ordering.

Across the three corpora, everyday human-LLM interaction emerged as a genuine but selective and conditional site of learning. First, learning-oriented engagement was recurrent in everyday human-LLM interaction, but its deepest constructive form was selective: cognitive engagement appeared in nearly one third of user turns, whereas constructive engagement appeared in about five percent. Second, constructive engagement was ecologically organized: it was more common under explicit learning-oriented user framing, varied across task ecologies and became most visible in sustained exchanges where users returned to, interrogated and reshaped the assistant’s response. Third, assistant scaffolding marked richer constructive participation, but not as a uniform exposure. Its association depended on how support was positioned within the exchange: feedback-like and explanatory forms aligned most clearly with constructive engagement at the conversation level, while adjacent-turn analyses showed that support-engagement coupling in local sequences was shaped by prior user state and support form. Together, these findings locate everyday human-LLM interaction in a middle space between ordinary tool use and designed instruction. These results offer an empirical counterpoint to fears that AI use simply erodes human thinking: people

have not ceded their thinking to the model but continue to engage constructively, if selectively. They suggest that the educational value of future AI assistants lies not in making every interaction tutor-like, but in calibrating when to answer, explain, give feedback or step back, preserving the cognitive agency through which people question, test, revise and build judgment while solving real problems.

2 Results

The results follow the analytic sequence in Fig. 1: engagement prevalence, contextual organization and support–engagement coupling. We first quantify cognitive and constructive engagement in everyday human–LLM conversations, then locate constructive engagement across user framing, task ecology and interaction depth. We then turn to assistant support, asking whether scaffolded conversations contain richer constructive participation, which support forms carry this association and how support is ordered with prior and subsequent user engagement at the adjacent-turn scale, [defined as the immediately preceding user state, the assistant response and the next user turn](#).

2.1 Everyday human–LLM conversations contain learning-oriented engagement

Learning-oriented engagement was visible across all six task settings. Across 491,685 user turns, 31.9% showed cognitive engagement and 4.9% reached constructive engagement, [a subset of cognitive engagement and the deepest observable user-side signal in the annotation scheme \(Table 1\)](#). [Explicit affective expression was much less visible, \(0.74% of user turns\), consistent with the coding and writing focus of the sample](#). Thus, everyday human–LLM conversations often contained observable user uptake of assistant responses, but deeper constructive sense-making remained selective rather than routine.

Figure 2a shows how cognitively engaged turns were composed. Active uptake was the dominant form in every setting, accounting for 62.0–86.4% of cognitively engaged turns, whereas constructive engagement accounted for 10.0–33.7% and passive receipt for 1.2–14.6%. This composition separates broad engagement from deeper sense-making. Cognitive engagement shows that everyday LLM use often involves users working with assistant output; active uptake captures use, application or follow-up; and constructive engagement identifies the cases in which users elaborate, test, revise or extend ideas. The remaining analyses therefore focus on where constructive engagement appears and how it is associated with user framing, task ecology, interaction depth and assistant support.

2.2 Constructive engagement is patterned by user framing, task ecology and sustained exchange

Having established that everyday human–LLM conversations contain learning-oriented engagement, we next examined where its constructive form became visible. Explicit learning-oriented framing provided the first contrast (Fig. 2b). In every setting, conversations framed around learning, understanding or exploration had higher cognitive and

Table 1 Dataset and behavioural overview. Summary statistics for the WildChat, LMSYS Chat and ShareChat task settings analysed in the study. Constructive engagement is reported as the deepest observable level within cognitive engagement and serves as the focal user-side measure in subsequent analyses. [Cognitive overall denotes any passive, active or constructive user engagement; constructive level denotes the constructive subset.](#)

Setting	Sample size			User framing	Assistant support	Cognitive engagement		Emotional engagement
	Conversations	User turns	Assistant turns	Intentional conv. (%)	Scaffolded turns (%)	Overall (%)	Constructive level (%)	Emotional (%)
WildChat coding	31,878	124,073	124,623	37.13	51.03	50.21	9.23	0.95
WildChat writing	39,534	163,705	164,824	25.80	23.53	16.34	2.22	0.57
LMSYS coding	32,114	107,065	105,174	41.49	29.07	45.26	5.44	0.91
LMSYS writing	21,023	77,906	76,279	20.64	19.43	15.30	1.53	0.21
ShareChat coding	2,481	11,541	11,522	45.63	50.67	45.00	15.17	3.38
ShareChat writing	1,539	7,395	7,363	29.69	22.42	33.05	5.18	0.34
Total / pooled	128,569	491,685	489,785	32.12	31.70	31.94	4.93	0.74

Note. User framing is reported as the percentage of conversations with explicit learning-oriented framing. Cognitive, constructive and emotional engagement are percentages of user turns; scaffolded support is computed over assistant turns. [Assistant turns refer to AI/LLM responses, so user-side and assistant-side percentages use different role-specific denominators.](#)

constructive user-turn rates than conversations without such framing. The cognitive-engagement lift ranged from +17.7 to +47.3 percentage points across settings, and the constructive-engagement lift ranged from +2.5 to +12.8 points. Yet constructive participation was also present in conversations without explicit learning-oriented framing. User framing therefore amplified constructive engagement, but did not define it: learning-relevant participation also emerged in task-oriented exchanges where learning was incidental to solving the problem at hand.

Task ecology provided a second source of variation. Across all three corpora, coding-oriented conversations showed higher cognitive and constructive engagement than writing-oriented conversations. Cognitive engagement ranged from 45.00–50.21% in coding conversations, compared with 15.30–33.05% in writing conversations; constructive engagement ranged from 5.44–15.17% in coding and 1.53–5.18% in writing. A conversation-level context model showed the same direction after including user framing, conversation-length bucket and dataset fixed effects, with coding task ecology positively associated with the presence of at least one constructive user turn (OR=1.89, 95% CI 1.71–2.08, $p < .001$; Supplementary Table C10).

The coding–writing contrast points to task affordances that organize baseline opportunities for visible constructive participation. Coding tasks often externalize uncertainty through errors, constraints and executable tests, creating occasions for users to diagnose failures, refine assumptions, compare alternatives and test candidate solutions. Writing tasks also involve substantial revision and evaluation, but the interaction can often proceed through accepting, adapting or requesting a draft revision without requiring the user to articulate the rationale for the change [31–33]. The observed task difference is therefore consistent with the ecological interpretation: constructive engagement is more likely to appear when the task makes uncertainty, evaluation and revision explicit in the exchange.

The distinction between broad cognitive engagement and constructive engagement reinforces this task-ecology account. LMSYS Chat coding illustrates this distinction: it had high cognitive engagement, yet its cognitively engaged turns were dominated by

active uptake rather than constructive elaboration (Fig. 2a). This pattern illustrates that users can work actively with assistant output—applying code, requesting repairs or asking for the next step—without making their reasoning, tests or revisions explicit enough to surface as constructive engagement. Taken together with the coding–writing contrast, this shows that task ecology patterned not only how often users worked with assistant output, but also whether that work became visible as articulated questioning, testing, refinement or extension.

Sustained exchange provided the third context in which constructive participation became visible (Fig. 2c). We operationalized sustained exchange with conversation-length buckets, asking whether a conversation contained at least one constructive user turn. Across all six settings, conversations with more user turns were more likely to contain at least one constructive user turn. The gradient was steeper in coding-oriented settings, but the same direction appeared in writing-oriented settings. This pattern indicates that constructive engagement is most visible when everyday LLM use develops beyond a one-off request for an answer. In such exchanges, users have room to return to the assistant’s response, introduce new constraints, test implications, request revisions and reshape their understanding. Because this panel uses an any-event outcome, we treat the length gradient as a visibility pattern; a grouped-binomial constructive-rate sensitivity attenuated but preserved the positive length association (4–6 user turns: OR=1.13; 7+ user turns: OR=1.06; Supplementary Table C10).

Together, these results show that constructive engagement was ecologically organized rather than evenly distributed across everyday use. It was amplified by explicit learning-oriented framing, patterned by task affordances that create occasions for testing and revision, and most visible in sustained exchanges. A conversation-level context model with user framing, task ecology, conversation-length bucket and dataset fixed effects supported the same organization, and the rate sensitivity showed that the length association was attenuated but preserved (Supplementary Tables C10 and C10). Having located these user-side and contextual patterns, we next ask whether assistant scaffolding marks conversations with richer constructive participation.

2.3 Scaffolded support marks richer constructive participation

Having located the user-side and contextual conditions under which constructive engagement became visible, we next turned to assistant-side scaffolding: support that structures the user’s process rather than simply returning a deliverable, leaving room for diagnosis, repair or evaluation work [27–30].

Scaffolded support appeared in 31.7% of assistant turns (Table 1), making it a common interactional condition rather than a rare pedagogical exception. At the conversation level, conversations containing at least one scaffolded assistant turn had higher turn-weighted constructive user-turn ratios than reference conversations without scaffolded support in all six task settings (Fig. 3a). The constructive-ratio differences ranged from +0.99 to +7.34 percentage points across WildChat, LMSYS Chat and ShareChat, and all six contrasts were distinguished from zero in conversation-level bootstrap tests ($p < .001$; Supplementary Table C8). Scaffolded conversations also showed more turns after the first assistant response in every setting (+1.42 to +3.38




Fig. 2 Learning-oriented engagement varies by engagement form, user framing and conversation length. **a**, Composition of cognitively engaged user turns by passive, active and constructive levels across the six task settings. **b**, Cognitive and constructive user-turn rates in conversations with versus without explicit learning-oriented framing; annotations show the framed-minus-unframed difference in percentage points. **c**, Share of conversations containing at least one constructive user turn by conversation-length bucket. Panel a decomposes cognitively engaged user turns, where constructive engagement is nested within cognitive engagement rather than a separate category; panel b reports percentages of user turns; panel c reports conversation-level shares. WC, WildChat; LMSYS, LMSYS Chat; SC, ShareChat.

turns; Fig. 3d), indicating that scaffolded support marked exchanges with more sustained participation. Together, these descriptive contrasts show that scaffolded support co-occurred with richer constructive participation across corpora and task settings.

The association remained positive after accounting for observed user framing and interactional context in covariate-adjusted models. In setting-specific models, scaffolded-support presence was associated with higher constructive-turn counts, with Poisson count ratios ranging from 1.569 to 2.491, and with higher odds that a conversation contained at least one constructive user turn, with logistic odds ratios ranging from 1.437 to 2.140 (Fig. 3b). The same positive direction appeared within both explicitly learning-oriented and non-explicitly framed conversations (Fig. 3c), indicating that the support-engagement association was not limited to interactions users announced as learning episodes. A rate sensitivity treating user turns as the exposure preserved positive scaffolded-support associations in all six settings (rate ratios 1.356–1.703; all $p < .001$; Supplementary Table C9). Across these checks, scaffolded support remained a consistent conversation-level factor of richer constructive participation. This conversation-level signal motivates a finer analysis of the support forms through which scaffolded support was expressed.




Fig. 3 Scaffolded support marks richer constructive participation across task settings. **a**, Turn-weighted constructive user-turn ratios in conversations containing scaffolded support versus reference conversations without scaffolded support. **b**, Covariate-adjusted within-setting associations between scaffolded-support presence and constructive participation, reported as Poisson count ratios and logistic odds ratios. **c**, Poisson count ratios for scaffolded-support presence stratified by explicit versus non-explicit learning-oriented framing. **d**, Difference in the number of turns after the first assistant response between scaffolded and reference conversations. Numbers indicate scaffolded-minus-reference differences, except panels b and c, which report model estimates. Error bars in panels b and c show model-based 95% confidence intervals; bootstrap confidence intervals for the descriptive contrasts in panels a and d are reported in Supplementary Table C8. WC, WildChat; LMSYS, LMSYS Chat; SC, ShareChat.

2.4 Support form differentiates the scaffolding–engagement association

The conversation-level analyses established scaffolded support as a consistent factor of richer constructive participation. We next asked which features of scaffolded support carried this signal. For each scaffolded assistant turn, the annotation scheme recorded two parallel descriptors: a support-intent label indicating whether the turn primarily targeted metacognitive, cognitive or affective support (I1–I3), and one or more support-form labels indicating how the support was delivered—feedback, hinting, instructing, explaining, modelling or questioning (M1–M6). This two-axis scheme follows scaffolding accounts that distinguish the purpose of assistance from the means through which assistance is provided [27–30]. Support intent offered limited contrast because scaffolded turns were predominantly cognitive in purpose (Supplementary Table C14). We therefore focused on the form axis, comparing scaffolded conversations containing each support form with scaffolded conversations without that form and reporting turn-weighted constructive user-turn ratio differences (Fig. 4a,b).

Table 2 Summary of key support–engagement associations across the three corpora. Constructive-ratio contrasts compare conversations with versus without scaffolded support using turn-weighted constructive user-turn ratios. Adjusted models report the association of scaffolded-support presence with constructive-turn count (Poisson count ratio) and with having at least one constructive turn (logit odds ratio). Adjacent-turn lift is the difference in the probability that the next user turn is constructive after scaffolded versus non-scaffolded reference assistant turns.

Setting	Constructive ratio Has Scaf. / No Scaf.	Difference (pp)	Depth diff. (turns)	Poisson count ratio	Logit OR	Adjacent lift (pp)
WildChat coding	0.101 / 0.056	+4.6	+2.23	1.852	1.761	+2.68
LMSYS coding	0.065 / 0.040	+2.5	+1.42	1.622	1.544	+2.01
ShareChat coding	0.163 / 0.090	+7.3	+3.36	1.893	2.140	+6.21
WildChat writing	0.027 / 0.017	+1.0	+3.13	1.569	1.437	+1.13
LMSYS writing	0.022 / 0.011	+1.1	+2.10	1.985	1.764	+0.27
ShareChat writing	0.066 / 0.034	+3.2	+3.38	2.491	1.757	+3.35

At the conversation level, support form sharply differentiated where the scaffolded-support association was concentrated. At this conversation-level scale, feedback-like support (M1) showed the largest constructive-engagement contrast in both explicitly framed and non-explicitly framed conversations, with the association strongest under explicit learning-oriented framing (+14.7 versus +6.7 percentage points; framing difference, +8.0 points; Fig. 4a). Explaining (M4) showed the same direction (+6.7 versus +3.0 points; framing difference, +3.6 points), and hinting (M2) was positive but smaller. Instructing (M3) and questioning (M6), by contrast, were lower or negative, especially in explicitly framed conversations. Task-stratified estimates gave a complementary view (Fig. 4b): feedback-like support (M1) and explaining (M4) were positive in both coding- and writing-oriented task ecologies, whereas instructing (M3), modelling (M5) and questioning (M6) varied more strongly by task.

The form-level pattern is distinctive because these support moves occurred inside general-purpose task assistance rather than within a designed lesson. In formal instruction, feedback, explanation and direct guidance are usually embedded in planned sequences with explicit learning goals. In everyday LLM use, the same forms are interleaved with task completion, so an assistant response can either close the problem by supplying the next step or leave part of the problem available for the user to inspect, revise or test. Feedback-like support (M1) was a strong conversation-level marker of constructive engagement, plausibly because it appears in exchanges where the user’s prior attempt becomes available for evaluation, repair or extension [34–36]. Explaining (M4) similarly opens the assistant’s answer by exposing mechanisms or rationales that users can test, adapt or connect to their own understanding [37, 38]. Hinting (M2) can leave solution work open, but its association was smaller. Instructing (M3), modelling (M5) and questioning (M6) can be useful for task progress, examples or clarification; in these logs, however, they were less consistently aligned with constructive elaboration. This is consistent with assistance-dilemma and scaffolding accounts in which highly executable steps, models to imitate or information-management moves can reduce the need for learners to generate, evaluate or revise the next idea [22, 39, 40]. Thus, in everyday human–LLM interaction, support form is informative not only as a pedagogical category but as an interactional position: it indicates whether assistance turns the




Fig. 4 Support forms differentiate scaffolded interaction. **a**, Constructive-engagement differences associated with each support form among scaffolded conversations, stratified by intentional versus unintentional user framing. **b**, The same support-form contrasts stratified by coding- versus writing-oriented task ecology. Bars are turn-weighted constructive user-turn ratio differences, comparing scaffolded conversations containing a support form with scaffolded conversations without that form; error bars show 95% confidence intervals, and bracket annotations show between-stratum differences and Benjamini-Hochberg FDR-adjusted q values within each panel family. Support-form labels correspond to M1–M6 and are not mutually exclusive.

answer into material for the user’s next cognitive move or completes the deliverable with little further reasoning visible.

The support-form supply profile adds task context to these associations (Supplementary Fig. D1). Explaining (M4) dominated scaffolded coding turns across the three corpora, whereas writing-oriented support drew more evenly on instructing (M3), explaining (M4) and questioning (M6). This support ecology clarifies the interactional environment in which the form-level associations arose: coding and writing differed both in which support forms aligned with constructive engagement and in which scaffolding repertoires users typically encountered.

Together, these analyses refine the conversation-level support result. Scaffolded support marked richer constructive participation, and the conversation-level association was concentrated around particular support forms within task-specific scaffolding repertoires. The form-level result makes the temporal question sharper: if support forms partly mark how the assistant responds to the user’s ongoing work, then their adjacent-turn associations should be evaluated after accounting for the user’s immediately preceding state. We therefore next examine support–engagement coupling at the adjacent-turn scale.

2.5 Support–engagement coupling is state- and form-dependent

The preceding analyses established two things: scaffolded conversations contained richer constructive participation, and this association was carried unevenly by support form. These results identify where assistant support is associated with constructive




Fig. 5 Support–engagement coupling is state- and form-dependent across task settings. **a**, Next-turn constructive lift after scaffolded versus reference assistant turns. **b**, Probability of a constructive next user turn by prior user state and assistant support condition; annotations show scaffolded-minus-reference differences. **c**, Probability that the next assistant turn contains scaffolded support by prior user state. **d**, Pooled model/source fixed-effect odds ratios for focal support forms within prior user states. M1 feedback and M4 explaining are shown because Section 2.4 identified them as focal positive conversation-level forms; full M1–M6 interaction estimates are reported in Supplementary Table C13, and operational support-form examples are provided in Supplementary Table C1. Error bars show 95% confidence intervals where displayed. Panel d reports adjacent-turn logistic models with conversation-cluster robust standard errors. WC, WildChat; LMSYS, LMSYS Chat; SC, ShareChat.

engagement, but not the interactional scale at which the association appears. We therefore turned to adjacent-turn ordering, analysing how the user’s current state, the assistant’s support form and the immediately following user turn were linked.

At this adjacent-turn scale, scaffolded assistant turns were more likely than reference assistant turns to be followed by constructive engagement in all six task settings (Fig. 5a). The next-turn constructive lift was positive in every setting, ranging from +0.27 to +6.21 percentage points. Five of the six adjacent-turn lifts were statistically distinguishable from zero in conversation-cluster bootstrap tests; LMSYS Chat writing was positive but weaker (+0.27 percentage points, 95% CI -0.01 to +0.56, $p = .061$; Supplementary Table C8). The temporal signal was therefore consistently positive across settings, but heterogeneous in magnitude.

This adjacent-turn coupling was organized by the user’s immediately preceding state. State-conditioned contrasts were generally positive but varied across prior constructive, active and passive turns (Fig. 5b). The user-to-assistant direction showed the same contingency: constructive and active user turns were more often followed by scaffolded support than passive turns, especially in coding-oriented conversations (Fig. 5c). These two directions suggest a coupled sequence rather than a one-way support pattern: engaged user states more often preceded scaffolded support, and scaffolded support was then more often followed by further constructive participation.

We then asked whether the form of support shaped this adjacent-turn coupling once prior user state and adjacent-turn context were modelled jointly. We fitted integrated logistic regressions predicting whether the next user turn was constructive, combining prior user state, assistant-scaffolding descriptors, task and framing variables, turn position and model/source fixed effects. The scaffolding block improved fit beyond user state and context (full scaffolding block LR $\chi^2_7 = 1339.6$, $p < .001$; Supplementary Table C12), and prior-state $\times$ support-form interactions improved fit further (pooled model/source fixed effects: LR $\chi^2_{18} = 297.3$, $p < .001$; Supplementary Table C13). These tests show that the immediate support–engagement association was not reducible to the user’s preceding state alone; it depended jointly on what the user had just made visible and how the assistant supported the next step.

Figure 5d highlights feedback-like support and explaining, the two support forms that carried the clearest positive signal in the conversation-level analysis; complete M1–M6 interaction estimates and operational support-form examples are reported in the Appendix (Supplementary Tables C13 and C1). Explaining provided the more stable adjacent-turn signal, predicting constructive follow-up after prior constructive, active and passive user turns (ORs 1.72, 2.12 and 2.88, respectively; all $p < .001$). Feedback showed a different immediate role: its positive next-turn association was concentrated after prior passive turns, rather than after turns in which users were already active or constructive. This divergence clarifies the conversation-level result: feedback marked exchanges in which user attempts were available for evaluation and repair, whereas explanation more consistently provided material for the user’s immediate next move. Support form therefore mattered through its position in the unfolding user–assistant sequence, not as a context-free pedagogical category.

Taken together, the temporal analyses locate support–engagement coupling in adjacent-turn sequences. Constructive participation was most clearly organized where the user’s visible state, the assistant’s support condition and the form of support were considered together. Learning-oriented engagement in everyday human–LLM interaction is therefore assembled in situated next-turn sequences in which the user’s visible work and the assistant’s support form jointly shape whether constructive participation continues.

3 Discussion

Everyday human–LLM interaction as an informal learning ecology

By tracing engagement in large-scale public logs, this study shows that everyday human–LLM interaction can be analysed as an empirical ecology of informal learning. These conversations are organized around users’ own tasks, yet they contain behavioural traces of learning-oriented work. Section 2.1 establishes the depth structure of this participation: cognitive engagement appeared in nearly one third of user turns, whereas constructive engagement appeared in about five percent. This distinction matters because broad uptake and constructive sense-making mark different relationships to AI output. Uptake shows that users incorporate, apply or extend an assistant response in the task at hand; constructive engagement marks the more selective moments in which users make their reasoning visible by articulating constraints, testing implications, revising assumptions or extending explanations. In this way, informal learning becomes observable not as a declared intention, but as a pattern of participation within ordinary interaction.

The contextual results in Section 2.2 show how this participation was organized. Explicit learning-oriented framing made constructive engagement more common, but task-oriented exchanges also contained constructive turns. Task ecology shaped which forms of sense-making became visible: coding conversations often exposed failure, constraints and tests, whereas writing conversations made revision, adaptation and evaluative choice visible when users brought those concerns into the exchange. Sustained conversations added temporal opportunity, allowing earlier responses to become points of return, comparison and revision. Together, these findings define everyday human–LLM interaction as an informal learning ecology: user orientation, task affordances and interaction depth shape when ordinary problem solving becomes an occasion to build, test and extend understanding.

Scaffolding as situated support

The assistant-side findings show how support enters this ecology. As shown in Section 2.3, conversations containing scaffolded support had richer constructive participation across all six task settings, and this association remained positive after adjustment for observed conversation-level context. This pattern is most informative when scaffolded support is read as a relation between the assistant response and the user’s next possible action. In everyday task-oriented LLM use, an answer can do more than provide a usable deliverable: it can expose a rationale, error, mechanism, constraint or partial solution that remains available for inspection. This view extends scaffolding theory, which emphasizes contingent assistance and the gradual transfer of responsibility [27, 28, 40], into general-purpose AI interaction, where task completion and opportunities for sense-making are interleaved within the same exchange.

The support-form results specify what this situated support looked like in the logs. As shown in Section 2.4, feedback-like support and explanation were most consistently aligned with constructive engagement. Feedback makes a prior attempt evaluable: it

turns a user’s partial solution, diagnosis or draft into something that can be repaired, refined or extended [34, 35]. Explanation makes reasons and mechanisms inspectable, giving users material for comparison, self-explanation and transfer [37, 38]. Other forms, including instruction, modelling and questioning, supported task progress, examples and clarification, with more task-contingent alignment to visible constructive elaboration. The form-level contrasts point to the warrant that support attaches to generated content: some forms organize action, whereas others make visible the grounds on which an answer, attempt or mechanism can be used. For general-purpose AI assistance, this shifts scaffolding from the surface form of a response to the epistemic status of the output it produces: fluent answers become learning-relevant when they are also judgeable answers, with grounds, limits or failure points that can be inspected and adapted within the task.

Learning continuity across formal and everyday contexts

The temporal findings clarify what everyday AI assistance can add to a broader learning system. As shown in Section 2.5, support–engagement coupling was most interpretable in adjacent user–assistant–user sequences, where the user’s preceding state and the assistant’s support form shaped whether constructive participation continued. This scale gives everyday AI use a role that differs from formal instruction. Formal learning environments organize progression through curricula, sequencing, assessment, shared standards and opportunities to abstract beyond the immediate task. Everyday AI assistance organizes re-entry: it brings explanations, feedback and prior reasoning back into the moments where people apply knowledge under practical constraints.

This distinction matters because much learning depends on whether knowledge can be reactivated when it is needed. A concept explained in a course, tutorial or earlier exchange becomes educationally consequential when it can be recognized again in a new problem, adapted to a different constraint or used to diagnose a breakdown. Human–LLM exchanges provide occasions for that re-entry. A user encounters a concrete difficulty; the assistant supplies a rationale, comparison or correction; the user can then relate that material to the task at hand. The value of such episodes lies in making knowledge usable within action, where understanding is tested against the demands of a real problem.

This complementarity suggests a different role for personal AI assistants in education. Schools, courses and curricula provide progression, accountability and shared criteria. AI assistants can provide continuity across contexts: carrying explanations from one task to another, preserving traces of prior attempts, helping users notice recurring uncertainties and supporting consolidation after repeated encounters with a concept. In this role, lifelong AI assistance can function as a connective layer between structured learning and everyday practice, giving memory and personalization to the informal learning that emerges while people work.

AI-mediated work and the social organization of expertise

The broader implication is that AI-mediated work may reshape the pathways through which expertise is formed. Much professional learning develops through participation in the practices of a domain: proposing first attempts, encountering error, receiving feedback, revising choices, explaining decisions and seeing consequences unfold [41, 42]. These activities are often treated as parts of production, yet they also carry an apprenticeship function. The results provide an empirical entry point into this process in AI-mediated settings: learning-oriented participation was measurable, selective and structured by the conditions of interaction. As LLMs become embedded in writing, coding, search and problem solving, the formation of expertise becomes tied to how these environments organize participation in the practices through which judgment is built.

AI also changes the repertoire of capacities through which people enter expert practice. When systems can generate fluent drafts, code, explanations and recommendations, expertise may depend increasingly on formulating good problems, recognizing relevant principles, interrogating generated solutions, judging evidence, revising under constraints and remaining accountable for consequences. These capacities extend beyond generic AI literacy; they are forms of situated judgment that develop through repeated participation in domain work. Schools, workplaces and platforms will therefore shape future expertise through the routines they build around AI: what novices practise, where feedback enters, how responsibility is assigned and how mistakes become occasions for development.

A science of everyday AI learning should therefore study cognitive apprenticeship as a distributed property of sociotechnical systems. The outcomes of interest extend beyond immediate productivity or single-session engagement to the formation of future practitioners: whether repeated AI-mediated routines cultivate judgment, autonomy and domain competence over time. The social stakes are distributional. Intelligent assistance can broaden access to expert-like feedback, explanation and revision, but the developmental value of that access will depend on institutional design: who participates in diagnosis, who practises revision, who observes consequences and who is asked to justify decisions. The long-term educational significance of AI will depend on how societies organize these pathways into expertise, and on whether AI-mediated work sustains broad participation in the practices through which judgment, autonomy and domain competence are formed.

Limitations

Several boundaries define the interpretation of these findings. The analyses use public conversational logs and characterize population-level interactional patterns rather than longitudinal learner histories. They do not observe users' prior knowledge, motivation, goals outside the conversation or later learning outcomes. The engagement labels capture behavioural manifestations of learning-oriented participation, not direct evidence of retention, transfer or skill development. Assistant support was also observed rather than assigned, so the associations reported here should be interpreted as structured patterns in naturalistic interaction rather than causal effects

of scaffolding. Finally, the analysis focuses on English-language coding and writing conversations from three public corpora; other domains, languages, interfaces and institutional settings may organize different opportunities for engagement and support. These boundaries motivate the next stage of evidence: connecting the behavioural signatures identified here to independent measures of learning, autonomy and transfer in controlled and longitudinal settings.

Conclusion

As LLMs become infrastructure for everyday work and study, the central educational question extends beyond how individuals learn from intelligent systems to how learning opportunities are organized in AI-mediated societies. This study shows that ordinary human–LLM interaction already contains measurable behavioural signatures of informal learning, and that deeper constructive engagement emerges selectively through task ecologies, support forms and short interactional sequences. The long-term significance of AI may therefore depend not only on the knowledge or productivity it delivers, but also on how societies organize learning opportunities: who encounters them, how often they arise and whether institutions sustain them over time.

4 Methods

4.1 Study design and analytic scope

This study analyses naturalistic public human–LLM conversations as observational digital traces of everyday work and study, following the logic of large-scale digital-trace and computational social-science analyses [43, 44]. We use three public conversational corpora: WildChat-4.8M [23, 45] (public non-toxic release, reported below as WildChat), LMSYS Chat-1M [24] (reported below as LMSYS Chat) and ShareChat [25] (strict-English subset, reported below as ShareChat). Within these corpora, we focus on coding and writing, two prominent AI-mediated knowledge-work ecologies in which users can delegate task completion to the assistant or remain actively involved in diagnosis, evaluation and revision. Usage and workplace studies identify writing and software-development tasks as high-salience domains of everyday LLM use and AI-mediated knowledge work [1–3, 26]. The two domains also differ in how they make learning-oriented participation visible: coding often externalizes uncertainty through errors, constraints, execution failures and iterative testing [8, 31], whereas writing often involves drafting, revision and evaluative choice whose rationale may remain implicit unless users articulate it [32, 33].

The design is descriptive and associational. We treat conversations as naturally occurring records of user–assistant collaboration and analyse them at three scales: conversations, turns and adjacent user–assistant–user sequences. User turns provide engagement-depth measures, assistant turns provide support measures and adjacent sequences provide local ordering. The analyses estimate where learning-oriented engagement is visible, where constructive engagement is concentrated and how scaffolded support is associated with further constructive participation across conversation-level, support-form and adjacent-turn scales. Dataset and task ecology

are treated as substantive dimensions of the interaction environment. The claims are therefore about observable behavioural signatures and interactional organization in public logs, with causal and durable-learning questions reserved for experimental or longitudinal designs [46].

4.2 Corpus construction and task settings

We constructed the analytic corpus from three public human–LLM conversation releases: WildChat-4.8M [23, 45], LMSYS Chat-1M [24] and ShareChat [25]. For each source, we converted the public records into role-ordered conversation records with user and assistant turns. We then applied corpus-specific language and minimum-turn screens to retain conversations within the English-oriented analysis scope and with at least four message turns.

Coding- and writing-oriented conversations were identified with LLM-assisted semantic task filters, as detailed in [Supplementary Section A.1](#) and [Supplementary Table A3](#). Retained conversations were then processed with the shared annotation pipeline for conversation-level user framing and turn-level labels for user engagement, scaffolded support, support intent and support form; the codebook, workflow and validation details are reported in [Supplementary Sections A.2–A.4](#).

This construction process yielded six analytic task settings: WildChat coding, WildChat writing, LMSYS Chat coding, LMSYS Chat writing, ShareChat coding and ShareChat writing. The final corpus contains 128,569 conversations and 981,470 total turns, including 491,685 user turns and 489,785 assistant turns. WildChat and LMSYS Chat contribute the largest public interaction logs, whereas ShareChat contributes a smaller complementary sample.

[Supplementary Table A1](#) reports the corpus-specific raw-to-final filtering ledger, including source records, eligibility screens, task-filtering steps and final analytic samples. [Supplementary Table A3](#) summarizes validation and audit evidence for task, language, user-framing and turn-level labels.

4.3 Operational constructs

4.3.1 Task ecology, user framing and interaction depth

Each conversation is represented as an ordered sequence of user and assistant turns together with available metadata. The main contextual variables are data source, task ecology, user framing, topic and language. Task ecology and user framing are analytic variables generated by the corpus-construction and annotation pipeline; topic, language and model/source metadata are retained where available. User framing is a conversation-level LLM-assisted label that captures whether the opening request or early exchange positions the interaction as an occasion for understanding, exploration or learning, rather than only for completing the immediate task.

Interaction depth summarizes how much exchange unfolded after the initial request. We use turn counts and turn ordering as descriptive measures of opportunity for follow-up, repair and elaboration, rather than as manipulated exposures. Post-answer depth is measured as the number of turns after the first assistant response. When analyses use whether a conversation contains at least one constructive turn,

interaction depth is interpreted as a visibility condition: longer exchanges provide more occasions for constructive participation to appear. The corresponding rate-based sensitivity checks are described with the statistical analyses.

4.3.2 User engagement

The unit of annotation is the conversational turn. User turns are labelled with a depth hierarchy for uptake of assistant output, drawing on engagement theory and the ICAP distinction between passive, active and constructive participation [20, 21]. We do not use ICAP’s interactive category as a turn-level user label. In ICAP, interactive engagement refers to dialogic co-construction across participants and turns, not simply to the presence of a conversational interface. Because every record in this study is already a human–assistant exchange, assigning an I label at the turn level would mostly capture interaction format rather than learning-oriented engagement depth. We therefore represent the interactional process through turn-level user engagement labels, assistant support labels and adjacent-turn analyses. Passive engagement (P) captures reception, acknowledgement or minimal continuation without substantial transformation. Active engagement (A) captures task-relevant use of, or follow-up on, supplied information, such as applying an answer, asking for a reformatted response or requesting the next step. Constructive engagement (C) captures articulated reasoning with generated output, such as testing an implication, revising a hypothesis or assumption, articulating a constraint, transferring a mechanism or extending an explanation. A user turn labelled P, A or C contributes to the overall cognitive-engagement measure. Explicit affective expression is recorded in parallel as a descriptive background label when a user turn expresses affect in text; it is not a focal construct in the main analyses. Operational definitions, plain-language examples and validation metrics are provided in Supplementary Tables A4–C5.

Constructive engagement is the focal user-side measure in the main analyses because it identifies where generated output becomes material for the user’s own reasoning, testing and revision. We represent it as a turn-level C indicator, a conversation-level count, an indicator for at least one constructive user turn and a constructive-turn ratio. The corresponding statistical estimands and model specifications are provided in [Supplementary Section A.5](#).

4.3.3 Assistant support

Assistant turns are labelled by their role in the user’s ongoing work. The top-level support distinction separates reference responses from scaffolded support. Reference responses primarily provide the requested information, deliverable or stand-alone answer. Scaffolded support captures assistant behaviour that structures, regulates, diagnoses or redirects the user’s process while preserving a role for the user’s own reasoning. This definition follows the scaffolding tradition, especially contingency, transfer of responsibility and potential fading [27, 28, 30, 40].

Scaffolded support is the focal assistant-side measure in the main analyses. At the turn level, assistant turns are represented as scaffolded support or reference response. At the conversation level, we use an indicator for whether a conversation contains at least one scaffolded assistant turn. Scaffolded turns are further characterized by

support-intent labels (I1 metacognitive, I2 cognitive and I3 affective support) and non-mutually exclusive support-form labels (M1 feedback, M2 hinting, M3 instructing, M4 explaining, M5 modelling and M6 questioning). The intent labels describe the broad purpose of support, whereas the form labels describe how support is delivered in the turn. Support-form analyses condition on scaffolded turns and compare scaffolded conversations containing each support-form label with scaffolded conversations that do not contain that label. Because support-form labels are multi-label descriptors, these contrasts trace how particular forms of scaffolding pattern with constructive participation within the broader scaffolded-support ecology.

Operational definitions and plain-language examples are provided in Supplementary Tables A4 and C1; de-identified case excerpts are provided in Supplementary Tables C2–C3. Aggregate support-intent and support-form profiles are reported in Supplementary Tables C14, C15 and C16. Validation metrics for scaffolded support and support-form labels are reported in Supplementary Tables C4 and C5. The corresponding statistical estimands and model specifications are provided in Supplementary Section A.5.

4.4 Annotation workflow and validation

Codebook development.

The source corpora do not contain native labels for learning-oriented engagement, assistant scaffolding, support intent or support form. We therefore constructed these labels through an iterative workflow that combined theory-grounded codebook development, independent human review, prompt calibration, parser checks, targeted post-processing and corpus-scale LLM-assisted labelling [47, 48]. The codebook was derived from engagement theory, the ICAP framework and scaffolding theory [20, 21, 27, 28, 30, 40]. Human reviewers independently labelled overlapping validation cases, discussed disagreements and produced human-confirmed labels for validation analyses.

Corpus-scale labelling.

After the codebook, prompt templates and structured output schemas stabilized, the frozen annotation workflow was applied to the analytic corpora. The workflow used schema and parser checks, documented post-processing rules for recurring boundary errors and retained annotation metadata for provider, deployment family, API version, prompt version, retry policy and parser checks. WildChat labels reflect the targeted update pass applied after validation, including post-labelling WildChat review samples drawn from completed labelled pools; LMSYS Chat and ShareChat were then processed with the same workflow. Operational definitions, examples, de-identified case excerpts and reproducibility details are provided in Supplementary Tables A4–C3 and Supplementary Sections A.3–A.4.

Human validation.

Human validation is reported in three layers. Human–human agreement assesses codebook operability; corpus-scale label audits compare final LLM-assisted labels with

human-confirmed labels; and post-update audits check recurring residual boundary errors. Agreement is summarized with per-label F1, Matthews correlation coefficient and Gwet’s AC1 because the labels are sparse, prevalence-imbalanced and sometimes multi-label [49, 50]. Overall, the validation checks supported the focal labels used for the main claims, including intentional user framing, constructive engagement, scaffolded support and support-form labels. Full sampling designs, review-round sizes, post-labelling checks and per-label metrics are reported in [Supplementary Section A.4](#) and Supplementary Tables C4–C6. These tables distinguish codebook-operability checks from LLM-assisted label agreement. Prevalence estimates in the Results are computed from the full corpus-scale labels.

4.5 Statistical analyses

Descriptive and contextual estimates.

Descriptive analyses estimated engagement prevalence, scaffolding prevalence, passive/active/constructive composition, explicit affective-expression rates and interaction-depth summaries within each task setting (Sections 2.1–2.2). Contextual analyses compared observed user framing, task ecology and interaction-depth groups. For analyses using whether a conversation contained at least one constructive user turn, we paired the event indicator with a rate-based sensitivity model to account for the number of user turns available for observing constructive participation. The sensitivity model was a grouped-binomial model in which the outcome was the constructive user-turn count out of total user turns, with user framing, task ecology, length bucket and dataset fixed effects as predictors.

Conversation-level support associations.

Conversation-level support analyses compared conversations containing at least one scaffolded assistant turn with reference conversations without scaffolded support (Section 2.3). Constructive-ratio contrasts used turn-weighted ratios within each comparison group, defined as total constructive user turns divided by total user turns, with uncertainty estimated from 1,000 conversation-level bootstrap resamples. Covariate-adjusted models reported in Section 2.3 used setting-specific Poisson generalized linear models for raw constructive-turn counts and companion logistic models for whether a conversation contained at least one constructive user turn [51, 52]. The primary Poisson model included conversation length as a covariate; offset-rate and quasi-Poisson sensitivities are reported in [Supplementary Section A.5](#) and Supplementary Table C9. The resulting estimates are interpreted as covariate-adjusted associations in naturalistic conversation logs.

Support-form analyses.

Support-form analyses conditioned on scaffolded conversations (Section 2.4). For each support-form label, we compared scaffolded conversations containing that label with scaffolded conversations that did not contain that label, and reported turn-weighted constructive user-turn ratio differences. Because support-form labels are multi-label descriptors, these contrasts trace how particular forms of scaffolding pattern with

constructive participation within the broader scaffolded-support ecology. Bracket tests in Fig. 4 compare displayed strata for each support form; q values use Benjamini–Hochberg false-discovery-rate adjustment within each displayed family of six support-form comparisons [53].

Adjacent-turn analyses.

Temporal analyses focused on adjacent-turn ordering (Section 2.5). [An adjacent-turn sequence is defined as the immediately preceding user turn, the assistant turn and the immediately following user turn.](#) We compared the probability that the next user turn was constructive after scaffolded versus reference assistant turns, estimated the same contrast within prior user states and estimated the probability that the next assistant turn was scaffolded after different prior user states. Adjacent-turn contrasts used 1,000 conversation-cluster bootstrap resamples because multiple turn pairs can come from the same conversation.

Integrated adjacent-turn regressions combined prior user-state features, assistant-scaffolding features, support-form descriptors and adjacent-turn context in one logistic model predicting whether the next user turn was constructive. These models included task and framing variables, turn position and dataset fixed effects. As a robustness check, we refit the integrated adjacent-turn model in records with recoverable assistant-model or source-platform metadata to test whether the patterns were explained by observed model or source differences. These metadata controls were not used as primary covariates across all analyses because their availability and meaning differ across the public corpora. Standard errors were clustered by conversation. We report broad scaffolded-support models separately from support-form decompositions because support-form labels are descriptors nested within scaffolded support. Nested likelihood-ratio block tests first add broad scaffolded-support presence and then test whether support-form descriptors add signal within scaffolded support. [Supplementary Section A.5](#) and [Supplementary Table C7](#) give the model specifications, covariate sets and sensitivity checks.

4.6 LLM use and reporting boundaries

Large language models were used in four roles. First, LLMs were the systems under investigation: the data are public human–LLM conversations from WildChat, LMSYS Chat and ShareChat. Available model/source identifiers were retained as observational metadata for descriptive and robustness analyses, not as randomized model comparisons.

Second, LLMs were used as measurement tools for coding-versus-writing filtering, English-oriented filtering and corpus-scale annotation of user framing, engagement, scaffolding, support intent and support form. These calls used fixed prompts, schema/parser checks, retry logic, post-processing rules and human validation; deployment names, API versions, prompt versions and operational details are reported in [Supplementary Section A.3](#). Third, LLMs were used during annotation development to test prompts and inspect boundary cases against human-reviewed examples; pilot outputs were not used as corpus-scale labels or prevalence estimates. Fourth, LLM-based

tools assisted with code drafting, debugging, workflow organization and language editing, but not as substitutes for human validation, audit-label adjudication, statistical decisions or result interpretation.

Data availability

This study analyses public human–LLM conversation corpora released by their original data providers: WildChat, LMSYS Chat-1M and ShareChat. Readers should obtain the raw public conversation data from the original releases and comply with the corresponding dataset licences, terms of use and redistribution restrictions. The manuscript does not redistribute verbatim raw conversation logs, user identifiers or linked user histories. The Supplementary includes two de-identified illustrative case excerpts derived from retained conversations and lightly edited to preserve turn sequence, task structure and annotation decisions while reducing privacy and licence risk.

Derived data sufficient to verify the reported aggregate figures, tables and statistical summaries are archived on Zenodo at <https://doi.org/10.5281/zenodo.20995946>. The same release is also available in the GitHub repository at <https://github.com/CinderD/Informal-learning-in-everyday-human-LLM-interaction> (tag v0.1.1, commit 51ad48c). The release includes the numeric values underlying the main figures, de-identified conversation-level and adjacent-turn analytic labels without raw message text, table source files, confidence intervals, p values, false-discovery-rate q values, model-output summaries, provenance documentation and SHA-256 checksums. Any request for additional derived label files that are not included in the public release is assessed against the original dataset licences and privacy constraints.

Code availability

Custom code used to export source data and de-identified label tables, compute statistical analyses and generate figures and tables is archived with the derived-data release on Zenodo at <https://doi.org/10.5281/zenodo.20995946> and is also available in the GitHub repository at <https://github.com/CinderD/Informal-learning-in-everyday-human-LLM-interaction> (tag v0.1.1, commit 51ad48c). The repository excludes API keys, raw message text and files that cannot be redistributed under the original corpus terms. The archived release also includes annotation prompt templates, output schemas, parser checks, post-processing scripts and corpus-scale annotation manifests, excluding API keys and raw message text. Reproducing the full annotation pipeline from raw conversations requires user-provided API credentials and access to the raw public corpora from their original sources.

Ethics statement

The study is a secondary analysis of public, naturalistic human–LLM conversation datasets. The authors did not recruit participants, intervene in conversations or attempt to identify users. Analyses are reported at aggregate turn or conversation

level. Operational examples are de-identified and paraphrased or lightly edited; the two complete illustrative transcripts preserve the original turn structure and annotation decisions but are not redistributed verbatim raw logs. Human validation was used to assess annotation quality on reviewed examples and did not involve interaction with the original dataset users.

Competing interests

H.L. and X.X. are employees of Microsoft Research Asia. The remaining authors declare no competing interests.

Author contributions

Z.C., H.L. and Z.X. conceived the project. H.L., X.X. and H.Q. secured funding for the project. Z.C. and H.L. collected the data. Z.C. and H.L. managed the data processing and analysis process. Z.C. and H.L. prepared the analysis of the results. Z.C. drafted the manuscript. All authors contributed to the interpretation of the results and edited and revised the manuscript. H.L. and X.X. supervised the project.

Corresponding authors

Correspondence to Haotian Li.

Acknowledgements and funding

TBD.

LLM use statement

Large language models were objects of study and were also used as annotation and writing-assistance tools. Corpus-scale labels were generated with LLM-assisted workflows and checked through parser rules, targeted update scripts and human validation. The authors also used LLM-based tools to assist with code drafting, debugging, workflow organization and language editing. No LLM or AI tool is listed as an author, and the authors take responsibility for the final manuscript, analyses and interpretation.

Reporting summary and editorial policy checklist

A Nature Portfolio Reporting Summary and the journal-required editorial policy checklist have been prepared as separate submission files. The manuscript and supplementary information report the observational design, sampling and filtering rules, annotation workflow, human validation evidence, statistical model specifications, bootstrap procedures, multiple-comparison handling and data/code availability statements needed to assess reproducibility.

Figure source data

To be updated.

References

- [1] Chatterji, A. *et al.* How people use ChatGPT. Tech. Rep. Working Paper 34255, National Bureau of Economic Research (2025).
- [2] Noy, S. & Zhang, W. Experimental evidence on the productivity effects of generative artificial intelligence. *Science* **381**, 187–192 (2023).
- [3] Brynjolfsson, E., Li, D. & Raymond, L. Generative AI at work. *The Quarterly Journal of Economics* **140**, 889–942 (2025).
- [4] Anzai, Y. & Simon, H. A. The theory of learning by doing. *Psychological review* **86**, 124 (1979).
- [5] Kolb, D. A. *Experiential learning: Experience as the source of learning and development* (FT press, 2014).
- [6] Risko, E. F. & Gilbert, S. J. Cognitive offloading. *Trends in cognitive sciences* **20**, 676–688 (2016).
- [7] Gerlich, M. Ai tools in society: Impacts on cognitive offloading and the future of critical thinking. *Societies* **15**, 6 (2025).
- [8] Barke, S., James, M. B. & Polikarpova, N. Grounded copilot: How programmers interact with code-generating models. *Proceedings of the ACM on Programming Languages* **7**, 85–111 (2023).
- [9] Kobiella, C., Flores López, Y. S., Waltenberger, F., Draxler, F. & Schmidt, A. “If the machine is as good as me, then what use am I?”—how the use of ChatGPT changes young professionals’ perception of productivity and accomplishment. *Proceedings of the CHI Conference on Human Factors in Computing Systems* 1–16 (2024).
- [10] Eraut, M. Informal learning in the workplace. *Studies in Continuing Education* **26**, 247–273 (2004).
- [11] Marsick, V. J. & Watkins, K. *Informal and incidental learning in the workplace (Routledge Revivals)* (Routledge, 2015).
- [12] Schugurensky, D. The forms of informal learning: Towards a conceptualization of the field. Tech. Rep. NALL Working Paper 19, Centre for the Study of Education and Work, OISE/UT, Toronto (2000). URL <https://hdl.handle.net/1807/2733>.

- [13] Kasneci, E. *et al.* ChatGPT for good? On opportunities and challenges of large language models for education. *Learning and Individual Differences* **103**, 102274 (2023).
- [14] Meyer, J. *et al.* Using LLMs to bring evidence-based feedback into the classroom: AI-generated feedback increases secondary students’ text revision, motivation, and positive emotions. *Computers and Education: Artificial Intelligence* **6**, 100199 (2024).
- [15] Arif, T., Asthana, S. & Collins-Thompson, K. Generation and assessment of multiple-choice questions from video transcripts using large language models. *Proceedings of the Eleventh ACM Conference on Learning @ Scale* 530–534 (2024).
- [16] Jin, H., Lee, S., Shin, H. & Kim, J. Teach AI how to code: Using large language models as teachable agents for programming education. *Proceedings of the CHI Conference on Human Factors in Computing Systems* 1–28 (2024).
- [17] Lim, H., Choi, D. & Hong, H. Identify design problems through questioning: Exploring role-playing interactions with large language models to foster design questioning skills. *Companion Publication of the 2024 Conference on Computer-Supported Cooperative Work and Social Computing* 598–602 (2024).
- [18] Terzimehić, N., Bühler, B. & Kasneci, E. Conversational ai as a catalyst for informal learning: An empirical large-scale study on llm use in everyday learning. *Computers and Education: Artificial Intelligence* 100634 (2026).
- [19] VanLehn, K. The relative effectiveness of human tutoring, intelligent tutoring systems, and other tutoring systems. *Educational Psychologist* **46**, 197–221 (2011).
- [20] Fredricks, J. A., Blumenfeld, P. C. & Paris, A. H. School engagement: Potential of the concept, state of the evidence. *Review of Educational Research* **74**, 59–109 (2004).
- [21] Chi, M. T. & Wylie, R. The ICAP framework: Linking cognitive engagement to active learning outcomes. *Educational Psychologist* **49**, 219–243 (2014).
- [22] Koedinger, K. R. & Alevan, V. Exploring the assistance dilemma in experiments with cognitive tutors. *Educational Psychology Review* **19**, 239–264 (2007).
- [23] Zhao, W. *et al.* WildChat: 1M ChatGPT interaction logs in the wild (2024). URL <https://openreview.net/forum?id=Bl8u7ZRlbM>.
- [24] Zheng, L. *et al.* LMSYS-Chat-1M: A large-scale real-world LLM conversation dataset (2023). [arXiv:2309.11998](https://arxiv.org/abs/2309.11998).

- [25] Yan, Y., Nguyen, T., Su, B., Lieffers, M. & Le, T. ShareChat: A dataset of chatbot conversations in the wild (2025). [arXiv:2512.17843](#).
- [26] Handa, K. *et al.* Which economic tasks are performed with AI? Evidence from millions of Claude conversations (2025). [arXiv:2503.04761](#).
- [27] Wood, D., Bruner, J. S. & Ross, G. The role of tutoring in problem solving. *Journal of Child Psychology and Psychiatry* **17**, 89–100 (1976).
- [28] Van de Pol, J., Volman, M. & Beishuizen, J. Scaffolding in teacher–student interaction: A decade of research. *Educational Psychology Review* **22**, 271–296 (2010).
- [29] Winkler, R., Hobert, S., Salovaara, A., Söllner, M. & Leimeister, J. M. Sara, the lecturer: Improving learning in online education with a scaffolding-based conversational agent. *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* 1–14 (2020).
- [30] Quintana, C. *et al.* A scaffolding design framework for software to support science inquiry. *The Journal of the Learning Sciences* **13**, 337–386 (2004).
- [31] Keuning, H., Jeuring, J. & Heeren, B. A systematic literature review of automated feedback generation for programming exercises. *ACM Transactions on Computing Education* **19**, 1–43 (2018).
- [32] Flower, L. & Hayes, J. R. A cognitive process theory of writing. *College Composition and Communication* **32**, 365–387 (1981).
- [33] Sommers, N. Revision strategies of student writers and experienced adult writers. *College Composition and Communication* **31**, 378–388 (1980).
- [34] Hattie, J. & Timperley, H. The power of feedback. *Review of Educational Research* **77**, 81–112 (2007).
- [35] Shute, V. J. Focus on formative feedback. *Review of Educational Research* **78**, 153–189 (2008).
- [36] Nicol, D. J. & Macfarlane-Dick, D. Formative assessment and self-regulated learning: A model and seven principles of good feedback practice. *Studies in Higher Education* **31**, 199–218 (2006).
- [37] Chi, M. T. H., Bassok, M., Lewis, M. W., Reimann, P. & Glaser, R. Self-explanations: How students study and use examples in learning to solve problems. *Cognitive Science* **13**, 145–182 (1989).
- [38] Renkl, A. Learning from worked-out examples: A study on individual differences. *Cognitive Science* **21**, 1–29 (1997).

- [39] Alevén, V., Stahl, E., Schworm, S., Fischer, F. & Wallace, R. Help seeking and help design in interactive learning environments. *Review of Educational Research* **73**, 277–320 (2003).
- [40] Reiser, B. J. Scaffolding complex learning: The mechanisms of structuring and problematizing student work. *The Journal of the Learning Sciences* **13**, 273–304 (2004).
- [41] Brown, J. S., Collins, A. & Duguid, P. Situated cognition and the culture of learning. *Educational researcher* **18**, 32–42 (1989).
- [42] Collins, A., Brown, J. S. & Newman, S. E. Cognitive apprenticeship: Teaching the crafts of reading, writing, and mathematics. *Knowing, learning, and instruction* 453–494 (2018).
- [43] Lazer, D. *et al.* Computational social science. *Science* **323**, 721–723 (2009).
- [44] Salganik, M. J. *Bit by Bit: Social Research in the Digital Age* (Princeton University Press, 2017).
- [45] Allen Institute for AI. WildChat-4.8M. <https://huggingface.co/datasets/allenai/WildChat-4.8M> (2025).
- [46] Hernán, M. A. & Robins, J. M. *Causal Inference: What If* (Chapman & Hall/CRC, Boca Raton, 2020).
- [47] Gilardi, F., Alizadeh, M. & Kubli, M. ChatGPT outperforms crowd workers for text-annotation tasks. *Proceedings of the National Academy of Sciences* **120**, e2305016120 (2023).
- [48] Ziems, C. *et al.* Can large language models transform computational social science? *Computational Linguistics* **50**, 237–291 (2024).
- [49] Matthews, B. W. Comparison of the predicted and observed secondary structure of T4 phage lysozyme. *Biochimica et Biophysica Acta* **405**, 442–451 (1975).
- [50] Gwet, K. L. Computing inter-rater reliability and its variance in the presence of high agreement. *British Journal of Mathematical and Statistical Psychology* **61**, 29–48 (2008).
- [51] McCullagh, P. & Nelder, J. A. *Generalized Linear Models* 2nd edn, Vol. 37 of *Monographs on Statistics and Applied Probability* (Chapman & Hall, London, 1989).
- [52] Agresti, A. *Categorical Data Analysis* 3rd edn (John Wiley & Sons, Hoboken, NJ, 2013).

- [53] Benjamini, Y. & Hochberg, Y. Controlling the false discovery rate: a practical and powerful approach to multiple testing. *Journal of the Royal statistical society: series B (Methodological)* **57**, 289–300 (1995).

Supplementary information

Supplementary information is organized to support reproducibility and interpretation. [Appendix A](#) records the corpus ledger, annotation ontology, corpus-scale annotation workflow, validation evidence and model specifications. [Appendix B](#) records the reporting boundary. [Appendix C](#) and [Appendix D](#) contain the supporting tables and figures referenced from the main text and Appendix A–B.

Appendix A Reproducibility protocol and construct ledger

A.1 Corpus provenance and filtering ledger

Scope of this appendix.

The main Methods define the public corpora, task settings, filtering sequence and final analytic sample. This appendix provides the auditable implementation records behind those statements: corpus-specific filtering counts, source counting units, retained metadata fields and validation evidence for filters and labels.

Filtering ledger and source units.

Supplementary Table [A1](#) reports the raw-to-final filtering ledger for each corpus, including source records, eligibility screens, task-filtering steps and final analytic samples. Supplementary Table [A2](#) records public source links, source counting units and retained metadata used during conversion. These details are separated because public dataset-card turns, raw message rows and analysis turns are not identical counting units; for ShareChat, the ledger therefore reports platform-url conversations and message rows before deriving user and assistant turns.

Table A1 Corpus filtering ledger. Counts show the corpus-specific steps from public source records to the final coding- and writing-oriented analytic samples. Filter validation evidence is reported separately in Supplementary Table A3.

Corpus	Public source records	Eligibility screen	Task and language filtering	Final analytic sample
WildChat	WildChat-4.8M public release.	English-oriented records with at least four message turns.	Keyword prefilter followed by LLM-assisted semantic filters: <code>coding_english</code> or <code>writing_english</code> , score $\geq .70$. One coding record with missing <code>learning_intent</code> was excluded.	31,878 coding; 39,534 writing.
LMSYS Chat	LMSYS Chat-1M public release: 1,000,000 conversations.	777,453 English conversations; 236,372 English conversations with at least four turns.	LLM-assisted semantic filters applied to the English pool with the minimum-turn screen: 32,114 coding; 21,023 writing.	32,114 coding; 21,023 writing.
ShareChat	ShareChat public release: 142,808 public conversations and 660,293 public turns. Local conversion used 1,199,899 message rows and 129,584 platform-url conversations.	69,915 conversations with at least four message turns.	LLM-assisted semantic filters selected 3,494 coding and 1,663 writing conversations; the final strict-English screen retained 2,481 coding and 1,539 writing.	2,481 coding; 1,539 writing.

Note. Counts use corpus-specific source units. The minimum-turn screen uses message count, not user-assistant round count. For ShareChat, public turns and local message rows are different units. “Strict-English” refers only to the additional ShareChat final-language screen.

Table A2 Public source corpora and retained metadata. The table records the source releases, source-level counting units and corpus-specific metadata retained for corpus construction and robustness checks. Filtering counts are reported separately in Supplementary Table A1.

Corpus	Public source link	Source unit and local conversion note	Corpus-specific metadata retained
WildChat	WildChat-4.8M public release: https://huggingface.co/datasets/allenai/WildChat-4.8M .	Public human-LLM conversations were converted to ordered user and assistant messages before task filtering.	Available language/topic fields and user-facing model metadata where available.
LMSYS Chat	LMSYS Chat-1M public release: https://huggingface.co/datasets/lmsys/lmsys-chat-1m .	The public release contains one record per chat conversation; retained records were converted to ordered user and assistant messages after the English and minimum-turn screens.	Language-filter status, available moderation/redaction fields and model names recoverable from conversation identifiers.
ShareChat	ShareChat public release associated with Yan et al. [25]: https://huggingface.co/datasets/tucnguyen/ShareChat .	The public dataset card reports conversations and public turns. Local conversion used message rows and platform URL as the conversation key before deriving user and assistant turns.	Platform URL conversation keys, source platform or assistant-family fields and final conversation-level language flag.

Note. This table records source access and retained metadata, not analysis results. All analytic tables also retain internal conversation and turn identifiers, message order, task-filter outputs, user-framing labels and turn-level annotation outputs. Raw conversation text remains governed by the original dataset releases.

Table A3 Filter and label validation map. The table summarizes how each non-native filter or analytic label was assigned, what validation or audit evidence supports it and where it is used in the analyses. Filtering counts are reported in Supplementary Table A1; full agreement metrics are reported in Supplementary Tables C4 and C5.

Variable or filter	How it was assigned	Validation or audit evidence	Role in analysis
Task ecology: coding versus writing	LLM-assisted semantic task filters selected conversations matching coding-oriented or writing-oriented use after minimum-turn screening. The filters were English-oriented and used a score threshold of 0.70 after keyword prefiltering where applicable.	The filtering ledger records retained counts and selection steps for each corpus (Supplementary Table A1). In the writing-210 validation artifacts, the conversation-topic field showed high human-LLM agreement (F1=0.973, MCC=0.872; Gwet AC1=0.936; support=210), supporting the topic-label boundary used in the task filter.	Defines the coding- and writing-oriented task settings and the task-ecology covariate used in pooled context models.
User framing: intentional versus unintentional	Conversation-level LLM-assisted learning_intent annotation marked conversations explicitly oriented toward understanding, exploration or learning versus those without explicit learning-oriented framing.	A human-verified audit reviewed 450 first user turns across all six corpus-by-task settings (75 per setting; 50 positive and 25 negative cases according to the corpus-scale labels). Overall intentional-framing agreement was F1=0.857, MCC=0.677 and Gwet AC1=0.671; complete metrics are reported in Supplementary Table C5.	Used as the observed user-framing variable in Fig. 2 and the contextual models; prevalence estimates come from the full corpus-scale labels.
Language filtering	WildChat and LMSYS Chat used English-oriented source or semantic filters. ShareChat received an additional strict-English screen after task filtering, retaining only records with final conversation-level language flag Eng1ish .	ShareChat strict-English retained 2,481 of 3,494 coding conversations and 1,539 of 1,663 writing conversations after task filtering (Supplementary Table A1). In the writing-210 validation artifacts, language showed near-perfect agreement (F1=0.998, MCC=0.705, Gwet AC1=0.995; support=210), with MCC lower because nearly all reviewed records were English.	Defines the English-oriented analytic sample; the additional strict-English screen applies only to ShareChat.
Turn-level labels: user engagement and scaffolded support	Corpus-scale annotation used the final codebook, parser checks and post-processing rules. Constructive engagement and scaffolded support are the primary user-side measure and assistant-side measure.	Domain-stratified human-human codebook validation shows strong agreement for constructive engagement (coding F1=0.85; writing F1=0.89) and scaffolded support (coding F1=0.87; writing F1=0.97), with full per-label codebook metrics in Supplementary Table C4. A WildChat post-labelling check reviewed 100 labelled turns per task under the observed corpus-scale label distribution (Supplementary Table C6). Human-confirmed corpus-scale label audits across all six corpus-by-task settings showed acceptable or better reliability for user engagement and assistant labels: the 600-case user audit had constructive-vs-non-constructive F1=0.922, MCC=0.840 and Gwet AC1=0.837; the 180-case assistant audit had scaffolded-support F1=0.912, MCC=0.590 and Gwet AC1=0.791, with support-form F1 values ranging from 0.691 to 0.938 (Supplementary Table C5).	Provides the turn-level measures used in prevalence, association, support-form and adjacent-turn analyses.

Retained metadata fields.

Metadata group	Retained fields	Linked record
Internal ordering	Conversation identifier, turn identifier, role label and turn order.	Conversation-level and adjacent-turn analysis units.
Corpus and task fields	Corpus name, task setting, task-filter outputs and available language/topic fields.	Filtering ledger and validation map in Supplementary Tables A1–A3 .
Turn-level labels	User engagement labels, scaffolded-support labels, support-intent labels and support-form labels.	Codebook definitions and label audits in Supplementary Tables A4 , C4 and C5 .
Conversation context	User-framing label and derived conversation-level summaries such as turn counts.	Contextual analyses of user framing, task ecology and interaction depth.
Model or source metadata	User-facing model snapshot, recovered model name, platform or assistant-family field where available.	Descriptive and robustness checks only; model/source labels are observational metadata.

A.2 Annotation ontology and operational examples***Codebook and examples.***

The Methods summarize the role-specific constructs used in the analysis. This section provides the operational codebook, boundary rules and examples needed to reproduce the annotation decisions. Supplementary Table [A4](#) gives the formal label definitions; Supplementary Table [C1](#) gives paraphrased examples without reproducing raw user text; and Supplementary Tables [C2](#) and [C3](#) provide de-identified illustrative case excerpts. Support-intent and support-form profiles are reported in Supplementary Tables [C14](#), [C15](#) and [C16](#).

Table A4 Annotation codebook definitions. The table defines the labels used to translate learning-science constructs into observable turn-level signals. These labels are behavioural annotations of conversation text; they are not measures of durable learning, learner identity or instructional efficacy.

Family	Label	Definition	Boundary rule
User engagement	Passive (P)	Reception, acknowledgement or minimal continuation without visible transformation of the assistant response.	Includes short confirmations or requests to continue; excludes task-relevant follow-up or reasoning.
User engagement	Active (A)	Task-relevant action, follow-up, application or manipulation of supplied information.	The user does something with the response, but does not test, revise or extend an idea.
User engagement	Constructive (C)	Highest-depth observable user engagement: elaborating, testing, revising, transferring or extending an idea or explanation.	Requires visible user reasoning or transformation; not inferred from long text alone.
User expression	Emotional (E)	Explicit affective expression, such as frustration, gratitude, anxiety or excitement.	Coded separately from cognitive engagement and interpreted as visible expression in the log.
Assistant support	Scaffolding	Assistant support that structures, diagnoses, regulates or redirects the user's process while leaving cognitive or task responsibility with the user.	Distinguished from reference responses that simply provide an answer, draft or deliverable.
Support intent	I1 metacognitive	Support aimed at planning, monitoring, reflection or regulation of the user's work.	Captures the purpose of support, not its surface form.
Support intent	I2 cognitive	Support aimed at concepts, mechanisms, task knowledge or problem-solving content.	Most scaffolded support in this corpus is cognitive in purpose.
Support intent	I3 affective	Support aimed at encouragement, reassurance or affective regulation.	Used only when affective support is substantively present, not for polite tone alone.
Support form	M1 feedback	Evaluative information about the user's prior attempt, diagnosis or understanding.	Requires a target in the user's preceding contribution.
Support form	M2 hinting	A cue, prompt or partial path that helps the user proceed without fully resolving the task.	Leaves the next inferential or task step with the user.
Support form	M3 instructing	Explicit procedural guidance, ordered steps or strategy for doing the task.	More directive than hinting; may still count as scaffolding when it structures process.
Support form	M4 explaining	A rationale, mechanism or causal account that clarifies why something works or fails.	Requires explanatory content, not merely a restatement of an answer.
Support form	M5 modelling	A reusable pattern, worked example or demonstration intended to be adapted.	Distinguished from simply giving the final requested product.
Support form	M6 questioning	A question that advances diagnosis, reflection, planning or problem solving.	Excludes generic clarification questions that do not support the user's process.

Note. Supplementary Table A5 summarizes the prompt-template families used to apply these definitions, and Supplementary Table A6 reports the corresponding model, parser, retry and boundary-rule controls.

A.3 Corpus-scale annotation implementation

Implementation details for the annotation workflow are summarized in Supplementary Tables A5 and A6.

Table A5 Functional prompt-template summary for filtering and annotation. The table summarizes the scientific content of the prompt templates used for corpus construction and turn-level annotation. Full prompt text, JSON schemas, parser checks and retry logic are archived with the reproducibility code; API keys, endpoints and other credentials are excluded.

Prompt family	Input unit	Required output fields	Core decision rule
Semantic task filter	Conversation excerpt and available metadata after keyword prefiltering and minimum-turn screening.	Task label, English-oriented flag where applicable, confidence or score and short rationale.	Retain conversations whose substantive user goal matched coding-oriented or writing-oriented task ecology, rather than an incidental mention of code or writing.
Conversation-level user framing	Opening user turn or early exchange context.	learning_intent : intentional or unintentional; rationale.	Mark intentional framing only when the user explicitly oriented the exchange toward understanding, exploration, explanation, improvement or learning, not merely task completion.
User-turn engagement	User turn with preceding local context.	One engagement label: none, passive, active, constructive or emotional; rationale and boundary flags.	Classify the user’s observable contribution: acknowledgement, task-relevant follow-up, or substantive testing, revision, diagnosis, critique or extension.
Assistant scaffolded support	Assistant turn with preceding user context.	Scaffolded-support flag, support-intent labels, support-form labels and rationale.	Mark scaffolded support when the response helps the user diagnose, test, revise or choose a next step, rather than only delivering a finished answer.
Language and strict-English checks	Conversation text after task filtering.	Conversation-level language flag and parse status.	Retain ShareChat records only when the final conversation-level language flag was English; mixed or non-English records were excluded.

Note. The table is a reproducibility map rather than a verbatim prompt listing. It reports the constructs and output fields needed to interpret the labels; operational prompt files and schemas are provided in the archived code release.

Table A6 Corpus-scale annotation implementation controls. The table records the operational controls used when applying the annotation workflow to the analytic corpora. Exact prompt text, schemas, prompt versions, deployment identifiers, API versions and run manifests are archived with the reproducibility code.

Component	Implementation detail
Model deployments	Turn-level user and assistant labels used Azure OpenAI chat-completions deployments from the GPT-5.1 family; final writing-oriented calls used GPT-5.1-chat; LLM-assisted semantic filters used GPT-4o-family deployments.
Structured outputs	JSON outputs were used where supported. Final writing calls used JSON-object or JSON-schema constraints, 60-second request timeouts and maximum completion budgets of 300 tokens for conversation-level labels and 350 tokens for turn-level labels. Final coding and writing annotation calls did not pass an explicit temperature parameter; English checks used temperature 0.0 and semantic topic checks used temperature 0.1.
Parser checks	Parser checks enforced required fields, normalized label variants, flagged malformed outputs and recovered missing fields only when the model explanation and structured output made the mapping unambiguous.
Retry and failure handling	Coding runs used up to five attempts with exponential backoff for rate limits and fixed-delay retry for other transient failures. Writing runs used up to six attempts, disabled SDK-level retries, used exponential backoff with jitter and fell back from JSON-schema response format to JSON-object format when needed. Content-filter blocks returned empty analyses and were logged rather than imputed.
Boundary-rule processing	User-turn rules demoted brief acknowledgements, generic acceptance or administrative follow-ups when no new constraint, test, revision, diagnosis or substantive extension was present, and removed Emotional labels for formulaic politeness. Assistant-turn rules cleared support-form labels when a turn was not scaffolded, removed scaffolded-support labels from complete answers labelled as scaffolding only because they were long or task-relevant and recovered missing support-form fields only when one mapping was unambiguous.

A.4 Human validation and corpus-scale label reliability

Validation design.

Human review served two measurement roles. First, human–human agreement assessed whether trained reviewers could apply the finalized codebook consistently. The coding codebook check combined three validation rounds covering 658 task turns, with 643 turns after deduplication; the writing check used 210 reviewed conversations. Supplementary Table C4 reports the per-label metrics for this codebook-operability layer. Second, human–LLM audits compared final LLM-assisted corpus-scale labels with human-confirmed labels after item-level review. These audits covered user framing, user engagement and assistant support across the six corpus-by-task settings and are reported in Supplementary Table C5.

Agreement metrics.

Agreement is reported with per-label F1, Matthews correlation coefficient (MCC) and Gwet’s AC1 because the labels are sparse, prevalence-imbalanced and sometimes multi-label [49, 50]. In the human–human codebook checks, the focal labels used in the main analyses showed acceptable or better agreement: Constructive user engagement reached F1=0.85 in coding and F1=0.89 in writing, and scaffolded support reached F1=0.87 in coding and F1=0.97 in writing (Supplementary Table C4). Complete per-label F1, MCC, Gwet AC1 and support values are reported in Supplementary Table C4.

Corpus-scale label audits.

The consolidated human–LLM audits were stratified across the six corpus-by-task settings. The user-framing audit reviewed 450 first user turns, with 75 cases from each setting. Intentional-framing agreement reached F1=0.857, MCC=0.677 and Gwet AC1=0.671. The user-engagement audit reviewed 600 user turns, with 100 cases per setting; the constructive-versus-non-constructive distinction reached F1=0.922, MCC=0.840 and Gwet AC1=0.837. The assistant-side audit reviewed 180 assistant turns, with 30 cases per setting; scaffolded-support agreement reached F1=0.912, MCC=0.590 and Gwet AC1=0.791, and support-form F1 values ranged from 0.691 to 0.938 across M1–M6. Supplementary Table C5 reports the corresponding precision, recall, accuracy and positive-count fields.

Post-labelling WildChat review sample.

After the WildChat corpus-scale labelling pass, an additional label-composition check reviewed 100 labelled turns from WildChat coding and 100 labelled turns from WildChat writing, split into 50 user turns and 50 assistant turns per task. Supplementary Table C6 reports the observed corpus-scale label composition of these samples.

A.5 Statistical estimands and model specifications

Notation.

This subsection gives the statistical notation and model specifications used for the main contrast and regression analyses. Let i index conversations, s task settings, j adjacent assistant–user turn pairs and g user-framing strata. C_i is the count of Constructive user turns, Y_i indicates whether conversation i contains at least one Constructive user turn, S_i indicates at least one scaffolded assistant turn in the conversation and X_i denotes the setting-specific conversation-level covariates listed in Supplementary Table C7. GLM specifications follow standard Poisson and logistic forms [51, 52].

Conversation-level models.

The adjusted count model in Section 2.3 is fitted separately within each setting:

$$\begin{aligned} C_i \mid S_i, X_i &\sim \text{Poisson}(\mu_i), \\ \log(\mu_i) &= \alpha_s + \beta_s S_i + \gamma_s^\top X_i. \end{aligned}$$

The reported Poisson count ratio is $\exp(\beta_s)$. The companion binary model is

$$\text{logit}\{\Pr(Y_i = 1 \mid S_i, X_i)\} = \alpha_s + \beta_s S_i + \gamma_s^\top X_i,$$

with $\exp(\beta_s)$ reported as the odds ratio. The user-framing stratified count model uses

$$\log(\mu_i) = \alpha_{s,g} + \beta_{s,g} S_i + \gamma_{s,g}^\top X_i^{(-g)},$$

where $X_i^{(-g)}$ omits user framing because the model is fitted within stratum g . These models support the Section 2.3 adjusted scaffolded-support results in Fig. 3b,c and Table 2; setting-specific covariates are listed in Supplementary Table C7.

Rate and context checks.

The Section 2.2 constructive-rate sensitivity is a grouped-binomial logistic model:

$$\begin{aligned} C_i &\sim \text{Binomial}(T_i, \pi_i), \\ \text{logit}(\pi_i) &= \alpha + \delta_1 F_i + \delta_2 Q_i + \delta_3 L_i + \delta_4 D_i, \end{aligned}$$

where T_i is the number of user turns, F_i user framing, Q_i task ecology, L_i conversation-length bucket and D_i dataset fixed effects. The Section 2.3 offset-rate sensitivity uses the same Poisson mean model as above with

$$\log(\mu_i) = \log(T_i) + \alpha_s + \beta_s S_i + \gamma_s^\top X_i.$$

Supplementary Tables C9 and C10 report the estimates. The grouped-binomial model is the Section 2.2 sensitivity for the conversation-length pattern in Fig. 2c, whereas

the offset-rate Poisson model is the Section 2.3 sensitivity for the scaffolded-support count models in Fig. 3b.

Adjacent-turn models.

Let Z_{ij} indicate whether the next user turn after assistant turn j is Constructive, U_{ij} encode the immediately preceding user state, A_{ij} encode scaffolded support at assistant turn j , M_{ij} encode support-form labels M1–M6 and R_{ij} denote task, framing, turn-position and fixed-effect controls. The integrated adjacent-turn model is

$$\text{logit}\{\Pr(Z_{ij} = 1)\} = \alpha + \theta^\top U_{ij} + \beta A_{ij} + \phi^\top M_{ij} + \eta^\top (U_{ij} \times M_{ij}) + \rho^\top R_{ij}.$$

The broad scaffolded-support model omits M_{ij} and $U_{ij} \times M_{ij}$; model/source sensitivity checks replace dataset fixed effects in R_{ij} with recoverable model or source-family indicators. These models support the Section 2.5 adjacent-turn interpretation in Fig. 5d and Supplementary Tables C11–C13; descriptive adjacent-turn lifts in Fig. 5a,b are summarized with bootstrap uncertainty in Supplementary Table C8.

Uncertainty and multiplicity.

Percentage-point contrasts use 1,000 conversation-level bootstrap resamples. Adjacent-turn contrasts use 1,000 conversation-cluster bootstrap resamples. Adjusted conversation-level GLMs use model-based standard errors; adjacent-turn regressions use conversation-cluster robust standard errors. Support-form bracket tests use Benjamini–Hochberg false-discovery-rate adjustment within each six-form comparison family [53].

Appendix B Reporting boundary

B.1 Privacy-preserving reporting

Reporting boundary.

The study analyses naturalistic public conversations, so reporting is restricted to aggregate statistics, de-identified examples, source-data summaries and validation metrics. The manuscript and release package do not redistribute bulk raw conversation logs, user identifiers, API credentials or linked user histories. Conversation and turn identifiers used in derived data are non-semantic internal identifiers rather than account identifiers. Operational examples are de-identified and usually paraphrased; Tables C2 and C3 provide two illustrative case excerpts with personal details removed or generalized while preserving turn order and annotation decisions. The analyses do not link conversations into user histories or estimate longitudinal user-level trajectories; temporal claims are restricted to within-conversation ordering.

Appendix C Source tables and model outputs

Table C1 Operational examples for turn-level labels. Examples are de-identified and paraphrased from validation review patterns; they illustrate the decision rule rather than reproducing raw conversation text.

Construct	Paraphrased turn	Annotation rationale
None no visible cognitive engagement	“New topic: write a short birthday message for my colleague.”	The user starts an unrelated request rather than taking up, applying or reflecting on the preceding assistant response.
P passive user engagement	“Thanks, that makes sense.”	Minimal uptake or acknowledgement without new reasoning, evaluation or task transformation.
A active user engagement	“Can you convert that answer into a command I can run in my setup?”	Task-relevant follow-up or manipulation of supplied information, but without elaborating or testing an idea.
C constructive user engagement	“If the cache expires before the asynchronous callback returns, would the same race condition still happen?”	The user tests an implication, boundary condition or transfer of the prior explanation.
Scaffolding	“First isolate the failing step; that will show whether the issue is parsing or state management.”	The assistant structures the user’s process and leaves diagnostic or revision work with the user.
M1 feedback	“Your diagnosis is close; the bug is in the index offset, not the loop boundary.”	Evaluative feedback on the user’s prior attempt or understanding.
M2 hinting	“Before changing the model, look at whether the malformed token first appears before or after parsing.”	A targeted cue points the user toward the next diagnostic distinction, but does not give the full procedure or fix.
M3 instructing	“Run the failing case, print the parser output, add a guard for empty fields, then rerun the test.”	Explicit ordered steps tell the user what actions to take and in what sequence.
M4 explaining	“The exception occurs because the event loop is already running, so a nested call cannot acquire it.”	A rationale or mechanism that clarifies why the issue occurs.
M5 modelling	“For this report section, use the pattern: claim, evidence, implication; for example, this delay matters because X, which means Y for the team.”	A concrete template or worked example demonstrates a reusable form the user can adapt.
M6 questioning	“Which constraint matters more here: preserving tone or shortening the paragraph?”	A question that advances problem solving or reflection.

Table C2: De-identified coding case excerpt with turn-level labels. A retained WildChat coding conversation, lightly excerpted and formatted for readability. Badges encode role, user engagement and assistant support labels.

Coding case wxWidgets menu debugging			
Setting WildChat coding	Framing Unintentional	Length 4-turn excerpt	Annotation focus Feedback and instructions diagnose a likely cause; a follow-up troubleshooting response uses checks and a request for context to continue debugging.
Legend	↑ C constructive	→ A active	* Scaffolded · Reference
Assistant codes I1/I2 support intent; M1–M6 support forms (non-exclusive).			
Turn	De-identified raw transcript		Label and annotation cue
▷ U1 User	“I have this C++ wxWidgets code to popup a menu but can’t make it to work, I got an error that can’t popup a NULL menu. How can I do this correctly? ... hamburgerMenu = new wxMenu(); ... PopupMenu(hamburgerMenu, pos);”		→ A active The user asks for help debugging a specific popup-menu error.
◊ A1 Assistant	“Based on the code you provided, it seems that the variable bpButtonHamburger is not assigned to an actual wxBitmapButton object. Therefore, when the OnHamburgerClick function is called, bpButtonHamburger is NULL, which leads to the error you’re experiencing.”		* Scaffolded I2 M1 M3 M4 The reply gives feedback on the likely fault, instructs what to change and explains why the handler matters.
A1 cont.	“To fix this issue, make sure you initialize bpButtonHamburger with a valid wxBitmapButton instance ... note that the event type in OnHamburgerClick has changed from wxContextMenuEvent to wxCommandEvent, as it is more appropriate for handling button click events.”		Same scaffolded response; instruction and explanation continued.
▷ U2 User	“No I forgot to add that part but the button was already correctly initialized”		→ A active The user provides task-relevant clarification that redirects the debugging path.
◊ A2 Assistant	“If the bpButtonHamburger button is already correctly initialized and you’re still getting the error that the menu is NULL, there may be some other issue causing the problem. Here are some things you can check: make sure the hamburgerMenu object is not being destroyed; verify that OnHamburgerClick is being called; double-check the button ID and event handler; check for conflicting handlers.”		* Scaffolded I1 M2 M6 The reply gives diagnostic cues and uses questioning/request for context to continue troubleshooting.
A2 cont.	“If none of these suggestions help, please provide more context or the complete code so we can further investigate the issue and provide a solution.”		Same scaffolded response; questioning/request for context continued.

Table C3: De-identified writing case excerpt with turn-level labels.
A retained WildChat writing conversation, lightly excerpted and formatted for readability. Badges encode role, user engagement and assistant support labels.

Writing case			Grammar feedback and explanation	
Setting WildChat writing	Framing Intentional	Length 4-turn excerpt	Annotation focus The excerpt separates brief correctness feedback from a later explanation of why the sentence works.	
Legend	↑ C constructive	→ A active	* Scaffolded	· Reference
Assistant codes		I1/I2 support intent;	M1–M6 support forms (non-exclusive).	
Turn	De-identified raw transcript		Label and annotation cue	
▷ U1 User	“Correct my grammar if I’m wrong: ‘Is there still the new car smell after the car wash?’ ”		↑ C constructive	The user supplies their own sentence and asks for grammar correction.
◊ A1 Assistant	“Your grammar is correct!”		* Scaffolded I1 M1	The reply gives concise correctness feedback on the user’s own sentence.
▷ U2 User	“Sounds kinda wrong to me, but I think it’s correct. Can u explain to me why it is correct?”		→ A active	The user asks for clarification of the prior feedback rather than proposing a new revision.
◊ A2 Assistant	“Yes, I can explain why it is correct. The sentence is a question which begins with the helping verb ‘is’ followed by the subject ‘there’ and then the predicate ‘still the new car smell.’ The phrase ‘after the car wash’ is a prepositional phrase that modifies the predicate.”		* Scaffolded I2 M1 M4	The reply confirms the feedback and explains the grammatical structure.
A2 cont.	“The sentence is questioning if the new car smell is still present after the car has been washed. So, in summary, your original sentence is grammatically correct.”		Same assistant response; explanation and feedback continued.	

Table C4 Domain-stratified human–human codebook agreement for labels used in the main analyses. Coding uses 643 deduplicated task turns from the final three-round validation rerun; writing uses the final writing-210 validation labels. F1, Matthews correlation coefficient (MCC) and Gwet’s AC1 are reported per binary label. Rare degenerate labels with no positive cases in a validation set are omitted. Corpus-scale human–LLM label checks are reported in Supplementary Table C5.

Domain	Role	Label	F1	MCC	Gwet AC1	Support
Coding	User	Active (A)	0.75	0.72	0.87	315
Coding	User	Constructive (C)	0.85	0.82	0.90	315
Coding	User	Passive (P)	0.88	0.87	0.96	315
Coding	User	Emotional (E)	0.83	0.82	0.97	315
Coding	Assistant	Scaffolding	0.87	0.69	0.70	328
Coding	Assistant	Feedback (M1)	0.90	0.89	0.95	328
Coding	Assistant	Hinting (M2)	0.79	0.75	0.89	328
Coding	Assistant	Instructing (M3)	0.81	0.77	0.92	328
Coding	Assistant	Explaining (M4)	0.86	0.79	0.84	328
Coding	Assistant	Modelling (M5)	0.84	0.79	0.87	328
Coding	Assistant	Questioning (M6)	0.82	0.81	0.95	328
Writing	User	Active (A)	0.73	0.68	0.81	90
Writing	User	Constructive (C)	0.89	0.83	0.86	90
Writing	User	Passive (P)	0.80	0.81	0.99	90
Writing	User	Emotional (E)	0.80	0.79	0.98	90
Writing	Assistant	Scaffolding	0.97	0.80	0.93	120
Writing	Assistant	Feedback (M1)	0.89	0.80	0.80	120
Writing	Assistant	Hinting (M2)	0.82	0.70	0.71	120
Writing	Assistant	Instructing (M3)	0.71	0.67	0.86	120
Writing	Assistant	Explaining (M4)	0.84	0.70	0.70	120
Writing	Assistant	Modelling (M5)	0.94	0.91	0.95	120
Writing	Assistant	Questioning (M6)	0.96	0.96	0.99	120

Table C5 Consolidated human–LLM corpus-scale label agreement. The audits compare final LLM-assisted corpus-scale labels with human-confirmed labels using one-vs-rest binary coding for each label. User-framing, user-engagement and assistant-support audits were stratified across the six corpus-by-task settings, with 450 first user turns, 600 user turns and 180 assistant turns reviewed, respectively. Final human labels were confirmed after item-level review. The table reports audit size, LLM-positive counts, human-positive counts, precision, recall, F1, MCC, Gwet AC1 and accuracy.

Role	Label	Audit N	LLM label +	Human +	Precision	Recall	F1	MCC	Gwet AC1	Accuracy
<i>Conversation-level framing</i>										
Conversation	Intentional framing	450	300	239	0.770	0.967	0.857	0.677	0.671	0.829
<i>User engagement</i>										
User	Constructive (C)	600	300	327	0.963	0.884	0.922	0.840	0.837	0.912
User	Active (A)	600	120	111	0.850	0.919	0.883	0.856	0.935	0.958
User	Passive (P)	600	90	80	0.889	1.000	0.941	0.934	0.978	0.983
User	None	600	90	82	0.889	0.976	0.930	0.920	0.974	0.980
<i>Assistant scaffolding and support forms</i>										
Assistant	Scaffolding	180	144	139	0.896	0.928	0.912	0.590	0.791	0.861
Assistant	Feedback (M1)	180	45	51	1.000	0.882	0.938	0.918	0.945	0.967
Assistant	Hinting (M2)	180	43	45	0.930	0.889	0.909	0.880	0.930	0.956
Assistant	Instructing (M3)	180	51	55	0.745	0.691	0.717	0.600	0.715	0.833
Assistant	Explaining (M4)	180	87	110	1.000	0.791	0.883	0.772	0.747	0.872
Assistant	Modelling (M5)	180	48	79	0.958	0.582	0.724	0.631	0.642	0.806
Assistant	Questioning (M6)	180	35	20	0.543	0.950	0.691	0.675	0.873	0.906

Table C6 WildChat post-labelling review summaries. Panel A reports the corpus-scale label composition of post-labelling review samples drawn from the completed labelled WildChat coding and writing pools under the observed corpus-scale label distribution. Panel B reports the final user-turn post-update review outcomes for WildChat coding and writing.

Panel A: Label composition in post-labelling review samples.

Task	Role	Total turns	Active	Passive	Constructive	No engagement	Reference	Scaffolded
WildChat coding	User	50	24	16	6	4	–	–
WildChat writing	User	50	25	2	2	21	–	–
WildChat coding	Assistant	50	–	–	–	–	32	17
WildChat writing	Assistant	50	–	–	–	–	46	4

Note. One WildChat coding assistant turn had no support label in the post-labelling review file, so the reference and scaffolded counts sum to 49 for that row.

Panel B: Final user-turn post-update review outcomes.

Task	Review target	Total turns	Accepted	Relabelled	Bad data	Relabel-to summary
WildChat coding	User turns after final update pass	100	70	27	3	21 to No engagement; 3 to Active; 1 to Passive; 2 to Constructive
WildChat writing	User turns after final update pass	100	79	16	5	7 to Active; 2 to Constructive; 7 to No engagement

Table C7 Covariates used in the Section 2.3 adjusted support-association models.
Models were fitted separately within each of the six task settings. In all rows, the focal predictor is whether the conversation contains at least one scaffolded assistant turn.

Model	Outcome	Adjustment variables	Reported estimand or check
Primary Poisson count model	Constructive user-turn count per conversation.	User framing; total turns; emotional-expression ratio; observable error marker; persistence-after-failure marker; high-persistence marker.	Poisson count ratio in Fig. 3b; conversation length enters as total turns, not as an offset.
Companion logistic model	Whether the conversation contains at least one constructive user turn.	User framing; total turns.	Logistic odds ratio in Fig. 3b.
User-framing-stratified Poisson model	Constructive user-turn count within intentional or unintentional conversations.	Total turns; emotional-expression ratio; observable error marker; persistence-after-failure marker; high-persistence marker.	Same count model after stratifying by framing; user framing is omitted because it is fixed within stratum.
Offset-rate sensitivity	Constructive user-turn count per conversation with $\log(\text{user turns})$ as an exposure offset.	Same observed context as the primary Poisson model, with user turns represented as an offset rather than as an ordinary length covariate.	Checks whether the scaffolded-support association persists when modelling a constructive-turn rate.

Note. Task ecology is fixed within each setting because the models are fitted separately for WC coding, LMSYS coding, SC coding, WC writing, LMSYS writing and SC writing. Task ecology is used only in pooled context models such as Supplementary Table C10. Error and persistence markers are most interpretable in coding-oriented contexts but are retained as observed conversation-level context when present.

Table C8 Uncertainty estimates for key support–engagement contrasts. Scaffolded conversations had higher constructive ratios and greater post-answer depth in all six settings; adjacent-turn constructive lifts were positive in all six settings, with LMSYS writing weaker and not conventionally distinguishable from zero. Constructive-ratio and depth contrasts use conversation-level bootstrap resampling; adjacent-turn contrasts bootstrap conversations over assistant-to-user pairs.

Setting	Contrast	Effect	95% CI	p value
WC coding	Scaffolded – reference constructive ratio	+4.56 pp	[+4.15, +4.99]	< .001
WC coding	Scaffolded – reference post-answer depth	+2.23 turns	[+2.11, +2.35]	< .001
LMSYS coding	Scaffolded – reference constructive ratio	+2.50 pp	[+2.19, +2.83]	< .001
LMSYS coding	Scaffolded – reference post-answer depth	+1.42 turns	[+1.34, +1.52]	< .001
SC coding	Scaffolded – reference constructive ratio	+7.34 pp	[+5.29, +9.27]	< .001
SC coding	Scaffolded – reference post-answer depth	+3.36 turns	[+2.69, +4.01]	< .001
WC writing	Scaffolded – reference constructive ratio	+0.99 pp	[+0.82, +1.16]	< .001
WC writing	Scaffolded – reference post-answer depth	+3.13 turns	[+2.96, +3.30]	< .001
LMSYS writing	Scaffolded – reference constructive ratio	+1.09 pp	[+0.87, +1.31]	< .001
LMSYS writing	Scaffolded – reference post-answer depth	+2.10 turns	[+1.91, +2.28]	< .001
SC writing	Scaffolded – reference constructive ratio	+3.20 pp	[+1.55, +4.89]	< .001
SC writing	Scaffolded – reference post-answer depth	+3.38 turns	[+1.92, +4.64]	< .001
WC coding	Adjacent scaffolded – reference lift	+2.68 pp	[+2.22, +3.09]	< .001
LMSYS coding	Adjacent scaffolded – reference lift	+2.01 pp	[+1.54, +2.50]	< .001
SC coding	Adjacent scaffolded – reference lift	+6.21 pp	[+4.35, +8.10]	< .001
WC writing	Adjacent scaffolded – reference lift	+1.13 pp	[+0.88, +1.41]	< .001
LMSYS writing	Adjacent scaffolded – reference lift	+0.27 pp	[−0.01, +0.56]	.061
SC writing	Adjacent scaffolded – reference lift	+3.35 pp	[+0.80, +6.62]	.025

Table C9 Offset-rate sensitivity for scaffolded-support Poisson models. The scaffolded-support association remains positive and statistically distinguishable from zero in all six settings when user turns are represented as an exposure offset. The primary Fig. 3b model uses raw constructive-turn counts with conversation length entered as a covariate; this sensitivity refits the same setting-specific mean model with `offset(log(user_turns))`.

Setting	Offset rate ratio [95% CI], p value	Pearson dispersion	Conversations
WC coding	1.57 [1.47, 1.68], < .001	1.29	31,878
LMSYS coding	1.47 [1.38, 1.56], < .001	1.13	32,114
SC coding	1.58 [1.31, 1.91], < .001	1.29	2,481
WC writing	1.36 [1.26, 1.46], < .001	1.15	39,534
LMSYS writing	1.70 [1.50, 1.94], < .001	1.12	21,023
SC writing	1.65 [1.27, 2.15], < .001	1.32	1,539

Table C10 Context models for constructive engagement. Both the any-constructive model and the constructive-rate sensitivity show the same organization: intentional framing, coding-oriented task ecology and longer exchanges are positively associated with constructive engagement. The rate model attenuates the length coefficients, indicating that part, but not all, of the depth gradient reflects greater opportunity to observe a constructive turn. Cells report odds ratios with 95% confidence intervals and two-sided p values from conversation-robust standard errors. The reference category is unintentional framing, writing-oriented task, 2–3 user turns and WildChat.

Predictor	Any constructive turn OR [95% CI], p value	Constructive-turn rate OR [95% CI], p value
Intentional framing	3.03 [2.93, 3.13], < .001	2.78 [2.68, 2.88], < .001
Coding task ecology	1.89 [1.71, 2.08], < .001	1.66 [1.47, 1.88], < .001
4–6 user turns	2.07 [1.99, 2.15], < .001	1.13 [1.09, 1.18], < .001
7+ user turns	3.58 [3.42, 3.74], < .001	1.06 [1.01, 1.11], .010
LMSYS Chat	0.70 [0.68, 0.73], < .001	0.72 [0.69, 0.75], < .001
ShareChat	2.29 [2.12, 2.46], < .001	2.30 [2.13, 2.50], < .001
Conversations	128,569	128,569
User turns	–	491,685
Constructive user turns	–	24,227

Table C11 Integrated adjacent-turn regression combining user state, assistant scaffolding and model controls. Prior user state is the largest predictor of next-turn constructive engagement, broad scaffolded support remains positive after controls and M4 explaining is the most stable positive support-form coefficient. The scaffolded-support row is estimated in a broad scaffolded-support model; M1, M4 and M6 rows are estimated in a decomposed support-form model with co-occurring support forms. Estimates are odds ratios with 95% confidence intervals and two-sided p values from conversation-cluster robust standard errors.

Predictor	Pooled dataset FE	Pooled model/source FE	WildChat model FE
Scaffolded support	1.50 [1.44, 1.55], < .001	1.47 [1.41, 1.52], < .001	1.56 [1.49, 1.63], < .001
Prior user constructive	8.90 [8.45, 9.38], < .001	8.55 [8.11, 9.01], < .001	9.11 [8.53, 9.74], < .001
Prior user active	2.62 [2.52, 2.72], < .001	2.57 [2.47, 2.67], < .001	2.85 [2.71, 3.00], < .001
Prior user passive	2.08 [1.76, 2.44], < .001	2.07 [1.76, 2.44], < .001	2.32 [1.85, 2.90], < .001
Intentional framing	1.40 [1.35, 1.46], < .001	1.42 [1.37, 1.48], < .001	1.40 [1.33, 1.47], < .001
Coding task	1.37 [1.22, 1.54], < .001	1.37 [1.22, 1.54], < .001	1.21 [1.05, 1.40], .009
M1 feedback	0.79 [0.73, 0.86], < .001	0.80 [0.74, 0.86], < .001	0.74 [0.67, 0.82], < .001
M4 explaining	2.15 [1.99, 2.32], < .001	2.12 [1.96, 2.30], < .001	2.11 [1.92, 2.31], < .001
M6 questioning	0.82 [0.72, 0.93], .002	0.84 [0.74, 0.96], .008	1.08 [0.93, 1.25], .340
Model/source block	Reference	LR $\chi^2_{41} = 714.4$, $p < .001$	LR $\chi^2_{13} = 553.2$, $p < .001$

Table C12 Incremental contribution of scaffolding features in integrated adjacent-turn models. Broad scaffolded support, support-form descriptors and the full scaffolding block each improve model fit after user/context controls, including when dataset fixed effects are replaced by recoverable model/source fixed effects. Likelihood-ratio block tests compare nested logistic regressions for whether the next user turn is constructive.

Scope	Added feature block	LR χ^2 (df)	p value
six task settings, dataset FE	Broad scaffolded support after user/context controls	584.6 (1)	< .001
six task settings, dataset FE	M1–M6 descriptors within scaffolded support	896.7 (6)	< .001
six task settings, dataset FE	Full scaffolding block after user/context controls	1481.3 (7)	< .001
six task settings, model/source FE	Broad scaffolded support after user/context controls	509.7 (1)	< .001
six task settings, model/source FE	M1–M6 descriptors within scaffolded support	829.8 (6)	< .001
six task settings, model/source FE	Full scaffolding block after user/context controls	1339.6 (7)	< .001
WildChat only, model FE	Broad scaffolded support after user/context controls	418.6 (1)	< .001
WildChat only, model FE	M1–M6 descriptors within scaffolded support	519.4 (6)	< .001
WildChat only, model FE	Full scaffolding block after user/context controls	937.9 (7)	< .001

Table C13 Prior user state and support form jointly structure adjacent-turn constructive engagement. Prior-state $\times$ support-form interactions improve model fit, and M4 explaining is positive after constructive, active and passive prior user states; M1 feedback is more state-dependent. The first panel reports likelihood-ratio tests; the second panel reports pooled model/source fixed-effect odds ratios with 95% confidence intervals and two-sided p values.

Panel	Scope / prior state	Term or test	Estimate
Interaction block	six task settings, dataset FE	Prior state $\times$ M1–M6	LR $\chi^2_{18} = 305.4, < .001$
Interaction block	six task settings, model/source FE	Prior state $\times$ M1–M6	LR $\chi^2_{18} = 297.3, < .001$
Interaction block	WildChat only, model FE	Prior state $\times$ M1–M6	LR $\chi^2_{18} = 186.0, < .001$
State-stratified model/source FE	prior constructive	M1 feedback	0.72 [0.64, 0.81], $< .001$
	prior constructive	M2 hinting	0.91 [0.79, 1.04], .155
	prior constructive	M3 instructing	0.92 [0.81, 1.05], .236
	prior constructive	M4 explaining	1.72 [1.45, 2.04], $< .001$
	prior constructive	M5 modelling	0.81 [0.70, 0.93], .003
	prior constructive	M6 questioning	0.95 [0.72, 1.25], .694
	prior active	M1 feedback	0.83 [0.72, 0.95], .008
	prior active	M2 hinting	1.14 [1.03, 1.27], .016
	prior active	M3 instructing	0.98 [0.89, 1.08], .722
	prior active	M4 explaining	2.13 [1.88, 2.41], $< .001$
	prior active	M5 modelling	0.83 [0.76, 0.91], $< .001$
	prior active	M6 questioning	0.75 [0.61, 0.93], .009
	prior passive	M1 feedback	2.16 [1.16, 4.04], .015
	prior passive	M2 hinting	1.79 [0.95, 3.37], .071
	prior passive	M3 instructing	1.52 [0.67, 3.43], .312
	prior passive	M4 explaining	2.88 [1.55, 5.35], $< .001$
	prior passive	M5 modelling	0.46 [0.20, 1.04], .061
	prior passive	M6 questioning	2.19 [1.12, 4.27], .021

Table C14 Support-intent label prevalence and constructive-ratio summaries. Scaffolded assistant turns can receive metacognitive (I1), cognitive (I2) or affective (I3) intent labels. Scaffolded-turn prevalence reports the share of scaffolded assistant turns containing each intent label. Constructive ratios compare scaffolded conversations containing at least one assistant turn with the intent label with scaffolded conversations without that intent label, using turn-weighted constructive user-turn ratios. Intent labels can co-occur, so rows are descriptive and do not sum to 100%.

Scope	Intent label	Scaffolded turns (%)	With intent (%)	Without intent (%)	Diff. (pp)	Conv. with / without
Pooled	I1 metacognitive	8.7	5.0	6.9	-2.0	10,924 / 55,892
Pooled	I2 cognitive	91.6	6.8	2.8	+4.0	61,942 / 4,874
Pooled	I3 affective	0.8	12.4	6.4	+6.0	1,052 / 65,764
Coding	I1 metacognitive	8.2	7.0	9.6	-2.6	6,782 / 36,179
Coding	I2 cognitive	92.3	9.4	3.9	+5.6	40,279 / 2,682
Coding	I3 affective	1.0	16.1	8.9	+7.2	778 / 42,183
Writing	I1 metacognitive	9.6	2.5	2.8	-0.3	4,142 / 19,713
Writing	I2 cognitive	90.4	2.8	1.8	+0.9	21,663 / 2,192
Writing	I3 affective	0.6	3.9	2.7	+1.2	274 / 23,581

Table C15 Support-intent by support-form crosswalk. Rows are support-intent labels within each task setting. Intent share reports the percentage of scaffolded assistant turns with the intent label. Cells report the percentage of turns with that intent label that also contain each support-form label. Intent and support-form labels are non-exclusive, so rows do not sum to 100%.

Setting	Intent	Intent share (%)	M1 feedback	M2 hinting	M3 instructing	M4 explaining	M5 modelling	M6 questioning
WildChat coding	I1 metacognitive	6.5	10.4	28.2	16.7	10.2	2.9	80.8
WildChat coding	I2 cognitive	94.1	8.6	14.1	30.9	89.2	25.4	2.4
WildChat coding	I3 affective	0.6	50.6	25.2	41.6	46.8	10.8	25.7
LMSYS Chat coding	I1 metacognitive	10.8	3.7	11.1	5.4	2.2	0.7	91.2
LMSYS Chat coding	I2 cognitive	89.0	4.2	7.9	11.1	88.9	20.6	1.0
LMSYS Chat coding	I3 affective	1.2	36.8	19.1	18.8	16.1	1.1	43.8
ShareChat coding	I1 metacognitive	12.6	12.0	26.6	24.8	31.2	6.8	92.5
ShareChat coding	I2 cognitive	90.8	12.4	11.9	27.1	89.4	20.3	12.2
ShareChat coding	I3 affective	3.7	67.8	22.0	26.6	49.5	7.5	37.4
WildChat writing	I1 metacognitive	7.5	14.2	11.5	7.6	1.9	0.8	77.2
WildChat writing	I2 cognitive	92.6	16.6	9.4	64.5	31.8	16.2	1.7
WildChat writing	I3 affective	0.7	43.4	26.0	31.7	15.8	9.4	12.1
LMSYS Chat writing	I1 metacognitive	13.1	6.7	10.2	0.5	1.7	0.4	92.7
LMSYS Chat writing	I2 cognitive	86.6	12.1	11.3	62.4	30.9	11.8	4.8
LMSYS Chat writing	I3 affective	0.3	25.6	67.4	23.3	27.9	20.9	11.6
ShareChat writing	I1 metacognitive	28.5	6.2	23.6	1.7	1.9	1.9	97.5
ShareChat writing	I2 cognitive	70.3	31.4	22.8	32.7	62.9	31.8	14.1
ShareChat writing	I3 affective	1.4	39.1	47.8	4.3	47.8	43.5	56.5

Table C16 Support-supply profile within scaffolded assistant turns. Values show the percentage of scaffolded assistant turns containing each support-form label. Support-form labels are not mutually exclusive, so rows do not sum to 100%.

Setting	M1 Feedback	M2 Hinting	M3 Instructing	M4 Explaining	M5 Modelling	M6 Questioning
WildChat coding	8.8	14.7	29.7	84.0	23.9	6.9
LMSYS coding	4.4	7.6	9.7	76.7	16.5	13.9
ShareChat coding	13.3	12.7	25.7	81.2	18.4	18.6
WildChat writing	16.6	9.6	59.2	29.5	15.0	6.9
LMSYS writing	11.3	10.9	52.3	26.9	10.3	13.4
ShareChat writing	24.2	23.2	22.9	45.2	23.5	38.1

Appendix D Supporting figures

Support-form figures.

Supplementary Figure D1 reports the support-form supply profile across the six WildChat, LMSYS Chat and ShareChat task settings. Operational examples for individual support-form labels are provided in Supplementary Table C1.

Model-snapshot figures.

Supplementary Figure D2 provides a compact WildChat-only model-family robustness layer. It asks whether the WildChat portion of the findings is concentrated in a particular user-facing model series or whether the same broad patterns remain visible across model families. LMSYS Chat and ShareChat remain represented in the six-setting tables and in the model/source-adjusted regressions, but they do not provide directly comparable user-facing model-snapshot structure for this visual repetition. The model-family figure is descriptive because model labels in naturalistic corpora are observational rather than experimentally assigned.

Support-form supply within scaffolded assistant turns (%)						
WC coding	8.8	14.7	29.7	84.0	23.9	6.9
LMSYS coding	4.4	7.6	9.7	76.7	16.5	13.9
SC coding	13.3	12.7	25.7	81.2	18.4	18.6
WC writing	16.6	9.6	59.2	29.5	15.0	6.9
LMSYS writing	11.3	10.9	52.3	26.9	10.3	13.4
SC writing	24.2	23.2	22.9	45.2	23.5	38.1
	M1	M2	M3	M4	M5	M6

WC, WildChat; LMSYS, LMSYS Chat; SC, ShareChat. Support-form labels are non-exclusive.

Fig. D1 Support-form supply within scaffolded assistant turns across the six task settings. Cells report the percentage of scaffolded assistant turns containing each non-exclusive support-form label. Rows do not sum to 100% because a single scaffolded turn can contain multiple support forms.




Fig. D2 WildChat model-family robustness preserves the main directional patterns. User-facing WildChat model snapshots are grouped into coarse model families. Diamonds show family-level summaries; small pale points show individual model snapshots within each family. **a**, Cognitive engagement prevalence. **b**, Adjusted scaffolded-support association, reported as Poisson count ratios. **c**, Adjacent-turn constructive lift after scaffolded versus reference assistant turns. The figure is descriptive because WildChat model labels are observational and may reflect time, user mix, task mix and logging context.