
Thonny - <untitled> @ 25 : 48
File Edit View Run Tools Help
<untitled> *
Assistant
total_sum = 0
count = 0
while True:
# INPUT
user_input = input("Enter grade (or 'done' to finish): ")
# PROCESS
if user_input.lower() == 'done':
break
grade = float(user_input)
total_sum += grade
count += 1
# OUTPUT
if count == 0:
print("No grades entered. Please enter at least one grade.")
else:
average = total_sum / count
if average >= 7.0:
Shell
Enter grade (or 'done' to finish): 8
Enter grade (or 'done' to finish): 9
Enter grade (or 'done' to finish): 7
Enter grade (or 'done' to finish): done
Average: 8.00 — Passed
>>>
Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem1.py @ 25 : 48

File Edit View Run Tools Help

Problem1.py Problem2.py

```python
total_sum = 0
count = 0

while True:
    # INPUT
    user_input = input("Enter grade (or 'done' to finish): ")

    # PROCESS
    if user_input.lower() == 'done':
        break

    grade = float(user_input)
    total_sum += grade
    count += 1

# OUTPUT
if count == 0:
    print("No grades entered. Please enter at least one grade.")
else:
    average = total_sum / count
    if average >= 7.0:
```

Shell

```
Enter grade (or 'done' to finish): 5
Enter grade (or 'done' to finish): 4
Enter grade (or 'done' to finish): 6
Enter grade (or 'done' to finish): done
Average: 5.00 — Failed

>>>
```

Assistant

Analyzing your code ...

Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem1.py @ 25 : 48

File Edit View Run Tools Help

Problem1.py × Problem2.py ×

```python
total_sum = 0
count = 0

while True:
    # INPUT
    user_input = input("Enter grade (or 'done' to finish): ")

    # PROCESS
    if user_input.lower() == 'done':
        break

    grade = float(user_input)
    total_sum += grade
    count += 1

# OUTPUT
if count == 0:
    print("No grades entered. Please enter at least one grade.")
else:
    average = total_sum / count
    if average >= 7.0:
```

Shell ×

```
>>> %Run Problem1.py

 Enter grade (or 'done' to finish): done
 No grades entered. Please enter at least one grade.

>>>
```

Assistant ×

Analyzing your code ...

Local Python 3 • Thonny's Python ≡

Thonny - C:\Users\ricar\upy-programing\Problem2.py @ 24 : 42

File Edit View Run Tools Help

Problem1.py Problem2.py

```python
while True:
    # INPUT
    weight_input = input("Enter weight in kg (or 'exit' to stop): ")

    # PROCESS
    if weight_input.lower() == 'exit':
        break

    weight = float(weight_input)
    height = float(input("Enter height in m: "))

    bmi = weight / (height ** 2)

    if bmi < 18.5:
        category = "Underweight"
    elif 18.5 <= bmi <= 24.9:
        category = "Normal"
    elif 25.0 <= bmi <= 29.9:
        category = "Overweight"
    else:
        category = "Obese"
```

Shell

```
>>> %Run Problem2.py
 Enter weight in kg (or 'exit' to stop): 70
 Enter height in m: 1.75
 BMI: 22.86 — Normal
 Enter weight in kg (or 'exit' to stop): 90
 Enter height in m: 1.60
```

Assistant

The code in Problem2.py looks good.

If it is not working as it should, then consider using some general debugging techniques.

Was it helpful or confusing?

Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem2.py @ 24 : 42

File Edit View Run Tools Help

Problem1.py × Problem2.py ×

```python
while True:
    # INPUT
    weight_input = input("Enter weight in kg (or 'exit' to stop): ")

    # PROCESS
    if weight_input.lower() == 'exit':
        break

    weight = float(weight_input)
    height = float(input("Enter height in m: "))

    bmi = weight / (height ** 2)

    if bmi < 18.5:
        category = "Underweight"
    elif 18.5 <= bmi <= 24.9:
        category = "Normal"
    elif 25.0 <= bmi <= 29.9:
        category = "Overweight"
    else:
        category = "Obese"
```

Shell ×

```
Enter height in m: 1.60
BMI: 35.16 — Obese
Enter weight in kg (or 'exit' to stop): 55
Enter height in m: 1.68
BMI: 19.49 — Normal
Enter weight in kg (or 'exit' to stop): exit

>>>
```

Assistant ×

The code in Problem2.py looks good.

If it is not working as it should, then consider using some general debugging techniques.

Was it helpful or confusing?

Local Python 3 • Thonny's Python ≡

```python
total_accumulated = 0.0

while True:
    # INPUT
    m3_input = input("Enter m³ consumed (or 'exit' to stop): ")

    # PROCESS
    if m3_input.lower() == 'exit':
        # OUTPUT
        if total_accumulated > 0:
            print(f"Total: ${total_accumulated:.2f} MXN")
        break

    m3 = float(m3_input)

    if m3 <= 10:
        charge = 8.00
    elif m3 <= 20:
        charge = 12.00
    else:
        charge = 18.00
```

Shell

```
Enter m³ consumed (or 'exit' to stop): 8
Month charge: $8.00 MXN
Enter m³ consumed (or 'exit' to stop): 15
Month charge: $12.00 MXN
Enter m³ consumed (or 'exit' to stop): 25
Month charge: $18.00 MXN
Enter m³ consumed (or 'exit' to stop):
```

The code in Problem2.py looks good.

If it is not working as it should, then consider using some general debugging techniques.

Was it helpful or confusing?

Local Python 3 • Thonny's Python

```python
total_accumulated = 0.0

while True:
    # INPUT
    m3_input = input("Enter m³ consumed (or 'exit' to stop): ")

    # PROCESS
    if m3_input.lower() == 'exit':
        # OUTPUT
        if total_accumulated > 0:
            print(f"Total: ${total_accumulated:.2f} MXN")
        break

    m3 = float(m3_input)

    if m3 <= 10:
        charge = 8.00
    elif m3 <= 20:
        charge = 12.00
    else:
        charge = 18.00
```

Shell

```
Enter m³ consumed (or 'exit' to stop): 15
Month charge: $12.00 MXN
Enter m³ consumed (or 'exit' to stop): 25
Month charge: $18.00 MXN
Enter m³ consumed (or 'exit' to stop): exit
Total: $38.00 MXN

>>>
```

Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem3.py @ 26 : 46

File Edit View Run Tools Help

Problem1.py × Problem2.py × Problem3.py ×

Assistant ×

```python
total_accumulated = 0.0

while True:
    # INPUT
    m3_input = input("Enter m³ consumed (or 'exit' to stop): ")

    # PROCESS
    if m3_input.lower() == 'exit':
        # OUTPUT
        if total_accumulated > 0:
            print(f"Total: ${total_accumulated:.2f} MXN")
        break

    m3 = float(m3_input)

    if m3 <= 10:
        charge = m3 * 8.00
    elif m3 <= 20:
        charge = m3 * 12.00
    else:
        charge = m3 * 18.00
```

Shell ×

```
>>> %Run -c $EDITOR_CONTENT

 Enter m³ consumed (or 'exit' to stop): 8
 Month charge: $64.00 MXN
 Enter m³ consumed (or 'exit' to stop): 15
 Month charge: $180.00 MXN
 Enter m³ consumed (or 'exit' to stop): 25
 Month charge: $450.00 MXN
```

Local Python 3 • Thonny's Python ≡

Thonny - C:\Users\ricar\upy-programing\Problem3.py @ 26 : 46

File Edit View Run Tools Help

Problem1.py | Problem2.py | Problem3.py

```python
total_accumulated = 0.0

while True:
    # INPUT
    m3_input = input("Enter m³ consumed (or 'exit' to stop): ")

    # PROCESS
    if m3_input.lower() == 'exit':
        # OUTPUT
        if total_accumulated > 0:
            print(f"Total: ${total_accumulated:.2f} MXN")
        break

    m3 = float(m3_input)

    if m3 <= 10:
        charge = m3 * 8.00
    elif m3 <= 20:
        charge = m3 * 12.00
    else:
        charge = m3 * 18.00
```

Assistant

Shell

```
Enter m³ consumed (or 'exit' to stop): 15
Month charge: $180.00 MXN
Enter m³ consumed (or 'exit' to stop): 25
Month charge: $450.00 MXN
Enter m³ consumed (or 'exit' to stop): exit
Total: $694.00 MXN

>>>
```

Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem4.py @ 23 : 18

File Edit View Run Tools Help

Problem1.py × Problem2.py × Problem3.py × Problem4.py ×

Assistant ×

```python
while True:
    # INPUT
    month_input = input("Enter month number (or 'exit' to stop): ")

    # PROCESS
    if month_input.lower() == 'exit':
        break

    month = int(month_input)

    if month in [12, 1, 2]:
        season = "Winter"
    elif month in [3, 4, 5]:
        season = "Spring"
    elif month in [6, 7, 8]:
        season = "Summer"
    elif month in [9, 10, 11]:
        season = "Fall"
    else:
        season = "Invalid month. Please enter a number between 1 and 12."

```

Shell ×

```
Enter month number (or 'exit' to stop): 3
Spring
Enter month number (or 'exit' to stop): 7
Summer
Enter month number (or 'exit' to stop): 13
Invalid month. Please enter a number between 1 and 12.
Enter month number (or 'exit' to stop): 
```

Local Python 3 • Thonny's Python ≡


Thonny - C:\Users\ricar\upy-programing\Problem5.py @ 31 : 45
File Edit View Run Tools Help
Problem1.py
Problem2.py
Problem3.py
Problem4.py
Problem5.py
Assistant
total_shipping_cost = 0.0

while True:
    # INPUT
    weight_input = input("Enter weight in kg (or 'exit' to stop): ")

    # PROCESS
    if weight_input.lower() == 'exit':
        # OUTPUT
        if total_shipping_cost > 0:
            print(f"Total: ${total_shipping_cost:.2f} MXN")
        break

    weight = float(weight_input)
    distance = float(input("Enter distance in km: "))

    if distance <= 100:
        if weight <= 5:
            cost = 50.00
        else:
            cost = 80.00
Shell
Enter weight in kg (or 'exit' to stop): 3
Enter distance in km: 80
Shipping cost: $50.00 MXN
Enter weight in kg (or 'exit' to stop): 7
Enter distance in km: 50
Shipping cost: $80.00 MXN
Enter weight in kg (or 'exit' to stop): 4
Local Python 3 • Thonny's Python

Thonny - C:\Users\ricar\upy-programing\Problem5.py @ 31 : 45

File Edit View Run Tools Help

Problem1.py × Problem2.py × Problem3.py × Problem4.py × Problem5.py ×

Assistant ×

```python
total_shipping_cost = 0.0

while True:
    # INPUT
    weight_input = input("Enter weight in kg (or 'exit' to stop): ")

    # PROCESS
    if weight_input.lower() == 'exit':
        # OUTPUT
        if total_shipping_cost > 0:
            print(f"Total: ${total_shipping_cost:.2f} MXN")
        break

    weight = float(weight_input)
    distance = float(input("Enter distance in km: "))

    if distance <= 100:
        if weight <= 5:
            cost = 50.00
        else:
            cost = 80.00
```

Shell ×

```
Shipping cost: $80.00 MXN
Enter weight in kg (or 'exit' to stop): 4
Enter distance in km: 250
Shipping cost: $120.00 MXN
Enter weight in kg (or 'exit' to stop): exit
Total: $250.00 MXN

>>>
```

Local Python 3 • Thonny's Python ≡


PSeInt
PSDraw - PromedioCalificaciones
Algoritmo PromedioCalificaciones
suma_total ← 0
contador ← 0
'Enter grade (or done ...
entrada_usuario
calificacion ← Convert...
contador ← contador+1
contador=0
promedio ← suma_total/...
'No grades entered. Pl...
estado ← 'Failed'
estado ← 'Passed'
'Average: ', promedio,...
Bla bla...
A←B+i
'Hola !'
Dato1
A>B
N<10
PSeInt - Ejecutando proceso PROMEDIOCALIFICACIONES
*** Ejecución Iniciada. ***
Enter grade (or done to finish):
> 8
Enter grade (or done to finish):
> 9
Enter grade (or done to finish):
> 7
Enter grade (or done to finish):
> done
Average: 8 - Passed
*** Ejecución Finalizada. ***
No cerrar esta ventana
Siempre visible
Reiniciar
Explicar en detalle c/paso
Ayuda...
Escribir
Leer
Asignar
Si-Entonces
Según
Mientras
Repetir
Para
Función
mentario independiente (texto libre que el interprete ignora)
27 FinAlgoritmo
28
La ejecución ha finalizado sin errores.



PSeInt
PSDraw - CalculadoraIMC
Algoritmo CalculadoraIMC
Definir peso, altura, ...
Definir entrada_peso, ...
'Enter weight in kg (o...
entrada_peso
peso ← ConvertirANumer...
'Enter height in m: '
altura
imc ← peso/(altura*alt...
categoria ← 'Underweight'
categoria ← 'Normal'
categoria ← 'Obese'
categoria ← 'Overweight'
'BMI: ', imc, ' - ', c...
FinAlgoritmo
comandos y estructuras
PSeInt - Ejecutando proceso CALCULADORAIMC
Enter weight in kg (or exit to stop):
> 90
Enter height in m:
> 1.60
BMI: 35.15625 - Obese
Enter weight in kg (or exit to stop):
> 55
Enter height in m:
> 1.68
BMI: 19.4869614512 - Normal
Enter weight in kg (or exit to stop):
> exit
*** Ejecución Finalizada. ***
No cerrar esta ventana
Siempre visible
Reiniciar
Ayuda...
Mientras
Repetir
Para
Función
Hasta Que entrada_peso='exit' O entrada_peso='EXIT'
FinAlgoritmo
Lista de Variables
Operadores y funciones
La ejecución ha finalizado sin errores.


PSeInt
Archivo Editar Configurar Ejecutar Ayuda
PSDraw - ReciboAgua
Algoritmo ReciboAgua
total_acumulado ← 0.0
entrada_m3
m3 ← ConvertirANumero(...
m3≤15
m3≤20
carga ← m3*8.00
carga ← m3*12.00
total_acumulado ← tota...
'Month charge: $', car...
total_acumul...
'Total: $', total_acum...
FinAlgoritmo
PSeInt - Ejecutando proceso RECIBOAGUA
Enter m3 consumed (or exit to stop):
> 8
Month charge: $64 MXN
Enter m3 consumed (or exit to stop):
> 15
Month charge: $180 MXN
Enter m3 consumed (or exit to stop):
> 25
Month charge: $450 MXN
Enter m3 consumed (or exit to stop):
> exit
Total: $694 MXN
*** Ejecución Finalizada. ***
No cerrar esta ventana
Siempre visible
Paso a paso
Comenzar
Comandos
Repetir
Para
Función
Lista de Variables
Operadores y funciones
comandos y estructuras
La ejecución ha finalizado sin errores.


PSeInt
Archivo Editar Configurar Ejecutar Ayuda
PSDraw - ClasificadorEstaciones
Algoritmo ClasificadorEstaciones
Definir mes Como Entero
'Enter month number (o...
entrada_mes
mes ← ConvertirANumero...
estacion ← 'Spring'
estacion ← 'Summer'
estacion ← 'Fall'
estacion ← 'Invalid mo...
estacion
FinAlgoritmo
comandos y estructuras
Paso a paso
Comenzar
Comandos
Escribir
Repetir
Para
Función
PSeInt - Ejecutando proceso CLASIFICADORESTACIONES
*** Ejecución Iniciada. ***
El algoritmo fue modificado
Enter month number (or exit to stop):
Click aquí para aplicar los cambios.
> 3
Spring
Enter month number (or exit to stop):
> 7
Summer
Enter month number (or exit to stop):
> 13
Invalid month. Please enter a number between 1 and 12.
Enter month number (or exit to stop):
> exit
*** Ejecución Finalizada. ***
No cerrar esta ventana
Siempre visible
Reiniciar
Lista de Variables
Operadores y Funciones
La ejecución ha finalizado sin errores.


PSeInt
Archivo Editar Configurar Ejecutar Ayuda
PSDraw - CostoEnvio
PSeInt - Ejecutando proceso COSTOENVIO
> 7
El algoritmo fue modificado.
Enter distance in km:
Click aquí para aplicar los cambios.
> 50
Shipping cost: $80 MXN
Enter weight in kg (or exit to stop):
> 4
Enter distance in km:
> 250
Shipping cost: $120 MXN
Enter weight in kg (or exit to stop):
> exit
Total: $250 MXN
*** Ejecución Finalizada. ***
No cerrar esta ventana
Siempre visible
Reiniciar
Paso a paso
Comenzar
Primer Paso
Lista de Variables
Operadores y Funciones
Comandos y Estructuras
La ejecución ha finalizado sin errores.