Analysis for ad target audience

Cindy Gachuhi

21 January 2022

R Week 1 IP

Defining the question

A Kenyan entrepreneur has created an online cryptography course and would want to advertise it on her blog. She currently targets audiences originating from various countries. In the past, she ran ads to advertise a related course on the same blog and collected data in the process. She would now like to employ your services as a Data Science Consultant to help her identify which individuals are most likely to click on her ads.

Loading the dataset

Dataset: http://bit.ly/IPAdvertisingData

```r
# Let us import the library 'Data Table'
#
library("data.table")
ad_data <- fread('http://bit.ly/IPAdvertisingData')

# preview the first 6 values
head(ad_data)
```

```
##    Daily Time Spent on Site Age Area Income Daily Internet Usage
## 1:                   68.95  35    61833.90               256.09
## 2:                   80.23  31    68441.85               193.77
## 3:                   69.47  26    59785.94               236.50
## 4:                   74.15  29    54806.18               245.89
## 5:                   68.37  35    73889.99               225.58
## 6:                   59.99  23    59761.56               226.74
##                            Ad Topic Line           City Male    Country
## 1:    Cloned 5thgeneration orchestration    Wrightburgh    0     Tunisia
## 2:    Monitored national standardization      West Jodi    1       Nauru
## 3:       Organic bottom-line service-desk       Davidton    0 San Marino
## 4: Triple-buffered reciprocal time-frame West Terrifurt    1       Italy
## 5:          Robust logistical utilization   South Manuel    0     Iceland
## 6:          Sharable client-driven software     Jamieberg    1      Norway
##              Timestamp Clicked on Ad
## 1: 2016-03-27 00:53:11             0
## 2: 2016-04-04 01:39:02             0
## 3: 2016-03-13 20:35:42             0
## 4: 2016-01-10 02:31:19             0
```

```
## 5: 2016-06-03 03:36:18                    0
## 6: 2016-05-19 14:30:17                    0
```

Cleaning the dataset

Removing missing values

```r
# using the function 'colSums', we can identify the total number of missing
values in each column
#
colSums(is.na(ad_data))
```

```
## Daily Time Spent on Site                    Age             Area Income
##                        0                      0                       0
##     Daily Internet Usage          Ad Topic Line                    City
##                        0                      0                       0
##                     Male                Country               Timestamp
##                        0                      0                       0
##             Clicked on Ad
##                        0
```

We can see that no columns in our dataset contain missing values.

Removing duplicates

```r
# To get rid of duplicates, we will identify the unique values from our
dataset and assign them to variable 'unique_ad'
unique_ad <- unique(ad_data)

# print the variable and check out the unique values
unique_ad
```

```
##        Daily Time Spent on Site Age Area Income Daily Internet Usage
##    1:                     68.95  35    61833.90               256.09
##    2:                     80.23  31    68441.85               193.77
##    3:                     69.47  26    59785.94               236.50
##    4:                     74.15  29    54806.18               245.89
##    5:                     68.37  35    73889.99               225.58
##   ---
##  996:                     72.97  30    71384.57               208.58
##  997:                     51.30  45    67782.17               134.42
##  998:                     51.63  51    42415.72               120.37
##  999:                     55.55  19    41920.79               187.95
## 1000:                     45.01  26    29875.80               178.35
##                                Ad Topic Line          City Male
##    1:      Cloned 5thgeneration orchestration    Wrightburgh    0
##    2:      Monitored national standardization      West Jodi    1
##    3:       Organic bottom-line service-desk        Davidton    0
##    4: Triple-buffered reciprocal time-frame West Terrifurt    1
##    5:          Robust logistical utilization    South Manuel    0
##   ---
##  996:          Fundamental modular algorithm       Duffystad    1
```

```
##  997:      Grass-roots cohesive monitoring    New Darlene    1
##  998:        Expanded intangible solution  South Jessica    1
##  999:  Proactive bandwidth-monitored policy    West Steven    0
## 1000:      Virtual 5thgeneration emulation    Ronniemouth    0
##                        Country         Timestamp Clicked on Ad
##    1:              Tunisia 2016-03-27 00:53:11               0
##    2:                Nauru 2016-04-04 01:39:02               0
##    3:           San Marino 2016-03-13 20:35:42               0
##    4:                Italy 2016-01-10 02:31:19               0
##    5:              Iceland 2016-06-03 03:36:18               0
##    ---
##  996:              Lebanon 2016-02-11 21:49:00               1
##  997: Bosnia and Herzegovina 2016-04-22 02:07:01             1
##  998:             Mongolia 2016-02-01 17:24:57               1
##  999:            Guatemala 2016-03-24 02:35:54               0
## 1000:               Brazil 2016-06-03 21:43:21               1
```

```r
# let us confirm whether all the duplicates have been removed
duplicated_ad <- ad_data[duplicated(ad_data),]
duplicated_ad
```

```
## Empty data.table (0 rows and 10 cols): Daily Time Spent on Site,Age,Area
Income,Daily Internet Usage,Ad Topic Line,City...
```

It seems that the dataset has no duplicated values. We originally had 1000 rows and even after getting the unique values, the number of rows remained the same. After printing out variable 'duplicated_ad', we had no output; confirming that indeed our dataset has no duplicated values.

Checking for outliers

An outlier is an observation that is numerically distant from the rest of the data. When reviewing a boxplot, an outlier is defined as a data point that is located outside the fences ("whiskers") of the boxplot.

```r
# using boxplots, we will check for outliers in various columns
# column 'Age'

boxplot(ad_data$Age) # No outliers!
```

```
#
boxplot(ad_data$`Daily Time Spent on Site`) # No outliers!
```

```
#
boxplot(ad_data$`Daily Internet Usage`) # No outliers!
```



```
#
boxplot(ad_data$`Area Income`)
```

Univariate analysis

Measures and Central Tendency

```
# to get the descriptive statistics of all the numerical variables, we will
use the function 'summary'
summary(ad_data)
```

```
##  Daily Time Spent on Site       Age           Area Income    Daily Internet
Usage
##  Min.   :32.60           Min.   :19.00   Min.   :13996   Min.   :104.8
##  1st Qu.:51.36           1st Qu.:29.00   1st Qu.:47032   1st Qu.:138.8
##  Median :68.22           Median :35.00   Median :57012   Median :183.1
##  Mean   :65.00           Mean   :36.01   Mean   :55000   Mean   :180.0
##  3rd Qu.:78.55           3rd Qu.:42.00   3rd Qu.:65471   3rd Qu.:218.8
##  Max.   :91.43           Max.   :61.00   Max.   :79485   Max.   :270.0
##  Ad Topic Line          City                 Male            Country
##  Length:1000        Length:1000        Min.   :0.000   Length:1000
##  Class :character   Class :character   1st Qu.:0.000   Class :character
##  Mode  :character   Mode  :character   Median :0.000   Mode  :character
##                                        Mean   :0.481
##                                        3rd Qu.:1.000
##                                        Max.   :1.000
##    Timestamp                     Clicked on Ad
##  Min.   :2016-01-01 02:52:10   Min.   :0.0
```

```
##  1st Qu.:2016-02-18 02:55:42    1st Qu.:0.0
##  Median :2016-04-07 17:27:29    Median :0.5
##  Mean   :2016-04-10 10:34:06    Mean   :0.5
##  3rd Qu.:2016-05-31 03:18:14    3rd Qu.:1.0
##  Max.   :2016-07-24 00:22:16    Max.   :1.0

#
# since mode doesn't have an inbuilt function, we will create a variable
'mode'
#
mode <- function(v) {
   uniqv <- unique(v)
   uniqv[which.max(tabulate(match(v, uniqv)))]
}

# let us get the mode in column 'Age'
age.mode <- mode(ad_data$Age)

#print out mode
age.mode

## [1] 31
```

Measures of Dispersion

```
# we already got the quantiles, minimum and maximum values
# for the rest of the measures, we will focus on column 'daily time spent on
site'
#
# range
site_time.range <- range(ad_data$`Daily Time Spent on Site`)
site_time.range

## [1] 32.60 91.43

# variance
# The variance is a numerical measure of how the data values is dispersed
around the mean.
site_time.var <- var(ad_data$`Daily Time Spent on Site`)
site_time.var

## [1] 251.3371

# standard deviation
site_time.sd <- sd(ad_data$`Daily Time Spent on Site`)
site_time.sd

## [1] 15.85361
```

Univariate visualizations

Frequency distribution using a barplot

```
# fetching the 'Age' column
age <- ad_data$`Age`

# computing the frequency distribution using the table() function
age.fr <- table(age)
age.fr

## age
## 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43
44
##  6  6  6 13 19 21 27 37 33 48 48 39 60 38 43 39 39 50 36 37 30 36 32 26 23
21
## 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61
## 30 18 13 16 18 20 12 15 10  9  7  2  6  4  2  4  1

# using a barplot to visualize this
barplot(age.fr)
```



```
# From ages 28-37(the more frequent ages), age 31 is the most frequent
# Age 61 is the least frequent
```

Bivariate analysis

```
# Correlation Coefficient
```

```
# It is a normalized measurement of how the two are linearly related. If the
correlation coefficient is close to 1, it would indicate that the variables
are positively linearly related. For -1, it indicates that the variables are
negatively linearly related and the scatter plot almost falls along a
straight line with negative slope. And for zero, it would indicate a weak
linear relationship between the variables.

# get the columns
daily_usage <- ad_data$`Daily Internet Usage`
clicked <- ad_data$`Clicked on Ad`
site_time <- ad_data$`Daily Time Spent on Site`

# get the correlation coefficients between the variables using cor()
cor(daily_usage , site_time)

## [1] 0.5186585

# 0.5; indicates a positive correlation although it is a bit weak.
# However, we can see that people who have a higher daily internet usage
spend more time on the site

cor(clicked, daily_usage)

## [1] -0.7865392

# -0.78; a negative correlation which is relatively strong.
# We see that people who spend more time on the site and on the Internet tend
to click less on the ads.
```

Visualizations
```
# scatterplots
plot(daily_usage, site_time, xlab="Daily Internet usage", ylab="Time spent on
site")
```

```
# The points are quite scattered but if you look closely, you see the points
show a weak positive linear relationship
# between the two variables

plot(daily_usage, clicked, xlab="Time spent on site", ylab="Clicked on ads")
```

From our bivariate analysis, we see that the users who have higher daily internet usage tend to spend more time on the site. Also, we realised that those users who spend more time on the site, actually tend to click on the ads less. This might be because the ads are not in their interest hence they tend to ignore them. A very brief survey should be taken by the user before using the site so as to tailor the ads to the user's interests which might make them click on them more frequently.