

ICPSR 37404

Health and Relationships Project, United States, 2014-2015

Debra Umberson
University of Texas at Austin

ICPSR Codebook for Diary Merged With
Baseline Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37404/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37404
Health and Relationships Project, United States, 2014-2015
DS #2: Diary Merged With Baseline Data

1. **ID Variables:** Each couple was assigned a unique couple ID (**CID**) ranging from 101 to 777. Within each couple, each spouse was assigned a unique ID. **RID** represents an individual's unique ID. **SID** represents that individual's spouse's unique ID. In other words, within each couple, the **RID** and **SID** of the first spouse will correspond to the **SID** and **RID** of the second spouse.
2. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded all string variables as "MASKED BY ICPSR."
3. **Additional Information:** For additional information on the New Family Structures Study, please visit the [Health and Relationships Project](#) website.

ICPSR 37404

Health and Relationships Project, United States, 2014-2015

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Diary Merged With Baseline Data

CID: Couple ID

Value	Label	Unweighted Frequency	%
101	-	20	0.3 %
103	-	20	0.3 %
120	-	20	0.3 %
124	-	20	0.3 %
126	-	20	0.3 %
145	-	14	0.2 %
146	-	20	0.3 %
150	-	20	0.3 %
152	-	20	0.3 %
169	-	18	0.2 %
170	-	20	0.3 %
171	-	20	0.3 %
172	-	20	0.3 %
173	-	20	0.3 %
174	-	20	0.3 %
177	-	20	0.3 %
179	-	16	0.2 %
180	-	20	0.3 %
183	-	20	0.3 %
184	-	20	0.3 %
185	-	20	0.3 %
186	-	20	0.3 %
187	-	20	0.3 %
188	-	20	0.3 %
189	-	20	0.3 %
190	-	20	0.3 %
191	-	20	0.3 %
192	-	20	0.3 %
193	-	14	0.2 %
194	-	20	0.3 %
195	-	20	0.3 %
197	-	20	0.3 %
198	-	20	0.3 %
199	-	16	0.2 %
201	-	20	0.3 %

Value	Label	Unweighted Frequency	%
202	-	20	0.3 %
203	-	20	0.3 %
204	-	20	0.3 %
205	-	20	0.3 %
206	-	20	0.3 %
209	-	20	0.3 %
210	-	20	0.3 %
211	-	20	0.3 %
212	-	20	0.3 %
214	-	20	0.3 %
216	-	20	0.3 %
218	-	20	0.3 %
219	-	18	0.2 %
221	-	20	0.3 %
222	-	20	0.3 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 479.41
- Minimum: 101.00
- Maximum: 777.00
- Standard Deviation: 184.55

Location: 1-3 (width: 3; decimal: 0)

Variable Type: numeric

RID: Respondent ID

Value	Label	Unweighted Frequency	%
1003	-	10	0.1 %
1025	-	10	0.1 %
1066	-	10	0.1 %
1085	-	10	0.1 %
1095	-	10	0.1 %
1103	-	10	0.1 %
1112	-	10	0.1 %
1114	-	10	0.1 %
1120	-	10	0.1 %
1129	-	10	0.1 %

Value	Label	Unweighted Frequency	%
1142	-	10	0.1 %
1147	-	10	0.1 %
1149	-	10	0.1 %
1153	-	10	0.1 %
1157	-	10	0.1 %
1165	-	10	0.1 %
1176	-	10	0.1 %
1189	-	10	0.1 %
1215	-	8	0.1 %
1237	-	10	0.1 %
1239	-	10	0.1 %
1241	-	10	0.1 %
1275	-	10	0.1 %
1299	-	10	0.1 %
1305	-	10	0.1 %
1326	-	10	0.1 %
1365	-	10	0.1 %
1368	-	10	0.1 %
1386	-	10	0.1 %
1393	-	10	0.1 %
1400	-	10	0.1 %
1454	-	10	0.1 %
1461	-	10	0.1 %
1478	-	10	0.1 %
1484	-	10	0.1 %
1488	-	10	0.1 %
1509	-	10	0.1 %
1514	-	8	0.1 %
1515	-	10	0.1 %
1525	-	9	0.1 %
1531	-	10	0.1 %
1539	-	10	0.1 %
1565	-	10	0.1 %
1633	-	10	0.1 %
1638	-	10	0.1 %
1647	-	10	0.1 %
1648	-	10	0.1 %
1652	-	9	0.1 %
1667	-	10	0.1 %

Value	Label	Unweighted Frequency	%
1681	-	10	0.1 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 5558.21
- Minimum: 1003.00
- Maximum: 9963.00
- Standard Deviation: 2563.06

Location: 4-7 (width: 4; decimal: 0)

Variable Type: numeric

SID: Spouse's ID

Value	Label	Unweighted Frequency	%
1003	-	10	0.1 %
1025	-	10	0.1 %
1066	-	10	0.1 %
1085	-	10	0.1 %
1095	-	10	0.1 %
1103	-	10	0.1 %
1112	-	10	0.1 %
1114	-	10	0.1 %
1120	-	10	0.1 %
1129	-	10	0.1 %
1142	-	10	0.1 %
1147	-	10	0.1 %
1149	-	10	0.1 %
1153	-	10	0.1 %
1157	-	10	0.1 %
1165	-	10	0.1 %
1176	-	10	0.1 %
1189	-	10	0.1 %
1215	-	8	0.1 %
1237	-	10	0.1 %
1239	-	10	0.1 %
1241	-	10	0.1 %
1275	-	10	0.1 %
1299	-	10	0.1 %

Value	Label	Unweighted Frequency	%
1305	-	10	0.1 %
1326	-	10	0.1 %
1365	-	10	0.1 %
1368	-	10	0.1 %
1386	-	10	0.1 %
1393	-	10	0.1 %
1400	-	10	0.1 %
1454	-	10	0.1 %
1461	-	10	0.1 %
1478	-	10	0.1 %
1484	-	10	0.1 %
1488	-	10	0.1 %
1509	-	10	0.1 %
1514	-	8	0.1 %
1515	-	10	0.1 %
1525	-	9	0.1 %
1531	-	10	0.1 %
1539	-	10	0.1 %
1565	-	10	0.1 %
1633	-	10	0.1 %
1638	-	10	0.1 %
1647	-	10	0.1 %
1648	-	10	0.1 %
1652	-	9	0.1 %
1667	-	10	0.1 %
1681	-	10	0.1 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,386 valid cases out of 7,396 total cases.

- Mean: 5554.19
- Minimum: 1003.00
- Maximum: 9963.00
- Standard Deviation: 2562.47

Location: 8-11 (width: 4; decimal: 0)

Variable Type: numeric

DAY: Day of Diary (1-10)

Value	Label	Unweighted Frequency	%
1	-	756	10.2 %
2	-	752	10.2 %
3	-	744	10.1 %
4	-	746	10.1 %
5	-	744	10.1 %
6	-	736	10.0 %
7	-	750	10.1 %
8	-	726	9.8 %
9	-	730	9.9 %
10	-	712	9.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 5.46
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.87

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

HOURSWSP: Hours in last 24 hours spent w/Spouse (not sleeping)

Value	Label	Unweighted Frequency	%
0.0	-	241	3.3 %
0.5	-	49	0.7 %
1.0	-	258	3.5 %
1.5	-	91	1.2 %
2.0	-	404	5.5 %
2.5	-	41	0.6 %
3.0	-	547	7.4 %
3.5	-	72	1.0 %
4.0	-	767	10.4 %
4.5	-	73	1.0 %
5.0	-	782	10.6 %
5.5	-	53	0.7 %
6.0	-	746	10.1 %
6.5	-	41	0.6 %

Value	Label	Unweighted Frequency	%
7.0	-	422	5.7 %
7.5	-	31	0.4 %
8.0	-	476	6.4 %
8.5	-	15	0.2 %
9.0	-	194	2.6 %
9.5	-	17	0.2 %
10.0	-	339	4.6 %
10.5	-	7	0.1 %
11.0	-	127	1.7 %
11.5	-	4	0.1 %
12.0	-	423	5.7 %
12.5	-	3	0.0 %
13.0	-	159	2.1 %
13.5	-	2	0.0 %
14.0	-	255	3.4 %
14.5	-	10	0.1 %
15.0	-	189	2.6 %
15.5	-	5	0.1 %
16.0	-	304	4.1 %
17.0	-	66	0.9 %
18.0	-	89	1.2 %
18.5	-	1	0.0 %
19.0	-	5	0.1 %
20.0	-	15	0.2 %
21.0	-	4	0.1 %
22.0	-	12	0.2 %
23.0	-	1	0.0 %
24.0	-	39	0.5 %
	Missing Data		
.	-	17	0.2 %
	Total	7,396	100%

Based upon 7,379 valid cases out of 7,396 total cases.

- Mean: 7.13
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.75

Location: 14-17 (width: 4; decimal: 1)

Variable Type: numeric

PANCALM: (PANAS) Over Past 24 Hours, Felt Calm

Value	Label	Unweighted Frequency	%
1	Not at All	179	2.4 %
2	A Little	1020	13.8 %
3	Moderately	2371	32.1 %
4	A Lot	3057	41.3 %
5	Extremely	766	10.4 %
	Missing Data		
.	-	3	0.0 %
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

PANFRUST: (PANAS) Over Past 24 Hours, Felt Frustrated

Value	Label	Unweighted Frequency	%
1	Not at All	3183	43.0 %
2	A Little	2994	40.5 %
3	Moderately	808	10.9 %
4	A Lot	329	4.4 %
5	Extremely	80	1.1 %
	Missing Data		
.	-	2	0.0 %
	Total	7,396	100%

Based upon 7,394 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

PANWORRY: (PANAS) Over Past 24 Hours, Felt Worried

Value	Label	Unweighted Frequency	%
1	Not at All	3831	51.8 %
2	A Little	2507	33.9 %
3	Moderately	670	9.1 %

Value	Label	Unweighted Frequency	%
4	A Lot	294	4.0 %
5	Extremely	92	1.2 %
	Missing Data		
.	-	2	0.0 %
	Total	7,396	100%

Based upon 7,394 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

PANSAD: (PANAS) Over Past 24 Hours, Felt Sad

Value	Label	Unweighted Frequency	%
1	Not at All	5690	76.9 %
2	A Little	1215	16.4 %
3	Moderately	311	4.2 %
4	A Lot	123	1.7 %
5	Extremely	54	0.7 %
	Missing Data		
.	-	3	0.0 %
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

PANIRRIT: (PANAS) Over Past 24 Hours, Felt Irritated

Value	Label	Unweighted Frequency	%
1	Not at All	4481	60.6 %
2	A Little	2119	28.7 %
3	Moderately	565	7.6 %
4	A Lot	182	2.5 %
5	Extremely	46	0.6 %
	Missing Data		
.	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

PANUPSET: (PANAS) Over Past 24 Hours, Felt Upset

Value	Label	Unweighted Frequency	%
1	Not at All	5398	73.0 %
2	A Little	1340	18.1 %
3	Moderately	408	5.5 %
4	A Lot	184	2.5 %
5	Extremely	60	0.8 %
	Missing Data		
.	-	6	0.1 %
	Total	7,396	100%

Based upon 7,390 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

PANTIRED: (PANAS) Over Past 24 Hours, Felt Tired

Value	Label	Unweighted Frequency	%
1	Not at All	2048	27.7 %
2	A Little	2946	39.8 %
3	Moderately	1545	20.9 %
4	A Lot	655	8.9 %
5	Extremely	199	2.7 %
	Missing Data		
.	-	3	0.0 %
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

PANANGRY: (PANAS) Over Past 24 Hours, Felt Angry

Value	Label	Unweighted Frequency	%
1	Not at All	5933	80.2 %
2	A Little	1035	14.0 %
3	Moderately	279	3.8 %
4	A Lot	106	1.4 %
5	Extremely	40	0.5 %
	Missing Data		
.	-	3	0.0 %
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

PANHAPPY: (PANAS) Over Past 24 Hours, Felt Happy

Value	Label	Unweighted Frequency	%
1	Not at All	135	1.8 %
2	A Little	924	12.5 %
3	Moderately	2563	34.7 %
4	A Lot	2933	39.7 %
5	Extremely	837	11.3 %
	Missing Data		
.	-	4	0.1 %
	Total	7,396	100%

Based upon 7,392 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

SRHEMO: Emotional Self Rated Health Over Past 24 Hours

Value	Label	Unweighted Frequency	%
1	Poor	148	2.0 %
2	Fair	925	12.5 %
3	Good	2393	32.4 %
4	Very Good	2940	39.8 %
5	Excellent	986	13.3 %
	Missing Data		
.	-	4	0.1 %
	Total	7,396	100%

Based upon 7,392 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

MIDACHE: (MIDUS) Over Past 24 Hours, Had Headache, Backache, Muscle Soreness

Value	Label	Unweighted Frequency	%
1	None of the day	4108	55.5 %
2	A little of the day	1699	23.0 %
3	Some of the day	880	11.9 %
4	Most of the day	449	6.1 %
5	All day	257	3.5 %
	Missing Data		
.	-	3	0.0 %
	Total	7,396	100%

Based upon 7,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

MIDCOLD: (MIDUS) Over Past 24 Hours, Had Cough, Cold/Flu, Sore Throat, Fever, Chills

Value	Label	Unweighted Frequency	%
1	None of the day	6673	90.2 %
2	A little of the day	433	5.9 %
3	Some of the day	146	2.0 %
4	Most of the day	71	1.0 %

Value	Label	Unweighted Frequency	%
5	All day	68	0.9 %
	Missing Data		
.	-	5	0.1 %
	Total	7,396	100%

Based upon 7,391 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

MIDSTOM: (MIDUS) Over Past 24 Hours, Had Nausea, Diarrhea, Poor Appetite, Stomach Problem

Value	Label	Unweighted Frequency	%
1	None of the day	6601	89.3 %
2	A little of the day	519	7.0 %
3	Some of the day	179	2.4 %
4	Most of the day	58	0.8 %
5	All day	34	0.5 %
	Missing Data		
.	-	5	0.1 %
	Total	7,396	100%

Based upon 7,391 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

MIDCHEST: (MIDUS) Over Past 24 Hours, Had Chest Pain or Dizziness

Value	Label	Unweighted Frequency	%
1	None of the day	7132	96.4 %
2	A little of the day	175	2.4 %
3	Some of the day	63	0.9 %
4	Most of the day	17	0.2 %
5	All day	3	0.0 %
	Missing Data		
.	-	6	0.1 %
	Total	7,396	100%

Based upon 7,390 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

MIDTIRED: (MIDUS) Over Past 24 Hours, Had Fatigue

Value	Label	Unweighted Frequency	%
1	None of the day	4235	57.3 %
2	A little of the day	1747	23.6 %
3	Some of the day	872	11.8 %
4	Most of the day	372	5.0 %
5	All day	159	2.1 %
	Missing Data		
.	-	11	0.1 %
	Total	7,396	100%

Based upon 7,385 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

MIDOTHER: (MIDUS) Over Past 24 Hours, Had Other Physical Symptom/Discomforts

Value	Label	Unweighted Frequency	%
1	None of the day	6177	83.5 %
2	A little of the day	227	3.1 %
3	Some of the day	257	3.5 %
4	Most of the day	182	2.5 %
5	All day	165	2.2 %
	Missing Data		
.	-	388	5.2 %
	Total	7,396	100%

Based upon 7,008 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

MIDTEXT: (MIDUS) Over Past 24 Hours, Had Other Physical Symptom/Discomforts- Text

Value	Label	Unweighted Frequency	%
	-	6357	86.0 %
MASKED BY ICPSR	-	1039	14.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 34-48 (width: 15; decimal: 0)

Variable Type: character

SRHPHYS: Physical Self Rated Health Over Past 24 Hours

Value	Label	Unweighted Frequency	%
1	Poor	156	2.1 %
2	Fair	940	12.7 %
3	Good	2584	34.9 %
4	Very Good	2671	36.1 %
5	Excellent	1036	14.0 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYED: Since yesterday, how much did interactions with anyone other than your spouse ma

Value	Label	Unweighted Frequency	%
1	Not at All	4284	57.9 %
2	A Little	1900	25.7 %
3	Modeately	734	9.9 %
4	A Great Deal	330	4.5 %
5	Extremely	67	0.9 %
	Missing Data		
.	-	81	1.1 %
	Total	7,396	100%

Based upon 7,315 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYPAR: With whom did you have this annoying interaction? - parent or parent-in-law

Value	Label	Unweighted Frequency	%
1	-	248	3.4 %
	Missing Data		
.	-	7148	96.6 %
	Total	7,396	100%

Based upon 248 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYCHD: With whom did you have this annoying interaction? - child

Value	Label	Unweighted Frequency	%
1	-	563	7.6 %
	Missing Data		
.	-	6833	92.4 %
	Total	7,396	100%

Based upon 563 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYFRD: With whom did you have this annoying interaction? - friend

Value	Label	Unweighted Frequency	%
1	-	375	5.1 %

Value	Label	Unweighted Frequency	%
.	-	7021	94.9 %
	Missing Data		
	Total	7,396	100%

Based upon 375 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYOTH: With whom did you have this annoying interaction? - other

Value	Label	Unweighted Frequency	%
1	-	779	10.5 %
	Missing Data		
.	-	6617	89.5 %
	Total	7,396	100%

Based upon 779 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

ANNOYWRK: With whom did you have this annoying interaction? - someone at work

Value	Label	Unweighted Frequency	%
1	-	1600	21.6 %
	Missing Data		
.	-	5796	78.4 %
	Total	7,396	100%

Based upon 1,600 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

PLEASURE: Since yesterday, how much did interactions with people other than your spouse br

Value	Label	Unweighted Frequency	%
1	Not at All	801	10.8 %
2	A Little	1270	17.2 %
3	Moderately	2367	32.0 %
4	A Lot	2417	32.7 %
5	Extremely	468	6.3 %
	Missing Data		
.	-	73	1.0 %
	Total	7,396	100%

Based upon 7,323 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

PLEASPAR: With whom did you have this pleasurable interaction? - Parent or Parent-in-law

Value	Label	Unweighted Frequency	%
1	-	766	10.4 %
	Missing Data		
.	-	6630	89.6 %
	Total	7,396	100%

Based upon 766 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

PLEASCHD: With whom did you have this pleasurable interaction? - Child

Value	Label	Unweighted Frequency	%
1	-	1981	26.8 %
	Missing Data		
.	-	5415	73.2 %
	Total	7,396	100%

Based upon 1,981 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 58-58 (width: 1; decimal: 0)

Variable Type: numeric

PLEASFRD: With whom did you have this pleasurable interaction? - Friend

Value	Label	Unweighted Frequency	%
1	-	2826	38.2 %
	Missing Data		
.	-	4570	61.8 %
	Total	7,396	100%

Based upon 2,826 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

PLEASOTH: With whom did you have this pleasurable interaction? - Other

Value	Label	Unweighted Frequency	%
1	-	1725	23.3 %
	Missing Data		
.	-	5671	76.7 %
	Total	7,396	100%

Based upon 1,725 valid cases out of 7,396 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

PLEASWRK: With whom did you have this pleasurable interaction? - Someone at work

Value	Label	Unweighted Frequency	%
	-	4839	65.4 %
MASKED BY ICPSR	-	2557	34.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 61-75 (width: 15; decimal: 0)

Variable Type: character

SPARG: I had an argument with my spouse

Value	Label	Unweighted Frequency	%
0	No	6628	89.6 %
1	Yes	666	9.0 %
	Missing Data		
.	-	102	1.4 %
	Total	7,396	100%

Based upon 7,294 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

NOARG: Could have argued with spouse about something but let it pass

Value	Label	Unweighted Frequency	%
0	No	6179	83.5 %
1	Yes	1089	14.7 %
	Missing Data		
.	-	128	1.7 %
	Total	7,396	100%

Based upon 7,268 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

OTARG: I had an argument with someone other than my spouse

Value	Label	Unweighted Frequency	%
0	No	6591	89.1 %
1	Yes	653	8.8 %
	Missing Data		
.	-	152	2.1 %
	Total	7,396	100%

Based upon 7,244 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

OTSTR: Something else happened to me that most people would consider stressful

Value	Label	Unweighted Frequency	%
0	No	5891	79.7 %
1	Yes	1297	17.5 %
	Missing Data		
.	-	208	2.8 %
	Total	7,396	100%

Based upon 7,188 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

SPHRT: Interactions with my spouse made me feel irritated, hurt, or annoyed

Value	Label	Unweighted Frequency	%
0	No	5993	81.0 %
1	Yes	1215	16.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	188	2.5 %
	Total	7,396	100%

Based upon 7,208 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

SPARGSTR: How stressful was argument with spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	464	6.3 %
2	A Little	285	3.9 %
3	Moderately	199	2.7 %
4	A Lot	91	1.2 %
5	Extremely	42	0.6 %
	Missing Data		
.	-	6315	85.4 %
	Total	7,396	100%

Based upon 1,081 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

NOARGSTR: How stressful was letting something pass that could have been an argument with

Value	Label	Unweighted Frequency	%
1	Not at All	541	7.3 %
2	A Little	600	8.1 %
3	Moderately	189	2.6 %
4	A Lot	49	0.7 %
5	Extremely	18	0.2 %
	Missing Data		
.	-	5999	81.1 %
	Total	7,396	100%

Based upon 1,397 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

OTARGSTR: How stressful was an argument/disagreement with someone other than spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	466	6.3 %
2	A Little	272	3.7 %
3	Moderately	195	2.6 %
4	A Lot	92	1.2 %
5	Extremely	38	0.5 %
	Missing Data		
.	-	6333	85.6 %
	Total	7,396	100%

Based upon 1,063 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

OTSTRSTR: How stressful was something else that happened that most people would consider s

Value	Label	Unweighted Frequency	%
1	Not at All	408	5.5 %
2	A Little	419	5.7 %
3	Moderately	447	6.0 %
4	A Lot	192	2.6 %
5	Extremely	97	1.3 %
	Missing Data		
.	-	5833	78.9 %
	Total	7,396	100%

Based upon 1,563 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

SPHRTSTR: How stressful was interactions with spouse that made feel you feel irritated, hu

Value	Label	Unweighted Frequency	%
1	Not at All	407	5.5 %
2	A Little	757	10.2 %
3	Moderately	276	3.7 %
4	A Lot	97	1.3 %
5	Extremely	45	0.6 %
	Missing Data		
.	-	5814	78.6 %
	Total	7,396	100%

Based upon 1,582 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

HSWRK: Did this occur today? - Housework and home demands

Value	Label	Unweighted Frequency	%
0	No	3038	41.1 %
1	Yes	4223	57.1 %
	Missing Data		
.	-	135	1.8 %
	Total	7,396	100%

Based upon 7,261 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

WORK: Did this occur today? - Work demands

Value	Label	Unweighted Frequency	%
0	No	3485	47.1 %
1	Yes	3716	50.2 %
	Missing Data		
.	-	195	2.6 %
	Total	7,396	100%

Based upon 7,201 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

FINAN: Did this occur today? - Financial concerns

Value	Label	Unweighted Frequency	%
0	No	5067	68.5 %
1	Yes	2004	27.1 %
	Missing Data		
.	-	325	4.4 %
	Total	7,396	100%

Based upon 7,071 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

HLTH: Did this occur today? - Health problem

Value	Label	Unweighted Frequency	%
0	No	5693	77.0 %
1	Yes	1371	18.5 %
	Missing Data		
.	-	332	4.5 %
	Total	7,396	100%

Based upon 7,064 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

HLTHTXT: Did this occur today? - Health problem, specify

Value	Label	Unweighted Frequency	%
	-	5936	80.3 %
MASKED BY ICPSR	-	1460	19.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 90-104 (width: 15; decimal: 0)

Variable Type: character

SPRB: Did this occur today? - Your spouse had a problem or difficulty

Value	Label	Unweighted Frequency	%
0	No	5965	80.7 %
1	Yes	1159	15.7 %
	Missing Data		
.	-	272	3.7 %
	Total	7,396	100%

Based upon 7,124 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

SPRBTEXT: Did this occur today? - Your spouse had a problem or difficulty, specify

Value	Label	Unweighted Frequency	%
	-	6260	84.6 %
MASKED BY ICPSR	-	1136	15.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 106-120 (width: 15; decimal: 0)

Variable Type: character

HSWRKSTR: How stressful was housework and home demands?

Value	Label	Unweighted Frequency	%
1	Not at All	1815	24.5 %
2	A Little	1470	19.9 %
3	Moderately	513	6.9 %
4	A Lot	136	1.8 %
5	Extremely	31	0.4 %
	Missing Data		
.	-	3431	46.4 %
	Total	7,396	100%

Based upon 3,965 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

WORKSTR: How stressful was work demands?

Value	Label	Unweighted Frequency	%
1	Not at All	857	11.6 %
2	A Little	1370	18.5 %
3	Moderately	918	12.4 %
4	A Lot	341	4.6 %
5	Extremely	86	1.2 %
	Missing Data		
.	-	3824	51.7 %
	Total	7,396	100%

Based upon 3,572 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

FINANSTR: How stressful was financial concerns?

Value	Label	Unweighted Frequency	%
1	Not at All	518	7.0 %
2	A Little	1099	14.9 %
3	Moderately	472	6.4 %
4	A Lot	180	2.4 %
5	Extremely	82	1.1 %
	Missing Data		
.	-	5045	68.2 %
	Total	7,396	100%

Based upon 2,351 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

HLTHSTR: How stressful was health problem?

Value	Label	Unweighted Frequency	%
1	Not at All	542	7.3 %
2	A Little	540	7.3 %
3	Moderately	440	5.9 %
4	A Lot	186	2.5 %
5	Extremely	82	1.1 %
	Missing Data		
.	-	5606	75.8 %
	Total	7,396	100%

Based upon 1,790 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

SPRBSTR: How stressful was your spouse's problem or difficulty?

Value	Label	Unweighted Frequency	%
1	Not at All	599	8.1 %
2	A Little	448	6.1 %
3	Moderately	272	3.7 %
4	A Lot	110	1.5 %
5	Extremely	68	0.9 %
	Missing Data		
.	-	5899	79.8 %
	Total	7,396	100%

Based upon 1,497 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

DAYSTRS: Overall, how trying or stressful was your day?

Value	Label	Unweighted Frequency	%
1	Not at All	2105	28.5 %
2	A Little	3350	45.3 %
3	Moderately	1490	20.1 %
4	A Lot	361	4.9 %

Value	Label	Unweighted Frequency	%
5	Extremely	81	1.1 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

STRSTXT: Add more details about stress you experienced today

Value	Label	Unweighted Frequency	%
	-	4987	67.4 %
MASKED BY ICPSR	-	2409	32.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 127-141 (width: 15; decimal: 0)

Variable Type: character

SHAREFLG: How often did you share your personal thoughts and feelings w/ spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	551	7.4 %
2	A Little	1957	26.5 %
3	Some	2468	33.4 %
4	Quite a Bit	1845	24.9 %
5	A Great Deal	570	7.7 %
	Missing Data		
.	-	5	0.1 %
	Total	7,396	100%

Based upon 7,391 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

PRAISESP: How often did you praise your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	901	12.2 %
2	A Little	1990	26.9 %
3	Some	2798	37.8 %
4	Quite a Bit	1338	18.1 %
5	A Great Deal	361	4.9 %
	Missing Data		
.	-	8	0.1 %
	Total	7,396	100%

Based upon 7,388 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

SENSPROB: How often did you sense your spouse was bothered about something?

Value	Label	Unweighted Frequency	%
1	Not at All	3851	52.1 %
2	A Little	1818	24.6 %
3	Some	1048	14.2 %
4	Quite a Bit	498	6.7 %
5	A Great Deal	175	2.4 %
	Missing Data		
.	-	6	0.1 %
	Total	7,396	100%

Based upon 7,390 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

HELPPROB: How often did you suggest solutions to your spouse's problems?

Value	Label	Unweighted Frequency	%
1	Not at All	4047	54.7 %
2	A Little	1724	23.3 %
3	Some	1158	15.7 %
4	Quite a Bit	362	4.9 %

Value	Label	Unweighted Frequency	%
5	A Great Deal	85	1.1 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

NOSHARE: How often did you keep your thoughts or feelings to yourself?

Value	Label	Unweighted Frequency	%
1	Not at All	4067	55.0 %
2	A Little	2106	28.5 %
3	Some	752	10.2 %
4	Quite a Bit	321	4.3 %
5	A Great Deal	138	1.9 %
	Missing Data		
.	-	12	0.2 %
	Total	7,396	100%

Based upon 7,384 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

DOSMTHNG: How often have you tried to help your spouse by doing something for them?

Value	Label	Unweighted Frequency	%
1	Not at All	986	13.3 %
2	A Little	2065	27.9 %
3	Some	2711	36.7 %
4	Quite a Bit	1301	17.6 %
5	A Great Deal	326	4.4 %
	Missing Data		
.	-	7	0.1 %
	Total	7,396	100%

Based upon 7,389 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

LISTEN: How often have you tried to help your spouse by listening to them?

Value	Label	Unweighted Frequency	%
1	Not at All	749	10.1 %
2	A Little	1838	24.9 %
3	Some	2771	37.5 %
4	Quite a Bit	1642	22.2 %
5	A Great Deal	386	5.2 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

POSFEEL: How often have you tried to comfort spouse by telling them your positive feeling

Value	Label	Unweighted Frequency	%
1	Not at All	1767	23.9 %
2	A Little	1842	24.9 %
3	Some	2146	29.0 %
4	Quite a Bit	1259	17.0 %
5	A Great Deal	370	5.0 %
	Missing Data		
.	-	12	0.2 %
	Total	7,396	100%

Based upon 7,384 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

PERSPECT: How often have you tried to see things from your spouse's perspective?

Value	Label	Unweighted Frequency	%
1	Not at All	1181	16.0 %
2	A Little	1897	25.6 %
3	Some	2435	32.9 %
4	Quite a Bit	1500	20.3 %
5	A Great Deal	367	5.0 %
	Missing Data		
.	-	16	0.2 %
	Total	7,396	100%

Based upon 7,380 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

SPACE: How often have you tried to help your spouse by giving them personal space?

Value	Label	Unweighted Frequency	%
1	Not at All	2396	32.4 %
2	A Little	1956	26.4 %
3	Some	1796	24.3 %
4	Quite a Bit	844	11.4 %
5	A Great Deal	382	5.2 %
	Missing Data		
.	-	22	0.3 %
	Total	7,396	100%

Based upon 7,374 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

UNDERSTD: How often have you tried to understand how your spouse feels?

Value	Label	Unweighted Frequency	%
1	Not at All	963	13.0 %
2	A Little	1825	24.7 %
3	Some	2415	32.7 %

Value	Label	Unweighted Frequency	%
4	Quite a Bit	1676	22.7 %
5	A Great Deal	501	6.8 %
	Missing Data		
.	-	16	0.2 %
	Total	7,396	100%

Based upon 7,380 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

INTIMACY: How much did you feel closeness and intimacy with your spouse (24 hours)?

Value	Label	Unweighted Frequency	%
1	Not at All	425	5.7 %
2	A Little	1375	18.6 %
3	Some	2152	29.1 %
4	Quite a Bit	2396	32.4 %
5	A Great Deal	1030	13.9 %
	Missing Data		
.	-	18	0.2 %
	Total	7,396	100%

Based upon 7,378 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

SPSDOWN: Over past 24 hours, how much did your spouse let you down?

Value	Label	Unweighted Frequency	%
1	Not at All	6440	87.1 %
2	A Little	629	8.5 %
3	Some	236	3.2 %
4	Quite a Bit	49	0.7 %
5	A Great Deal	32	0.4 %
	Missing Data		
.	-	10	0.1 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

SPSCRIT: Over past 24 hours, how much did your spouse criticize you?

Value	Label	Unweighted Frequency	%
1	Not at All	6032	81.6 %
2	A Little	952	12.9 %
3	Some	292	3.9 %
4	Quite a Bit	76	1.0 %
5	A Great Deal	26	0.4 %
	Missing Data		
.	-	18	0.2 %
	Total	7,396	100%

Based upon 7,378 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

SPSINCON: Over past 24 hours, how much did your spouse act inconsiderate towards you?

Value	Label	Unweighted Frequency	%
1	Not at All	6132	82.9 %
2	A Little	783	10.6 %
3	Some	293	4.0 %
4	Quite a Bit	114	1.5 %
5	A Great Deal	53	0.7 %
	Missing Data		
.	-	21	0.3 %
	Total	7,396	100%

Based upon 7,375 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

SPSLOVED: Over past 24 hours, how much did your spouse make you feel loved/cared for?

Value	Label	Unweighted Frequency	%
1	Not at All	452	6.1 %
2	A Little	1012	13.7 %
3	Some	1797	24.3 %
4	Quite a Bit	2604	35.2 %
5	A Great Deal	1516	20.5 %
	Missing Data		
.	-	15	0.2 %
	Total	7,396	100%

Based upon 7,381 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

SPSBOTHR: Over past 24 hours, how much did your spouse seem bothered/upset with you?

Value	Label	Unweighted Frequency	%
1	Not at All	5350	72.3 %
2	A Little	1350	18.3 %
3	Some	459	6.2 %
4	Quite a Bit	152	2.1 %
5	A Great Deal	68	0.9 %
	Missing Data		
.	-	17	0.2 %
	Total	7,396	100%

Based upon 7,379 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

SPSDEMAN: Over past 24 hours, how much did your spouse make demands on you?

Value	Label	Unweighted Frequency	%
1	Not at All	5186	70.1 %
2	A Little	1546	20.9 %
3	Some	507	6.9 %
4	Quite a Bit	106	1.4 %
5	A Great Deal	33	0.4 %
	Missing Data		
.	-	18	0.2 %
	Total	7,396	100%

Based upon 7,378 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

SPSNICE: Over past 24 hours, how much did your spouse do something nice for you without b

Value	Label	Unweighted Frequency	%
1	Not at All	1734	23.4 %
2	A Little	1656	22.4 %
3	Some	2088	28.2 %
4	Quite a Bit	1301	17.6 %
5	A Great Deal	594	8.0 %
	Missing Data		
.	-	23	0.3 %
	Total	7,396	100%

Based upon 7,373 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

SPSPLEAS: Over past 24 hours, how much did your spouse bring you pleasure or make you feel

Value	Label	Unweighted Frequency	%
1	Not at All	793	10.7 %
2	A Little	1445	19.5 %
3	Some	2038	27.6 %

Value	Label	Unweighted Frequency	%
4	Quite a Bit	2065	27.9 %
5	A Great Deal	983	13.3 %
	Missing Data		
.	-	72	1.0 %
	Total	7,396	100%

Based upon 7,324 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

SPSACTXT: Add details about any of these experiences your spouse did

Value	Label	Unweighted Frequency	%
	-	6063	82.0 %
MASKED BY ICPSR	-	1333	18.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 162-176 (width: 15; decimal: 0)

Variable Type: character

LISTMORE: Over past 24 hours, how much did you want spouse to listen to you more than they

Value	Label	Unweighted Frequency	%
1	Not at All	5171	69.9 %
2	A Little	1254	17.0 %
3	Some	602	8.1 %
4	Quite a Bit	246	3.3 %
5	A Great Deal	104	1.4 %
	Missing Data		
.	-	19	0.3 %
	Total	7,396	100%

Based upon 7,377 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

CRITICIZ: Over past 24 hours, how much did you criticize your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	5707	77.2 %
2	A Little	1352	18.3 %
3	Some	273	3.7 %
4	Quite a Bit	36	0.5 %
5	A Great Deal	15	0.2 %
	Missing Data		
.	-	13	0.2 %
	Total	7,396	100%

Based upon 7,383 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

LOVED: Over past 24 hours, how much did you try to make your spouse feel loved/cared fo

Value	Label	Unweighted Frequency	%
1	Not at All	432	5.8 %
2	A Little	1395	18.9 %
3	Some	2437	33.0 %
4	Quite a Bit	2221	30.0 %
5	A Great Deal	896	12.1 %
	Missing Data		
.	-	15	0.2 %
	Total	7,396	100%

Based upon 7,381 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

BOTHERED: Over past 24 hours, how much did you feel bothered or upset with your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	5036	68.1 %
2	A Little	1655	22.4 %
3	Some	456	6.2 %

Value	Label	Unweighted Frequency	%
4	Quite a Bit	178	2.4 %
5	A Great Deal	59	0.8 %
	Missing Data		
.	-	12	0.2 %
	Total	7,396	100%

Based upon 7,384 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

DEMANDS: Over past 24 hours, how much did you make demands on your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	5011	67.8 %
2	A Little	1760	23.8 %
3	Some	496	6.7 %
4	Quite a Bit	74	1.0 %
5	A Great Deal	29	0.4 %
	Missing Data		
.	-	26	0.4 %
	Total	7,396	100%

Based upon 7,370 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

NICE: Over past 24 hours, how much did you do something nice for your spouse without b

Value	Label	Unweighted Frequency	%
1	Not at All	1306	17.7 %
2	A Little	1994	27.0 %
3	Some	2510	33.9 %
4	Quite a Bit	1214	16.4 %
5	A Great Deal	352	4.8 %
	Missing Data		
.	-	20	0.3 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

HELPMOOD: Over past 24 hours, how much did you try to improve your spouse's mood?

Value	Label	Unweighted Frequency	%
1	Not at All	1981	26.8 %
2	A Little	1946	26.3 %
3	Some	2222	30.0 %
4	Quite a Bit	938	12.7 %
5	A Great Deal	283	3.8 %
	Missing Data		
.	-	26	0.4 %
	Total	7,396	100%

Based upon 7,370 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

ACT_TXT: Add details about any of these experiences you did

Value	Label	Unweighted Frequency	%
	-	6701	90.6 %
MASKED BY ICPSR	-	695	9.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 184-198 (width: 15; decimal: 0)

Variable Type: character

CONTROL: Past 24 hours, what extent feel unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Not at All	3992	54.0 %

Value	Label	Unweighted Frequency	%
2	A Little	1888	25.5 %
3	Moderately	863	11.7 %
4	A Lot	451	6.1 %
5	Extremely	194	2.6 %
	Missing Data		
.	-	8	0.1 %
	Total	7,396	100%

Based upon 7,388 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

SOLVPROB: Past 24 hours, what extent feel confident about your ability to handle problems?

Value	Label	Unweighted Frequency	%
1	Not at All	219	3.0 %
2	A Little	808	10.9 %
3	Moderately	2008	27.1 %
4	A Lot	2872	38.8 %
5	Extremely	1482	20.0 %
	Missing Data		
.	-	7	0.1 %
	Total	7,396	100%

Based upon 7,389 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

GOWAY: Past 24 hours, what extent did you feel that things were going your way?

Value	Label	Unweighted Frequency	%
1	Not at All	437	5.9 %
2	A Little	1308	17.7 %
3	Moderately	2591	35.0 %
4	A Lot	2292	31.0 %
5	Extremely	758	10.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

PILEUP: Past 24 hours, what extent feel difficulties piling up so you couldn't overcome?

Value	Label	Unweighted Frequency	%
1	Not at All	5421	73.3 %
2	A Little	1293	17.5 %
3	Moderately	404	5.5 %
4	A Lot	183	2.5 %
5	Extremely	88	1.2 %
	Missing Data		
.	-	7	0.1 %
	Total	7,396	100%

Based upon 7,389 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

DHRSLEEP: How many hours did you sleep last night?

Value	Label	Unweighted Frequency	%
0.0	-	8	0.1 %
1.0	-	6	0.1 %
2.0	-	19	0.3 %
2.5	-	4	0.1 %
3.0	-	49	0.7 %
3.5	-	15	0.2 %
4.0	-	182	2.5 %
4.5	-	29	0.4 %
5.0	-	523	7.1 %

Value	Label	Unweighted Frequency	%
5.5	-	91	1.2 %
6.0	-	1228	16.6 %
6.5	-	259	3.5 %
7.0	-	1913	25.9 %
7.5	-	266	3.6 %
8.0	-	1868	25.3 %
8.5	-	152	2.1 %
9.0	-	518	7.0 %
9.5	-	17	0.2 %
10.0	-	170	2.3 %
10.5	-	5	0.1 %
11.0	-	26	0.4 %
12.0	-	27	0.4 %
13.0	-	2	0.0 %
15.0	-	6	0.1 %
18.0	-	1	0.0 %
19.0	-	3	0.0 %
20.0	-	1	0.0 %
	Missing Data		
.	-	8	0.1 %
	Total	7,396	100%

Based upon 7,388 valid cases out of 7,396 total cases.

- Mean: 7.08
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.46

Location: 203-206 (width: 4; decimal: 1)

Variable Type: numeric

SLEEPQUAL: How would you rate your overall sleep quality last night?

Value	Label	Unweighted Frequency	%
1	Poor	514	6.9 %
2	Fair	1626	22.0 %
3	Good	2672	36.1 %
4	Very Good	1948	26.3 %
5	Excellent	627	8.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

OVERATE: Past 24 hours, how true: I ate more than I should have today

Value	Label	Unweighted Frequency	%
1	Not at All	3931	53.2 %
2	A Little	2262	30.6 %
3	Moderately	847	11.5 %
4	A Lot	265	3.6 %
5	Extremely	84	1.1 %
	Missing Data		
.	-	7	0.1 %
	Total	7,396	100%

Based upon 7,389 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

BADFOOD: Past 24 hours, how true: I made unhealthy food choices today

Value	Label	Unweighted Frequency	%
1	Not at All	2642	35.7 %
2	A Little	3259	44.1 %
3	Moderately	978	13.2 %
4	A Lot	389	5.3 %
5	Extremely	120	1.6 %
	Missing Data		
.	-	8	0.1 %
	Total	7,396	100%

Based upon 7,388 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

GOODFOOD: Past 24 hours, how true: I ate healthy foods today

Value	Label	Unweighted Frequency	%
1	Not at All	676	9.1 %
2	A Little	1858	25.1 %
3	Moderately	2215	29.9 %
4	A Lot	2047	27.7 %
5	Extremely	591	8.0 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

ALCOHOL: Number of alcoholic drinks consumed in past 24 hours

Value	Label	Unweighted Frequency	%
0.00	-	4342	58.7 %
0.20	-	2	0.0 %
0.50	-	34	0.5 %
0.75	-	1	0.0 %
1.00	-	1040	14.1 %
1.50	-	33	0.4 %
2.00	-	904	12.2 %
2.50	-	7	0.1 %
3.00	-	528	7.1 %
3.50	-	8	0.1 %
4.00	-	257	3.5 %
4.50	-	2	0.0 %
5.00	-	99	1.3 %
5.50	-	4	0.1 %
6.00	-	71	1.0 %
7.00	-	15	0.2 %

Value	Label	Unweighted Frequency	%
8.00	-	27	0.4 %
9.00	-	7	0.1 %
10.00	-	6	0.1 %
12.00	-	2	0.0 %
15.00	-	1	0.0 %
	Missing Data		
.	-	6	0.1 %
	Total	7,396	100%

Based upon 7,390 valid cases out of 7,396 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.49

Location: 211-215 (width: 5; decimal: 2)

Variable Type: numeric

TOBACCO: Number of Cigarettes, Cigars, Tobacco smoked over past 24 hours

Value	Label	Unweighted Frequency	%
0.0	-	6879	93.0 %
0.5	-	2	0.0 %
1.0	-	54	0.7 %
1.5	-	1	0.0 %
2.0	-	51	0.7 %
2.5	-	3	0.0 %
3.0	-	27	0.4 %
4.0	-	21	0.3 %
5.0	-	38	0.5 %
6.0	-	27	0.4 %
7.0	-	13	0.2 %
8.0	-	12	0.2 %
9.0	-	22	0.3 %
10.0	-	52	0.7 %
11.0	-	5	0.1 %
12.0	-	17	0.2 %
13.0	-	4	0.1 %
14.0	-	6	0.1 %
15.0	-	44	0.6 %

Value	Label	Unweighted Frequency	%
17.0	-	3	0.0 %
18.0	-	12	0.2 %
20.0	-	58	0.8 %
21.0	-	3	0.0 %
22.0	-	4	0.1 %
23.0	-	2	0.0 %
24.0	-	1	0.0 %
25.0	-	7	0.1 %
26.0	-	1	0.0 %
30.0	-	7	0.1 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Mean: 0.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.02

Location: 216-219 (width: 4; decimal: 1)

Variable Type: numeric

MODACTIV: Number of minutes of moderate physical activity/exercise over past 24 hours

Value	Label	Unweighted Frequency	%
0.0	-	1430	19.3 %
5.0	-	80	1.1 %
6.0	-	4	0.1 %
7.0	-	3	0.0 %
8.0	-	16	0.2 %
9.0	-	3	0.0 %
10.0	-	338	4.6 %
11.0	-	1	0.0 %
12.0	-	17	0.2 %
14.0	-	1	0.0 %
15.0	-	483	6.5 %
16.0	-	3	0.0 %
17.0	-	1	0.0 %
18.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.0	-	587	7.9 %
22.0	-	1	0.0 %
24.0	-	3	0.0 %
25.0	-	107	1.4 %
29.0	-	1	0.0 %
30.0	-	1226	16.6 %
32.0	-	2	0.0 %
34.0	-	1	0.0 %
35.0	-	53	0.7 %
40.0	-	156	2.1 %
42.0	-	1	0.0 %
45.0	-	350	4.7 %
46.0	-	1	0.0 %
50.0	-	38	0.5 %
51.0	-	1	0.0 %
55.0	-	8	0.1 %
59.0	-	1	0.0 %
60.0	-	1001	13.5 %
60.2	-	1	0.0 %
65.0	-	6	0.1 %
70.0	-	20	0.3 %
75.0	-	39	0.5 %
80.0	-	30	0.4 %
85.0	-	2	0.0 %
90.0	-	219	3.0 %
100.0	-	30	0.4 %
102.0	-	1	0.0 %
105.0	-	3	0.0 %
110.0	-	6	0.1 %
115.0	-	1	0.0 %
120.0	-	523	7.1 %
125.0	-	3	0.0 %
129.0	-	1	0.0 %
130.0	-	4	0.1 %
135.0	-	1	0.0 %
140.0	-	4	0.1 %
	Missing Data		
.	-	12	0.2 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,384 valid cases out of 7,396 total cases.

- Mean: 53.45
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 720.00
- Standard Deviation: 76.82

Location: 220-224 (width: 5; decimal: 1)

Variable Type: numeric

VIGACTIV: Number of minutes of vigorous physical activity/exercise over past 24 hours

Value	Label	Unweighted Frequency	%
0.00	-	4723	63.9 %
5.00	-	73	1.0 %
6.00	-	3	0.0 %
7.00	-	3	0.0 %
8.00	-	6	0.1 %
9.00	-	3	0.0 %
10.00	-	185	2.5 %
12.00	-	23	0.3 %
14.00	-	1	0.0 %
15.00	-	184	2.5 %
17.00	-	1	0.0 %
18.00	-	2	0.0 %
20.00	-	186	2.5 %
21.00	-	1	0.0 %
22.00	-	3	0.0 %
23.00	-	2	0.0 %
24.00	-	1	0.0 %
25.00	-	51	0.7 %
26.00	-	2	0.0 %
30.00	-	473	6.4 %
35.00	-	36	0.5 %
36.00	-	1	0.0 %
40.00	-	83	1.1 %
42.00	-	1	0.0 %
45.00	-	222	3.0 %
48.00	-	1	0.0 %
50.00	-	44	0.6 %

Value	Label	Unweighted Frequency	%
55.00	-	16	0.2 %
60.00	-	532	7.2 %
65.00	-	8	0.1 %
70.00	-	19	0.3 %
75.00	-	40	0.5 %
80.00	-	16	0.2 %
85.00	-	3	0.0 %
90.00	-	113	1.5 %
93.25	-	1	0.0 %
95.00	-	2	0.0 %
100.00	-	9	0.1 %
105.00	-	1	0.0 %
110.00	-	6	0.1 %
120.00	-	169	2.3 %
122.00	-	1	0.0 %
130.00	-	4	0.1 %
135.00	-	1	0.0 %
140.00	-	1	0.0 %
145.00	-	1	0.0 %
150.00	-	14	0.2 %
160.00	-	3	0.0 %
165.00	-	1	0.0 %
170.00	-	1	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,386 valid cases out of 7,396 total cases.

- Mean: 19.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 720.00
- Standard Deviation: 43.45

Location: 225-230 (width: 6; decimal: 2)

Variable Type: numeric

SPSUNHLTH: Today, how much did spouse influence your health habits in unhealthy way?

Value	Label	Unweighted Frequency	%
1	Not at All	5548	75.0 %
2	A Little	1153	15.6 %
3	Some	471	6.4 %
4	Quite a Bit	160	2.2 %
5	A Great Deal	51	0.7 %
	Missing Data		
.	-	13	0.2 %
	Total	7,396	100%

Based upon 7,383 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric

POSINFLU: Today, how much did you try to have positive influence on spouse's health habits

Value	Label	Unweighted Frequency	%
1	Not at All	2912	39.4 %
2	A Little	1753	23.7 %
3	Some	1635	22.1 %
4	Quite a Bit	799	10.8 %
5	A Great Deal	280	3.8 %
	Missing Data		
.	-	17	0.2 %
	Total	7,396	100%

Based upon 7,379 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric

CONCERN: Today, how much were you concerned about your spouse's health habits?

Value	Label	Unweighted Frequency	%
1	Not at All	4932	66.7 %
2	A Little	1374	18.6 %
3	Some	668	9.0 %
4	Quite a Bit	267	3.6 %

Value	Label	Unweighted Frequency	%
5	A Great Deal	138	1.9 %
	Missing Data		
.	-	17	0.2 %
	Total	7,396	100%

Based upon 7,379 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 233-233 (width: 1; decimal: 0)

Variable Type: numeric

COHEALTHY: Today, how much did you participate in healthy habits with your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	3957	53.5 %
2	A Little	1241	16.8 %
3	Some	1103	14.9 %
4	Quite a Bit	732	9.9 %
5	A Great Deal	343	4.6 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 234-234 (width: 1; decimal: 0)

Variable Type: numeric

SPSHLTH: Today, how much did spouse influence your health habits in a positive way?

Value	Label	Unweighted Frequency	%
1	Not at All	2898	39.2 %
2	A Little	1555	21.0 %
3	Some	1549	20.9 %
4	Quite a Bit	968	13.1 %
5	A Great Deal	410	5.5 %
	Missing Data		
.	-	16	0.2 %
	Total	7,396	100%

Based upon 7,380 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 235-235 (width: 1; decimal: 0)

Variable Type: numeric

INFLUENC: Describe main ways you and spouse influenced each other's health habits today

Value	Label	Unweighted Frequency	%
	-	1674	22.6 %
MASKED BY ICPSR	-	5722	77.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 236-250 (width: 15; decimal: 0)

Variable Type: character

ANYELSE: Past 24 hours, anything else happen that you would like to tell us about?

Value	Label	Unweighted Frequency	%
	-	4414	59.7 %
MASKED BY ICPSR	-	2982	40.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 251-265 (width: 15; decimal: 0)

Variable Type: character

DAYWEEK: Day of Week Diary Completed

Value	Label	Unweighted Frequency	%
MASKED BY ICPSR	-	7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 266-280 (width: 15; decimal: 0)

Variable Type: character

GENRELNS: Gendered Relationship Context

Value	Label	Unweighted Frequency	%
1	Man w/Man	2080	28.1 %
2	Man w/Wom	1125	15.2 %
3	Wom w/Man	1125	15.2 %

Value	Label	Unweighted Frequency	%
4	Wom w/Wom	3066	41.5 %
5	Wom w/Oth	0	0.0 %
6	Oth w/Wom	0	0.0 %
7	Oth w/Oth	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric

RTYP: Relationship Type

Value	Label	Unweighted Frequency	%
1	Gay	2080	28.1 %
2	Lesbian	3066	41.5 %
3	Straight	2250	30.4 %
4	Other	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric

MSTAT: Marital Status

Value	Label	Unweighted Frequency	%
1	Married	7396	100.0 %
2	Cohabiting	0	0.0 %
3	Other	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

MSTATTXT: Marital Status Text

Value	Label	Unweighted Frequency	%
-		7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 284-284 (width: 1; decimal: 0)

Variable Type: character

MARYRMN: Marriage Year/Month

Value	Label	Unweighted Frequency	%
150.0	-	20	0.3 %
174.0	-	20	0.3 %
211.0	-	20	0.3 %
222.0	-	18	0.2 %
272.0	-	20	0.3 %
287.0	-	20	0.3 %
294.0	-	20	0.3 %
317.0	-	14	0.2 %
318.0	-	20	0.3 %
328.5	-	20	0.3 %
347.0	-	20	0.3 %
358.0	-	20	0.3 %
383.0	-	20	0.3 %
386.0	-	20	0.3 %
387.0	-	20	0.3 %
389.0	-	20	0.3 %
393.0	-	20	0.3 %
400.0	-	20	0.3 %
403.0	-	20	0.3 %
405.0	-	40	0.5 %
407.0	-	40	0.5 %
412.0	-	20	0.3 %
414.0	-	20	0.3 %
424.0	-	20	0.3 %
425.0	-	20	0.3 %
426.0	-	18	0.2 %
435.0	-	20	0.3 %
438.0	-	20	0.3 %

Value	Label	Unweighted Frequency	%
440.0	-	20	0.3 %
443.0	-	20	0.3 %
455.0	-	14	0.2 %
463.0	-	20	0.3 %
464.0	-	20	0.3 %
465.0	-	38	0.5 %
467.0	-	20	0.3 %
471.0	-	20	0.3 %
472.0	-	20	0.3 %
475.0	-	20	0.3 %
477.0	-	36	0.5 %
479.0	-	36	0.5 %
481.0	-	20	0.3 %
482.0	-	32	0.4 %
484.0	-	20	0.3 %
487.0	-	20	0.3 %
489.0	-	20	0.3 %
496.0	-	20	0.3 %
499.0	-	20	0.3 %
500.0	-	40	0.5 %
503.0	-	20	0.3 %
504.0	-	20	0.3 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 560.46
- Median: 591.00
- Mode: 597.00
- Minimum: 150.00
- Maximum: 660.00
- Standard Deviation: 76.58

Location: 285-289 (width: 5; decimal: 1)

Variable Type: numeric

COHB4MAR: Cohabited w/Spouse Prior Mar

Value	Label	Unweighted Frequency	%
0	No Coh Before Mar	510	6.9 %
1	Cohabited Before Mar	6886	93.1 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

MNCOHB4M: Months Cohabited Prior Marriage

Value	Label	Unweighted Frequency	%
0.99599999189	-	20	0.3 %
1.50000000000	-	16	0.2 %
3.00000000000	-	20	0.3 %
3.99600005150	-	20	0.3 %
4.98000001908	-	40	0.5 %
4.99800014496	-	20	0.3 %
6.00000000000	-	54	0.7 %
6.99599981308	-	20	0.3 %
7.00000000000	-	34	0.5 %
8.00000000000	-	40	0.5 %
9.00000000000	-	78	1.1 %
12.00000000000	-	728	9.8 %
12.96000003815	-	40	0.5 %
15.00000000000	-	58	0.8 %
18.00000000000	-	348	4.7 %
21.00000000000	-	60	0.8 %
24.00000000000	-	634	8.6 %
27.00000000000	-	40	0.5 %
28.02000045777	-	18	0.2 %
30.00000000000	-	218	2.9 %
33.00000000000	-	40	0.5 %
36.00000000000	-	370	5.0 %
42.00000000000	-	120	1.6 %
48.00000000000	-	116	1.6 %
51.00000000000	-	20	0.3 %
54.00000000000	-	78	1.1 %
57.00000000000	-	20	0.3 %
60.00000000000	-	380	5.1 %
66.00000000000	-	96	1.3 %

Value	Label	Unweighted Frequency	%
72.000000000000	-	308	4.2 %
78.000000000000	-	118	1.6 %
84.000000000000	-	386	5.2 %
87.000000000000	-	20	0.3 %
90.000000000000	-	76	1.0 %
93.000000000000	-	20	0.3 %
96.000000000000	-	140	1.9 %
102.000000000000	-	80	1.1 %
105.000000000000	-	20	0.3 %
108.000000000000	-	130	1.8 %
114.000000000000	-	40	0.5 %
120.000000000000	-	290	3.9 %
126.000000000000	-	60	0.8 %
132.000000000000	-	68	0.9 %
138.000000000000	-	18	0.2 %
144.000000000000	-	200	2.7 %
150.000000000000	-	20	0.3 %
156.000000000000	-	86	1.2 %
168.000000000000	-	78	1.1 %
180.000000000000	-	96	1.3 %
192.000000000000	-	60	0.8 %
	Missing Data		
.	-	510	6.9 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,886 valid cases out of 7,396 total cases.

- Mean: 84.63021783482
- Median: 60.000000000000
- Mode: 12.000000000000
- Minimum: 0.99599999189
- Maximum: 492.000000000000
- Standard Deviation: 83.64658956153

Location: 291-305 (width: 15; decimal: 11)

Variable Type: numeric

YRSMAR: Total Years Married

Value	Label	Unweighted Frequency	%
0.00	-	20	0.3 %
0.50	-	40	0.5 %
0.75	-	38	0.5 %
1.00	-	20	0.3 %
1.50	-	40	0.5 %
1.75	-	80	1.1 %
2.00	-	20	0.3 %
2.25	-	40	0.5 %
2.50	-	60	0.8 %
2.75	-	60	0.8 %
3.00	-	60	0.8 %
3.25	-	20	0.3 %
3.50	-	174	2.4 %
3.75	-	394	5.3 %
4.00	-	116	1.6 %
4.25	-	274	3.7 %
4.50	-	582	7.9 %
4.75	-	154	2.1 %
5.00	-	178	2.4 %
5.25	-	74	1.0 %
5.50	-	276	3.7 %
5.75	-	574	7.8 %
6.00	-	512	6.9 %
6.25	-	138	1.9 %
6.50	-	140	1.9 %
6.75	-	142	1.9 %
7.00	-	170	2.3 %
7.25	-	80	1.1 %
7.50	-	20	0.3 %
7.75	-	72	1.0 %
8.00	-	16	0.2 %
8.25	-	148	2.0 %
8.50	-	138	1.9 %
9.00	-	78	1.1 %
9.25	-	100	1.4 %
9.50	-	194	2.6 %
9.75	-	120	1.6 %
10.00	-	60	0.8 %
10.25	-	174	2.4 %

Value	Label	Unweighted Frequency	%
10.50	-	198	2.7 %
10.75	-	40	0.5 %
11.00	-	90	1.2 %
11.25	-	96	1.3 %
11.50	-	40	0.5 %
11.75	-	20	0.3 %
12.00	-	30	0.4 %
12.25	-	20	0.3 %
12.50	-	60	0.8 %
12.75	-	80	1.1 %
13.00	-	20	0.3 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 8.51
- Median: 6.00
- Mode: 4.50
- Minimum: 0.00
- Maximum: 42.50
- Standard Deviation: 6.39

Location: 306-310 (width: 5; decimal: 2)

Variable Type: numeric

YRSLIV: Total Years Lived Together

Value	Label	Unweighted Frequency	%
3.50	-	20	0.3 %
3.75	-	38	0.5 %
4.00	-	20	0.3 %
4.25	-	20	0.3 %
4.50	-	20	0.3 %
4.75	-	80	1.1 %
5.00	-	60	0.8 %
5.25	-	100	1.4 %
5.50	-	100	1.4 %
5.75	-	60	0.8 %
6.00	-	120	1.6 %
6.25	-	116	1.6 %
6.50	-	114	1.5 %

Value	Label	Unweighted Frequency	%
6.75	-	98	1.3 %
7.00	-	80	1.1 %
7.25	-	40	0.5 %
7.50	-	80	1.1 %
7.75	-	156	2.1 %
8.00	-	136	1.8 %
8.25	-	100	1.4 %
8.50	-	148	2.0 %
8.75	-	80	1.1 %
9.00	-	40	0.5 %
9.25	-	78	1.1 %
9.50	-	60	0.8 %
9.75	-	172	2.3 %
10.00	-	100	1.4 %
10.25	-	216	2.9 %
10.50	-	120	1.6 %
10.75	-	198	2.7 %
11.00	-	76	1.0 %
11.25	-	120	1.6 %
11.50	-	152	2.1 %
11.75	-	138	1.9 %
12.00	-	60	0.8 %
12.50	-	60	0.8 %
12.75	-	52	0.7 %
13.00	-	138	1.9 %
13.25	-	80	1.1 %
13.50	-	120	1.6 %
13.75	-	120	1.6 %
14.00	-	80	1.1 %
14.25	-	58	0.8 %
14.50	-	100	1.4 %
14.75	-	80	1.1 %
15.00	-	90	1.2 %
15.25	-	94	1.3 %
15.50	-	116	1.6 %
15.75	-	92	1.2 %
16.00	-	140	1.9 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 15.08
- Median: 13.50
- Mode: 10.25
- Minimum: 3.50
- Maximum: 45.00
- Standard Deviation: 7.95

Location: 311-315 (width: 5; decimal: 2)

Variable Type: numeric

RAGE: Respondent Age

Value	Label	Unweighted Frequency	%
35	-	246	3.3 %
36	-	210	2.8 %
37	-	323	4.4 %
38	-	357	4.8 %
39	-	335	4.5 %
40	-	312	4.2 %
41	-	218	2.9 %
42	-	247	3.3 %
43	-	302	4.1 %
44	-	376	5.1 %
45	-	231	3.1 %
46	-	292	3.9 %
47	-	239	3.2 %
48	-	235	3.2 %
49	-	371	5.0 %
50	-	193	2.6 %
51	-	256	3.5 %
52	-	234	3.2 %
53	-	206	2.8 %
54	-	257	3.5 %
55	-	238	3.2 %
56	-	195	2.6 %
57	-	170	2.3 %
58	-	199	2.7 %
59	-	197	2.7 %
60	-	168	2.3 %
61	-	267	3.6 %

Value	Label	Unweighted Frequency	%
62	-	169	2.3 %
63	-	148	2.0 %
64	-	133	1.8 %
65	-	72	1.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 48.20
- Median: 48.00
- Mode: 44.00
- Minimum: 35.00
- Maximum: 65.00
- Standard Deviation: 8.42

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

SAGE: Spouse Age (Reported by Respondent)

Value	Label	Unweighted Frequency	%
35	-	256	3.5 %
36	-	190	2.6 %
37	-	284	3.8 %
38	-	397	5.4 %
39	-	334	4.5 %
40	-	304	4.1 %
41	-	275	3.7 %
42	-	188	2.5 %
43	-	295	4.0 %
44	-	368	5.0 %
45	-	236	3.2 %
46	-	292	3.9 %
47	-	219	3.0 %
48	-	265	3.6 %
49	-	379	5.1 %
50	-	195	2.6 %
51	-	253	3.4 %
52	-	237	3.2 %
53	-	216	2.9 %
54	-	247	3.3 %
55	-	268	3.6 %
56	-	165	2.2 %

Value	Label	Unweighted Frequency	%
57	-	180	2.4 %
58	-	199	2.7 %
59	-	197	2.7 %
60	-	138	1.9 %
61	-	297	4.0 %
62	-	169	2.3 %
63	-	148	2.0 %
64	-	143	1.9 %
65	-	62	0.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 48.24
- Median: 48.00
- Mode: 38.00
- Minimum: 35.00
- Maximum: 65.00
- Standard Deviation: 8.40

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

RGEND: Respondent Gender

Value	Label	Unweighted Frequency	%
1	Male	3205	43.3 %
2	Female	4191	56.7 %
3	Other	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

RGENDTXT: Please Specify 'Other' Gender

Value	Label	Unweighted Frequency	%
	-	7386	99.9 %
MASKED BY ICPSR	-	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 321-335 (width: 15; decimal: 0)

Variable Type: character

SGEND: Spouse Gender (Reported by Respondent)

Value	Label	Unweighted Frequency	%
1	Male	3205	43.3 %
2	Female	4191	56.7 %
3	Other	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

SGENDTXT: Please Specify Spouse's 'other' gender

Value	Label	Unweighted Frequency	%
-		7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 337-337 (width: 1; decimal: 0)

Variable Type: character

GETOGFAM: Past 12 Mos: How Often Get Together With Family?

Value	Label	Unweighted Frequency	%
1	Never	59	0.8 %
2	About once or twice a year	850	11.5 %
3	Several times a year	2270	30.7 %
4	About once a month	2268	30.7 %
5	Every week	1414	19.1 %
6	Several times a week	517	7.0 %
	Missing Data		
.	-	18	0.2 %
	Total	7,396	100%

Based upon 7,378 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

TALKFAM: W/Family: How Often Can Talk Openly About Worries?

Value	Label	Unweighted Frequency	%
1	Not at All	892	12.1 %
2	A Little	2603	35.2 %
3	Moderately	1887	25.5 %
4	A Lot	2004	27.1 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 339-339 (width: 1; decimal: 0)

Variable Type: numeric

RELYFAM: W/Family: How Often Can Rely on for Help with Problem?

Value	Label	Unweighted Frequency	%
1	Not at All	462	6.2 %
2	A Little	1703	23.0 %
3	Moderately	1784	24.1 %
4	A Lot	3437	46.5 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

DEMDFAM: W/Family: How Often Do They Make too Many Demands?

Value	Label	Unweighted Frequency	%
1	Not at All	4460	60.3 %
2	A Little	2224	30.1 %
3	Moderately	533	7.2 %
4	A Lot	169	2.3 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

CRITFAM: W/Family: How Often Do They Criticize You?

Value	Label	Unweighted Frequency	%
1	Not at All	4571	61.8 %
2	A Little	2255	30.5 %
3	Moderately	446	6.0 %
4	A Lot	114	1.5 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 342-342 (width: 1; decimal: 0)

Variable Type: numeric

GETOGFRD: Past 12 Mos: How Often Get Together With Friends?

Value	Label	Unweighted Frequency	%
1	Never	120	1.6 %
2	About once or twice a year	401	5.4 %
3	Several times a year	977	13.2 %
4	About once a month	2544	34.4 %

Value	Label	Unweighted Frequency	%
5	Every week	2604	35.2 %
6	Several times a week	750	10.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

TALKFRD: W/Friends: How Often Can Talk Openly About Worries?

Value	Label	Unweighted Frequency	%
1	Not at All	503	6.8 %
2	A Little	1938	26.2 %
3	Moderately	2386	32.3 %
4	A Lot	2569	34.7 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

RELYFRD: W/Friends: How Often Can Rely on for Help with Problem?

Value	Label	Unweighted Frequency	%
1	Not at All	334	4.5 %
2	A Little	1698	23.0 %
3	Moderately	2435	32.9 %
4	A Lot	2929	39.6 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

DEMDFRD: W/Friends: How Often Do They Make too Many Demands?

Value	Label	Unweighted Frequency	%
1	Not at All	5921	80.1 %
2	A Little	1329	18.0 %
3	Moderately	118	1.6 %
4	A Lot	28	0.4 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

CRITFRD: W/Friends: How Often Do They Criticize You?

Value	Label	Unweighted Frequency	%
1	Not at All	6351	85.9 %
2	A Little	981	13.3 %
3	Moderately	56	0.8 %
4	A Lot	8	0.1 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

STRFINAN: At Present, How Stressful Are Finances?

Value	Label	Unweighted Frequency	%
1	Poor	1280	17.3 %
2	Fair	2016	27.3 %
3	Good	2343	31.7 %
4	Very Good	1125	15.2 %
5	Excellent	632	8.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

STRWORK: At Present, How Stressful is Your Work/Employment Situation?

Value	Label	Unweighted Frequency	%
1	Poor	1458	19.7 %
2	Fair	2063	27.9 %
3	Good	1781	24.1 %
4	Very Good	1483	20.1 %
5	Excellent	611	8.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

STRSPOUS: At Present, How Stressful is Your Relationship with Your Spouse?

Value	Label	Unweighted Frequency	%
1	Poor	3434	46.4 %
2	Fair	2706	36.6 %
3	Good	938	12.7 %
4	Very Good	222	3.0 %
5	Excellent	96	1.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

STRFAMR: At Present, How Stressful are Your Other Family Relationships (Not Spouse)?

Value	Label	Unweighted Frequency	%
1	Poor	2261	30.6 %

Value	Label	Unweighted Frequency	%
2	Fair	2859	38.7 %
3	Good	1571	21.2 %
4	Very Good	533	7.2 %
5	Excellent	172	2.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

STRFRNDS: At Present, How Stressful are Relationships with Friends?

Value	Label	Unweighted Frequency	%
1	Poor	4911	66.4 %
2	Fair	1993	26.9 %
3	Good	377	5.1 %
4	Very Good	87	1.2 %
5	Excellent	28	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

STRRLTH: At Present, How Stressful is Your Health?

Value	Label	Unweighted Frequency	%
1	Poor	2425	32.8 %
2	Fair	2678	36.2 %
3	Good	1626	22.0 %
4	Very Good	442	6.0 %
5	Excellent	225	3.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

STRSHLTH: At Present, How Stressful is Your Spouse's Health?

Value	Label	Unweighted Frequency	%
1	Poor	2546	34.4 %
2	Fair	2317	31.3 %
3	Good	1771	23.9 %
4	Very Good	608	8.2 %
5	Excellent	154	2.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

STRHOUS: At Present, How Stressful is Your Household Work?

Value	Label	Unweighted Frequency	%
1	Poor	2734	37.0 %
2	Fair	2317	31.3 %
3	Good	1634	22.1 %
4	Very Good	526	7.1 %
5	Excellent	185	2.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

STRLIFE: At Present, How Stressful are Your Overall Life Circumstances?

Value	Label	Unweighted Frequency	%
1	Poor	1169	15.8 %
2	Fair	2997	40.5 %
3	Good	2496	33.7 %
4	Very Good	575	7.8 %

Value	Label	Unweighted Frequency	%
5	Excellent	159	2.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

STRSCALE: Sum of Present Stress Items (Alpha .77)

Value	Label	Unweighted Frequency	%
9	-	59	0.8 %
10	-	120	1.6 %
11	-	146	2.0 %
12	-	309	4.2 %
13	-	338	4.6 %
14	-	380	5.1 %
15	-	497	6.7 %
16	-	606	8.2 %
17	-	555	7.5 %
18	-	604	8.2 %
19	-	509	6.9 %
20	-	384	5.2 %
21	-	443	6.0 %
22	-	442	6.0 %
23	-	408	5.5 %
24	-	425	5.7 %
25	-	242	3.3 %
26	-	185	2.5 %
27	-	176	2.4 %
28	-	146	2.0 %
29	-	76	1.0 %
30	-	70	0.9 %
31	-	48	0.6 %
32	-	79	1.1 %
33	-	40	0.5 %
34	-	49	0.7 %
35	-	10	0.1 %
36	-	20	0.3 %

Value	Label	Unweighted Frequency	%
38	-	10	0.1 %
39	-	10	0.1 %
41	-	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 19.39
- Median: 19.00
- Mode: 16.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 5.42

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

RHEALTH: Respondent Self Assessed Physical Health

Value	Label	Unweighted Frequency	%
1	None of the day	212	2.9 %
2	A little of the day	737	10.0 %
3	Some of the day	2569	34.7 %
4	Most of the day	2734	37.0 %
5	All day	1144	15.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

RSHEALTH: Spouse's Physical Health- Respondent Reported

Value	Label	Unweighted Frequency	%
1	None of the day	194	2.6 %
2	A little of the day	941	12.7 %
3	Some of the day	2558	34.6 %
4	Most of the day	2560	34.6 %
5	All day	1143	15.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

RSEMLTH: Spouse's Emotional/Mental Health- Respondent Reported

Value	Label	Unweighted Frequency	%
1	None of the day	119	1.6 %
2	A little of the day	1084	14.7 %
3	Some of the day	2429	32.8 %
4	Most of the day	2465	33.3 %
5	All day	1299	17.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

RHLTHINT: Past 4 Wks: R's Health Interfered w/ Home or Work Activities

Value	Label	Unweighted Frequency	%
1	Not at All	3593	48.6 %
2	Slightly	2375	32.1 %
3	Moderately	731	9.9 %
4	Quite a Bit	484	6.5 %
5	Extremely	213	2.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 362-362 (width: 1; decimal: 0)

Variable Type: numeric

DIBLDPRS: Diagnosed: High Blood Pressure

Value	Label	Unweighted Frequency	%
0	Not Selected	5683	76.8 %
1	Selected	1713	23.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric

DIDIABET: Diagnosed: Diabetes

Value	Label	Unweighted Frequency	%
0	Not Selected	7043	95.2 %
1	Selected	353	4.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric

DICANCER: Diagnosed Cancer

Value	Label	Unweighted Frequency	%
0	Not Selected	6904	93.3 %
1	Selected	492	6.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 365-365 (width: 1; decimal: 0)

Variable Type: numeric

DILUNG: Diagnosed: Lung Disease

Value	Label	Unweighted Frequency	%
0	Not Selected	7223	97.7 %
1	Selected	173	2.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

DIHEART: Diagnosed: Heart Problems

Value	Label	Unweighted Frequency	%
0	Not Selected	7102	96.0 %
1	Selected	294	4.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 367-367 (width: 1; decimal: 0)

Variable Type: numeric

DISTROKE: Diagnosed: Stroke

Value	Label	Unweighted Frequency	%
0	Not Selected	7357	99.5 %
1	Selected	39	0.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

DIARTHRI: Diagnosed: Arthritis

Value	Label	Unweighted Frequency	%
0	Not Selected	6308	85.3 %
1	Selected	1088	14.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

DIHIV: Diagnosed: HIV

Value	Label	Unweighted Frequency	%
0	Not Selected	7235	97.8 %
1	Selected	161	2.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 370-370 (width: 1; decimal: 0)

Variable Type: numeric

DIOTHER: Diagnosed: Other Chronic Illness(es)

Value	Label	Unweighted Frequency	%
0	Not Selected	5549	75.0 %
1	Selected	1847	25.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric

DIOTHTXT: Diagnosed Other Illness: Text Response

Value	Label	Unweighted Frequency	%
	-	5558	75.1 %
MASKED BY ICPSR	-	1838	24.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 372-386 (width: 15; decimal: 0)

Variable Type: character

DITOTAL: Total # Diagnosed Conditions

Value	Label	Unweighted Frequency	%
0	-	3296	44.6 %
1	-	2604	35.2 %
2	-	1066	14.4 %
3	-	335	4.5 %

Value	Label	Unweighted Frequency	%
4	-	56	0.8 %
5	-	39	0.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.95

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

PEVTEXP: Most Serious Physical Health Event (since living with spouse)

Value	Label	Unweighted Frequency	%
	-	20	0.3 %
MASKED BY ICPSR	-	7376	99.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 388-402 (width: 15; decimal: 0)

Variable Type: character

PEVTBEG: When did Physical Health Event Begin

Value	Label	Unweighted Frequency	%
1	Within the past year	1087	14.7 %
2	1 to 2 years ago	1327	17.9 %
3	3 to 5 years ago	2006	27.1 %
4	More than 5 years ago	2886	39.0 %
	Missing Data		
.	-	90	1.2 %
	Total	7,396	100%

Based upon 7,306 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 403-403 (width: 1; decimal: 0)

Variable Type: numeric

PEVTCUR: Is Physical Health Event Ongoing?

Value	Label	Unweighted Frequency	%
0	No	4555	61.6 %
1	Yes	2771	37.5 %
	Missing Data		
.	-	70	0.9 %
	Total	7,396	100%

Based upon 7,326 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

PEVTDURA: Event Current: How long has this health event been going on (years)?

Value	Label	Unweighted Frequency	%
0.019	-	9	0.1 %
0.083	-	40	0.5 %
0.250	-	39	0.5 %
0.333	-	30	0.4 %
0.417	-	50	0.7 %
0.500	-	50	0.7 %
0.583	-	20	0.3 %
0.667	-	30	0.4 %
0.750	-	30	0.4 %
0.833	-	10	0.1 %
0.917	-	10	0.1 %
1.000	-	179	2.4 %
1.170	-	10	0.1 %
1.330	-	10	0.1 %
1.500	-	69	0.9 %
1.670	-	10	0.1 %
2.000	-	187	2.5 %
2.500	-	10	0.1 %
3.000	-	180	2.4 %
3.330	-	10	0.1 %
3.500	-	10	0.1 %
4.000	-	223	3.0 %
5.000	-	235	3.2 %

Value	Label	Unweighted Frequency	%
6.000	-	138	1.9 %
7.000	-	70	0.9 %
8.000	-	107	1.4 %
9.000	-	60	0.8 %
10.000	-	217	2.9 %
11.000	-	39	0.5 %
12.000	-	36	0.5 %
13.000	-	50	0.7 %
14.000	-	20	0.3 %
15.000	-	207	2.8 %
16.000	-	20	0.3 %
19.000	-	20	0.3 %
20.000	-	77	1.0 %
22.000	-	10	0.1 %
23.000	-	10	0.1 %
25.000	-	10	0.1 %
30.000	-	38	0.5 %
32.000	-	30	0.4 %
35.000	-	20	0.3 %
49.000	-	20	0.3 %
50.000	-	30	0.4 %
	Missing Data		
.	-	4716	63.8 %
	Total	7,396	100%

Based upon 2,680 valid cases out of 7,396 total cases.

- Mean: 8.037
- Median: 5.000
- Mode: 5.000
- Minimum: 0.019
- Maximum: 50.000
- Standard Deviation: 9.105

Location: 405-410 (width: 6; decimal: 3)

Variable Type: numeric

PEVTDURB: Event Not Current: How long did this health event last (years)?

Value	Label	Unweighted Frequency	%
0.00	-	50	0.7 %
0.01	-	340	4.6 %
0.02	-	441	6.0 %

Value	Label	Unweighted Frequency	%
0.04	-	264	3.6 %
0.08	-	580	7.8 %
0.17	-	375	5.1 %
0.25	-	431	5.8 %
0.33	-	107	1.4 %
0.42	-	80	1.1 %
0.50	-	341	4.6 %
0.58	-	8	0.1 %
0.67	-	50	0.7 %
0.75	-	310	4.2 %
0.83	-	50	0.7 %
0.92	-	10	0.1 %
1.00	-	522	7.1 %
1.50	-	20	0.3 %
2.00	-	216	2.9 %
2.50	-	10	0.1 %
3.00	-	67	0.9 %
3.50	-	10	0.1 %
4.00	-	47	0.6 %
5.00	-	30	0.4 %
6.00	-	10	0.1 %
9.00	-	9	0.1 %
12.00	-	20	0.3 %
20.00	-	10	0.1 %
	Missing Data		
.	-	2988	40.4 %
	Total	7,396	100%

Based upon 4,408 valid cases out of 7,396 total cases.

- Mean: 0.67
- Median: 0.25
- Mode: 0.08
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.51

Location: 411-415 (width: 5; decimal: 2)

Variable Type: numeric

PEVTSER: How Serious is/was Health Event?

Value	Label	Unweighted Frequency	%
1	Not at all	957	12.9 %
2	Slightly	2060	27.9 %
3	Somewhat	2425	32.8 %
4	Very	1404	19.0 %
5	Extremely	530	7.2 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 416-416 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_A: Patient Report of Caregiver Reaction: My spouse provided physical care for me

Value	Label	Unweighted Frequency	%
1	Not at All	510	6.9 %
2	A Little	352	4.8 %
3	Modeately	1752	23.7 %
4	A Great Deal	4742	64.1 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 417-417 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_B: Patient Report of Caregiver Reaction: My spouse got annoyed with me for needing

Value	Label	Unweighted Frequency	%
1	Not at All	4730	64.0 %
2	A Little	1577	21.3 %
3	Modeately	935	12.6 %
4	A Great Deal	124	1.7 %

Value	Label	Unweighted Frequency	%
5	Extremely	0	0.0 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 418-418 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_C: Patient Report of Caregiver Reaction: My spouse helped me get a better perspecti

Value	Label	Unweighted Frequency	%
1	Not at All	232	3.1 %
2	A Little	471	6.4 %
3	Modeately	2589	35.0 %
4	A Great Deal	4064	54.9 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 419-419 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_D: Patient Report of Caregiver Reaction: My spouse did not take my health problem a

Value	Label	Unweighted Frequency	%
1	Not at All	5101	69.0 %
2	A Little	1311	17.7 %
3	Modeately	758	10.2 %
4	A Great Deal	196	2.7 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	30	0.4 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 420-420 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_E: Patient Report of Caregiver Reaction: My spouse tended to withdraw

Value	Label	Unweighted Frequency	%
1	Not at All	5234	70.8 %
2	A Little	1238	16.7 %
3	Modeately	771	10.4 %
4	A Great Deal	133	1.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 421-421 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_F: Patient Report of Caregiver Reaction: My spouse took care of tasks I normally do

Value	Label	Unweighted Frequency	%
1	Not at All	332	4.5 %
2	A Little	568	7.7 %
3	Modeately	2119	28.7 %
4	A Great Deal	4347	58.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 422-422 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_G: Patient Report of Caregiver Reaction: My spouse dealt with doctors or medical st

Value	Label	Unweighted Frequency	%
1	Not at All	1426	19.3 %
2	A Little	1006	13.6 %
3	Modeately	1939	26.2 %
4	A Great Deal	2976	40.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	49	0.7 %
	Total	7,396	100%

Based upon 7,347 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 423-423 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_H: Patient Report of Caregiver Reaction: My spouse gave me the time and space that

Value	Label	Unweighted Frequency	%
1	Not at All	58	0.8 %
2	A Little	159	2.1 %
3	Modeately	1916	25.9 %
4	A Great Deal	5233	70.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 424-424 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_I: Patient Report: I worried about the stress this situation caused for my spouse

Value	Label	Unweighted Frequency	%
1	Not at All	1269	17.2 %
2	A Little	1458	19.7 %
3	Moderately	2994	40.5 %
4	A Great Deal	1645	22.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 425-425 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSR_J: Patient Report: I did things to take stress off my spouse even when didn't feel

Value	Label	Unweighted Frequency	%
1	Not at All	691	9.3 %
2	A Little	1516	20.5 %
3	Moderately	3659	49.5 %
4	A Great Deal	1491	20.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	39	0.5 %
	Total	7,396	100%

Based upon 7,357 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPSUP: How supportive was spouse during health event?

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	20	0.3 %
2	-	86	1.2 %

Value	Label	Unweighted Frequency	%
3	-	670	9.1 %
4	-	2308	31.2 %
5	-	4292	58.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Mean: 4.46
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.73

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

PEVRSTR: How stressful was health event for you personally?

Value	Label	Unweighted Frequency	%
1	Not at All	387	5.2 %
2	A Little	1287	17.4 %
3	Some	2439	33.0 %
4	Quite a Bit	2111	28.5 %
5	A Great Deal	1152	15.6 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

PEVSTREL: How stressful was health event for your relationship?

Value	Label	Unweighted Frequency	%
1	Not at All	2713	36.7 %
2	A Little	2336	31.6 %
3	Some	1601	21.6 %
4	Quite a Bit	550	7.4 %

Value	Label	Unweighted Frequency	%
5	A Great Deal	176	2.4 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric

PEVSPACT: Describe things spouse did that made it harder for you during event.

Value	Label	Unweighted Frequency	%
	-	581	7.9 %
MASKED BY ICPSR	-	6815	92.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 430-444 (width: 15; decimal: 0)

Variable Type: character

PEVFUTSUP: In the future, how confident that spouse will provide support you want?

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	30	0.4 %
2	-	86	1.2 %
3	-	453	6.1 %
4	-	1763	23.8 %
5	-	5064	68.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 4.59
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.70

Location: 445-445 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTEXP: Spouse's Most Serious Physical Health Event (since living with R)

Value	Label	Unweighted Frequency	%
	-	10	0.1 %
MASKED BY ICPSR	-	7386	99.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 446-460 (width: 15; decimal: 0)

Variable Type: character

SPEVTBEG: When did Spouse's Physical Health Event Begin

Value	Label	Unweighted Frequency	%
1	Within the past year	958	13.0 %
2	1 to 2 years ago	1189	16.1 %
3	3 to 5 years ago	2163	29.2 %
4	More than 5 years ago	3009	40.7 %
	Missing Data		
.	-	77	1.0 %
	Total	7,396	100%

Based upon 7,319 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 461-461 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTCUR: Is Spouse Physical Health Event Ongoing?

Value	Label	Unweighted Frequency	%
0	No	4269	57.7 %
1	Yes	3067	41.5 %
	Missing Data		
.	-	60	0.8 %
	Total	7,396	100%

Based upon 7,336 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTDURA: Spouse's Event Current: How long has this health event been going on?

Value	Label	Unweighted Frequency	%
0.02	-	9	0.1 %
0.08	-	10	0.1 %
0.17	-	40	0.5 %
0.25	-	50	0.7 %
0.33	-	20	0.3 %
0.42	-	39	0.5 %
0.50	-	117	1.6 %
0.58	-	10	0.1 %
0.67	-	30	0.4 %
0.75	-	30	0.4 %
1.00	-	176	2.4 %
1.25	-	10	0.1 %
1.50	-	90	1.2 %
2.00	-	179	2.4 %
2.50	-	30	0.4 %
3.00	-	298	4.0 %
3.50	-	40	0.5 %
4.00	-	272	3.7 %
5.00	-	261	3.5 %
5.50	-	17	0.2 %
6.00	-	135	1.8 %
6.50	-	20	0.3 %
7.00	-	37	0.5 %
7.50	-	19	0.3 %
8.00	-	49	0.7 %
8.50	-	10	0.1 %
9.00	-	50	0.7 %
10.00	-	219	3.0 %
11.00	-	59	0.8 %
12.00	-	89	1.2 %
12.50	-	20	0.3 %
13.00	-	10	0.1 %
14.00	-	20	0.3 %
15.00	-	80	1.1 %
17.00	-	39	0.5 %
17.50	-	20	0.3 %
19.00	-	10	0.1 %

Value	Label	Unweighted Frequency	%
20.00	-	77	1.0 %
22.00	-	10	0.1 %
25.00	-	17	0.2 %
30.00	-	58	0.8 %
32.00	-	10	0.1 %
34.00	-	10	0.1 %
35.00	-	10	0.1 %
39.00	-	10	0.1 %
44.00	-	18	0.2 %
48.00	-	10	0.1 %
55.00	-	20	0.3 %
60.00	-	10	0.1 %
	Missing Data		
.	-	4522	61.1 %
	Total	7,396	100%

Based upon 2,874 valid cases out of 7,396 total cases.

- Mean: 7.64
- Median: 4.00
- Mode: 3.00
- Minimum: 0.02
- Maximum: 60.00
- Standard Deviation: 9.45

Location: 463-467 (width: 5; decimal: 2)

Variable Type: numeric

SPEVTDURB: Spouse's Event Not Current: How long did this health event last?

Value	Label	Unweighted Frequency	%
0.00	-	30	0.4 %
0.01	-	293	4.0 %
0.02	-	334	4.5 %
0.04	-	421	5.7 %
0.08	-	492	6.7 %
0.17	-	383	5.2 %
0.25	-	389	5.3 %
0.33	-	100	1.4 %
0.42	-	10	0.1 %
0.50	-	342	4.6 %
0.58	-	10	0.1 %
0.67	-	20	0.3 %

Value	Label	Unweighted Frequency	%
0.75	-	287	3.9 %
0.83	-	58	0.8 %
1.00	-	379	5.1 %
1.50	-	48	0.6 %
2.00	-	129	1.7 %
2.50	-	30	0.4 %
3.00	-	80	1.1 %
4.00	-	20	0.3 %
5.00	-	90	1.2 %
7.00	-	10	0.1 %
8.00	-	10	0.1 %
10.00	-	20	0.3 %
	Missing Data		
.	-	3411	46.1 %
	Total	7,396	100%

Based upon 3,985 valid cases out of 7,396 total cases.

- Mean: 0.66
- Median: 0.25
- Mode: 0.08
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.25

Location: 468-472 (width: 5; decimal: 2)

Variable Type: numeric

SPEVTSER: How Serious is/was Spouse's Health Event?

Value	Label	Unweighted Frequency	%
1	Not at all	417	5.6 %
2	Slightly	1392	18.8 %
3	Somewhat	2607	35.2 %
4	Very	2093	28.3 %
5	Extremely	837	11.3 %
	Missing Data		
.	-	50	0.7 %
	Total	7,396	100%

Based upon 7,346 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 473-473 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_A: Caregiver Report of Reaction to Patient: I provided physical care to my spouse

Value	Label	Unweighted Frequency	%
1	Not at All	264	3.6 %
2	A Little	553	7.5 %
3	Modeately	2486	33.6 %
4	A Great Deal	4043	54.7 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	50	0.7 %
	Total	7,396	100%

Based upon 7,346 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 474-474 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_B: Caregiver Report of Reaction to Patient: I provided emotional support

Value	Label	Unweighted Frequency	%
1	Not at All	47	0.6 %
2	A Little	56	0.8 %
3	Modeately	1693	22.9 %
4	A Great Deal	5560	75.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 475-475 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_C: Caregiver Report of Reaction to Patient: I felt burdened by my spouse's needs

Value	Label	Unweighted Frequency	%
1	Not at All	3135	42.4 %

Value	Label	Unweighted Frequency	%
2	A Little	2491	33.7 %
3	Modeately	1429	19.3 %
4	A Great Deal	301	4.1 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 476-476 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_D: Caregiver Report of Reaction to Patient: I tried to help my spouse get a better

Value	Label	Unweighted Frequency	%
1	Not at All	87	1.2 %
2	A Little	362	4.9 %
3	Modeately	2861	38.7 %
4	A Great Deal	4046	54.7 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 477-477 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_E: Caregiver Report of Reaction to Patient: I thought my spouse exaggerated their h

Value	Label	Unweighted Frequency	%
1	Not at All	4802	64.9 %
2	A Little	1535	20.8 %
3	Modeately	856	11.6 %
4	A Great Deal	163	2.2 %
5	Extremely	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_F: Caregiver Report of Reaction to Patient: I took care of tasks that my spouse nor

Value	Label	Unweighted Frequency	%
1	Not at All	312	4.2 %
2	A Little	536	7.2 %
3	Modeately	2944	39.8 %
4	A Great Deal	3564	48.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 479-479 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_G: Caregiver Report of Reaction to Patient: I dealt with doctors or the hospital fo

Value	Label	Unweighted Frequency	%
1	Not at All	1512	20.4 %
2	A Little	1596	21.6 %
3	Modeately	2309	31.2 %
4	A Great Deal	1929	26.1 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	50	0.7 %
	Total	7,396	100%

Based upon 7,346 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 480-480 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_H: Caregiver Report of Reaction to Patient: I gave my spouse time and space to him/

Value	Label	Unweighted Frequency	%
1	Not at All	88	1.2 %
2	A Little	322	4.4 %
3	Modeately	3210	43.4 %
4	A Great Deal	3727	50.4 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	49	0.7 %
	Total	7,396	100%

Based upon 7,347 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 481-481 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_I: Caregiver Report of Reaction to Patient: I withdrew from the situation

Value	Label	Unweighted Frequency	%
1	Not at All	4565	61.7 %
2	A Little	1810	24.5 %
3	Modeately	871	11.8 %
4	A Great Deal	100	1.4 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	50	0.7 %
	Total	7,396	100%

Based upon 7,346 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTRR_J: Caregiver Report of Reaction to Patient: I worried about my spouse

Value	Label	Unweighted Frequency	%
1	Not at All	105	1.4 %
2	A Little	375	5.1 %
3	Modeately	2669	36.1 %
4	A Great Deal	4207	56.9 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

SPEVTESY: Describe main things spouse did that made caring for them easier during their he

Value	Label	Unweighted Frequency	%
	-	215	2.9 %
MASKED BY ICPSR	-	7181	97.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 484-498 (width: 15; decimal: 0)

Variable Type: character

SPEVTHRD: Describe main things spouse did during their health event that made caring for t

Value	Label	Unweighted Frequency	%
	-	193	2.6 %
MASKED BY ICPSR	-	7203	97.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 499-513 (width: 15; decimal: 0)

Variable Type: character

SPEVRSTR: How stressful was spouse's health event for you personally?

Value	Label	Unweighted Frequency	%
1	Not at All	533	7.2 %
2	A Little	1861	25.2 %

Value	Label	Unweighted Frequency	%
3	Some	2732	36.9 %
4	Quite a Bit	1504	20.3 %
5	A Great Deal	736	10.0 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

SPEVSTREL: How stressful was spouse's health event for your relationship?

Value	Label	Unweighted Frequency	%
1	Not at All	3053	41.3 %
2	A Little	2033	27.5 %
3	Some	1390	18.8 %
4	Quite a Bit	609	8.2 %
5	A Great Deal	281	3.8 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

HLTHINSUR: Do you have any kind of health care coverage?

Value	Label	Unweighted Frequency	%
0	No	177	2.4 %
1	Yes	7179	97.1 %
2	Don't Know/Not Sure	40	0.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

TRBPAYHC: Over the past year, trouble paying for health care?

Value	Label	Unweighted Frequency	%
1	No Trouble	5981	80.9 %
2	Some Trouble	1149	15.5 %
3	A Lot of Trouble	266	3.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

DRVISIT: How long since you last visited a doctor for a routine checkup?

Value	Label	Unweighted Frequency	%
1	Within past year	5549	75.0 %
2	Within past 2 years	1174	15.9 %
3	Within past 5 years	376	5.1 %
4	More than 5 years ago	187	2.5 %
5	Don't Know/Not Sure	110	1.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

RELHAPPY: R's degree of happiness in relationship

Value	Label	Unweighted Frequency	%
1	Extremely Unhappy	70	0.9 %
2	Fairly Unhappy	159	2.1 %
3	A Little Unhappy	346	4.7 %
4	Happy	1096	14.8 %
5	Very Happy	2105	28.5 %

Value	Label	Unweighted Frequency	%
6	Extremely Happy	3073	41.5 %
7	Perfect	498	6.7 %
	Missing Data		
.	-	49	0.7 %
	Total	7,396	100%

Based upon 7,347 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

RELWARM: I have a warm and comfortable relationship with my spouse

Value	Label	Unweighted Frequency	%
1	Not at All True	30	0.4 %
2	A Little True	156	2.1 %
3	Somewhat True	437	5.9 %
4	Mostly True	1019	13.8 %
5	Almost Completely True	1959	26.5 %
6	Completely True	3775	51.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

RELCONFI: I feel I can confide in my spouse about virtually anything

Value	Label	Unweighted Frequency	%
1	Not at All True	30	0.4 %
2	A Little True	192	2.6 %
3	Somewhat True	419	5.7 %
4	Mostly True	837	11.3 %
5	Almost Completely True	2086	28.2 %
6	Completely True	3822	51.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

RELREWAR: How rewarding is your relationship with your spouse?

Value	Label	Unweighted Frequency	%
1	Not at All	39	0.5 %
2	A Little	165	2.2 %
3	Somewhat	325	4.4 %
4	Mostly	1397	18.9 %
5	Almost Completely	2605	35.2 %
6	Completely	2865	38.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

RELSATIS: In general, how satisfied are you with your relationship?

Value	Label	Unweighted Frequency	%
1	Not at All	69	0.9 %
2	A Little	125	1.7 %
3	Somewhat	382	5.2 %
4	Mostly	1289	17.4 %
5	Almost Completely	2932	39.6 %
6	Completely	2599	35.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

SPLOVCAR: How much does spouse make you feel loved and cared for?

Value	Label	Unweighted Frequency	%
1	Not at All	75	1.0 %
2	A Little	145	2.0 %
3	Somewhat	756	10.2 %
4	Quite a Bit	2192	29.6 %
5	A Great Deal	4228	57.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

SPCRITIC: How much is spouse critical of you or what you do?

Value	Label	Unweighted Frequency	%
1	Not at All	1869	25.3 %
2	A Little	3112	42.1 %
3	Somewhat	1623	21.9 %
4	Quite a Bit	588	8.0 %
5	A Great Deal	204	2.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

SPLISTEN: How much is spouse willing listen when need talk about worries or problems?

Value	Label	Unweighted Frequency	%
1	Not at All	60	0.8 %
2	A Little	351	4.7 %
3	Somewhat	1146	15.5 %
4	Quite a Bit	2268	30.7 %

Value	Label	Unweighted Frequency	%
5	A Great Deal	3571	48.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

SPDEMAND: How much does spouse make too many demands on you?

Value	Label	Unweighted Frequency	%
1	Not at All	3739	50.6 %
2	A Little	2320	31.4 %
3	Somewhat	977	13.2 %
4	Quite a Bit	262	3.5 %
5	A Great Deal	98	1.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

RSLOVCAR: How much does R try to make spouse feel loved and cared for?

Value	Label	Unweighted Frequency	%
1	Not at All	22	0.3 %
2	A Little	148	2.0 %
3	Somewhat	1010	13.7 %
4	Quite a Bit	3027	40.9 %
5	A Great Deal	3189	43.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

RSLISTEN: How much is R willing listen when spouse needs talk about worries or problems?

Value	Label	Unweighted Frequency	%
1	Not at All	0	0.0 %
2	A Little	52	0.7 %
3	Somewhat	541	7.3 %
4	Quite a Bit	2564	34.7 %
5	A Great Deal	4239	57.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

RTELNEED: R tells spouse what want or need from him/her?

Value	Label	Unweighted Frequency	%
1	Never	32	0.4 %
2	Very Little	319	4.3 %
3	Occasionally	2097	28.4 %
4	Somewhat Frequently	3071	41.5 %
5	Very Frequently	1877	25.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

RSHWNEED: R shows with behavior what want or need from spouse?

Value	Label	Unweighted Frequency	%
1	Never	62	0.8 %
2	Very Little	413	5.6 %
3	Occasionally	2368	32.0 %
4	Somewhat Frequently	3050	41.2 %
5	Very Frequently	1503	20.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

RTRYCHSP: R tries change things about spouse that bother them?

Value	Label	Unweighted Frequency	%
1	Never	560	7.6 %
2	Very Little	2787	37.7 %
3	Occasionally	2759	37.3 %
4	Somewhat Frequently	959	13.0 %
5	Very Frequently	331	4.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

RSTCONVO: R starts conversation when there is tension between R and spouse?

Value	Label	Unweighted Frequency	%
1	Never	123	1.7 %
2	Very Little	781	10.6 %
3	Occasionally	2759	37.3 %
4	Somewhat Frequently	2446	33.1 %
5	Very Frequently	1277	17.3 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 533-533 (width: 1; decimal: 0)

Variable Type: numeric

RSENSE: R senses when spouse is disturbed or bothered?

Value	Label	Unweighted Frequency	%
1	Never	10	0.1 %
2	Very Little	115	1.6 %
3	Occasionally	938	12.7 %
4	Somewhat Frequently	3218	43.5 %
5	Very Frequently	3115	42.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

RKPFEEEL: R keeps feelings to self?

Value	Label	Unweighted Frequency	%
1	Never	448	6.1 %
2	Very Little	2052	27.7 %
3	Occasionally	3213	43.4 %
4	Somewhat Frequently	1295	17.5 %
5	Very Frequently	368	5.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

RCHANGE: R changes things about self to please spouse?

Value	Label	Unweighted Frequency	%
1	Never	567	7.7 %
2	Very Little	2246	30.4 %
3	Occasionally	3352	45.3 %
4	Somewhat Frequently	997	13.5 %
5	Very Frequently	234	3.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

RGIVSPAC: R gives spouse space when they are troubled or stressed?

Value	Label	Unweighted Frequency	%
1	Never	20	0.3 %
2	Very Little	289	3.9 %
3	Occasionally	2483	33.6 %
4	Somewhat Frequently	3224	43.6 %
5	Very Frequently	1380	18.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

MOODPOS: How often do good things happen to spouse affect Rs mood in a positive way?

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Rarely	26	0.4 %
3	Sometimes	635	8.6 %
4	Often	3178	43.0 %
5	Always	3557	48.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

MOODNEG: How often do stressful things happen to spouse affect Rs mood negatively?

Value	Label	Unweighted Frequency	%
1	Never	60	0.8 %

Value	Label	Unweighted Frequency	%
2	Rarely	454	6.1 %
3	Sometimes	2983	40.3 %
4	Often	2813	38.0 %
5	Always	1086	14.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

MOODTENS: How often does tension with spouse affect Rs mood negatively?

Value	Label	Unweighted Frequency	%
1	Never	103	1.4 %
2	Rarely	1134	15.3 %
3	Sometimes	2417	32.7 %
4	Often	2130	28.8 %
5	Always	1612	21.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

ARGUEFRQ: About how often do you and your spouse argue with each other?

Value	Label	Unweighted Frequency	%
1	Very Rarely	1547	20.9 %
2	Rarely	2444	33.0 %
3	Sometimes	2769	37.4 %
4	Often	571	7.7 %
5	Very Often	65	0.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

ARGUESTR: When you and your spouse argue, how stressful is this for you?

Value	Label	Unweighted Frequency	%
1	Not at all	80	1.1 %
2	Slightly	1006	13.6 %
3	Somewhat	2237	30.2 %
4	Very	2994	40.5 %
5	Extremely	1059	14.3 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

SPREQUIR: How often does your spouse require too much time and attention?

Value	Label	Unweighted Frequency	%
1	Very Rarely	2140	28.9 %
2	Rarely	3332	45.1 %
3	Sometimes	1463	19.8 %
4	Often	375	5.1 %
5	Very Often	86	1.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

SPEXPLOD: How frequently spouse: Explode and get out of control

Value	Label	Unweighted Frequency	%
1	Never	3129	42.3 %
2	Rarely	2385	32.2 %

Value	Label	Unweighted Frequency	%
3	Sometimes	1286	17.4 %
4	Often	531	7.2 %
5	Always	65	0.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

SPREFUSE: How frequently spouse: Reach limit and refuse talk any further

Value	Label	Unweighted Frequency	%
1	Never	1862	25.2 %
2	Rarely	2380	32.2 %
3	Sometimes	2015	27.2 %
4	Often	929	12.6 %
5	Always	210	2.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

SPINSULT: How frequently spouse: Throw insults and digs

Value	Label	Unweighted Frequency	%
1	Never	3227	43.6 %
2	Rarely	2162	29.2 %
3	Sometimes	1220	16.5 %
4	Often	599	8.1 %
5	Always	188	2.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 546-546 (width: 1; decimal: 0)

Variable Type: numeric

SPWITHDW: How frequently spouse: Withdraw, act distant, not interested

Value	Label	Unweighted Frequency	%
1	Never	1748	23.6 %
2	Rarely	2596	35.1 %
3	Sometimes	2012	27.2 %
4	Often	811	11.0 %
5	Always	229	3.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

CESD1: Past Week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	6055	81.9 %
2	Some of the Time	784	10.6 %
3	Occasionally	477	6.4 %
4	Most of the Time	80	1.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

CESD2: Past Week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	4302	58.2 %
2	Some of the Time	2124	28.7 %
3	Occasionally	768	10.4 %
4	Most of the Time	202	2.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

CESD3: Past Week: I felt like everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	3920	53.0 %
2	Some of the Time	2459	33.2 %
3	Occasionally	740	10.0 %
4	Most of the Time	277	3.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

CESD4: Past Week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	2243	30.3 %
2	Some of the Time	2866	38.8 %
3	Occasionally	1411	19.1 %
4	Most of the Time	876	11.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

CESD5: Past Week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	129	1.7 %
2	Some of the Time	874	11.8 %
3	Occasionally	1700	23.0 %
4	Most of the Time	4693	63.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 552-552 (width: 1; decimal: 0)

Variable Type: numeric

CESD6: Past Week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	5118	69.2 %
2	Some of the Time	1391	18.8 %
3	Occasionally	747	10.1 %
4	Most of the Time	140	1.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 553-553 (width: 1; decimal: 0)

Variable Type: numeric

CESD7: Past Week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	5533	74.8 %
2	Some of the Time	1427	19.3 %
3	Occasionally	408	5.5 %
4	Most of the Time	28	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric

CESD8: Past Week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	136	1.8 %
2	Some of the Time	836	11.3 %
3	Occasionally	1649	22.3 %

Value	Label	Unweighted Frequency	%
4	Most of the Time	4769	64.5 %
	Missing Data		
.	-	6	0.1 %
	Total	7,396	100%

Based upon 7,390 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

CESD9: Past Week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	3812	51.5 %
2	Some of the Time	2423	32.8 %
3	Occasionally	957	12.9 %
4	Most of the Time	204	2.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 556-556 (width: 1; decimal: 0)

Variable Type: numeric

CESD10: Past Week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	5596	75.7 %
2	Some of the Time	1392	18.8 %
3	Occasionally	361	4.9 %
4	Most of the Time	47	0.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 557-557 (width: 1; decimal: 0)

Variable Type: numeric

CESD11: Past Week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	3822	51.7 %
2	Some of the Time	2407	32.5 %
3	Occasionally	986	13.3 %
4	Most of the Time	181	2.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 558-558 (width: 1; decimal: 0)

Variable Type: numeric

DEPSYM: R Depressive Symptoms (Pos items reverse coded)

Value	Label	Unweighted Frequency	%
11	-	699	9.5 %
12	-	701	9.5 %
13	-	857	11.6 %
14	-	786	10.6 %
15	-	630	8.5 %
16	-	572	7.7 %
17	-	416	5.6 %
18	-	414	5.6 %
19	-	370	5.0 %
20	-	268	3.6 %
21	-	266	3.6 %
22	-	234	3.2 %
23	-	239	3.2 %
24	-	164	2.2 %
25	-	186	2.5 %
26	-	126	1.7 %
27	-	118	1.6 %
28	-	40	0.5 %
29	-	48	0.6 %
30	-	70	0.9 %
31	-	57	0.8 %
32	-	37	0.5 %
33	-	40	0.5 %

Value	Label	Unweighted Frequency	%
34	-	20	0.3 %
35	-	9	0.1 %
37	-	19	0.3 %
38	-	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 17.04
- Median: 16.00
- Mode: 13.00
- Minimum: 11.00
- Maximum: 38.00
- Standard Deviation: 5.27

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

DSCAUSE1: CESD Past Week: Due to Physical Health Problems

Value	Label	Unweighted Frequency	%
1	None of the time	4137	55.9 %
2	A little of the time	1659	22.4 %
3	Some of the time	729	9.9 %
4	Most of the time	637	8.6 %
5	All of the time	234	3.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

DSCAUSE2: CESD Past Week: Due to Problems w/Spouse

Value	Label	Unweighted Frequency	%
1	None of the time	4931	66.7 %
2	A little of the time	1484	20.1 %
3	Some of the time	619	8.4 %
4	Most of the time	302	4.1 %
5	All of the time	60	0.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

PEARLIN1: Past Week: R unable control important things in life

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	4563	61.7 %
2	Some of the Time	1724	23.3 %
3	Occasionally	649	8.8 %
4	Most of the Time	460	6.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 563-563 (width: 1; decimal: 0)

Variable Type: numeric

PEARLIN2: Past Week: R felt confident about ability handle personal problems

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	172	2.3 %
2	Some of the Time	892	12.1 %
3	Occasionally	1145	15.5 %
4	Most of the Time	5187	70.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 564-564 (width: 1; decimal: 0)

Variable Type: numeric

PEARLIN3: Past Week: R felt things going their way

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	331	4.5 %
2	Some of the Time	1531	20.7 %
3	Occasionally	2215	29.9 %

Value	Label	Unweighted Frequency	%
4	Most of the Time	3319	44.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 565-565 (width: 1; decimal: 0)

Variable Type: numeric

PEARLIN4: Past Week: R felt difficulties piling up so high could not overcome them

Value	Label	Unweighted Frequency	%
1	Rarely/None of Time	4971	67.2 %
2	Some of the Time	1491	20.2 %
3	Occasionally	670	9.1 %
4	Most of the Time	264	3.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 566-566 (width: 1; decimal: 0)

Variable Type: numeric

RMHSCAUS: Time R Felt Most Distressed: Cause

Value	Label	Unweighted Frequency	%
	-	20	0.3 %
MASKED BY ICPSR	-	7376	99.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 567-581 (width: 15; decimal: 0)

Variable Type: character

RMHSBEG: Time R Felt Most Distressed: When Occured

Value	Label	Unweighted Frequency	%
1	Less than a year ago	2037	27.5 %
2	1 to 2 years ago	1263	17.1 %
3	3 to 4 years ago	1450	19.6 %

Value	Label	Unweighted Frequency	%
4	5 or more years ago	2606	35.2 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

RMHSCUR: Time R Felt Most Distressed: Still going on?

Value	Label	Unweighted Frequency	%
0	No	4425	59.8 %
1	Yes	2961	40.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

RMHSDUR1: (If no longer experiencing) How long did this period of distress last(YRS)?

Value	Label	Unweighted Frequency	%
	-	2991	40.4 %
MASKED BY ICPSR	-	4405	59.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 584-598 (width: 15; decimal: 0)

Variable Type: character

RMHSDUR2: (If still experiencing) How long has this period of distress been going on(YRS)?

Value	Label	Unweighted Frequency	%
0.01	-	10	0.1 %

Value	Label	Unweighted Frequency	%
0.02	-	50	0.7 %
0.04	-	20	0.3 %
0.08	-	68	0.9 %
0.17	-	69	0.9 %
0.25	-	106	1.4 %
0.33	-	38	0.5 %
0.42	-	58	0.8 %
0.50	-	118	1.6 %
0.58	-	30	0.4 %
0.67	-	50	0.7 %
0.75	-	30	0.4 %
0.83	-	39	0.5 %
0.91	-	10	0.1 %
1.00	-	247	3.3 %
1.17	-	20	0.3 %
1.25	-	10	0.1 %
1.33	-	20	0.3 %
1.50	-	118	1.6 %
2.00	-	328	4.4 %
2.50	-	50	0.7 %
3.00	-	214	2.9 %
3.50	-	79	1.1 %
4.00	-	127	1.7 %
4.50	-	40	0.5 %
5.00	-	213	2.9 %
5.50	-	10	0.1 %
6.00	-	118	1.6 %
7.00	-	60	0.8 %
8.00	-	88	1.2 %
9.00	-	49	0.7 %
10.00	-	124	1.7 %
11.00	-	10	0.1 %
11.50	-	18	0.2 %
12.00	-	20	0.3 %
13.00	-	20	0.3 %
14.00	-	40	0.5 %
15.00	-	40	0.5 %
17.00	-	10	0.1 %
18.00	-	10	0.1 %

Value	Label	Unweighted Frequency	%
20.00	-	27	0.4 %
25.00	-	10	0.1 %
27.00	-	10	0.1 %
35.00	-	10	0.1 %
	Missing Data		
.	-	4560	61.7 %
	Total	7,396	100%

Based upon 2,836 valid cases out of 7,396 total cases.

- Mean: 4.06
- Median: 2.00
- Mode: 2.00
- Minimum: 0.01
- Maximum: 35.00
- Standard Deviation: 4.81

Location: 599-603 (width: 5; decimal: 2)

Variable Type: numeric

RMHSSER: How serious was Rs emotional distress during this period?

Value	Label	Unweighted Frequency	%
1	Not at all	92	1.2 %
2	Slightly	748	10.1 %
3	Somewhat	2356	31.9 %
4	Very	2760	37.3 %
5	Extremely	1430	19.3 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 604-604 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR1: Spouse Reaction to Distress: supportive and caring

Value	Label	Unweighted Frequency	%
1	Not at All	134	1.8 %
2	A Little	726	9.8 %
3	Modeately	2180	29.5 %

Value	Label	Unweighted Frequency	%
4	A Great Deal	4346	58.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR2: Spouse Reaction to Distress: annoyed w/ R feeling distressed

Value	Label	Unweighted Frequency	%
1	Not at All	2652	35.9 %
2	A Little	1741	23.5 %
3	Modeately	2326	31.4 %
4	A Great Deal	677	9.2 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 606-606 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR3: Spouse Reaction to Distress: helped R get better perspective

Value	Label	Unweighted Frequency	%
1	Not at All	317	4.3 %
2	A Little	988	13.4 %
3	Modeately	3201	43.3 %
4	A Great Deal	2890	39.1 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 607-607 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR4: Spouse Reaction to Distress: R worried about stress put on spouse

Value	Label	Unweighted Frequency	%
1	Not at All	838	11.3 %
2	A Little	1243	16.8 %
3	Modeately	3013	40.7 %
4	A Great Deal	2302	31.1 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 608-608 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR5: Spouse Reaction to Distress: withdrew when R sad/upset

Value	Label	Unweighted Frequency	%
1	Not at All	3020	40.8 %
2	A Little	2096	28.3 %
3	Modeately	1781	24.1 %
4	A Great Deal	499	6.7 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 609-609 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR6: Spouse Reaction to Distress: gave R time and space to self

Value	Label	Unweighted Frequency	%
1	Not at All	68	0.9 %
2	A Little	604	8.2 %
3	Modeately	3204	43.3 %
4	A Great Deal	3510	47.5 %

Value	Label	Unweighted Frequency	%
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 610-610 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR7: Spouse Reaction to Distress: didn't take distress as seriously as R wanted

Value	Label	Unweighted Frequency	%
1	Not at All	3299	44.6 %
2	A Little	1606	21.7 %
3	Moderately	1718	23.2 %
4	A Great Deal	773	10.5 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 611-611 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR8: Spouse Reaction to Distress: took on tasks R normally handled

Value	Label	Unweighted Frequency	%
1	Not at All	1150	15.5 %
2	A Little	1965	26.6 %
3	Moderately	2702	36.5 %
4	A Great Deal	1559	21.1 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 612-612 (width: 1; decimal: 0)

Variable Type: numeric

RMHSSPR9: Spouse Reaction to Distress: urged R to talk about situation

Value	Label	Unweighted Frequency	%
1	Not at All	716	9.7 %
2	A Little	1173	15.9 %
3	Modeately	2867	38.8 %
4	A Great Deal	2630	35.6 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

RMHSPHLP: Describe how spouse reacted to distress in ways that were helpful

Value	Label	Unweighted Frequency	%
	-	143	1.9 %
MASKED BY ICPSR	-	7253	98.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 614-628 (width: 15; decimal: 0)

Variable Type: character

RMHSPHRT: Describe how spouse reacted in ways were not helpful/made feel more distressed.

Value	Label	Unweighted Frequency	%
	-	264	3.6 %
MASKED BY ICPSR	-	7132	96.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 629-643 (width: 15; decimal: 0)

Variable Type: character

RMHSTREL: How stressful was your emotional distress for your relationship with your spouse

Value	Label	Unweighted Frequency	%
1	Not at all	1020	13.8 %
2	Slightly	1680	22.7 %
3	Somewhat	2300	31.1 %
4	Very	1643	22.2 %
5	Extremely	753	10.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 644-644 (width: 1; decimal: 0)

Variable Type: numeric

SMHSCAUS: Time Spouse Felt Most Distressed (Reported by Respondent): Cause

Value	Label	Unweighted Frequency	%
	-	19	0.3 %
MASKED BY ICPSR	-	7377	99.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 645-659 (width: 15; decimal: 0)

Variable Type: character

SMHSBEG: Time Spouse Felt Most Distressed (Reported by Respondent): When Occured

Value	Label	Unweighted Frequency	%
1	Less than a year ago	1457	19.7 %
2	1 to 2 years ago	1447	19.6 %
3	3 to 4 years ago	1471	19.9 %
4	5 or more years ago	2991	40.4 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 660-660 (width: 1; decimal: 0)

Variable Type: numeric

SMHSCUR: Time Spouse Felt Most Distressed (Reported by Respondent): Still going on?

Value	Label	Unweighted Frequency	%
0	No	4759	64.3 %
1	Yes	2617	35.4 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 661-661 (width: 1; decimal: 0)

Variable Type: numeric

SMHSDUR1: (If no longer experiencing) How long did your spouse's distress last? (YRS)

Value	Label	Unweighted Frequency	%
0.00	-	20	0.3 %
0.01	-	90	1.2 %
0.02	-	80	1.1 %
0.04	-	66	0.9 %
0.08	-	258	3.5 %
0.17	-	128	1.7 %
0.25	-	422	5.7 %
0.33	-	68	0.9 %
0.42	-	69	0.9 %
0.50	-	454	6.1 %
0.58	-	30	0.4 %
0.67	-	50	0.7 %
0.75	-	158	2.1 %
0.83	-	10	0.1 %
0.91	-	10	0.1 %
1.00	-	1171	15.8 %
1.25	-	10	0.1 %
1.50	-	140	1.9 %
2.00	-	489	6.6 %
2.50	-	80	1.1 %
3.00	-	282	3.8 %

Value	Label	Unweighted Frequency	%
3.50	-	99	1.3 %
4.00	-	90	1.2 %
5.00	-	76	1.0 %
6.00	-	10	0.1 %
7.00	-	20	0.3 %
8.00	-	28	0.4 %
9.00	-	10	0.1 %
10.00	-	60	0.8 %
15.00	-	10	0.1 %
23.00	-	10	0.1 %
	Missing Data		
.	-	2898	39.2 %
	Total	7,396	100%

Based upon 4,498 valid cases out of 7,396 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 2.06

Location: 662-666 (width: 5; decimal: 2)

Variable Type: numeric

SMHSDUR2: (If still experiencing) How long has your spouse's distress been going on? (YRS)

Value	Label	Unweighted Frequency	%
0.02	-	10	0.1 %
0.04	-	10	0.1 %
0.17	-	40	0.5 %
0.25	-	39	0.5 %
0.33	-	48	0.6 %
0.42	-	10	0.1 %
0.50	-	157	2.1 %
0.58	-	30	0.4 %
0.75	-	60	0.8 %
0.83	-	10	0.1 %
1.00	-	167	2.3 %
1.25	-	20	0.3 %
1.50	-	159	2.1 %
2.00	-	215	2.9 %

Value	Label	Unweighted Frequency	%
2.17	-	10	0.1 %
2.50	-	78	1.1 %
3.00	-	305	4.1 %
3.50	-	20	0.3 %
4.00	-	139	1.9 %
4.50	-	10	0.1 %
5.00	-	293	4.0 %
6.00	-	79	1.1 %
7.00	-	46	0.6 %
8.00	-	76	1.0 %
8.50	-	10	0.1 %
9.00	-	30	0.4 %
10.00	-	99	1.3 %
11.00	-	30	0.4 %
12.00	-	27	0.4 %
14.00	-	20	0.3 %
17.00	-	20	0.3 %
20.00	-	38	0.5 %
25.00	-	9	0.1 %
30.00	-	17	0.2 %
	Missing Data		
.	-	5065	68.5 %
	Total	7,396	100%

Based upon 2,331 valid cases out of 7,396 total cases.

- Mean: 4.22
- Median: 3.00
- Mode: 3.00
- Minimum: 0.02
- Maximum: 30.00
- Standard Deviation: 4.62

Location: 667-671 (width: 5; decimal: 2)

Variable Type: numeric

SMHSSER: How serious was spouse's emotional distress during this time?

Value	Label	Unweighted Frequency	%
1	Not at all	64	0.9 %
2	Slightly	764	10.3 %
3	Somewhat	2473	33.4 %
4	Very	3003	40.6 %

Value	Label	Unweighted Frequency	%
5	Extremely	1082	14.6 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 672-672 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR1: R Reaction to Spouse's Distress: provided support or care

Value	Label	Unweighted Frequency	%
1	Not at All	84	1.1 %
2	A Little	207	2.8 %
3	Moderately	2136	28.9 %
4	A Great Deal	4969	67.2 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 673-673 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR2: R Reaction to Spouse's Distress: felt annoyed or burdened by spouse's needs

Value	Label	Unweighted Frequency	%
1	Not at All	2656	35.9 %
2	A Little	2176	29.4 %
3	Moderately	2218	30.0 %
4	A Great Deal	346	4.7 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 674-674 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR3: R Reaction to Spouse's Distress: tried help spouse get better perspective

Value	Label	Unweighted Frequency	%
1	Not at All	54	0.7 %
2	A Little	215	2.9 %
3	Modeately	2624	35.5 %
4	A Great Deal	4503	60.9 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 675-675 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR4: R Reaction to Spouse's Distress: worried about spouse

Value	Label	Unweighted Frequency	%
1	Not at All	186	2.5 %
2	A Little	363	4.9 %
3	Modeately	2491	33.7 %
4	A Great Deal	4356	58.9 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 676-676 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR5: R Reaction to Spouse's Distress: withdrew from situation

Value	Label	Unweighted Frequency	%
1	Not at All	3166	42.8 %
2	A Little	2080	28.1 %
3	Modeately	1879	25.4 %
4	A Great Deal	261	3.5 %
5	Extremely	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR6: R Reaction to Spouse's Distress: gave spouse time and space

Value	Label	Unweighted Frequency	%
1	Not at All	36	0.5 %
2	A Little	246	3.3 %
3	Modeately	3748	50.7 %
4	A Great Deal	3366	45.5 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR7: R Reaction to Spouse's Distress: provided support even though didn't want to

Value	Label	Unweighted Frequency	%
1	Not at All	1891	25.6 %
2	A Little	1157	15.6 %
3	Modeately	2553	34.5 %
4	A Great Deal	1757	23.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	38	0.5 %
	Total	7,396	100%

Based upon 7,358 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 679-679 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR8: R Reaction to Spouse's Distress: took care of spouse's normal tasks

Value	Label	Unweighted Frequency	%
1	Not at All	507	6.9 %
2	A Little	1235	16.7 %
3	Modeately	3315	44.8 %
4	A Great Deal	2339	31.6 %
5	Extremely	0	0.0 %
Total		7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 680-680 (width: 1; decimal: 0)

Variable Type: numeric

SMHSRSR9: R Reaction to Spouse's Distress: encouraged spouse talk about feelings

Value	Label	Unweighted Frequency	%
1	Not at All	110	1.5 %
2	A Little	461	6.2 %
3	Modeately	2473	33.4 %
4	A Great Deal	4352	58.8 %
5	Extremely	0	0.0 %
Total		7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 681-681 (width: 1; decimal: 0)

Variable Type: numeric

SMHRSHLP: main things R did to try and help spouse feel better during time distressed

Value	Label	Unweighted Frequency	%
	-	123	1.7 %
MASKED BY ICPSR	-	7273	98.3 %
Total		7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 682-696 (width: 15; decimal: 0)

Variable Type: character

SMHSRSTR: How stressful was your spouse's distress for you personally?

Value	Label	Unweighted Frequency	%
1	Not at all	255	3.4 %
2	Slightly	1340	18.1 %
3	Somewhat	2648	35.8 %
4	Very	2300	31.1 %
5	Extremely	853	11.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 697-697 (width: 1; decimal: 0)

Variable Type: numeric

SMHSTREL: How stressful was your spouse's distress for your relationship?

Value	Label	Unweighted Frequency	%
1	Not at all	1570	21.2 %
2	Slightly	1961	26.5 %
3	Somewhat	1873	25.3 %
4	Very	1462	19.8 %
5	Extremely	530	7.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 698-698 (width: 1; decimal: 0)

Variable Type: numeric

SMHSTTXT: Describe the most stressful aspects of dealing with your spouse's distress.

Value	Label	Unweighted Frequency	%
	-	239	3.2 %
MASKED BY ICPSR	-	7157	96.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 699-713 (width: 15; decimal: 0)

Variable Type: character

SMHSFUTR: How concerned are you spouse might experience significant distress in future?

Value	Label	Unweighted Frequency	%
1	Not at all	2616	35.4 %
2	Slightly	2086	28.2 %
3	Somewhat	1873	25.3 %
4	Very	558	7.5 %
5	Extremely	255	3.4 %
	Missing Data		
.	-	8	0.1 %
	Total	7,396	100%

Based upon 7,388 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 714-714 (width: 1; decimal: 0)

Variable Type: numeric

SMOKER: Respondent's Smoking Behavior

Value	Label	Unweighted Frequency	%
1	never smoked, tried once/twice	4213	57.0 %
2	I have given up smoking tobacco	2501	33.8 %
3	I smoke tobacco ocasionaly	357	4.8 %
4	I smoke tobacco regularly	325	4.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 715-715 (width: 1; decimal: 0)

Variable Type: numeric

CATSMOKE: Categorical Smoking

Value	Label	Unweighted Frequency	%
1	Non-Smoker	4213	57.0 %
2	Former Smoker	2501	33.8 %
3	Current Smoker	682	9.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 716-716 (width: 1; decimal: 0)

Variable Type: numeric

NSYRSQUT: Current NON Smoker: How many years ago did R quit

Value	Label	Unweighted Frequency	%
0.3	-	10	0.1 %
0.5	-	10	0.1 %
1.0	-	40	0.5 %
1.5	-	19	0.3 %
2.0	-	40	0.5 %
3.0	-	56	0.8 %
4.0	-	78	1.1 %
5.0	-	125	1.7 %
5.5	-	10	0.1 %
6.0	-	70	0.9 %
7.0	-	90	1.2 %
8.0	-	107	1.4 %
9.0	-	70	0.9 %
10.0	-	207	2.8 %
11.0	-	58	0.8 %
12.0	-	99	1.3 %
13.0	-	30	0.4 %
14.0	-	36	0.5 %
15.0	-	198	2.7 %
16.0	-	67	0.9 %
17.0	-	58	0.8 %
18.0	-	49	0.7 %
19.0	-	20	0.3 %
20.0	-	204	2.8 %
21.0	-	40	0.5 %
22.0	-	60	0.8 %
23.0	-	39	0.5 %
24.0	-	10	0.1 %
25.0	-	146	2.0 %
26.0	-	30	0.4 %
27.0	-	30	0.4 %
28.0	-	20	0.3 %

Value	Label	Unweighted Frequency	%
30.0	-	148	2.0 %
31.0	-	10	0.1 %
32.0	-	30	0.4 %
33.0	-	18	0.2 %
35.0	-	60	0.8 %
36.0	-	10	0.1 %
37.0	-	10	0.1 %
38.0	-	10	0.1 %
40.0	-	30	0.4 %
42.0	-	10	0.1 %
2000.0	-	10	0.1 %
	Missing Data		
.	-	4924	66.6 %
	Total	7,396	100%

Based upon 2,472 valid cases out of 7,396 total cases.

- Mean: 23.97
- Median: 15.00
- Mode: 10.00
- Minimum: 0.30
- Maximum: 2000.00
- Standard Deviation: 126.33

Location: 717-722 (width: 6; decimal: 1)

Variable Type: numeric

NSYRSMOK: Current NON Smoker: How many years did R smoke

Value	Label	Unweighted Frequency	%
0.3	-	10	0.1 %
1.0	-	116	1.6 %
2.0	-	148	2.0 %
3.0	-	159	2.1 %
4.0	-	120	1.6 %
5.0	-	178	2.4 %
6.0	-	68	0.9 %
7.0	-	50	0.7 %
8.0	-	70	0.9 %
9.0	-	10	0.1 %
10.0	-	421	5.7 %
11.0	-	20	0.3 %
12.0	-	100	1.4 %

Value	Label	Unweighted Frequency	%
13.0	-	30	0.4 %
14.0	-	39	0.5 %
15.0	-	190	2.6 %
16.0	-	69	0.9 %
17.0	-	10	0.1 %
18.0	-	59	0.8 %
19.0	-	20	0.3 %
20.0	-	214	2.9 %
22.0	-	20	0.3 %
23.0	-	10	0.1 %
25.0	-	138	1.9 %
29.0	-	10	0.1 %
30.0	-	106	1.4 %
31.0	-	10	0.1 %
33.0	-	10	0.1 %
35.0	-	37	0.5 %
40.0	-	30	0.4 %
	Missing Data		
.	-	4924	66.6 %
	Total	7,396	100%

Based upon 2,472 valid cases out of 7,396 total cases.

- Mean: 12.46
- Median: 10.00
- Mode: 10.00
- Minimum: 0.30
- Maximum: 40.00
- Standard Deviation: 9.01

Location: 723-726 (width: 4; decimal: 1)

Variable Type: numeric

CSDAYSMK: Current Smoker: How many days a week R smokes

Value	Label	Unweighted Frequency	%
	-	6724	90.9 %
MASKED BY ICPSR	-	672	9.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 727-741 (width: 15; decimal: 0)

Variable Type: character

CSYRSMOK: Current Smoker: How many years has R been smoking

Value	Label	Unweighted Frequency	%
	-	6878	93.0 %
MASKED BY ICPSR	-	518	7.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 742-756 (width: 15; decimal: 0)

Variable Type: character

CSNUMCIG: Current Smoker: On days that smoke, how many cigs?

Value	Label	Unweighted Frequency	%
	-	6714	90.8 %
MASKED BY ICPSR	-	682	9.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 757-771 (width: 15; decimal: 0)

Variable Type: character

DRINKER: How often does Respondent drink alcohol?

Value	Label	Unweighted Frequency	%
1	Never or tried once/twice	256	3.5 %
2	R gave up alcohol	591	8.0 %
3	less than once a month	1509	20.4 %
4	more than once a month but not weekly	1335	18.1 %
5	1-2 days per week	1444	19.5 %
6	3 to 5 days per week	1228	16.6 %
7	6 to 7 days per week	1033	14.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 772-772 (width: 1; decimal: 0)

Variable Type: numeric

NDMNSQUT: Current NON Drinker: How many months ago did stop

Value	Label	Unweighted Frequency	%
0	-	60	0.8 %
1	-	10	0.1 %
2	-	10	0.1 %
3	-	20	0.3 %
4	-	8	0.1 %
5	-	20	0.3 %
6	-	10	0.1 %
7	-	20	0.3 %
8	-	10	0.1 %
9	-	10	0.1 %
10	-	30	0.4 %
23	-	10	0.1 %
	Missing Data		
.	-	7178	97.1 %
	Total	7,396	100%

Based upon 218 valid cases out of 7,396 total cases.

- Mean: 5.15
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 5.33

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

NDYRSQUT: Current NON Drinker: How many years ago did stop

Value	Label	Unweighted Frequency	%
1	-	18	0.2 %
2	-	30	0.4 %
3	-	10	0.1 %
4	-	30	0.4 %
5	-	30	0.4 %
6	-	20	0.3 %
7	-	10	0.1 %
8	-	40	0.5 %
9	-	10	0.1 %
10	-	20	0.3 %
11	-	10	0.1 %
12	-	19	0.3 %

Value	Label	Unweighted Frequency	%
13	-	10	0.1 %
15	-	9	0.1 %
16	-	10	0.1 %
17	-	10	0.1 %
18	-	10	0.1 %
20	-	50	0.7 %
22	-	10	0.1 %
24	-	10	0.1 %
25	-	77	1.0 %
27	-	10	0.1 %
28	-	40	0.5 %
30	-	20	0.3 %
31	-	10	0.1 %
33	-	10	0.1 %
35	-	10	0.1 %
	Missing Data		
.	-	6853	92.7 %
	Total	7,396	100%

Based upon 543 valid cases out of 7,396 total cases.

- Mean: 15.94
- Median: 16.00
- Mode: 25.00
- Minimum: 1.00
- Maximum: 35.00
- Standard Deviation: 10.03

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

CDNUMDRK: On days that drink, how many drinks

Value	Label	Unweighted Frequency	%
0.0	-	847	11.5 %
0.5	-	110	1.5 %
1.0	-	2482	33.6 %
1.5	-	387	5.2 %
2.0	-	1988	26.9 %
2.5	-	226	3.1 %
3.0	-	695	9.4 %
3.5	-	90	1.2 %
4.0	-	307	4.2 %

Value	Label	Unweighted Frequency	%
4.5	-	40	0.5 %
5.0	-	59	0.8 %
6.0	-	109	1.5 %
6.5	-	10	0.1 %
7.0	-	26	0.4 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Mean: 1.72
- Median: 1.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.23

Location: 777-779 (width: 3; decimal: 1)

Variable Type: numeric

CATDRINK: Categorical Drinking

Value	Label	Unweighted Frequency	%
1	Non-Drinker	847	11.5 %
2	Moderate Drinker	5193	70.2 %
3	Heavy Drinker	1336	18.1 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 780-780 (width: 1; decimal: 0)

Variable Type: numeric

CDDAYSBD: Last 3 months: How many days had 4+ drinks on 1 occasion

Value	Label	Unweighted Frequency	%
0.0	-	4026	54.4 %
1.0	-	712	9.6 %
1.5	-	10	0.1 %
2.0	-	443	6.0 %

Value	Label	Unweighted Frequency	%
3.0	-	349	4.7 %
4.0	-	305	4.1 %
4.5	-	10	0.1 %
5.0	-	267	3.6 %
5.5	-	8	0.1 %
6.0	-	158	2.1 %
7.0	-	49	0.7 %
8.0	-	89	1.2 %
9.0	-	29	0.4 %
10.0	-	118	1.6 %
12.0	-	40	0.5 %
12.5	-	10	0.1 %
14.0	-	10	0.1 %
15.0	-	40	0.5 %
16.0	-	30	0.4 %
18.0	-	17	0.2 %
20.0	-	38	0.5 %
24.0	-	40	0.5 %
25.0	-	40	0.5 %
30.0	-	40	0.5 %
37.5	-	10	0.1 %
40.0	-	7	0.1 %
45.0	-	10	0.1 %
50.0	-	30	0.4 %
60.0	-	40	0.5 %
70.0	-	20	0.3 %
75.0	-	28	0.4 %
80.0	-	10	0.1 %
90.0	-	40	0.5 %
	Missing Data		
.	-	323	4.4 %
	Total	7,396	100%

Based upon 7,073 valid cases out of 7,396 total cases.

- Mean: 3.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 11.75

Location: 781-784 (width: 4; decimal: 1)

Variable Type: numeric

HRSLEEP: How many hours do you usually sleep at night?

Value	Label	Unweighted Frequency	%
2.0	-	10	0.1 %
2.5	-	9	0.1 %
3.0	-	26	0.4 %
3.5	-	9	0.1 %
4.0	-	70	0.9 %
4.5	-	30	0.4 %
5.0	-	260	3.5 %
5.5	-	203	2.7 %
6.0	-	1435	19.4 %
6.5	-	482	6.5 %
7.0	-	2359	31.9 %
7.5	-	394	5.3 %
8.0	-	1655	22.4 %
8.5	-	96	1.3 %
9.0	-	272	3.7 %
9.5	-	28	0.4 %
10.0	-	58	0.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 6.97
- Median: 7.00
- Mode: 7.00
- Minimum: 2.00
- Maximum: 10.00
- Standard Deviation: 1.08

Location: 785-788 (width: 4; decimal: 1)

Variable Type: numeric

WAKEREST: How often do you feel really rested when you wake up in the morning?

Value	Label	Unweighted Frequency	%
1	Never	388	5.2 %
2	Rarely	1987	26.9 %
3	Sometimes	2969	40.1 %
4	Most of the Time	2052	27.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 789-789 (width: 1; decimal: 0)

Variable Type: numeric

VIGEXFRQ: How often do you engage in VIGOROUS physical activity?

Value	Label	Unweighted Frequency	%
1	Never	1055	14.3 %
2	Less than once a month	1085	14.7 %
3	About once a month	625	8.5 %
4	Several times a month	775	10.5 %
5	About once a week	1063	14.4 %
6	Several times a week or more	2793	37.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 790-790 (width: 1; decimal: 0)

Variable Type: numeric

VIGEXMIN: On days do VIGOROUS: how many minutes on average?

Value	Label	Unweighted Frequency	%
1	-	10	0.1 %
2	-	10	0.1 %
4	-	20	0.3 %
5	-	37	0.5 %
8	-	20	0.3 %
10	-	235	3.2 %
15	-	263	3.6 %
18	-	10	0.1 %
20	-	475	6.4 %
23	-	10	0.1 %
25	-	97	1.3 %
30	-	1621	21.9 %
35	-	99	1.3 %
38	-	70	0.9 %
40	-	197	2.7 %
45	-	973	13.2 %

Value	Label	Unweighted Frequency	%
50	-	97	1.3 %
53	-	30	0.4 %
55	-	30	0.4 %
60	-	1293	17.5 %
68	-	19	0.3 %
70	-	20	0.3 %
75	-	80	1.1 %
80	-	10	0.1 %
90	-	302	4.1 %
110	-	10	0.1 %
120	-	136	1.8 %
150	-	10	0.1 %
180	-	40	0.5 %
240	-	10	0.1 %
300	-	8	0.1 %
360	-	20	0.3 %
540	-	10	0.1 %
	Missing Data		
.	-	1124	15.2 %
	Total	7,396	100%

Based upon 6,272 valid cases out of 7,396 total cases.

- Mean: 46.46
- Median: 40.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 540.00
- Standard Deviation: 38.71

Location: 791-793 (width: 3; decimal: 0)

Variable Type: numeric

MODEXFRQ: How often do you engage in MODERATE physical activity?

Value	Label	Unweighted Frequency	%
1	Never	97	1.3 %
2	Less than once a month	313	4.2 %
3	About once a month	254	3.4 %
4	Several times a month	629	8.5 %
5	About once a week	1112	15.0 %
6	Several times a week or more	4991	67.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 794-794 (width: 1; decimal: 0)

Variable Type: numeric

MODEXMIN: On days do MODERATE: how many minutes on average?

Value	Label	Unweighted Frequency	%
1	-	20	0.3 %
3	-	10	0.1 %
4	-	10	0.1 %
5	-	20	0.3 %
6	-	8	0.1 %
9	-	10	0.1 %
10	-	203	2.7 %
13	-	9	0.1 %
15	-	400	5.4 %
18	-	20	0.3 %
20	-	809	10.9 %
23	-	40	0.5 %
25	-	120	1.6 %
30	-	2298	31.1 %
33	-	10	0.1 %
35	-	77	1.0 %
38	-	20	0.3 %
40	-	181	2.4 %
45	-	588	8.0 %
48	-	10	0.1 %
50	-	58	0.8 %
53	-	20	0.3 %
55	-	10	0.1 %
60	-	1341	18.1 %
65	-	20	0.3 %
75	-	60	0.8 %
80	-	10	0.1 %
90	-	230	3.1 %
100	-	10	0.1 %
105	-	10	0.1 %
120	-	266	3.6 %
150	-	10	0.1 %

Value	Label	Unweighted Frequency	%
180	-	109	1.5 %
200	-	10	0.1 %
240	-	50	0.7 %
270	-	10	0.1 %
300	-	20	0.3 %
360	-	30	0.4 %
480	-	36	0.5 %
540	-	10	0.1 %
600	-	10	0.1 %
	Missing Data		
.	-	203	2.7 %
	Total	7,396	100%

Based upon 7,193 valid cases out of 7,396 total cases.

- Mean: 50.80
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 600.00
- Standard Deviation: 59.43

Location: 795-797 (width: 3; decimal: 0)

Variable Type: numeric

TOTEXFRQ: Moderate+Vigorous Exercise Frequency

Value	Label	Unweighted Frequency	%
2	-	87	1.2 %
3	-	114	1.5 %
4	-	257	3.5 %
5	-	237	3.2 %
6	-	390	5.3 %
7	-	721	9.7 %
8	-	768	10.4 %
9	-	591	8.0 %
10	-	713	9.6 %
11	-	1145	15.5 %
12	-	2373	32.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 9.43
- Median: 10.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.63

Location: 798-799 (width: 2; decimal: 0)

Variable Type: numeric

RELAXEXR: How often exercise to make self relaxed

Value	Label	Unweighted Frequency	%
1	Not at All	927	12.5 %
2	A Little	1817	24.6 %
3	Moderately	2440	33.0 %
4	A Great Deal	2212	29.9 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 800-800 (width: 1; decimal: 0)

Variable Type: numeric

RELAXEAT: How often eat to make self relaxed

Value	Label	Unweighted Frequency	%
1	Not at All	669	9.0 %
2	A Little	1513	20.5 %
3	Moderately	3413	46.1 %
4	A Great Deal	1801	24.4 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 801-801 (width: 1; decimal: 0)

Variable Type: numeric

RELAXDRK: How often drink to make self relaxed

Value	Label	Unweighted Frequency	%
1	Not at All	2533	34.2 %
2	A Little	1899	25.7 %
3	Modeately	2306	31.2 %
4	A Great Deal	658	8.9 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 802-802 (width: 1; decimal: 0)

Variable Type: numeric

RELAXSMK: How often smoke to make self relaxed

Value	Label	Unweighted Frequency	%
1	Not at All	6716	90.8 %
2	A Little	237	3.2 %
3	Modeately	245	3.3 %
4	A Great Deal	198	2.7 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 803-803 (width: 1; decimal: 0)

Variable Type: numeric

RELAXDRG: How often take drugs or medications to make self relaxed

Value	Label	Unweighted Frequency	%
1	Not at All	5604	75.8 %
2	A Little	951	12.9 %
3	Modeately	586	7.9 %
4	A Great Deal	255	3.4 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 804-804 (width: 1; decimal: 0)

Variable Type: numeric

WEIGHTLB: Respondent's weight (lbs)

Value	Label	Unweighted Frequency	%
88.0	-	10	0.1 %
100.0	-	9	0.1 %
104.0	-	10	0.1 %
105.0	-	8	0.1 %
108.0	-	10	0.1 %
110.0	-	40	0.5 %
112.0	-	20	0.3 %
113.0	-	10	0.1 %
114.0	-	20	0.3 %
114.5	-	9	0.1 %
115.0	-	40	0.5 %
117.0	-	29	0.4 %
118.0	-	10	0.1 %
120.0	-	40	0.5 %
122.0	-	30	0.4 %
123.0	-	20	0.3 %
125.0	-	97	1.3 %
126.0	-	45	0.6 %
127.0	-	27	0.4 %
128.0	-	30	0.4 %
130.0	-	139	1.9 %
131.0	-	20	0.3 %
132.0	-	40	0.5 %
133.0	-	20	0.3 %
135.0	-	158	2.1 %
136.0	-	20	0.3 %
137.0	-	30	0.4 %
138.0	-	68	0.9 %
139.0	-	30	0.4 %
140.0	-	207	2.8 %
141.0	-	10	0.1 %
142.0	-	50	0.7 %
143.0	-	18	0.2 %

Value	Label	Unweighted Frequency	%
144.0	-	40	0.5 %
145.0	-	182	2.5 %
146.0	-	7	0.1 %
148.0	-	69	0.9 %
148.5	-	10	0.1 %
149.0	-	30	0.4 %
150.0	-	296	4.0 %
151.0	-	20	0.3 %
152.0	-	30	0.4 %
153.0	-	49	0.7 %
154.0	-	20	0.3 %
155.0	-	150	2.0 %
156.0	-	36	0.5 %
157.0	-	49	0.7 %
158.0	-	40	0.5 %
159.0	-	10	0.1 %
160.0	-	276	3.7 %
	Missing Data		
.	-	30	0.4 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,366 valid cases out of 7,396 total cases.

- Mean: 182.59
- Median: 175.00
- Mode: 180.00
- Minimum: 88.00
- Maximum: 415.00
- Standard Deviation: 45.26

Location: 805-809 (width: 5; decimal: 1)

Variable Type: numeric

HEIGHTFT: Respondent's height (feet)

Value	Label	Unweighted Frequency	%
4	-	40	0.5 %
5	-	6331	85.6 %
6	-	995	13.5 %
	Missing Data		
.	-	30	0.4 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,366 valid cases out of 7,396 total cases.

- Mean: 5.13
- Median: 5.00
- Mode: 5.00
- Minimum: 4.00
- Maximum: 6.00
- Standard Deviation: 0.35

Location: 810-810 (width: 1; decimal: 0)

Variable Type: numeric

HEIGHTIN: Respondent's height (inches)

Value	Label	Unweighted Frequency	%
0.00	-	562	7.6 %
1.00	-	365	4.9 %
1.50	-	10	0.1 %
2.00	-	572	7.7 %
3.00	-	494	6.7 %
3.50	-	20	0.3 %
4.00	-	706	9.5 %
4.50	-	10	0.1 %
5.00	-	626	8.5 %
5.50	-	39	0.5 %
6.00	-	889	12.0 %
6.50	-	20	0.3 %
6.75	-	10	0.1 %
7.00	-	742	10.0 %
7.50	-	40	0.5 %
8.00	-	671	9.1 %
9.00	-	391	5.3 %
9.50	-	10	0.1 %
10.00	-	587	7.9 %
10.50	-	19	0.3 %
11.00	-	574	7.8 %
	Missing Data		
.	-	39	0.5 %
	Total	7,396	100%

Based upon 7,357 valid cases out of 7,396 total cases.

- Mean: 5.67
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.24

Location: 811-815 (width: 5; decimal: 2)

Variable Type: numeric

BMI: Respondent BMI

Value	Label	Unweighted Frequency	%
14.346939086914	-	9	0.1 %
17.679470062256	-	9	0.1 %
17.752525329590	-	10	0.1 %
17.771903991699	-	10	0.1 %
17.849609375000	-	10	0.1 %
18.009578704834	-	10	0.1 %
18.597883224487	-	8	0.1 %
18.604915618896	-	10	0.1 %
18.792604446411	-	10	0.1 %
18.794488906860	-	10	0.1 %
18.826622009277	-	10	0.1 %
18.920345306396	-	10	0.1 %
19.134910583496	-	20	0.3 %
19.195547103882	-	10	0.1 %
19.244991302490	-	10	0.1 %
19.368368148804	-	10	0.1 %
19.467691421509	-	9	0.1 %
19.483497619629	-	10	0.1 %
19.565917968750	-	10	0.1 %
19.663387298584	-	10	0.1 %
19.933837890625	-	10	0.1 %
20.014865875244	-	10	0.1 %
20.045444488525	-	10	0.1 %
20.085714340210	-	10	0.1 %
20.117065429688	-	10	0.1 %
20.173324584961	-	8	0.1 %
20.221185684204	-	10	0.1 %
20.299644470215	-	10	0.1 %
20.334711074829	-	9	0.1 %
20.341434478760	-	30	0.4 %

Value	Label	Unweighted Frequency	%
20.358654022217	-	20	0.3 %
20.409347534180	-	10	0.1 %
20.482488632202	-	10	0.1 %
20.524436950684	-	10	0.1 %
20.595703125000	-	10	0.1 %
20.612653732300	-	10	0.1 %
20.639554977417	-	10	0.1 %
20.723356246948	-	10	0.1 %
20.779012680054	-	10	0.1 %
20.782047271729	-	10	0.1 %
20.798816680908	-	30	0.4 %
20.803060531616	-	8	0.1 %
20.828470230103	-	10	0.1 %
20.918468475342	-	10	0.1 %
20.980257034302	-	29	0.4 %
21.019483566284	-	10	0.1 %
21.107149124146	-	8	0.1 %
21.110595703125	-	10	0.1 %
21.141643524170	-	10	0.1 %
21.159902572632	-	10	0.1 %
	Missing Data		
.	-	59	0.8 %
	Total	7,396	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,337 valid cases out of 7,396 total cases.

- Mean: 28.393926805317
- Minimum: 14.346939086914
- Maximum: 66.250854492188
- Standard Deviation: 6.706483492029

Location: 816-830 (width: 15; decimal: 12)

Variable Type: numeric

OVOB: R Categories BMI

Value	Label	Unweighted Frequency	%
1	Underweight/Normal	2523	34.1 %
2	Overweight	2568	34.7 %
3	Obese	2246	30.4 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	59	0.8 %
	Total	7,396	100%

Based upon 7,337 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 831-831 (width: 1; decimal: 0)

Variable Type: numeric

OVODBI: R Dichotomous BMI

Value	Label	Unweighted Frequency	%
0	Under/Normal	2523	34.1 %
1	Overweight/Obese	4814	65.1 %
.	Missing Data		
.	-	59	0.8 %
	Total	7,396	100%

Based upon 7,337 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 832-832 (width: 1; decimal: 0)

Variable Type: numeric

HLTHYWSP: How often R does things with spouse that help R have healthy lifestyle

Value	Label	Unweighted Frequency	%
1	Not at All	325	4.4 %
2	A Little	1091	14.8 %
3	Moderately	2782	37.6 %
4	A Great Deal	3189	43.1 %
5	Extremely	0	0.0 %
.	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 833-833 (width: 1; decimal: 0)

Variable Type: numeric

SPREMIND: How often R's spouse tells or reminds R to do things to protect my health

Value	Label	Unweighted Frequency	%
1	Not at All	292	3.9 %
2	A Little	1432	19.4 %
3	Modeately	2984	40.3 %
4	A Great Deal	2679	36.2 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 834-834 (width: 1; decimal: 0)

Variable Type: numeric

IRRITATED: How often R feels irritated when spouse tries influence R's health habits

Value	Label	Unweighted Frequency	%
1	Not at All	2335	31.6 %
2	A Little	2813	38.0 %
3	Modeately	1912	25.9 %
4	A Great Deal	336	4.5 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 835-835 (width: 1; decimal: 0)

Variable Type: numeric

APPRECIA: How often R feels appreciative when spouse tries influence R's health habits

Value	Label	Unweighted Frequency	%
1	Not at All	140	1.9 %
2	A Little	488	6.6 %
3	Modeately	3170	42.9 %
4	A Great Deal	3598	48.6 %

Value	Label	Unweighted Frequency	%
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 836-836 (width: 1; decimal: 0)

Variable Type: numeric

IGNORESP: How often R feels inclined to ignore spouse when tries influence health habits

Value	Label	Unweighted Frequency	%
1	Not at All	2482	33.6 %
2	A Little	2815	38.1 %
3	Moderately	1865	25.2 %
4	A Great Deal	234	3.2 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 837-837 (width: 1; decimal: 0)

Variable Type: numeric

RESPONSIB: How true is statement: I feel sense of responsibility to spouse to stay healthy?

Value	Label	Unweighted Frequency	%
1	Not at all true	71	1.0 %
2	A little true	566	7.7 %
3	Somewhat true	1436	19.4 %
4	Mostly true	2568	34.7 %
5	Very true	2745	37.1 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 838-838 (width: 1; decimal: 0)

Variable Type: numeric

SPSCHG1: How much R would like for spouse to change Exercise habits

Value	Label	Unweighted Frequency	%
1	Not at all	2466	33.3 %
2	A little	1593	21.5 %
3	Some	1762	23.8 %
4	Quite a bit	1575	21.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 839-839 (width: 1; decimal: 0)

Variable Type: numeric

SPSCHG2: How much R would like for spouse to change Drinking habits

Value	Label	Unweighted Frequency	%
1	Not at all	5075	68.6 %
2	A little	1141	15.4 %
3	Some	637	8.6 %
4	Quite a bit	543	7.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 840-840 (width: 1; decimal: 0)

Variable Type: numeric

SPSCHG3: How much R would like for spouse to change Eating habits

Value	Label	Unweighted Frequency	%
1	Not at all	2574	34.8 %
2	A little	2209	29.9 %
3	Some	1480	20.0 %
4	Quite a bit	1123	15.2 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 841-841 (width: 1; decimal: 0)

Variable Type: numeric

SPSCHG4: How much R would like for spouse to change Other habits

Value	Label	Unweighted Frequency	%
1	Not at all	2914	39.4 %
2	A little	435	5.9 %
3	Some	444	6.0 %
4	Quite a bit	600	8.1 %
	Missing Data		
.	-	3003	40.6 %
	Total	7,396	100%

Based upon 4,393 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 842-842 (width: 1; decimal: 0)

Variable Type: numeric

SPSCHG4TXT: How much R would like for spouse to change Other habits (text)

Value	Label	Unweighted Frequency	%
	-	6073	82.1 %
MASKED BY ICPSR	-	1323	17.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 843-857 (width: 15; decimal: 0)

Variable Type: character

TACTIC1: Try Change Spouse's Health Habits: ask/remind spouse

Value	Label	Unweighted Frequency	%
1	Not at All	1159	15.7 %
2	A Little	2619	35.4 %
3	Modeately	2955	40.0 %
4	A Great Deal	663	9.0 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 858-858 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC2: Try Change Spouse's Health Habits: express worry or concern

Value	Label	Unweighted Frequency	%
1	Not at All	820	11.1 %
2	A Little	2211	29.9 %
3	Modeately	3659	49.5 %
4	A Great Deal	706	9.5 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 859-859 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC3: Try Change Spouse's Health Habits: encourage and support

Value	Label	Unweighted Frequency	%
1	Not at All	118	1.6 %
2	A Little	444	6.0 %
3	Modeately	3636	49.2 %
4	A Great Deal	3198	43.2 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 860-860 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC4: Try Change Spouse's Health Habits: express irritation or frustration

Value	Label	Unweighted Frequency	%
1	Not at All	2581	34.9 %

Value	Label	Unweighted Frequency	%
2	A Little	2757	37.3 %
3	Modeately	1688	22.8 %
4	A Great Deal	350	4.7 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	20	0.3 %
	Total	7,396	100%

Based upon 7,376 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 861-861 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC5: Try Change Spouse's Health Habits: model the behavior

Value	Label	Unweighted Frequency	%
1	Not at All	861	11.6 %
2	A Little	1540	20.8 %
3	Modeately	2999	40.5 %
4	A Great Deal	1986	26.9 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 862-862 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC6: Try Change Spouse's Health Habits: state how important it is to you

Value	Label	Unweighted Frequency	%
1	Not at All	871	11.8 %
2	A Little	1920	26.0 %
3	Modeately	3428	46.3 %
4	A Great Deal	1167	15.8 %
5	Extremely	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 863-863 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC7: Try Change Spouse's Health Habits: drop hints

Value	Label	Unweighted Frequency	%
1	Not at All	1559	21.1 %
2	A Little	2060	27.9 %
3	Modeately	2990	40.4 %
4	A Great Deal	777	10.5 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 864-864 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC8: Try Change Spouse's Health Habits: offer make changes w/ spouse

Value	Label	Unweighted Frequency	%
1	Not at All	769	10.4 %
2	A Little	1547	20.9 %
3	Modeately	3655	49.4 %
4	A Great Deal	1425	19.3 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 865-865 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC9: Try Change Spouse's Health Habits: praise or complement spouse

Value	Label	Unweighted Frequency	%
1	Not at All	100	1.4 %
2	A Little	533	7.2 %
3	Moderately	3126	42.3 %
4	A Great Deal	3637	49.2 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 866-866 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC10: Try Change Spouse's Health Habits: reason/be logical w/spouse

Value	Label	Unweighted Frequency	%
1	Not at All	652	8.8 %
2	A Little	1334	18.0 %
3	Moderately	3413	46.1 %
4	A Great Deal	1997	27.0 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 867-867 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC11: Try Change Spouse's Health Habits: use humor/make jokes

Value	Label	Unweighted Frequency	%
1	Not at All	842	11.4 %
2	A Little	1464	19.8 %
3	Moderately	3029	41.0 %
4	A Great Deal	2061	27.9 %

Value	Label	Unweighted Frequency	%
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 868-868 (width: 1; decimal: 0)

Variable Type: numeric

TACTIC12: Try Change Spouse's Health Habits: change environment

Value	Label	Unweighted Frequency	%
1	Not at All	1372	18.6 %
2	A Little	2474	33.5 %
3	Modeately	2945	39.8 %
4	A Great Deal	576	7.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	29	0.4 %
	Total	7,396	100%

Based upon 7,367 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 869-869 (width: 1; decimal: 0)

Variable Type: numeric

TACTICTXT: Please describe any other ways that you have tried to influence your spouse's he

Value	Label	Unweighted Frequency	%
	-	2482	33.6 %
MASKED BY ICPSR	-	4914	66.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 870-884 (width: 15; decimal: 0)

Variable Type: character

SUPPORTSC: Supportive Tactics (3, 9, 11), Alpha .55

Value	Label	Unweighted Frequency	%
3	-	30	0.4 %
4	-	10	0.1 %
5	-	59	0.8 %
6	-	217	2.9 %
7	-	463	6.3 %
8	-	960	13.0 %
9	-	1749	23.6 %
10	-	1513	20.5 %
11	-	1360	18.4 %
12	-	1035	14.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 9.59
- Median: 10.00
- Mode: 9.00
- Minimum: 3.00
- Maximum: 12.00
- Standard Deviation: 1.68

Location: 885-886 (width: 2; decimal: 0)

Variable Type: numeric

REGULATSC: Regulation Tactics (1,2,4,6,7,10), Alpha .83

Value	Label	Unweighted Frequency	%
5	-	10	0.1 %
6	-	129	1.7 %
7	-	120	1.6 %
8	-	215	2.9 %
9	-	233	3.2 %
10	-	288	3.9 %
11	-	365	4.9 %
12	-	630	8.5 %
13	-	500	6.8 %
14	-	652	8.8 %
15	-	832	11.2 %
16	-	717	9.7 %
17	-	724	9.8 %
18	-	852	11.5 %
19	-	382	5.2 %
20	-	284	3.8 %

Value	Label	Unweighted Frequency	%
21	-	157	2.1 %
22	-	68	0.9 %
23	-	120	1.6 %
24	-	118	1.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 14.94
- Median: 15.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 24.00
- Standard Deviation: 3.86

Location: 887-888 (width: 2; decimal: 0)

Variable Type: numeric

FACILITSC: Facilitation Tactics (5,8,12), Alpha .60

Value	Label	Unweighted Frequency	%
3	-	255	3.4 %
4	-	268	3.6 %
5	-	398	5.4 %
6	-	666	9.0 %
7	-	1098	14.8 %
8	-	1535	20.8 %
9	-	1622	21.9 %
10	-	826	11.2 %
11	-	514	6.9 %
12	-	214	2.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 7.96
- Median: 8.00
- Mode: 9.00
- Minimum: 3.00
- Maximum: 12.00
- Standard Deviation: 2.05

Location: 889-890 (width: 2; decimal: 0)

Variable Type: numeric

TOTALSC: All Social Control Tactics, Alpha .83

Value	Label	Unweighted Frequency	%
12	-	20	0.3 %
14	-	20	0.3 %
15	-	29	0.4 %
16	-	20	0.3 %
17	-	59	0.8 %
18	-	50	0.7 %
19	-	30	0.4 %
20	-	79	1.1 %
21	-	90	1.2 %
22	-	96	1.3 %
23	-	149	2.0 %
24	-	119	1.6 %
25	-	160	2.2 %
26	-	224	3.0 %
27	-	299	4.0 %
28	-	278	3.8 %
29	-	319	4.3 %
30	-	379	5.1 %
31	-	504	6.8 %
32	-	439	5.9 %
33	-	538	7.3 %
34	-	665	9.0 %
35	-	435	5.9 %
36	-	521	7.0 %
37	-	472	6.4 %
38	-	341	4.6 %
39	-	304	4.1 %
40	-	197	2.7 %
41	-	119	1.6 %
42	-	167	2.3 %
43	-	70	0.9 %
44	-	86	1.2 %
45	-	40	0.5 %
46	-	20	0.3 %
47	-	30	0.4 %
48	-	28	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 32.48
- Median: 33.00
- Mode: 34.00
- Minimum: 12.00
- Maximum: 48.00
- Standard Deviation: 6.13

Location: 891-892 (width: 2; decimal: 0)

Variable Type: numeric

SUCCESS: Overall, how successful are you when you try to influence your spouse's health h

Value	Label	Unweighted Frequency	%
1	Not at All	1155	15.6 %
2	A Little	3113	42.1 %
3	Somewhat	2562	34.6 %
4	Very	516	7.0 %
	Missing Data		
.	-	50	0.7 %
	Total	7,396	100%

Based upon 7,346 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 893-893 (width: 1; decimal: 0)

Variable Type: numeric

DEPENDHW: R depends on Spouse for: general housework and laundry

Value	Label	Unweighted Frequency	%
1	Not at all	575	7.8 %
2	A little	1684	22.8 %
3	Some	2677	36.2 %
4	A lot	2460	33.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 894-894 (width: 1; decimal: 0)

Variable Type: numeric

DEPENDPM: R depends on Spouse for: preparing meals

Value	Label	Unweighted Frequency	%
1	Not at all	1131	15.3 %
2	A little	1702	23.0 %
3	Some	1830	24.7 %
4	A lot	2733	37.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 895-895 (width: 1; decimal: 0)

Variable Type: numeric

DEPENDMR: R depends on Spouse for: home maintenance and minor repairs

Value	Label	Unweighted Frequency	%
1	Not at all	1763	23.8 %
2	A little	1583	21.4 %
3	Some	1731	23.4 %
4	A lot	2309	31.2 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 896-896 (width: 1; decimal: 0)

Variable Type: numeric

DEPENDBI: R depends on Spouse for: checking and savings accounts and paying bills

Value	Label	Unweighted Frequency	%
1	Not at all	2298	31.1 %
2	A little	1145	15.5 %
3	Some	1096	14.8 %
4	A lot	2857	38.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 897-897 (width: 1; decimal: 0)

Variable Type: numeric

DEPENDLG: R depends on Spouse for: major financial and legal decisions

Value	Label	Unweighted Frequency	%
1	Not at all	549	7.4 %
2	A little	1084	14.7 %
3	Some	2245	30.4 %
4	A lot	3518	47.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 898-898 (width: 1; decimal: 0)

Variable Type: numeric

RGENIDPH: R agrees/disagrees: physical appearance and demeanor typical someone my gender

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	224	3.0 %
2	Disagree	746	10.1 %
3	Neither Agree nor Disagree	1275	17.2 %
4	Agree	3383	45.7 %
5	Strongly agree	1768	23.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 899-899 (width: 1; decimal: 0)

Variable Type: numeric

RGENIDHO: R agrees/disagrees: interests, hobbies, skills typical someone my gender

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	219	3.0 %
2	Disagree	1093	14.8 %
3	Neither Agree nor Disagree	2036	27.5 %
4	Agree	3042	41.1 %

Value	Label	Unweighted Frequency	%
5	Strongly agree	1006	13.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 900-900 (width: 1; decimal: 0)

Variable Type: numeric

SGENIDPH: R agrees/disagrees: Spouse's physical appearance, demeanor typical their gender

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	132	1.8 %
2	Disagree	729	9.9 %
3	Neither Agree nor Disagree	1173	15.9 %
4	Agree	3449	46.6 %
5	Strongly agree	1913	25.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 901-901 (width: 1; decimal: 0)

Variable Type: numeric

SGENIDHO: R agrees/disagrees: Spouse's interests, hobbies, skills typical their gender

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	139	1.9 %
2	Disagree	902	12.2 %
3	Neither Agree nor Disagree	1840	24.9 %
4	Agree	3346	45.2 %
5	Strongly agree	1159	15.7 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 902-902 (width: 1; decimal: 0)

Variable Type: numeric

GENEGAL: R agrees/disagrees: My spouse and I have equal power in our relationship

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	149	2.0 %
2	Disagree	688	9.3 %
3	Neither Agree nor Disagree	706	9.5 %
4	Agree	2527	34.2 %
5	Strongly agree	3326	45.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 903-903 (width: 1; decimal: 0)

Variable Type: numeric

KIDINHH: Does R have children living in household?

Value	Label	Unweighted Frequency	%
0	No	4302	58.2 %
1	Yes	3094	41.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 904-904 (width: 1; decimal: 0)

Variable Type: numeric

AGEKIDHH1: Age of Child 1 in Household

Value	Label	Unweighted Frequency	%
0.17	-	20	0.3 %
0.25	-	20	0.3 %
0.33	-	20	0.3 %
0.42	-	38	0.5 %
0.58	-	20	0.3 %
0.75	-	40	0.5 %
0.92	-	30	0.4 %
1.00	-	68	0.9 %
1.50	-	8	0.1 %

Value	Label	Unweighted Frequency	%
1.58	-	18	0.2 %
1.83	-	10	0.1 %
2.00	-	160	2.2 %
2.50	-	60	0.8 %
3.00	-	120	1.6 %
3.50	-	40	0.5 %
3.75	-	10	0.1 %
4.00	-	120	1.6 %
4.50	-	10	0.1 %
5.00	-	138	1.9 %
6.00	-	128	1.7 %
7.00	-	119	1.6 %
8.00	-	210	2.8 %
9.00	-	118	1.6 %
10.00	-	94	1.3 %
11.00	-	218	2.9 %
12.00	-	172	2.3 %
13.00	-	95	1.3 %
14.00	-	90	1.2 %
15.00	-	69	0.9 %
16.00	-	100	1.4 %
17.00	-	205	2.8 %
18.00	-	119	1.6 %
19.00	-	87	1.2 %
20.00	-	30	0.4 %
21.00	-	50	0.7 %
22.00	-	40	0.5 %
24.00	-	10	0.1 %
25.00	-	20	0.3 %
26.00	-	20	0.3 %
31.00	-	20	0.3 %
39.00	-	10	0.1 %
40.00	-	10	0.1 %
	Missing Data		
.	-	4412	59.7 %
	Total	7,396	100%

Based upon 2,984 valid cases out of 7,396 total cases.

- Mean: 9.99

- Median: 9.00
- Mode: 11.00
- Minimum: 0.17
- Maximum: 40.00
- Standard Deviation: 6.96

Location: 905-909 (width: 5; decimal: 2)

Variable Type: numeric

AGEKIDHH2: Age of Child 2 in Household

Value	Label	Unweighted Frequency	%
0.00	-	10	0.1 %
0.17	-	20	0.3 %
0.33	-	20	0.3 %
0.58	-	40	0.5 %
0.75	-	50	0.7 %
0.92	-	20	0.3 %
1.00	-	50	0.7 %
2.00	-	98	1.3 %
2.50	-	30	0.4 %
3.00	-	60	0.8 %
4.00	-	92	1.2 %
4.50	-	10	0.1 %
5.00	-	70	0.9 %
6.00	-	12	0.2 %
7.00	-	135	1.8 %
8.00	-	148	2.0 %
9.00	-	67	0.9 %
10.00	-	94	1.3 %
11.00	-	94	1.3 %
12.00	-	88	1.2 %
13.00	-	50	0.7 %
14.00	-	70	0.9 %
15.00	-	59	0.8 %
16.00	-	110	1.5 %
17.00	-	10	0.1 %
18.00	-	10	0.1 %
19.00	-	40	0.5 %
21.00	-	40	0.5 %
22.00	-	29	0.4 %
23.00	-	20	0.3 %
24.00	-	10	0.1 %

Value	Label	Unweighted Frequency	%
27.00	-	10	0.1 %
40.00	-	10	0.1 %
	Missing Data		
.	-	5720	77.3 %
	Total	7,396	100%

Based upon 1,676 valid cases out of 7,396 total cases.

- Mean: 9.20
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 6.63

Location: 910-914 (width: 5; decimal: 2)

Variable Type: numeric

AGEKIDHH3: Age of Child 3 in Household

Value	Label	Unweighted Frequency	%
0.25	-	20	0.3 %
1.00	-	9	0.1 %
1.92	-	9	0.1 %
2.00	-	12	0.2 %
3.00	-	60	0.8 %
4.00	-	40	0.5 %
5.00	-	10	0.1 %
6.00	-	50	0.7 %
11.00	-	38	0.5 %
12.00	-	20	0.3 %
13.00	-	40	0.5 %
14.00	-	40	0.5 %
16.00	-	60	0.8 %
17.00	-	10	0.1 %
18.00	-	20	0.3 %
	Missing Data		
.	-	6958	94.1 %
	Total	7,396	100%

Based upon 438 valid cases out of 7,396 total cases.

- Mean: 9.07
- Median: 11.00

- Minimum: 0.25
- Maximum: 18.00
- Standard Deviation: 5.68

Location: 915-919 (width: 5; decimal: 2)

Variable Type: numeric

AGEKIDHH4: Age of Child 4 in Household

Value	Label	Unweighted Frequency	%
0.17	-	20	0.3 %
1.00	-	20	0.3 %
2.00	-	40	0.5 %
4.00	-	20	0.3 %
8.00	-	20	0.3 %
9.00	-	9	0.1 %
13.00	-	29	0.4 %
	Missing Data		
.	-	7238	97.9 %
	Total	7,396	100%

Based upon 158 valid cases out of 7,396 total cases.

- Mean: 5.07
- Median: 2.00
- Mode: 2.00
- Minimum: 0.17
- Maximum: 13.00
- Standard Deviation: 4.62

Location: 920-924 (width: 5; decimal: 2)

Variable Type: numeric

AGEKIDHH5: Age of Child 5 in Household

Value	Label	Unweighted Frequency	%
11	-	20	0.3 %
	Missing Data		
.	-	7376	99.7 %
	Total	7,396	100%

Based upon 20 valid cases out of 7,396 total cases.

- Mean: 11.00
- Median: 11.00
- Mode: 11.00
- Minimum: 11.00
- Maximum: 11.00
- Standard Deviation: 0.00

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

AGEKIDHH6: Age of Child 6 in Household

Value	Label	Unweighted Frequency	%
8	-	20	0.3 %
	Missing Data		
.	-	7376	99.7 %
	Total	7,396	100%

Based upon 20 valid cases out of 7,396 total cases.

- Mean: 8.00
- Median: 8.00
- Mode: 8.00
- Minimum: 8.00
- Maximum: 8.00
- Standard Deviation: 0.00

Location: 927-927 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH1: Child 1 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	2387	32.3 %
2	Child is From Past Rel	445	6.0 %
3	Child is From Other Rel	222	3.0 %
	Missing Data		
.	-	4342	58.7 %
	Total	7,396	100%

Based upon 3,054 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 928-928 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH2: Child 2 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	1395	18.9 %
2	Child is From Past Rel	178	2.4 %
3	Child is From Other Rel	121	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	5702	77.1 %
	Total	7,396	100%

Based upon 1,694 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 929-929 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH3: Child 3 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	380	5.1 %
2	Child is From Past Rel	69	0.9 %
3	Child is From Other Rel	19	0.3 %
	Missing Data		
.	-	6928	93.7 %
	Total	7,396	100%

Based upon 468 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 930-930 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH4: Child 4 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	140	1.9 %
2	Child is From Past Rel	0	0.0 %
3	Child is From Other Rel	18	0.2 %
	Missing Data		
.	-	7238	97.9 %
	Total	7,396	100%

Based upon 158 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 931-931 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH5: Child 5 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	30	0.4 %
2	Child is From Past Rel	10	0.1 %
3	Child is From Other Rel	0	0.0 %
	Missing Data		
.	-	7356	99.5 %
	Total	7,396	100%

Based upon 40 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 932-932 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDHH6: Child 6 in HH from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	20	0.3 %
2	Child is From Past Rel	10	0.1 %
3	Child is From Other Rel	0	0.0 %
	Missing Data		
.	-	7366	99.6 %
	Total	7,396	100%

Based upon 30 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 933-933 (width: 1; decimal: 0)

Variable Type: numeric

OTHKIDHH1: Please Explain: Child 1 in HH from Other Rel

Value	Label	Unweighted Frequency	%
	-	7122	96.3 %
MASKED BY ICPSR	-	274	3.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 934-948 (width: 15; decimal: 0)

Variable Type: character

OTHKIDHH2: Please Explain: Child 2 in HH from Other Rel

Value	Label	Unweighted Frequency	%
	-	7263	98.2 %
MASKED BY ICPSR	-	133	1.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 949-963 (width: 15; decimal: 0)

Variable Type: character

OTHKIDHH3: Please Explain: Child 3 in HH from Other Rel

Value	Label	Unweighted Frequency	%
	-	7377	99.7 %
MASKED BY ICPSR	-	19	0.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 964-978 (width: 15; decimal: 0)

Variable Type: character

OTHKIDHH4: Please Explain: Child 4 in HH from Other Rel

Value	Label	Unweighted Frequency	%
	-	7378	99.8 %
MASKED BY ICPSR	-	18	0.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 979-993 (width: 15; decimal: 0)

Variable Type: character

OTHKIDHH5: Please Explain: Child 5 in HH from Other Rel

Value	Label	Unweighted Frequency	%
	-	7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 994-994 (width: 1; decimal: 0)

Variable Type: character

OTHKIDHH6: Please Explain: Child 6 in HH from Other Rel

Value	Label	Unweighted Frequency	%
-		7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 995-995 (width: 1; decimal: 0)

Variable Type: character

KIDNOHH: Does R have children living elsewhere?

Value	Label	Unweighted Frequency	%
0	No	5910	79.9 %
1	Yes	1486	20.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 996-996 (width: 1; decimal: 0)

Variable Type: numeric

AGEKIDNH1: Age of Child 1 Living Elsewhere

Value	Label	Unweighted Frequency	%
11	-	10	0.1 %
13	-	10	0.1 %
16	-	60	0.8 %
17	-	20	0.3 %
18	-	20	0.3 %
19	-	28	0.4 %
20	-	10	0.1 %
21	-	50	0.7 %
22	-	88	1.2 %
23	-	106	1.4 %
24	-	66	0.9 %
25	-	10	0.1 %
26	-	130	1.8 %
27	-	80	1.1 %
28	-	106	1.4 %
29	-	10	0.1 %
30	-	57	0.8 %
31	-	40	0.5 %

Value	Label	Unweighted Frequency	%
32	-	76	1.0 %
33	-	110	1.5 %
34	-	30	0.4 %
35	-	60	0.8 %
36	-	30	0.4 %
37	-	40	0.5 %
38	-	20	0.3 %
39	-	20	0.3 %
40	-	53	0.7 %
41	-	20	0.3 %
42	-	20	0.3 %
43	-	30	0.4 %
45	-	26	0.4 %
	Missing Data		
.	-	5960	80.6 %
	Total	7,396	100%

Based upon 1,436 valid cases out of 7,396 total cases.

- Mean: 28.66
- Median: 28.00
- Mode: 26.00
- Minimum: 11.00
- Maximum: 45.00
- Standard Deviation: 7.37

Location: 997-998 (width: 2; decimal: 0)

Variable Type: numeric

AGEKIDNH2: Age of Child 2 Living Elsewhere

Value	Label	Unweighted Frequency	%
9	-	10	0.1 %
12	-	10	0.1 %
15	-	40	0.5 %
16	-	30	0.4 %
19	-	30	0.4 %
20	-	60	0.8 %
21	-	19	0.3 %
23	-	40	0.5 %
24	-	90	1.2 %
25	-	66	0.9 %
26	-	10	0.1 %

Value	Label	Unweighted Frequency	%
27	-	20	0.3 %
28	-	17	0.2 %
29	-	7	0.1 %
30	-	30	0.4 %
31	-	80	1.1 %
32	-	39	0.5 %
33	-	30	0.4 %
34	-	20	0.3 %
35	-	10	0.1 %
36	-	19	0.3 %
37	-	40	0.5 %
38	-	53	0.7 %
39	-	7	0.1 %
43	-	10	0.1 %
	Missing Data		
.	-	6609	89.4 %
	Total	7,396	100%

Based upon 787 valid cases out of 7,396 total cases.

- Mean: 26.93
- Median: 25.00
- Mode: 24.00
- Minimum: 9.00
- Maximum: 43.00
- Standard Deviation: 7.39

Location: 999-1000 (width: 2; decimal: 0)

Variable Type: numeric

AGEKIDNH3: Age of Child 3 Living Elsewhere

Value	Label	Unweighted Frequency	%
15	-	10	0.1 %
18	-	40	0.5 %
21	-	16	0.2 %
24	-	20	0.3 %
26	-	29	0.4 %
27	-	10	0.1 %
28	-	10	0.1 %
29	-	30	0.4 %
30	-	10	0.1 %
32	-	29	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	7192	97.2 %
	Total	7,396	100%

Based upon 204 valid cases out of 7,396 total cases.

- Mean: 24.94
- Median: 26.00
- Mode: 18.00
- Minimum: 15.00
- Maximum: 32.00
- Standard Deviation: 5.23

Location: 1001-1002 (width: 2; decimal: 0)

Variable Type: numeric

AGEKIDNH4: Age of Child 4 Living Elsewhere

Value	Label	Unweighted Frequency	%
	-	7298	98.7 %
MASKED BY ICPSR	-	98	1.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1003-1017 (width: 15; decimal: 0)

Variable Type: character

AGEKIDNH5: Age of Child 5 Living Elsewhere

Value	Label	Unweighted Frequency	%
	-	7317	98.9 %
MASKED BY ICPSR	-	79	1.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1018-1032 (width: 15; decimal: 0)

Variable Type: character

AGEKIDNH6: Age of Child 6 Living Elsewhere

Value	Label	Unweighted Frequency	%
	-	7347	99.3 %
MASKED BY ICPSR	-	49	0.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1033-1047 (width: 15; decimal: 0)

Variable Type: character

RELKIDNH1: Child 1 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	331	4.5 %
2	Child is From Past Rel	877	11.9 %
3	Child is From Other Rel	238	3.2 %
	Missing Data		
.	-	5950	80.4 %
	Total	7,396	100%

Based upon 1,446 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1048-1048 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDNH2: Child 2 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	204	2.8 %
2	Child is From Past Rel	443	6.0 %
3	Child is From Other Rel	159	2.1 %
	Missing Data		
.	-	6590	89.1 %
	Total	7,396	100%

Based upon 806 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1049-1049 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDNH3: Child 3 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	58	0.8 %
2	Child is From Past Rel	136	1.8 %
3	Child is From Other Rel	30	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7172	97.0 %
	Total	7,396	100%

Based upon 224 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1050-1050 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDNH4: Child 4 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	70	0.9 %
2	Child is From Past Rel	38	0.5 %
3	Child is From Other Rel	0	0.0 %
	Missing Data		
.	-	7288	98.5 %
	Total	7,396	100%

Based upon 108 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1051-1051 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDNH5: Child 5 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	50	0.7 %
2	Child is From Past Rel	39	0.5 %
3	Child is From Other Rel	0	0.0 %
	Missing Data		
.	-	7307	98.8 %
	Total	7,396	100%

Based upon 89 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1052-1052 (width: 1; decimal: 0)

Variable Type: numeric

RELKIDNH6: Child 6 Living Elsewhere from Current, Prior, or Other Rel

Value	Label	Unweighted Frequency	%
1	Child is From Current Rel	10	0.1 %
2	Child is From Past Rel	39	0.5 %
3	Child is From Other Rel	10	0.1 %
	Missing Data		
.	-	7337	99.2 %
	Total	7,396	100%

Based upon 59 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1053-1053 (width: 1; decimal: 0)

Variable Type: numeric

OTHKIDNH1: Please Explain: Child 1 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7090	95.9 %
MASKED BY ICPSR	-	306	4.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1054-1068 (width: 15; decimal: 0)

Variable Type: character

OTHKIDNH2: Please Explain: Child 2 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7207	97.4 %
MASKED BY ICPSR	-	189	2.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1069-1083 (width: 15; decimal: 0)

Variable Type: character

OTHKIDNH3: Please Explain: Child 3 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7356	99.5 %
MASKED BY ICPSR	-	40	0.5 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1084-1098 (width: 15; decimal: 0)

Variable Type: character

OTHKIDNH4: Please Explain: Child 4 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7386	99.9 %
MASKED BY ICPSR	-	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1099-1113 (width: 15; decimal: 0)

Variable Type: character

OTHKIDNH5: Please Explain: Child 5 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1114-1114 (width: 1; decimal: 0)

Variable Type: character

OTHKIDNH6: Please Explain: Child 6 Living Elsewhere from Other Rel

Value	Label	Unweighted Frequency	%
	-	7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1115-1115 (width: 1; decimal: 0)

Variable Type: character

PARSATIS: At this point in your life, how satisfied are you with being a parent?

Value	Label	Unweighted Frequency	%
1	Not at All	66	0.9 %
2	Not Very	129	1.7 %
3	Somewhat	434	5.9 %

Value	Label	Unweighted Frequency	%
4	Very	1630	22.0 %
5	Completely	1787	24.2 %
	Missing Data		
.	-	3350	45.3 %
	Total	7,396	100%

Based upon 4,046 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1116-1116 (width: 1; decimal: 0)

Variable Type: numeric

PARUPSET: How often are you bothered or upset as a parent?

Value	Label	Unweighted Frequency	%
1	Never	362	4.9 %
2	Rarely	1285	17.4 %
3	Sometimes	1704	23.0 %
4	Often	628	8.5 %
5	Almost Always	67	0.9 %
	Missing Data		
.	-	3350	45.3 %
	Total	7,396	100%

Based upon 4,046 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1117-1117 (width: 1; decimal: 0)

Variable Type: numeric

PARHAPPY: How happy are you with the way your child(ren) has/have turned out so far?

Value	Label	Unweighted Frequency	%
1	Not at All Happy	20	0.3 %
2	Not Too Happy	110	1.5 %
3	Somewhat Happy	549	7.4 %
4	Quite Happy	1318	17.8 %
5	Very Happy	2049	27.7 %
	Missing Data		
.	-	3350	45.3 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 4,046 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1118-1118 (width: 1; decimal: 0)

Variable Type: numeric

PARSTRES: How much does your child(ren) contribute to stress in your marriage?

Value	Label	Unweighted Frequency	%
1	Not at all	127	1.7 %
2	Slightly	140	1.9 %
3	Somewhat	170	2.3 %
4	A great deal	107	1.4 %
	Missing Data		
.	-	6852	92.6 %
	Total	7,396	100%

Based upon 544 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1119-1119 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC1: DCI(S reaction to R stress): spouse expresses they are on my side

Value	Label	Unweighted Frequency	%
1	Very Rarely	132	1.8 %
2	Rarely	331	4.5 %
3	Sometimes	1452	19.6 %
4	Often	2971	40.2 %
5	Very Often	2510	33.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1120-1120 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC2: DCI (S reaction to R stress): spouse blames me not coping well w/ stress

Value	Label	Unweighted Frequency	%
1	Very Rarely	3759	50.8 %
2	Rarely	2214	29.9 %
3	Sometimes	1140	15.4 %
4	Often	253	3.4 %
5	Very Often	30	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1121-1121 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC3: DCI(S reaction to R stress): spouse helps me see situations diff light

Value	Label	Unweighted Frequency	%
1	Very Rarely	108	1.5 %
2	Rarely	589	8.0 %
3	Sometimes	2580	34.9 %
4	Often	2560	34.6 %
5	Very Often	1559	21.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1122-1122 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC4: DCI (S reaction to R stress): spouse listens, lets communicate what's bothering

Value	Label	Unweighted Frequency	%
1	Very Rarely	148	2.0 %
2	Rarely	342	4.6 %
3	Sometimes	1643	22.2 %
4	Often	2608	35.3 %
5	Very Often	2655	35.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1123-1123 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC5: DCI(S reaction to R stress): spouse does not take my stress seriously

Value	Label	Unweighted Frequency	%
1	Very Rarely	3350	45.3 %
2	Rarely	2303	31.1 %
3	Sometimes	1336	18.1 %
4	Often	357	4.8 %
5	Very Often	50	0.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1124-1124 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC6: DCI (S reaction to R stress): spouse takes on things that I normally do

Value	Label	Unweighted Frequency	%
1	Very Rarely	330	4.5 %
2	Rarely	1224	16.5 %
3	Sometimes	3431	46.4 %
4	Often	1596	21.6 %
5	Very Often	815	11.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1125-1125 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC7: DCI (S reaction to R stress): When stressed, my spouse tends to withdraw

Value	Label	Unweighted Frequency	%
1	Very Rarely	3371	45.6 %

Value	Label	Unweighted Frequency	%
2	Rarely	2313	31.3 %
3	Sometimes	1360	18.4 %
4	Often	282	3.8 %
5	Very Often	70	0.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1126-1126 (width: 1; decimal: 0)

Variable Type: numeric

SPTORDC8: DCI (S reaction to R stress): not much my spouse can do make me feel better

Value	Label	Unweighted Frequency	%
1	Very Rarely	1422	19.2 %
2	Rarely	2411	32.6 %
3	Sometimes	2599	35.1 %
4	Often	788	10.7 %
5	Very Often	158	2.1 %
	Missing Data		
.	-	18	0.2 %
	Total	7,396	100%

Based upon 7,378 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1127-1127 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC1: DCI (R reaction to S stress): I express I'm on their side

Value	Label	Unweighted Frequency	%
1	Very Rarely	76	1.0 %
2	Rarely	66	0.9 %
3	Sometimes	1333	18.0 %
4	Often	3151	42.6 %
5	Very Often	2770	37.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1128-1128 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC6: DCI (R reaction to S stress): I take on things spouse normally does

Value	Label	Unweighted Frequency	%
1	Very Rarely	148	2.0 %
2	Rarely	566	7.7 %
3	Sometimes	3957	53.5 %
4	Often	1869	25.3 %
5	Very Often	856	11.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1129-1129 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC8: DCI (R reaction to S stress): Not much I can do when spouse stressed

Value	Label	Unweighted Frequency	%
1	Very Rarely	1406	19.0 %
2	Rarely	1772	24.0 %
3	Sometimes	3126	42.3 %
4	Often	807	10.9 %
5	Very Often	257	3.5 %
	Missing Data		
.	-	28	0.4 %
	Total	7,396	100%

Based upon 7,368 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1130-1130 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC7: DCI (R reaction to S stress): I tend withdraw when spouse stressed

Value	Label	Unweighted Frequency	%
1	Very Rarely	3029	41.0 %

Value	Label	Unweighted Frequency	%
2	Rarely	2320	31.4 %
3	Sometimes	1805	24.4 %
4	Often	185	2.5 %
5	Very Often	57	0.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1131-1131 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC2: DCI (R reaction to S stress): I blame spouse not coping well w/stress

Value	Label	Unweighted Frequency	%
1	Very Rarely	3799	51.4 %
2	Rarely	2301	31.1 %
3	Sometimes	1199	16.2 %
4	Often	57	0.8 %
5	Very Often	40	0.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1132-1132 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC3: DCI (R reaction to S stress): I help spouse see sit in diff light

Value	Label	Unweighted Frequency	%
1	Very Rarely	700	9.5 %
2	Rarely	1378	18.6 %
3	Sometimes	3145	42.5 %
4	Often	1618	21.9 %
5	Very Often	555	7.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1133-1133 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC4: DCI (R reaction to S stress): I listen/let communicate what's bothering them

Value	Label	Unweighted Frequency	%
1	Very Rarely	20	0.3 %
2	Rarely	157	2.1 %
3	Sometimes	1843	24.9 %
4	Often	3349	45.3 %
5	Very Often	2027	27.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1134-1134 (width: 1; decimal: 0)

Variable Type: numeric

RTOSPDC5: DCI (R reaction to S stress): I don't take spouse stress seriously

Value	Label	Unweighted Frequency	%
1	Very Rarely	3874	52.4 %
2	Rarely	2439	33.0 %
3	Sometimes	919	12.4 %
4	Often	109	1.5 %
5	Very Often	46	0.6 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1135-1135 (width: 1; decimal: 0)

Variable Type: numeric

RSPTOGDC1: DCI (R and S both stressed): We try cope together and search for solution

Value	Label	Unweighted Frequency	%
1	Very Rarely	30	0.4 %
2	Rarely	165	2.2 %

Value	Label	Unweighted Frequency	%
3	Sometimes	1621	21.9 %
4	Often	2933	39.7 %
5	Very Often	2647	35.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1136-1136 (width: 1; decimal: 0)

Variable Type: numeric

RSPTOGDC2: DCI (R and S both stressed): We have serious discussion/think through problem

Value	Label	Unweighted Frequency	%
1	Very Rarely	20	0.3 %
2	Rarely	379	5.1 %
3	Sometimes	1520	20.6 %
4	Often	2841	38.4 %
5	Very Often	2636	35.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1137-1137 (width: 1; decimal: 0)

Variable Type: numeric

RSPTOGDC3: DCI (R and S both stressed): We help one another see problem in new light

Value	Label	Unweighted Frequency	%
1	Very Rarely	20	0.3 %
2	Rarely	287	3.9 %
3	Sometimes	1978	26.7 %
4	Often	2655	35.9 %
5	Very Often	2456	33.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1138-1138 (width: 1; decimal: 0)

Variable Type: numeric

SEXFRQ: During the past 12 months, about how often did you and your spouse have sex?

Value	Label	Unweighted Frequency	%
1	Not at all in the past 12 months	1199	16.2 %
2	A few times over the past 12 months	1293	17.5 %
3	Once every few months	1189	16.1 %
4	Once a month	964	13.0 %
5	Two or three times a month	1513	20.5 %
6	Once or more a week	1238	16.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1139-1139 (width: 1; decimal: 0)

Variable Type: numeric

SEXFRQPR: Sex Frequency Preference: would R say had sex less/as/more often than would like

Value	Label	Unweighted Frequency	%
1	Much less often than you would like	2093	28.3 %
2	Less often than you would like	3242	43.8 %
3	About as often as would like	1913	25.9 %
4	Somewhat more often than you would like	129	1.7 %
5	Much more often than you would like	10	0.1 %
	Missing Data		
.	-	9	0.1 %
	Total	7,396	100%

Based upon 7,387 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1140-1140 (width: 1; decimal: 0)

Variable Type: numeric

SEXENJOY: Past 12 mos, How Often Have Sex For: enjoyment and pleasure

Value	Label	Unweighted Frequency	%
1	Not at All	1104	14.9 %
2	A Little	312	4.2 %

Value	Label	Unweighted Frequency	%
3	Modeately	1465	19.8 %
4	A Great Deal	4477	60.5 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	38	0.5 %
	Total	7,396	100%

Based upon 7,358 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1141-1141 (width: 1; decimal: 0)

Variable Type: numeric

SEXTOPLS: Past 12 mos, How Often Have Sex For: to please your spouse

Value	Label	Unweighted Frequency	%
1	Not at All	2143	29.0 %
2	A Little	907	12.3 %
3	Modeately	2474	33.5 %
4	A Great Deal	1834	24.8 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	38	0.5 %
	Total	7,396	100%

Based upon 7,358 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1142-1142 (width: 1; decimal: 0)

Variable Type: numeric

SEXEMOTI: Past 12 mos, How Often Have Sex For: emotional closeness

Value	Label	Unweighted Frequency	%
1	Not at All	1368	18.5 %
2	A Little	761	10.3 %
3	Modeately	2085	28.2 %
4	A Great Deal	3144	42.5 %
5	Extremely	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	38	0.5 %
	Total	7,396	100%

Based upon 7,358 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1143-1143 (width: 1; decimal: 0)

Variable Type: numeric

SEXPRESU: Past 12 mos, How Often Have Sex For: felt pressured by spouse

Value	Label	Unweighted Frequency	%
1	Not at All	5031	68.0 %
2	A Little	1336	18.1 %
3	Modeately	721	9.7 %
4	A Great Deal	270	3.7 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	38	0.5 %
	Total	7,396	100%

Based upon 7,358 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1144-1144 (width: 1; decimal: 0)

Variable Type: numeric

SEXSAKER: Past 12 mos, How Often Have Sex For: sake of relationship

Value	Label	Unweighted Frequency	%
1	Not at All	3859	52.2 %
2	A Little	1302	17.6 %
3	Modeately	1379	18.6 %
4	A Great Deal	808	10.9 %
5	Extremely	0	0.0 %
	Missing Data		
.	-	48	0.6 %
	Total	7,396	100%

Based upon 7,348 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1145-1145 (width: 1; decimal: 0)

Variable Type: numeric

SEXSATIS: Overall, how satisfied are you with your current sex life with your spouse?

Value	Label	Unweighted Frequency	%
1	Not at all	1247	16.9 %
2	Slightly	1275	17.2 %
3	Somewhat	2351	31.8 %
4	Very	1949	26.4 %
5	Extremely	555	7.5 %
	Missing Data		
.	-	19	0.3 %
	Total	7,396	100%

Based upon 7,377 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1146-1146 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY1: Before Age 18: family economic hardship

Value	Label	Unweighted Frequency	%
0	Not Selected	4886	66.1 %
1	Selected	2510	33.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1147-1147 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY2: Before Age 18: parents divorced

Value	Label	Unweighted Frequency	%
0	Not Selected	5871	79.4 %
1	Selected	1525	20.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1148-1148 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY3: Before Age 18: never knew father

Value	Label	Unweighted Frequency	%
0	Not Selected	7203	97.4 %
1	Selected	193	2.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1149-1149 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY4: Before Age 18: death of a parent

Value	Label	Unweighted Frequency	%
0	Not Selected	6696	90.5 %
1	Selected	700	9.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1150-1150 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY5: Before Age 18: >=1 parent had mental health problems

Value	Label	Unweighted Frequency	%
0	Not Selected	6052	81.8 %
1	Selected	1344	18.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1151-1151 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY6: Before Age 18: >=1 parent had an alcohol or drug problem

Value	Label	Unweighted Frequency	%
0	Not Selected	5568	75.3 %
1	Selected	1828	24.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1152-1152 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY7: Before Age 18: violence in the family

Value	Label	Unweighted Frequency	%
0	Not Selected	6159	83.3 %
1	Selected	1237	16.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1153-1153 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY8: Before Age 18: physical or sexual abuse

Value	Label	Unweighted Frequency	%
0	Not Selected	5879	79.5 %
1	Selected	1517	20.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1154-1154 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY9: Before Age 18: bullied in school

Value	Label	Unweighted Frequency	%
0	Not Selected	5263	71.2 %
1	Selected	2133	28.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1155-1155 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY10: Before Age 18: suicidal thoughts or attempt

Value	Label	Unweighted Frequency	%
0	Not Selected	6170	83.4 %
1	Selected	1226	16.6 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1156-1156 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY11: Before Age 18: kicked out of parent's or guardian's home

Value	Label	Unweighted Frequency	%
0	Not Selected	7035	95.1 %
1	Selected	361	4.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1157-1157 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY12: Before Age 18: drug and/or alcohol problems

Value	Label	Unweighted Frequency	%
0	Not Selected	6773	91.6 %
1	Selected	623	8.4 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1158-1158 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY13: Before Age 18: rape

Value	Label	Unweighted Frequency	%
0	Not Selected	7146	96.6 %
1	Selected	250	3.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1159-1159 (width: 1; decimal: 0)

Variable Type: numeric

ADVRSTY14: Before Age 18: life threatening illness or injury

Value	Label	Unweighted Frequency	%
0	Not Selected	7227	97.7 %
1	Selected	169	2.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1160-1160 (width: 1; decimal: 0)

Variable Type: numeric

TOTADVRS: # Adverse Events Experienced Before Age 18

Value	Label	Unweighted Frequency	%
0	-	1738	23.5 %
1	-	1707	23.1 %
2	-	1561	21.1 %
3	-	913	12.3 %

Value	Label	Unweighted Frequency	%
4	-	471	6.4 %
5	-	440	5.9 %
6	-	267	3.6 %
7	-	130	1.8 %
8	-	95	1.3 %
9	-	56	0.8 %
10	-	10	0.1 %
11	-	8	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 2.11
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.02

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

CHILDSTR: Overall, how stressful was your childhood?

Value	Label	Unweighted Frequency	%
1	Not at all	1338	18.1 %
2	Slightly	2262	30.6 %
3	Somewhat	1889	25.5 %
4	Very	1312	17.7 %
5	Extremely	595	8.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1163-1163 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM1: How often in adult life: treated less respect than other people

Value	Label	Unweighted Frequency	%
1	Never	1527	20.6 %
2	Less Than Once a Year	2994	40.5 %
3	A Few Times a Year	2079	28.1 %

Value	Label	Unweighted Frequency	%
4	A Few Times a Month	460	6.2 %
5	At Least Once a Week	257	3.5 %
6	Almost Every Day	69	0.9 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1164-1164 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM2: How often in adult life: received poorer service than others restaurants/stores

Value	Label	Unweighted Frequency	%
1	Never	2970	40.2 %
2	Less Than Once a Year	2969	40.1 %
3	A Few Times a Year	1209	16.3 %
4	A Few Times a Month	178	2.4 %
5	At Least Once a Week	60	0.8 %
6	Almost Every Day	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1165-1165 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM3: How often in adult life: poorer service than other people in medical settings

Value	Label	Unweighted Frequency	%
1	Never	4979	67.3 %
2	Less Than Once a Year	1959	26.5 %
3	A Few Times a Year	332	4.5 %
4	A Few Times a Month	88	1.2 %
5	At Least Once a Week	28	0.4 %

Value	Label	Unweighted Frequency	%
6	Almost Every Day	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1166-1166 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM4: How often in adult life: have felt unsafe in public places

Value	Label	Unweighted Frequency	%
1	Never	2394	32.4 %
2	Less Than Once a Year	3101	41.9 %
3	A Few Times a Year	1474	19.9 %
4	A Few Times a Month	263	3.6 %
5	At Least Once a Week	84	1.1 %
6	Almost Every Day	40	0.5 %
	Missing Data		
.	-	40	0.5 %
	Total	7,396	100%

Based upon 7,356 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1167-1167 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM5: How often in adult life: people have ignored you/ acted as don't exist

Value	Label	Unweighted Frequency	%
1	Never	2948	39.9 %
2	Less Than Once a Year	2729	36.9 %
3	A Few Times a Year	1276	17.3 %
4	A Few Times a Month	305	4.1 %
5	At Least Once a Week	108	1.5 %
6	Almost Every Day	30	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1168-1168 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM6: How often in adult life: people have acted as if are disgusted by you

Value	Label	Unweighted Frequency	%
1	Never	4468	60.4 %
2	Less Than Once a Year	2035	27.5 %
3	A Few Times a Year	684	9.2 %
4	A Few Times a Month	150	2.0 %
5	At Least Once a Week	39	0.5 %
6	Almost Every Day	20	0.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1169-1169 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM7: How often in adult life: people have acted as though are afraid of you

Value	Label	Unweighted Frequency	%
1	Never	5049	68.3 %
2	Less Than Once a Year	1520	20.6 %
3	A Few Times a Year	609	8.2 %
4	A Few Times a Month	150	2.0 %
5	At Least Once a Week	39	0.5 %
6	Almost Every Day	0	0.0 %
	Missing Data		
.	-	29	0.4 %
	Total	7,396	100%

Based upon 7,367 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1170-1170 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM8: How often in adult life: people treated your marriage/rel less legitimate theirs

Value	Label	Unweighted Frequency	%
1	Never	3138	42.4 %
2	Less Than Once a Year	1733	23.4 %
3	A Few Times a Year	1896	25.6 %
4	A Few Times a Month	318	4.3 %
5	At Least Once a Week	145	2.0 %
6	Almost Every Day	156	2.1 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1171-1171 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM9: How often in adult life: people have acted as if they think you are dishonest

Value	Label	Unweighted Frequency	%
1	Never	5093	68.9 %
2	Less Than Once a Year	1836	24.8 %
3	A Few Times a Year	367	5.0 %
4	A Few Times a Month	70	0.9 %
5	At Least Once a Week	20	0.3 %
6	Almost Every Day	0	0.0 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1172-1172 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM10: How often in adult life: people have acted as if they're better than you are

Value	Label	Unweighted Frequency	%
1	Never	2032	27.5 %

Value	Label	Unweighted Frequency	%
2	Less Than Once a Year	2382	32.2 %
3	A Few Times a Year	2251	30.4 %
4	A Few Times a Month	413	5.6 %
5	At Least Once a Week	238	3.2 %
6	Almost Every Day	80	1.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1173-1173 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM11: How often in adult life: have been called names or insulted

Value	Label	Unweighted Frequency	%
1	Never	3413	46.1 %
2	Less Than Once a Year	2808	38.0 %
3	A Few Times a Year	969	13.1 %
4	A Few Times a Month	138	1.9 %
5	At Least Once a Week	48	0.6 %
6	Almost Every Day	10	0.1 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1174-1174 (width: 1; decimal: 0)

Variable Type: numeric

DISCRIM12: How often in adult life: have been threatened or harrassed

Value	Label	Unweighted Frequency	%
1	Never	4384	59.3 %
2	Less Than Once a Year	2384	32.2 %
3	A Few Times a Year	501	6.8 %
4	A Few Times a Month	50	0.7 %
5	At Least Once a Week	47	0.6 %

Value	Label	Unweighted Frequency	%
6	Almost Every Day	20	0.3 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1175-1175 (width: 1; decimal: 0)

Variable Type: numeric

TOTDISCR: Discrimination Scale (Alpha .88)

Value	Label	Unweighted Frequency	%
8	-	10	0.1 %
11	-	10	0.1 %
12	-	620	8.4 %
13	-	203	2.7 %
14	-	305	4.1 %
15	-	397	5.4 %
16	-	365	4.9 %
17	-	448	6.1 %
18	-	474	6.4 %
19	-	352	4.8 %
20	-	486	6.6 %
21	-	367	5.0 %
22	-	413	5.6 %
23	-	404	5.5 %
24	-	365	4.9 %
25	-	310	4.2 %
26	-	326	4.4 %
27	-	265	3.6 %
28	-	192	2.6 %
29	-	205	2.8 %
30	-	189	2.6 %
31	-	136	1.8 %
32	-	80	1.1 %
33	-	67	0.9 %
34	-	110	1.5 %
35	-	10	0.1 %

Value	Label	Unweighted Frequency	%
36	-	48	0.6 %
37	-	80	1.1 %
38	-	20	0.3 %
39	-	20	0.3 %
40	-	10	0.1 %
41	-	30	0.4 %
42	-	10	0.1 %
43	-	10	0.1 %
45	-	10	0.1 %
46	-	20	0.3 %
49	-	29	0.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Mean: 21.46
- Median: 21.00
- Mode: 12.00
- Minimum: 8.00
- Maximum: 49.00
- Standard Deviation: 6.83

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

REAS1: Rank Order Reasons Discrimination: Gender

Value	Label	Unweighted Frequency	%
0	-	10	0.1 %
1	-	916	12.4 %
2	-	855	11.6 %
3	-	487	6.6 %
4	-	226	3.1 %
5	-	154	2.1 %
6	-	119	1.6 %
7	-	50	0.7 %
	Missing Data		
.	-	4579	61.9 %
	Total	7,396	100%

Based upon 2,817 valid cases out of 7,396 total cases.

- Mean: 2.42
- Median: 2.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.51

Location: 1178-1178 (width: 1; decimal: 0)

Variable Type: numeric

REAS2: Rank Order Reasons Discrimination: Race/Ethnicity

Value	Label	Unweighted Frequency	%
0	-	30	0.4 %
1	-	376	5.1 %
2	-	296	4.0 %
3	-	128	1.7 %
4	-	143	1.9 %
5	-	259	3.5 %
6	-	285	3.9 %
7	-	59	0.8 %
	Missing Data		
.	-	5820	78.7 %
	Total	7,396	100%

Based upon 1,576 valid cases out of 7,396 total cases.

- Mean: 3.39
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.03

Location: 1179-1179 (width: 1; decimal: 0)

Variable Type: numeric

REAS3: Rank Order Reasons Discrimination: Sexual Orientation

Value	Label	Unweighted Frequency	%
0	-	10	0.1 %
1	-	2774	37.5 %
2	-	749	10.1 %
3	-	325	4.4 %
4	-	187	2.5 %
5	-	80	1.1 %
6	-	130	1.8 %
7	-	30	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3111	42.1 %
	Total	7,396	100%

Based upon 4,285 valid cases out of 7,396 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.29

Location: 1180-1180 (width: 1; decimal: 0)

Variable Type: numeric

REAS4: Rank Order Reasons Discrimination: Physical Appearance

Value	Label	Unweighted Frequency	%
0	-	20	0.3 %
1	-	329	4.4 %
2	-	786	10.6 %
3	-	561	7.6 %
4	-	356	4.8 %
5	-	145	2.0 %
6	-	49	0.7 %
	Missing Data		
.	-	5150	69.6 %
	Total	7,396	100%

Based upon 2,246 valid cases out of 7,396 total cases.

- Mean: 2.68
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.24

Location: 1181-1181 (width: 1; decimal: 0)

Variable Type: numeric

REAS5: Rank Order Reasons Discrimination: Income Level/Social Class

Value	Label	Unweighted Frequency	%
0	-	30	0.4 %
1	-	446	6.0 %
2	-	635	8.6 %

Value	Label	Unweighted Frequency	%
3	-	375	5.1 %
4	-	218	2.9 %
5	-	218	2.9 %
6	-	170	2.3 %
	Missing Data		
.	-	5304	71.7 %
	Total	7,396	100%

Based upon 2,092 valid cases out of 7,396 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.58

Location: 1182-1182 (width: 1; decimal: 0)

Variable Type: numeric

REAS6: Rank Order Reasons Discrimination: Weight/Body Size

Value	Label	Unweighted Frequency	%
1	-	533	7.2 %
2	-	676	9.1 %
3	-	542	7.3 %
4	-	278	3.8 %
5	-	170	2.3 %
6	-	198	2.7 %
	Missing Data		
.	-	4999	67.6 %
	Total	7,396	100%

Based upon 2,397 valid cases out of 7,396 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.51

Location: 1183-1183 (width: 1; decimal: 0)

Variable Type: numeric

REAS7: Rank Order Reasons Discrimination: Other

Value	Label	Unweighted Frequency	%
0	-	20	0.3 %
1	-	680	9.2 %
2	-	182	2.5 %
3	-	116	1.6 %
4	-	58	0.8 %
5	-	10	0.1 %
7	-	30	0.4 %
	Missing Data		
.	-	6300	85.2 %
	Total	7,396	100%

Based upon 1,096 valid cases out of 7,396 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.30

Location: 1184-1184 (width: 1; decimal: 0)

Variable Type: numeric

REAS7TXT: Rank Order Reasons Discrimination: Other-text

Value	Label	Unweighted Frequency	%
	-	6330	85.6 %
MASKED BY ICPSR	-	1066	14.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1185-1199 (width: 15; decimal: 0)

Variable Type: character

IPV1: How often?: spouse does not treat me well

Value	Label	Unweighted Frequency	%
1	Not at All	4774	64.5 %
2	A Little	2047	27.7 %
3	Modeately	555	7.5 %
4	A Great Deal	20	0.3 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1200-1200 (width: 1; decimal: 0)

Variable Type: numeric

IPV2: How often?: spouse too controlling over daily decisions/life

Value	Label	Unweighted Frequency	%
1	Not at All	4665	63.1 %
2	A Little	1721	23.3 %
3	Modeately	750	10.1 %
4	A Great Deal	260	3.5 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1201-1201 (width: 1; decimal: 0)

Variable Type: numeric

IPV3: How often?: spouse drinks too much

Value	Label	Unweighted Frequency	%
1	Not at All	5091	68.8 %
2	A Little	1332	18.0 %
3	Modeately	796	10.8 %
4	A Great Deal	177	2.4 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1202-1202 (width: 1; decimal: 0)

Variable Type: numeric

IPV4: How often?: spouse pushes, slaps, or hits me

Value	Label	Unweighted Frequency	%
1	Not at All	7228	97.7 %

Value	Label	Unweighted Frequency	%
2	A Little	168	2.3 %
3	Modeately	0	0.0 %
4	A Great Deal	0	0.0 %
5	Extremely	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1203-1203 (width: 1; decimal: 0)

Variable Type: numeric

MSTRES: Status of rel IN CURRENT STATE of residence

Value	Label	Unweighted Frequency	%
1	Legally married	6772	91.6 %
2	Registered domestic partnership	103	1.4 %
3	Civil Union	49	0.7 %
4	Other	462	6.2 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1204-1204 (width: 1; decimal: 0)

Variable Type: numeric

MSTRESTXT: Q23.1_TEXT

Value	Label	Unweighted Frequency	%
	-	6992	94.5 %
MASKED BY ICPSR	-	404	5.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1205-1219 (width: 15; decimal: 0)

Variable Type: character

STATEMAR: In what state were you married?

Value	Label	Unweighted Frequency	%
	-	136	1.8 %
MASKED BY ICPSR	-	7260	98.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1220-1234 (width: 15; decimal: 0)

Variable Type: character

CNTRYMAR: If married outside the U.S., which country?

Value	Label	Unweighted Frequency	%
	-	6995	94.6 %
MASKED BY ICPSR	-	401	5.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1235-1249 (width: 15; decimal: 0)

Variable Type: character

STATELIV: In what state do you currently live?

Value	Label	Unweighted Frequency	%
MASKED BY ICPSR	-	7396	100.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1250-1264 (width: 15; decimal: 0)

Variable Type: character

WHITE: Race: White/Caucasian

Value	Label	Unweighted Frequency	%
0	Not Selected	730	9.9 %
1	Selected	6666	90.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1265-1265 (width: 1; decimal: 0)

Variable Type: numeric

BLACK: Race: Black/African American

Value	Label	Unweighted Frequency	%
0	Not Selected	7081	95.7 %
1	Selected	315	4.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1266-1266 (width: 1; decimal: 0)

Variable Type: numeric

NATIV: Race: American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	Not Selected	7347	99.3 %
1	Selected	49	0.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1267-1267 (width: 1; decimal: 0)

Variable Type: numeric

ASIAN: Race: Asian or Pacific Islander

Value	Label	Unweighted Frequency	%
0	Not Selected	7168	96.9 %
1	Selected	228	3.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1268-1268 (width: 1; decimal: 0)

Variable Type: numeric

OTHRC: Race: Other

Value	Label	Unweighted Frequency	%
0	Not Selected	7078	95.7 %
1	Selected	318	4.3 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1269-1269 (width: 1; decimal: 0)

Variable Type: numeric

OTHSP: Race: Other- Please Specify

Value	Label	Unweighted Frequency	%
	-	7078	95.7 %
MASKED BY ICPSR	-	318	4.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1270-1284 (width: 15; decimal: 0)

Variable Type: character

DKRAC: Race: Don't Know

Value	Label	Unweighted Frequency	%
0	Not Selected	7386	99.9 %
1	Selected	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1285-1285 (width: 1; decimal: 0)

Variable Type: numeric

HISPAN: Do you consider yourself Hispanic or Latino/a?

Value	Label	Unweighted Frequency	%
0	No	7063	95.5 %
1	Yes	313	4.2 %
2	Don't Know	20	0.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1286-1286 (width: 1; decimal: 0)

Variable Type: numeric

RACETH: Respondent Race/Ethnicity

Value	Label	Unweighted Frequency	%
1	nh-white	6374	86.2 %
2	nh-black	267	3.6 %
3	hispanic	313	4.2 %
4	nh-asian	189	2.6 %
5	nh-native american	10	0.1 %
6	nh-mixed	158	2.1 %
7	nh-other	85	1.1 %
8	nh-don't know	0	0.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1287-1287 (width: 1; decimal: 0)

Variable Type: numeric

RELIG: What is your religious preference?

Value	Label	Unweighted Frequency	%
1	None	3143	42.5 %
2	Protestant	1281	17.3 %
3	Catholic	1411	19.1 %
4	Jewish	500	6.8 %
5	Buddhist	129	1.7 %
6	Other	922	12.5 %
7	Islamic	10	0.1 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1288-1288 (width: 1; decimal: 0)

Variable Type: numeric

RELIGTXT: other religious preference- specify

Value	Label	Unweighted Frequency	%
	-	6531	88.3 %
MASKED BY ICPSR	-	865	11.7 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1289-1303 (width: 15; decimal: 0)

Variable Type: character

SEXOR: R's Chosen Sexual Orientation

Value	Label	Unweighted Frequency	%
1	Hetero/Straight	2161	29.2 %
2	Gay	2321	31.4 %
3	Lesbian	2274	30.7 %
4	Bisexual	378	5.1 %
5	Queer	167	2.3 %
6	Other	95	1.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1304-1304 (width: 1; decimal: 0)

Variable Type: numeric

SEXORTXT: 'Other' sexual orientation chosen: specify

Value	Label	Unweighted Frequency	%
	-	7301	98.7 %
MASKED BY ICPSR	-	95	1.3 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1305-1319 (width: 15; decimal: 0)

Variable Type: character

EDUC: R's highest level education completed

Value	Label	Unweighted Frequency	%
1	Less than HS	20	0.3 %

Value	Label	Unweighted Frequency	%
2	Some High School	36	0.5 %
3	High School/GED	320	4.3 %
4	Some College	1068	14.4 %
5	College Grad	2195	29.7 %
6	Post-grad/Prof	3757	50.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1320-1320 (width: 1; decimal: 0)

Variable Type: numeric

FULLTIME: R Currently working full-time

Value	Label	Unweighted Frequency	%
0	Not Selected	2053	27.8 %
1	Selected	5343	72.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1321-1321 (width: 1; decimal: 0)

Variable Type: numeric

PARTTIME: R Currently working part-time

Value	Label	Unweighted Frequency	%
0	Not Selected	6619	89.5 %
1	Selected	777	10.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1322-1322 (width: 1; decimal: 0)

Variable Type: numeric

RETIRED: R is Retired

Value	Label	Unweighted Frequency	%
0	Not Selected	6956	94.1 %
1	Selected	440	5.9 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1323-1323 (width: 1; decimal: 0)

Variable Type: numeric

DISABLED: R disabled/unable to work

Value	Label	Unweighted Frequency	%
0	Not Selected	7157	96.8 %
1	Selected	239	3.2 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1324-1324 (width: 1; decimal: 0)

Variable Type: numeric

UNEMPLYD: R unemployed and looking for work

Value	Label	Unweighted Frequency	%
0	Not Selected	7070	95.6 %
1	Selected	326	4.4 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1325-1325 (width: 1; decimal: 0)

Variable Type: numeric

HOMEMAKR: R is homemaker

Value	Label	Unweighted Frequency	%
0	Not Selected	7001	94.7 %
1	Selected	395	5.3 %

Value	Label	Unweighted Frequency	%
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1326-1326 (width: 1; decimal: 0)

Variable Type: numeric

WORKOTH: R has other employment situation

Value	Label	Unweighted Frequency	%
0	Not Selected	6955	94.0 %
1	Selected	441	6.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1327-1327 (width: 1; decimal: 0)

Variable Type: numeric

WORKOTHTXT: R 'other' employment: please specify

Value	Label	Unweighted Frequency	%
	-	6955	94.0 %
MASKED BY ICPSR	-	441	6.0 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1328-1342 (width: 15; decimal: 0)

Variable Type: character

WORKSIT: Respondent's current employment status

Value	Label	Unweighted Frequency	%
1	Working Full-Time	5343	72.2 %
2	Working Part-Time	673	9.1 %
3	Homemaker	316	4.3 %
4	Unemployed/Looking for Work	276	3.7 %
5	Disabled/Unable work	229	3.1 %
6	Retired	333	4.5 %

Value	Label	Unweighted Frequency	%
7	Other	216	2.9 %
	Missing Data		
.	-	10	0.1 %
	Total	7,396	100%

Based upon 7,386 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1343-1343 (width: 1; decimal: 0)

Variable Type: numeric

CURJOB: If currently employed- What is your occupation on your main job?

Value	Label	Unweighted Frequency	%
	-	1125	15.2 %
MASKED BY ICPSR	-	6271	84.8 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1344-1358 (width: 15; decimal: 0)

Variable Type: character

PSTJOB: If retired or unemployed- What was your occupation on your main job?

Value	Label	Unweighted Frequency	%
	-	6252	84.5 %
MASKED BY ICPSR	-	1144	15.5 %
	Total	7,396	100%

Based upon 7,396 valid cases out of 7,396 total cases.

Location: 1359-1373 (width: 15; decimal: 0)

Variable Type: character

PINCOME: R's PERSONAL INCOME past year

Value	Label	Unweighted Frequency	%
1	No Personal Income	246	3.3 %
2	\$1-\$24,999	1030	13.9 %
3	\$25,000-\$49,999	1476	20.0 %
4	\$50,000-\$74,999	1822	24.6 %
5	\$75,000-\$99,999	1256	17.0 %
6	\$100,000-\$149,999	975	13.2 %

Value	Label	Unweighted Frequency	%
7	\$150,000 or more	533	7.2 %
	Missing Data		
.	-	58	0.8 %
	Total	7,396	100%

Based upon 7,338 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1374-1374 (width: 1; decimal: 0)

Variable Type: numeric

HHINCOME: R's HOUSEHOLD INCOME past year

Value	Label	Unweighted Frequency	%
1	No Household Income	10	0.1 %
2	\$1-\$24,999	120	1.6 %
3	\$25,000-\$49,999	505	6.8 %
4	\$50,000-\$74,999	957	12.9 %
5	\$75,000-\$99,999	1355	18.3 %
6	\$100,000-\$149,999	1898	25.7 %
7	\$150,000 or more	2473	33.4 %
	Missing Data		
.	-	78	1.1 %
	Total	7,396	100%

Based upon 7,318 valid cases out of 7,396 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1375-1375 (width: 1; decimal: 0)

Variable Type: numeric