

C# Cheat Sheet

by laurence via cheatography.com/42043/cs/12684/

Data Types		
bool	Boolean value	
byte	8-bit unsigned integer	
char	16-bit Unicode character	
decimal	128-bit precise decimal values with 28-29 significant digits	
double	64-bit double-precision floating point	
float	32-bit single-precision floating point	
int	32-bit signed integer	
long	64-bit signed integer	
object	Base type for all other types	
sbyte	8-bit signed integer	
short	16-bit signed integer	
string	String value	
uint	32-bit unsigned integer	
ulong	64-bit unsigned integer	
ushort	16-bit unsigned integer	

Type Conversion Methods
ToBoolean
ToByte
ToChar
ToDateTime
ToDecimal
ToDouble
ToInt16
ToInt32
ToInt64
ToSbyte
ToSingle
ToString
ТоТуре
ToUInt16
ToUInt32

Naming Conventions Class MyClass Mathed

Type Conversion Methods (cont)

Class	MyClass
Method	MyMethod
Local variable	myLocalVariable
Private variable	_myPrivateVariable
Constant	MyConstant

Arrays		
int[] array = new int[] {1,	2, 3}	
$int[] array = {1, 2, 3}$		
var array = new int[] {1,	2, 3}	
int[] array = new int[3]		

Statements	
if-else	if (true) {} else if (true) {} else {}
switch	switch (var) { case 1: break; default: break; }
for	for (int i =1; i < 5; i++) $\{\}$
foreach-in	for each (int item in array) $\{\}$
while	while (true) {}
do while	do {} while (true);
try-catch-finally	try {} catch (Exception e) {} catch {} finally {}



By **laurence** cheatography.com/laurence/

Published 1st September, 2017. Last updated 2nd September, 2017. Page 1 of 3. Sponsored by **CrosswordCheats.com** Learn to solve cryptic crosswords! http://crosswordcheats.com



C# Cheat Sheet

by laurence via cheatography.com/42043/cs/12684/

Classes		
Class	public class Dog {	}
Inheritance	public class Dog: Pe	et {}
Constructor (no parameters)	public Dog () {}	Constructors can co-exist
Constructor (one parameter)	public Dog (string var) {}	Constructors can co-exist
Field	public string name	
Static Class	public static class Dog {}	Must only have static members
Static Member	public static int = 1	
Finalizer (destructor)	~Dog () {}	Cannot have modifiers or parameters

Access Modifiers	
public	Accessible by any other code in the same assembly or another assembly that references it
private	Only accessible by code in the same class or struct
protected	Only accessible by code in the same class or struct, or in a derived class
internal	Accessible by any code in the same assembly, but not from another assembly
protected internal	Accessible by any code in the same assembly, or by any derived class in another assembly

Other Modifiers	
abstract	Indicates that a class is intended only to be a base class of other classes
async	Indicates that the modified method, lambda expression, or anonymous method is asynchronous
const	Specifies that the value of the field or the local variable cannot be modified
event	Declares an event
extern	Indicates that the method is implemented externally
new	Explicitly hides a member inherited from a base class
override	Provides a new implementation of a virtual member inherited from a base class
partial	Defines partial classes, structs and methods throughout the same assembly
readonly	Declares a field that can only be assigned values as part of the declaration or in a constructor in the same class
sealed	Specifies that a class cannot be inherited
static	Declares a member that belongs to the type itself instead of to a specific object
unsafe	Declares an unsafe context
virtual	Declares a method or an accessor whose implementation can be changed by an overriding member in a derived class
volatile	Indicates that a field can be modified in the program by something such as the operating system, the hardware, or a concurrently executing thread



By **laurence** cheatography.com/laurence/

Published 1st September, 2017. Last updated 2nd September, 2017. Page 2 of 3. Sponsored by **CrosswordCheats.com** Learn to solve cryptic crosswords! http://crosswordcheats.com



C# Cheat Sheet

by laurence via cheatography.com/42043/cs/12684/

Assignment Operators	
=	Simple assignment
+=	Addition assignment
-=	Subtraction assignment
*=	Multiplication assignment
/=	Division assignment
%=	Remainder assignment
&=	AND assignment
=	OR assignment
٨	XOR assignment
<<=	Left-shift assignment
>>=	Right-shift assignment

Comparison Operators	
<	Less than
>	Greater than
<=	Less than or equal to
>=	Greater than or equal to
==	Equal to
!=	Not equal to

Arithmetic Operators	
+	Add numbers
-	Subtract numbers
*	Multiply numbers
/	Divide numbers
%	Compute remainder of division of numbers
++	Increases integer value by 1
	Decreases integer value by 1

Logical and Bitwise Operators	
&&	Logical AND
II	Logical OR
!	Logical NOT
&	Binary AND
1	Binary OR
٨	Binary XOR
~	Binary Ones Complement
<<	Binary Left Shift
>>	Binary Right Shift

Other Operators	
sizeof()	Returns the size of a data type
typeof()	Returns the type of a class
&	Returns the address of a variable
*	Pointer to a variable
?:	Conditional expression
is	Determines whether an object is of a specific type
as	Cast without raising an exception if the cast fails



By **laurence** cheatography.com/laurence/

Published 1st September, 2017. Last updated 2nd September, 2017. Page 3 of 3. Sponsored by **CrosswordCheats.com**Learn to solve cryptic crosswords!
http://crosswordcheats.com