




Teensy 3.0 Pins




MISC




RTC Battery




Reset



I2C Pullup




External Power




Teensy 3.0 to Arduino R3 adapter

This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
<http://creativecommons.org/licenses/by-sa/3.0/>
 (c) 2012 Jonas Niggli (theknd)


I2C EEPROM




5V Supply




uSD socket



RS485




TMP102




Teensy 3.0 to Arduino R3 adapter

This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
<http://creativecommons.org/licenses/by-sa/3.0/>
 (c) 2012 Jonas Niggli (thewknd)


MCP73871



Arduino R3 Shield Pins




POWER LED




Teensy 3.0 to Arduino R3 adapter

This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
<http://creativecommons.org/licenses/by-sa/3.0/>
 (c) 2012 Jonas Niggli (thewknd)


Serial1 LED




Serial2 LED




Serial3 LED




MS5803-01BA




XBee



HEADER-2X10SLK



WIZ820io



Teensy 3.0 to Arduino R3 adapter

This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
<http://creativecommons.org/licenses/by-sa/3.0/>
 (c) 2012 Jonas Niggli (theknd)