

Settings

⚙️

General

Rulesets / Proteccion-Main

Disabled

⋮

Access

👤

Collaborators

💬

Moderation

▾

Code, planning, and automation

📁

Rulesets

^

Rulesets

🔗

Branches

🏷️

Tags

▶️

Actions

▾

🔗

Webhooks

👤

Copilot

▾

📅

Planning

▾

📁

Environments

📄

Codespaces

📅

Pages

Security and quality

🔍

Advanced Security

🔑

Deploy keys

⌘

Secrets and variables

▾

Integrations

🔌

GitHub Apps

Ruleset Name *

Proteccion-Main

Enforcement status

▶️

Active

▾

Bypass list

Exempt roles, teams, agents, apps, and users from this ruleset by adding them to the bypass list.

Actors

All ▾

+

Add bypass

▾

Bypass list is empty

Target branches

Which branches should be matched?

Branch targeting criteria

Add target

▾

⊕

main



Applies to 1 target: main .

Rules

Which rules should be applied?

Branch rules

 Email notifications☐ Restrict creations

Only allow users with bypass permission to create matching refs.

☐ Restrict updates

Only allow users with bypass permission to update matching refs.

Restrict deletions

Only allow users with bypass permissions to delete matching refs.

☐ Require linear history

Prevent merge commits from being pushed to matching refs.

☐ Require deployments to succeed

Choose which environments must be successfully deployed to before refs can be pushed into a ref that matches this rule.

☐ Require signed commits

Commits pushed to matching refs must have verified signatures.

Require a pull request before merging

Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.

Show additional settings ▾

Require status checks to pass

Choose which status checks must pass before the ref is updated. When enabled, commits must first be pushed to another ref where the checks pass.

Hide additional settings ▲

Require branches to be up to date before merging

Whether pull requests targeting a matching branch must be tested with the latest code. This setting will not take effect unless at least one status check is enabled.

☐ Do not require status checks on creation

Allow repositories and branches to be created if a check would otherwise prohibit it.

Status checks that are required

+ Add checks ▾

Calidad

Any source



Block force pushes

Prevent users with push access from force pushing to refs.



Require code scanning results

Choose which tools must provide code scanning results before the reference is updated. When configured, code scanning must be enabled and have results for both the commit and the reference being updated.



Require code quality results

Choose which severity levels of code quality results should block pull request merges. When configured, a code quality analysis must be done on the pull request before the changes can be merged.



Restrict code coverage

Enforce minimum line coverage thresholds on pull requests. When configured, uploaded coverage data must meet the specified criteria before changes can be merged.



Automatically request Copilot code review

Request Copilot code review for new pull requests automatically if the author has access to Copilot code review and their premium requests quota has not reached the limit.

Save

Revert