


Inventory & sales

The eight core entities for products, stock batches, sales and staff.

21 tables | 144 columns

Snapshot: 2026-10-10 05:17:09 +08:00

CROW'S FOOT: || exactly one o| zero or one o< zero or many Solid line = migration-declared FK



Expiration, condition and FIFO Remaining_Quantity belong to tbl_Stock_in; they are not product columns.

No Sold_Item-to-Stock_in allocation FK exists. Sale lines reference products; each sale uses one payment method.


Cardinality describes schema constraints. A sale can have zero stored lines at the database level; checkout applies its own rules.

Accounts & security

Account management, recovery and session relationships, including optional references.

Snapshot: 2026-10-10 05:17:09 +08:00

Solid = migration-declared FK Purple dashed = application reference, without a declared FK o| = optional / at most one



email_change_codes.user_id is UNIQUE: one user can have at most one pending email-change code.
sessions.user_id is indexed but unconstrained. Reset emails are application references to users.email, not foreign keys.
SQL Server: password_reset_requests.approved_by uses NO ACTION on delete; user_id uses CASCADE. Users appears on both diagrams.

Framework tables

Laravel cache, queues and migration bookkeeping. No declared FK relationships.

These six framework tables have no foreign keys to one another in the matching migrations.

21 tables | 144 columns

Snapshot: 2026-10-10 05:17:09 +08:00

jobs0 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	id	bigint	-
	queue	nvarchar(255)	-
	payload	nvarchar(max)	-
	attempts	smallint	-
	reserved_at	int	Y
	available_at	int	-
	created_at	int	-

job_batches0 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	id	nvarchar(255)	-
	name	nvarchar(255)	-
	total_jobs	int	-
	pending_jobs	int	-
	failed_jobs	int	-
	failed_job_ids	nvarchar(max)	-
	options	nvarchar(max)	Y
	cancelled_at	int	Y
	created_at	int	-
	finished_at	int	Y

failed_jobs0 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	id	bigint	-
	uuid	nvarchar(255)	-
	connection	nvarchar(255)	-
	queue	nvarchar(255)	-
	payload	nvarchar(max)	-
	exception	nvarchar(max)	-
	failed_at	datetime	-

cache1 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	key	nvarchar(255)	-
	value	nvarchar(max)	-
	expiration	bigint	-

cache_locks0 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	key	nvarchar(255)	-
	owner	nvarchar(255)	-
	expiration	bigint	-

migrations19 rows			
KEY	COLUMN	SQL SERVER TYPE	?
PK	id	int	-
	migration	nvarchar(255)	-
	batch	int	-

READING THIS ERD

The snapshot contains table names, columns and records. It does not export SQL Server CREATE TABLE statements, indexes or FK metadata.

All 21 tables and all columns match this backup. Types, keys, nullability and delete actions were reconstructed from its 19 matching migrations.

SQL Server stores Laravel JSON/text as nvarchar(max), booleans as bit, and Laravel timestamp/dateTime columns as datetime here.

Only schema metadata and row counts appear in these artifacts. Record contents, password hashes, recovery codes and session payloads are omitted.

Queue IDs / failed_job_ids are framework data, not FK columns. Similar names do not imply a database relationship.

Product Image and Images store paths / JSON paths; the uploaded image files are outside the database snapshot.

Backup schedules and destinations are application settings, not extra database entities in this snapshot.