Git in Four Weeks - Week 2

Revision 1.10 12/04/23

Note #1: Prior to lab 6, you will need to have a GitHub free account and a GitHub Personal Access Token (PAT). Follow the instructions at the link below to generate the token. Keep a copy of it somewhere so you can copy and paste it to use in lab 6.

<u>Instructions</u>

Direct link is below if you need it (same as link for "Instructions" above)

https://docs.github.com/en/authentication/keeping-your-account-and-datasecure/managing-your-personal-access-tokens#creating-a-personal-access-tokenclassic

Optional

Note #2: If you are using an older version of Git, the default branch may be "master" instead of "main". If this is the case, for Labs 4 and 5, you can substitute "master" where the labs specify "main". Or you can change the default branch to main by using the command below when you are on the main branch.

\$ git branch -M main

Note #3: This series of labs assumes the first 3 labs from week 1 have been completed and you start out working in that same directory. If you don't have that directory, you can use the git repo as shown below. (Note you only need to do these steps if you don't have your repo from last week.)

\$ git clone https://github.com/skillrepos/git4-2
\$ cd git4-2
\$ git remote rm origin
\$ git config user.name "your name"
\$ git config user.email your-email-address

Lab 4 - Working with Branches

In this lab, we'll start working with branches by creating a new branch and making changes on it.

Steps

1.) Starting in the same directory as you used for Lab 3, take a look at what branches you have currently with the git branch command.

\$ git branch

- 2.) You'll see a line that says "* main". This indicates that there is only one branch currently in your repository main. The "*" next to it indicates that it is the current branch (the one you've switched to and are currently working in). If your terminal prompt is configured to show the current branch, it would also say "main".
- **3.)** Now, before we work with a new branch, let's update at least one file in the main branch to indicate that this is the version on main so it will be easier to see which version we have later. To do this, we can just use a short version of the same way we have been creating and updating other files.

\$ echo main version >> file-name

4.) Stage and commit the updated files. Because these are files that Git already knows about, we can use the shortcut command here.

\$ git commit -am "main version"

5.) We have a new feature to work on, create a branch for the feature. Switch back to your terminal, and in the directory, run the command below.

\$ git branch *feature-branch-name*

6.) Notice that this command created the branch but did not switch to it. Let's check what branches we have and which is our current one.

\$ git branch

7.) We can now see our new branch listed. Let's change into the feature branch to do some work.

\$ git checkout feature-branch-name

8.) Verify that we're on the feature branch. Run the command below and observe that the "*" is next to that branch.

\$ git branch

9.) Now create a new file in the feature branch. Then update the files in the feature branch to indicate that they are the "feature branch version".

\$ echo some-text > new-file

Next, pick at least one previous file and update it with a way to indicate this is the version on the new branch.

\$ echo feature version >> file-name

10.) When you're done, stage and commit your changes.

- \$ git add .
- \$ git commit -m "feature version"

(Note: If you just used git commit -am, it wouldn't pick up your new file.)

11.) Switch back to the main branch.

\$ git checkout main

12.) Verify you're on the right branch.

\$ git branch

(Note: Should have a * by main.)

13.) Take a look at the contents of the files and verify that they're the original ones from main.

Look for "main version" in the text.

<u>Lab 5 - Practice with Merging</u>

In this lab, we'll work through some simple branch merging.

Prerequisites

This lab assumes that you have done Lab 4: Working with branches. You should start out in the same directory as that lab.

Steps

1.) Starting in the same directory as you used for Lab 4, make sure you don't have any outstanding or modified files (nothing to commit). You can do this by running the status command and verifying that it reports "working directory clean".

\$ git status

2.) Now, create a new one-line file with a line that identifies it as the main version.

- \$ echo "some-text" > file5-name
- 3.) Stage it and commit on the main branch.
 - \$ git add .
 - \$ git commit -m "adding new file on main"
- **4.)** Create a new branch but don't switch to it yet. (You can use whatever branch name you want.)
 - \$ git branch new-branch
- **5.)** Change the same line in the new file (<u>still on main</u>)
 - \$ echo "Update on main" > file5-name
- **6.)** Stage and commit that change (still on main)
 - \$ git add .
 - \$ git commit -m "update on main"
- 7.) Switch to your new branch.
 - \$ git checkout new-branch
- 8.) Now on your new branch, make a change to the same line of the same file.
 - \$ echo "Update on new-branch" > file5-name

9.) Stage and commit it on your new branch.

\$ git commit -am "update on new-branch"

10.) Switch back to the main branch.

\$ git checkout main

11.) Merge your new branch back into main. (This will attempt to merge new branch into main.)

\$ git merge new-branch

12.) Check the status of things. Notice that we have a conflict.

\$ git status

13.) Also take a look at the local file and notice the conflict markers.

\$ cat file5-name (or "type file5-name" on Windows)

14.) "Fix" the conflict in the file in the working directory. (For simplicity you can just write over it.)

\$ echo "merged version" > file5-name

15.) Stage and commit the fixed file.

\$ git commit -am "Fixed conflicts"

16.) Check the status to make sure the merge issue is resolved © 2023 Brent Laster & Tech Skills Transformations LLC

\$ git status

17.) We're done with your new branch, so get rid of the branch.

\$ git branch -d new-branch

Lab 6 - Using the Overall Workflow with a Remote Repository

In this lab, you'll get some practice with remotes by working with a Github account, forking a repository, cloning it down to your system to work with, rebasing changes, and dealing with conflicts at push time.

Note: If you are already familiar with ssh and have a GitHub ssh key setup, you can use that in place of the https: protocol in this lab. Only do this if you are sure you have ssh already setup and understand how to use ssh keys.

Prerequisites


This lab assumes that you have internet access.

You will also need to have a GitHub free account and a GitHub Personal Access Token (PAT). Follow the instructions at the link below to generate the token. Keep a copy of it somewhere so you can copy and paste it to use in lab 6.

https://docs.github.com/en/github/authenticating-to-github/keeping-your-accountand-data-secure/creating-a-personal-access-token


Steps

- Go to https://github.com and sign in to your Github account.
- 2.) Browse to the calc3 project at https://github.com/skillrepos/calc3
- 3.) Click on the Fork button (top right). Uncheck the checkbox next to "Copy the main branch only" and click on the green "Create fork" button. The repository will be forked to your userid. (Your URL should change to https://github.com/your-github-userid/calc3.)



4.) On the GitHub screen, near the middle right, should be a green button, labelled "Code". Click on that. A new window pops up populated with the URL path you can use to clone this project down via the **https** protocol. (**Use the https protocol for now.**)

To the right of that command, you'll see a "clipboard" icon. Click on that to copy the path to your clipboard. This saves you from having to construct the path yourself.



© 2023 Brent Laster & Tech Skills Transformations LLC

5.) Switch back to your terminal session. CD back up a level if needed to make sure you are not in one of the existing projects from the other labs.

Then clone the project down by typing "git clone" and then pasting the path from the clipboard. Hit Enter.

- \$ cd .. (if needed)
 \$ git clone https://github.com/your-github-userid/calc3.git
- **6.)** You should see some messages from the remote side and then the project will be cloned down into the calc3 directory.


Change (cd) into the calc3 directory.

\$ cd calc3

- 7.) You can now browse around the calc3 directory. There are only two files in there, but if you look at the hidden files, you'll see the .git repository that was cloned down from the remote. You can also run commands like branch against them to see the set of branches. Also try the commands below to see the list of remote branches and information about the most recent set of changes in each.
 - \$ git branch -r
 \$ git branch -av
- 8.) Run the remote -v operation to see the remote.

\$ git remote -v

9.) (Optional) Let's see what features our calculator already has. Open up the calc.html program in a browser and take a look. You'll notice we have the basic arithmetic functions there: addition, subtraction, multiplication, and division.



10.) We want to incorporate some other features into our calculator program from the features branch. First, we'll setup a local features branch to track where the remote branch is in the repo we just cloned. Create a local branch tracking the features remote branch.

\$ git branch features origin/features

11.) Let's get a look at what's in the main branch and what features are available for us to use in the features branch.

12.) We want to merge in the max, exp, and min functions to add to our calculator. We'll do this with a rebase to get the history as well. Still in your main branch, run the rebase command as follows.

\$ git rebase features

13.) Once that finishes, you can do a quick log of your current branch (main) and see that the history records show up there now.

\$ git log --oneline

(Optional) You can also open up the calc.html program in a browser and verify that the functions are there as well.

14.) Assuming the rebase was successful, push the updates out to the remote.

\$ git push origin main

15.) After this, you'll be prompted for username (your GitHub username) and then a sign-in/Private Access Token or password. Wherever it asks for a token or a password, you can just copy and paste in the token you generated in GitHub prior to this lab. An example dialog that may come up is shown below.



If instead, you are on the command line and prompted for a password, just paste the token in at the prompt. Note that it will not show up on the line, but you can just hit enter afterwards.



16.) At this point, you'll see an error message about Git "rejecting" your push due to a "non-fast-forward" situation. Basically, it can't do a fast-forward merge because of the changes we introduced with the rebase.

NOTE: This isn't exactly what would occur if we ran into changes by another user who got their changes in first, but you get the same experience - rejected because it can't fast-forward.

To correct this, we need to merge in the content from the remote locally with our rebased content. To try this, we can just do a pull operation (with an option to force a standard merge) from the remote.

\$ git pull --no-rebase

Git will want to create a new "merge commit" for this and will prompt you for a commit message (via the editor). You can change it if you want, but when you are done, close the editor.

17.) In this case, the merge was fairly simple and should have succeeded. Now that we are up-to-date, we can try the push again. This time it should succeed without problems. (You'll need to supply your username and password as before.)

\$ git push origin main

18.) If you want, you can look back in GitHub and see the update from the merge.

