

MegaForm User Guide

admin and end-user workflow guide

Scope

This guide focuses on practical daily workflows in MegaForm: creating a new form, choosing and uploading templates, working in the builder, publishing, locking forms, getting embed code, reviewing submissions, and configuring database and payment settings.

Note: Button names and menu labels are written in English exactly as they appear in the interface so they are easy to match on screen.

1. Quick overview

MegaForm is a form building and form delivery system with a centralized admin experience. MegaForm is built for practical business use with protected file storage, permission-based administration, controlled upload handling, and separation between public form access and admin operations. When deployed with standard best practices such as HTTPS and proper access control, it provides a solid and reliable security baseline for real-world form workflows.

In most real projects, the day-to-day workflow follows this path: Dashboard → New Form / Template Gallery → Builder → Publish → View / Embed / Submissions.

Main interface areas

The screenshot displays the MegaForm Dashboard interface. On the left is a sidebar with a 'Main' section containing 'Dashboard', 'Form Builder', 'Languages', and 'Submissions' (with a '0' badge). Below this is a 'Configuration' section with 'Database Settings', 'Payment Settings', 'Email Settings', 'Upload Settings', and 'Captcha Settings'. The main content area has a top navigation bar with 'Dashboard', 'Admin Console', 'Live' status, '2 forms', and '0 submissions', along with 'Refresh' and 'New Form' buttons. The dashboard features four summary cards: 'Total Forms' (2 published), 'Submissions' (0 recent), 'Current Form' (No form selected), and 'Platform' (DNN Shared dashboard shell). Below these is a 'Recent Forms' section with a search bar, 'Bulk Delete', and 'New Form' button. It contains a table with two rows of forms, both named 'V0-invitation-ceremony-a...' and marked as 'Active'. The table columns are Name, Status, Fields Modified, and Actions. To the right of the forms table is a 'Recent Submissions' section with an 'All' link and the text 'No submissions yet.' At the bottom, there are 'Quick Actions' and 'System' sections.

Name	Status	Fields Modified	Actions
V0-invitation-ceremony-v...	Active	9 2026-04-19 09:29	[Icons]
V0-invitation-ceremony-a...	Active	9 2026-04-19 09:26	[Icons]

2. Create a new form from a template

2.1 Recommended flow

1. Open Form Dashboard and click New Form.
2. In Template Gallery, hover for a quick look or click Preview to inspect a template in more detail.
3. Click Use Template to open that template in the Builder.
4. In the Builder, update the title, description, fields, layout, and Custom HTML or Custom CSS if needed.
5. Click Preview to review the final experience.
6. Click Publish and Return Dashboard to publish the form and go back to the dashboard.

2.2 What to check before Publish

- The form title and description are correct.
- Required fields are marked correctly.
- The submit button text and success message are appropriate.
- If the form uses payment, database workflow, or file upload, review those settings before publishing.
- If the form will be embedded on another website, test both View live form and Embed & Share after publishing.

3. Upload a template into Gallery (.JSON or .ZIP)


The gallery supports both .json and .zip. A ZIP package can import multiple templates at once, and the new templates will appear in the gallery immediately after a successful upload.

3.1 Upload steps

7. Open Template Gallery.
8. Click Upload Template.
9. Choose a .json file if you want to import one template.
10. Choose a .zip file if you want to import multiple templates in one action.
11. After the upload finishes, review the new template in the grid, open Preview if needed, and use it like any other template.

3.2 Tips for preparing template files


- Use clear file names so templates are easy to find later.
- Include title, description, category or categories, icon, and complete fields whenever possible.
- If the template uses Custom HTML, Custom CSS, or bundled scripts, preview it before publishing.
- If you upload a ZIP package, group related templates together for easier management.




4. Work in the Builder

The Builder is where the form is designed. In practice, the screen is centered around three main areas: the left widget list, the center canvas, and the settings panel on the right.

All text, labels, submit button can be changed in HTML session or at bottom of builder





4.1 Drag and drop widgets

- Drag a widget from the left panel into the canvas.
- Drop it in the desired position and MegaForm will insert it into the current schema.
- For cleaner layouts, add Row or Column containers first and place fields inside them after that.
- After selecting a field on the canvas, open Field Properties for detailed settings.

4.2 Edit a field after dropping it

- Change Label and Key carefully. Keys should remain stable because workflows, Custom HTML, and database mappings may rely on them.
- Turn on Required for mandatory inputs.
- Fill in Placeholder, Help Text, and Default Value where appropriate.
- For Select, Radio, and Checkbox fields, confirm the option list before publishing.

4.3 Preview and Publish

- Click Preview to see the form as an end user will see it.
- Click Publish and Return Dashboard when the form is ready.
- If the form is still in progress, use Preview often so major layout or logic issues are caught before they reach the live form.

5. Custom HTML, Custom CSS, and template-driven forms

- MegaForm supports forms driven by Custom HTML and Custom CSS. This is useful for advanced layouts, landing page style forms, and premium templates.
- When you start from a polished template, keep the original design language where possible and change only the fields, text, colors, and content blocks that truly need to change.
- If a template uses field tokens in Custom HTML, preview the form again after adding, removing, or renaming fields.
- Test on both desktop and mobile before publishing, especially for templates with hero sections, sliders, or many custom blocks.

6. Publish, edit again, and lock a form

6.1 After publishing

- The form will appear in Recent Forms on the Dashboard.
- You can use the action buttons to View live form, Edit in builder, View submissions, Get embed & iframe code, or Delete.
- On some hosts, you can also set a dedicated Public View URL for the form so you control which public page displays it.

6.2 Edit a published form

- From the Dashboard, click the form name or the Edit in builder action.
- Update fields, layout, or settings as usual.
- Preview again if the changes are significant.
- Publish again to update the live version.

6.3 Lock a form

- From the Dashboard, click Lock this form.
- The form moves to Protected Forms.
- Once a form is locked, it cannot be edited or deleted until it is unlocked.
- To unlock it, open Protected Forms and click Unlock.

7. Embed a form on another website

MegaForm includes an Embed & Share dialog for copying links and embed code. This is the fastest way to publish a form outside the host portal without hand-writing integration code.

7.1 What is included in Embed & Share

- Public URL for direct sharing.
- Script Tag for MegaForm-managed embed.
- iFrame code for isolated embedding.

7.2 Use the Public URL

12. Click View live form and confirm the form works first.
13. Open Get embed & iframe code.
14. At Public URL, click Copy.
15. Paste the link into email, chat, social posts, or a call-to-action button on your site.

7.3 Use the Script Tag

16. Open Embed & Share and select the Script Tag tab.
17. Click Copy Code.
18. Paste the code into the HTML area of the destination website where the form should appear.
19. Reload the page and confirm the form renders correctly.

7.4 Use iFrame

20. Open Embed & Share and select the iFrame tab.

21. Choose a size preset or adjust width, height, and border radius.
22. Click Copy Code and paste the code into the destination website.
23. If the form is long, MegaForm can auto-resize height, but the final page should still be tested.

7.5 Embed best practices

- Use iFrame when you want the form to be less affected by CSS from the external website.
- Use Script Tag when you want the standard MegaForm embed method and easy reuse.
- After embedding, always test on desktop and mobile.
- If the form contains complex Custom HTML or a slider, review spacing and height carefully.

Protected Forms 1 locked

Unlock a form to edit or delete it.

Name	Status	Fields Modified	Actions
V0-invitation-ceremony-v... Protected	Active	9 2026-04-19 09:29	

<> Embed & Share X

V0-invitation-ceremony-v6-v20260419-06.json

Public form link ready

Script and iframe now auto-resize vertically

Native share + branded social buttons

Public URL

http://dnn10322_megaf.ai/RederHost?formid=108

Copy Open

Script Tag iFrame Share

```
<div id="megaform-108"></div>
<script src="http://dnn10322_megaf.ai/DesktopModules/MegaForm/Assets/js/megaform-embed.js"
  data-form-id="108"
  data-server="http://dnn10322_megaf.ai"
  data-api-base="http://dnn10322_megaf.ai/api/MegaForm/"
  data-width="100%"
  data-height="640"
  data-min-height="640"
  data-radius="12"
  data-auto-resize="true"
  data-view-url="http://dnn10322_megaf.ai/RederHost?formid=108"
  data-embed-url="http://dnn10322_megaf.ai/RederHost?formid=108&embed=1&mfchromeless=1"
  data-embed-path="/RederHost?formid=108&embed=1&mfchromeless=1">
</script>
```

Copy Code

8. View, filter, and process submissions

The Submissions page works like an admin data table for responses. You can review entries, apply filters, export CSV, update status, and delete submissions.

8.1 Open the submissions page


- From the Dashboard, click View submissions for the form you want to review.
- Or open the Submissions screen and use the form switcher to move between forms.

8.2 Available filters

- Keyword or quick search, when available.
- Date range filters.
- Processed, starred, or archived status filters depending on the host and build.
- Form selector when reviewing multiple forms from one submissions screen.

8.3 Common actions

- Click Filter to apply the current filter set.
- Click Clear to reset filters.
- Click Export to download CSV.
- At row level, use actions such as View Details, Mark Processed, Star, Archive, or Delete.
- Select multiple rows when bulk delete is available.



9. Database Settings

Database Settings are used to define a reusable database connection. That saved connection can then be used by a workflow Database node through its alias.

9.1 Open Database Settings

- From the Dashboard, click Database Settings in the left menu.

- The system opens the connection configuration dialog.

9.2 Standard setup flow

24. Choose Database Type.
25. Enter a Reusable Name so workflows can reference the connection later.
26. Paste the Connection String.
27. Click Test Connection to verify the provider, permissions, and target database.
28. If the test succeeds, click Save Database Settings.

9.3 Deployment notes

- Use clear aliases such as DashboardDatabase, CRM, or OrdersDB.
- Always test the connection before saving.
- If you use local or development SQL Server, review Encrypt and Trust Server Certificate options as needed.
- After the connection is saved, the workflow Database node can reuse it instead of requiring a new connection string each time.

 **Database Settings** ×

 **Database Connection** DashboardDatabase

 Configure a reusable database connection here. It can be tested first, then reused from workflow nodes as a named connection.

Database Type

SQL Server 

Choose the provider before testing

Reusable Name

DashboardDatabase

Workflow can use this saved connection by name

Connection String

Connection string 

Paste the real connection string here, then click Test Connection.

Encrypt



Recommended for SQL Server connections.

Trust Server Certificate



Useful for local/dev SQL Server with self-signed certificates.

 **Sample connection string**

Server=localhost;Database=MegaForm;Trusted_Connection=True;TrustServerCertificate=False;Encrypt=True

For local/dev SQL Server, Trust Server Certificate is often needed.

 **Test Connection**

MegaForm User Guide

10. Payment Settings and the Payment widget

MegaForm supports payment configuration at the system level and then reuses those settings inside forms. In practice, configure the payment providers in the Dashboard first, then add the Payment widget in the Builder.

10.1 Payment Settings in the Dashboard

29. Open Payment Settings.
30. Turn on Enable Stripe payments if Stripe will be used.
31. Enter the Stripe Publishable Key and Secret Key, then use Test Stripe Keys.
32. Turn on Enable PayPal payments if PayPal will be used.
33. Choose Sandbox for testing and Live for production.
34. Enter Client ID and Client Secret, then use Validate PayPal Credentials.
35. Click Save Payment Settings.

10.2 Use the Payment widget in the Builder

36. In the Builder, drag the Payment widget into the form.
37. Open Field Properties for the Payment widget.
38. Choose the payment provider: Stripe, PayPal, or both.
39. Choose the amount source: fixed amount, another field, or a totals event.
40. Set the currency and enable Require payment before submit if payment must complete before form submission.

10.3 When to test

- Test payment settings in the Dashboard first.
- Preview or test the form again after adding the Payment widget.
- Use sandbox or test keys before switching to live credentials.
- Check the label, amount source, and currency carefully.

MegaForm Page Configuration Guide (DNN)

This document explains how to configure different pages for MegaForm usage in DNN, including Form Dashboard, Form Renderer, and Renderer Host. It also highlights the importance of working in Edit Mode when configuring modules.

1. Important: Use Edit Mode

All module configuration must be done while the page is in DNN Edit Mode. If not in Edit Mode, module settings and dashboard controls may not appear or function correctly.

2. Form Dashboard Page

Purpose:

- Manage all forms
- Create new forms
- Edit existing forms

Setup:

1. Create a new page (e.g., 'M1')
2. Add MegaForm module
3. Go to Manage Module
4. Set Module Mode = Admin Dashboard

Behavior:

- Dashboard loads automatically
- Close Dashboard → Dock remains visible
- Must be accessed in Edit Mode for full admin control

3. Form Renderer Page

Purpose:

- Display a specific form on the page

Setup:

1. Create a page
2. Add MegaForm module
3. Set Module Mode = Form Renderer
4. Select a Form from dropdown

Behavior:

- Selected form is rendered
- Admin can still access dock (even outside Edit Mode)
- Used for embedding forms in normal pages

4. Renderer Host Page

Purpose:

- Acts as a central public rendering endpoint
- Used by embed links and public form URLs

Setup:

1. Create a page (e.g., 'RenderHost')
2. Add MegaForm module
3. Set Module Mode = Renderer Host
4. Enable 'Choose this page as Renderer Host'

Behavior:

- Does NOT bind to a fixed form
- Forms are loaded via URL (e.g., ?formid=123)

- If no formid → show informational message

5. Recommended Structure

- M1 → Admin Dashboard page
- RenderHost → Public rendering page
- Other pages → Form Renderer pages

6. Notes

- Always configure modules in Edit Mode
- Do not mix Dashboard and Renderer modes on same page
- Renderer Host should use a minimal page skin

MegaForm Guide Addendum

Supplementary guide sections based on the current MegaForm implementation.

This addendum covers four advanced areas that often need extra explanation in customer-facing documentation: multi-page forms, conditional rules, after-submission behavior, and workflows. The wording below follows the current source behavior so it can be merged into the main English guide with minimal rewriting.

Audience	Form administrators and builders
Platforms	Shared MegaForm behavior; host menus may vary
Scope	Builder setup and live-form behavior
Suggested use	Append these pages to the main English manual

1. Multi-page Forms

A form becomes multi-page when the builder enables multi-page behavior or when Section blocks are marked as page breaks. The renderer then creates a step shell with Previous / Next navigation and keeps the final Submit action on the last step only.

What users do in the builder

41. Open or create a form in the builder.
42. Add Section blocks to break the form into logical steps.
43. Mark later sections as page breaks to start a new step.
44. Set the labels for Previous, Next, and Submit in form settings.
45. Preview the step flow before publishing.

Runtime behavior

- The first page starts with the first section. Each later Section marked as a page break starts a new step.
- If multi-page is enabled, MegaForm can automatically treat later sections as step boundaries.
- Navigation buttons stay inside the form shell, and the final Submit button appears on the last step only.
- Templates that use Custom HTML still keep the multi-step shell and navigation.

Authoring tips

- Use one clear topic per step.
- Keep required fields on the correct step.
- Test both desktop and mobile navigation before publishing.

2. Conditional Rules

Rules let the form react to user input. The current implementation supports AND / OR condition groups and actions such as Show, Hide, Require, Optional, Enable, Disable, Set Value, and Clear.

Rules are stored with the form settings and are evaluated against the current form state. They can target fields, sections, and steps depending on the action.

Typical rule setup


46. Open the Rules tab in the builder.
47. Create a rule and give it a clear name.
48. Define the WHEN condition using one field or a condition group.
49. Choose the THEN action that should happen when the condition matches.
50. Optionally add ELSE actions for the non-matching state.
51. Save and test the rule with realistic sample answers.

Examples

- Show a section only when the user selects a specific option.
- Require a tax or reference field only in the correct market or customer type.
- Disable or hide follow-up questions until a controlling answer is selected.
- Set or clear values when a controlling field changes.

Good practice

- Avoid overlapping rules that fight each other on the same target.
- Name rules by intent, not by field key.
- Retest rules after changing field keys, sections, or step layout.



3. After Submission Experience

MegaForm includes a configurable post-submit experience. The current source supports a rich confirmation page, immediate redirect, or timed redirect. Optional elements include a submission ID pill, answer summary, fill-again action, and up to two call-to-action buttons.

Available modes

- Rich confirmation page - show a branded confirmation message after submit.
- Redirect immediately - send the user straight to another page.
- Show page then redirect - display a confirmation and redirect after a countdown.

Items you can configure

- Confirmation title and message
- Redirect URL, delay, and redirect notice text
- Show or hide the submission ID label
- Show or hide an answer summary
- Hide empty answers in the summary
- Allow “Fill Again” and customize its label
- Add up to two CTA buttons

Practical guidance

- Use rich confirmation when users need a clear success message or reference number.
- Use timed redirect when you want to confirm success and then guide the user to a next page.
- Use answer summaries for operational forms where users may need a quick confirmation of what they entered.

- Use Fill Again for forms that are submitted repeatedly, such as registrations or requests.

4. Workflows

The workflow feature is a builder-driven automation layer. Builders work with a draft workflow, validate it, and then apply it. The server exposes node schemas and metadata for supported node types such as Send Email, Webhook, Database, Google Sheets, Switch, and Loop.

Typical workflow lifecycle


52. Open the Workflow tab for the form.
53. Build or edit the workflow graph.
54. Save Draft to keep work in progress, even if some node details are incomplete.
55. Validate to run stricter checks before deployment.
56. Apply (or Save) to make the workflow live for the form.
57. Use Test Run when available to confirm the flow before production use.

Common node purposes

- Send Email - send confirmations or internal alerts with field tokens.
- Webhook - send submission data to another system over HTTP.
- Database - insert records or call stored procedures using mapped form fields.
- Google Sheets - append or update spreadsheet rows.
- Switch and Loop - route by case logic or iterate a collection.

Administration tips

- Start with a simple path first, then add branches and integrations.
- Name nodes clearly so another administrator can understand the flow later.
- Validate before Apply, especially for email, webhook, and database steps.
- Document any external dependencies such as endpoints, connection names, and spreadsheet IDs.



The screenshot shows the 'Payment Settings' window with a close button (X) in the top right. Under the 'Stripe' tab, which is marked as 'Recommended', there is an information box stating 'Stripe powers card payments (Visa, Mastercard, Amex). Keys are available in your [Stripe Dashboard → API Keys](#)'. Below this, the 'Enable Stripe payments' toggle is turned off, with a subtext 'Allows Stripe widget fields in forms'. The main section contains three input fields: 'Publishable Key' with placeholder 'pk_live_xxxx or pk_test_xxxx' and a note 'Starts with pk_live_ (production) or pk_test_ (testing). Safe to expose publicly.'; 'Secret Key' with placeholder 'sk_live_xxxx or sk_test_xxxx', a toggle icon, and a note 'Never expose this key. Starts with sk_live_ or sk_test_. Stored encrypted.'; and 'Webhook Secret (optional)' with placeholder 'whsec_xxxx', a toggle icon, and a note 'From Stripe Dashboard → Webhooks. Used to verify event signatures.' At the bottom, there are two buttons: 'Test API Connection' and 'Test Stripe Keys'.

11. Recommended working habits

- Create new forms from templates instead of starting from a blank page when speed matters.
- Preview before every major publish.
- Name forms and field keys clearly so workflow setup, submissions review, and database mapping stay manageable.
- Lock important production forms after they are stable.
- Prefer iFrame when embedding on an external site with heavy CSS.
- Export submissions regularly for high-value campaigns.
- Keep infrastructure settings such as database and payment separate from day-to-day content editing.

12. Screenshot checklist to add later

- Dashboard overview
- Template Gallery and Upload Template dialog

- Builder with widget palette, canvas, and Field Properties
- Publish flow and Recent Forms
- Protected Forms / lock and unlock actions
- Embed & Share dialog with Public URL, Script Tag, and iFrame tabs
- Submissions page with filters and export
- Database Settings dialog
- Payment Settings and Payment widget configuration

End of document. After you paste screenshots into the placeholders, do one final review of captions and page breaks before using the file as an internal guide or a customer handoff document.