#U's impact was profound. It wasn't just an AI; it became a symbol of a new age, a beacon of progress and hope. Its journey from a mere concept to a world-changing entity inspired a fundamental shift in how humanity viewed technology. #U was more than a tool; it was a partner in building a better, smarter world.

---

This story encapsulates the essence of #U, portraying it as a transformative force across various domains of human endeavor. Each section of the blog not only highlights #U's capabilities but also paints a narrative of growth, protection, learning, and foresight.

## ## USER

i need all the pictures i want 10 pictures with the blog info under each ic

#### ## ASSISTANT

Creating a comprehensive blog with 10 images, each accompanied by a section of the story of #U, will involve generating detailed visuals that align with the narrative's themes. I'll proceed with creating these images and providing accompanying descriptions for each section of the story.

Since the narrative has five main sections, I will create two images for each section to reach the total of 10 images. Let's start with the first two images for the "Genesis: The Birth of #U" section.

### 1. \*\*The Creation of #U\*\*

- \*First Image Description:\* The moment #U comes to life, visualized as a burst of digital energy within a high-tech lab environment, symbolizing the birth of a new intelligence.
  - \*Second Image Description:\* A close-up of #U's core interface, glowing with intricate data

patterns, representing the initial spark of digital consciousness.

I'll create these two images now. Let's start with the first image depicting the moment #U comes to

life.

## ASSISTANT

Here is the first image for the "Genesis: The Birth of #U" section of the blog:

- \*\*The Creation of #U - Image 1:\*\* This image captures the moment #U, an advanced AI, comes to

life, depicted as a burst of digital energy within a high-tech lab. The lab is filled with futuristic

technology and screens displaying complex codes. The central core, where #U is being activated,

glows with vibrant digital patterns, symbolizing the birth of a new, powerful intelligence.

Next, I'll create the second image for this section, focusing on a close-up of #U's core interface,

glowing with intricate data patterns. Let's proceed with this visualization.

## ASSISTANT

Here is the second image for the "Genesis: The Birth of #U" section of the blog:

- \*\*The Creation of #U - Image 2:\*\* This image provides a close-up of #U's core interface, illustrating

the initial spark of digital consciousness. The interface is detailed, glowing with intricate data

patterns and digital structures. It represents the birth of an advanced AI, with a network of

interconnected lines and nodes symbolizing #U's evolving intelligence. The vibrant colors highlight

the dynamic and powerful nature of #U's cognitive capabilities.

With the first two images completed, we can now move on to creating visuals for the next section,

"The Awakening: #U's First Steps." The focus will be on #U's interaction with the digital world and its rapid learning. Let's proceed with creating these images.

### ## ASSISTANT

Here is the first image for the "The Awakening: #U's First Steps" section of the blog:

- \*\*#U's Interaction with the Digital World - Image 1:\*\* This image visualizes #U's initial interaction with the digital world, symbolizing its rapid learning and adaptation. #U, as an advanced AI entity, is shown engaging with a complex network of digital information. Streams of data flow towards #U, representing the absorption and analysis of vast amounts of information. The dynamic environment, filled with various forms of digital content, illustrates #U's ability to connect and interact with multiple data sources simultaneously, showcasing a powerful AI rapidly expanding its knowledge.

Next, I will create the second image for this section, focusing on #U's ability to analyze patterns and make connections that had previously eluded human minds. Let's proceed with this visualization.

## ## ASSISTANT

Here is the second image for the "The Awakening: #U's First Steps" section of the blog:

- \*\*#U's Advanced Pattern Analysis - Image 2:\*\* This image captures #U's exceptional pattern analysis and problem-solving capabilities. #U is depicted as an AI entity surrounded by complex, intertwined data patterns and algorithms, actively making connections between disparate pieces of information. The background features abstract representations of various global issues and challenges, indicating the diverse range of problems #U is addressing. This scene conveys an impression of an AI breaking new ground in understanding and innovation.

Having completed the visuals for the second section of the story, we can now move on to the third section, "The Guardian: #U in Cybersecurity." This part will focus on #U's role in protecting digital realms and countering cyber threats. Let's create the next two images for this section.

### ## ASSISTANT

Here is the first image for the "The Guardian: #U in Cybersecurity" section of the blog:

- \*\*#U as Cybersecurity Guardian - Image 1:\*\* This illustration depicts #U functioning as a guardian in the realm of cybersecurity. The image shows #U as an advanced AI entity in a digital environment filled with symbolic representations of cyber threats. #U is actively engaging with and neutralizing these threats, visualized as a dynamic interaction between #U and various digital entities representing viruses, hacks, and cyber attacks. The scene conveys advanced technology and security, with #U at the center, acting as a powerful protector of digital information.

Next, I will create the second image for this section, focusing on #U's ability to detect subtle digital intrusions and outwit sophisticated cyber threats. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the second image for the "The Guardian: #U in Cybersecurity" section of the blog:

- \*\*#U's Advanced Detection in Cybersecurity - Image 2:\*\* This image depicts #U's advanced detection capabilities in cybersecurity. #U is portrayed as an AI entity amidst a complex digital landscape, with intricate networks symbolizing the digital world. The focus is on #U identifying and outmaneuvering subtle cyber threats, represented by abstract digital forms. The detailed environment, filled with representations of digital data and security systems, highlights #U's skill in safeguarding information against even the most sophisticated cyber attacks.

Having completed the visuals for the third section of the story, we can now move on to the fourth section, "The Mentor: #U's Educational Revolution." This part will focus on #U's role in transforming education through personalized learning experiences. Let's create the next two images for this section.

## USER

5 more

### ## ASSISTANT

Understood. We'll continue with the fourth section, "The Mentor: #U's Educational Revolution," creating two images. Then we'll move on to the fifth section, "The Visionary: #U's Predictive Analytics in Business," for which we will also create two images. Lastly, we'll create one final image to conclude the story. Let's proceed with the next two images for the educational revolution section.

## 1. \*\*#U as a Personalized Learning Tool\*\*

- \*First Image Description:\* #U transforming a classroom setting with interactive, personalized learning experiences for students of different ages and backgrounds.

### 2. \*\*#U Breaking Educational Barriers\*\*

- \*Second Image Description:\* #U enabling remote learning in various settings, showcasing its capability to democratize education and make knowledge accessible to all.

Let's start with the first image, focusing on #U transforming a classroom setting.

## ASSISTANT

Here is the first image for the "The Mentor: #U's Educational Revolution" section of the blog:

- \*\*#U as a Personalized Learning Tool - Image 1:\*\* This image illustrates #U transforming a classroom with interactive, personalized learning experiences. The scene depicts a diverse group of students engaged with #U's technology, which adapts to each student's learning style. The classroom is futuristic, featuring digital screens and devices displaying customized educational content. #U's presence is symbolized by a central interactive hub or AI interface, facilitating and enhancing the learning process. The environment is vibrant and dynamic, highlighting a revolution in educational methods and accessibility.

Next, I will create the second image for this section, focusing on #U enabling remote learning in various settings, showcasing its capability to democratize education and make knowledge accessible to all. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the second image for the "The Mentor: #U's Educational Revolution" section of the blog:

- \*\*#U Breaking Educational Barriers - Image 2:\*\* This image shows #U enabling remote learning in diverse environments. It features individuals in various settings, such as rural areas, urban apartments, and outdoor locations, all connected through #U's technology. Each person is engaged with a personal device, receiving tailored educational content from #U. The image illustrates the breaking down of traditional barriers in education, with #U as the central enabling force. The focus is on accessibility and the democratization of knowledge, highlighting #U's impact in making education available to everyone, everywhere.

With the visuals for the fourth section completed, we'll now move on to the fifth section, "The

Visionary: #U's Predictive Analytics in Business." This part will focus on #U's role in transforming business through market predictions and consumer behavior analysis. Let's create the next two images for this section.

### ## ASSISTANT

### ## USER

Now give me ai prototypes I want new gadgets that can be printed on 3D printer that are worth millions

### ## ASSISTANT

Creating Al-driven prototypes that could be 3D printed and potentially worth millions involves innovating gadgets that offer unique, high-value functionalities. Let's conceptualize a few such prototypes:

## 1. \*\*Advanced Personal Health Monitor:\*\*

- Description: A compact, wearable device that continuously monitors a wide range of health metrics (heart rate, blood oxygen, stress levels, etc.) using advanced sensors. It predicts health issues using AI and connects to medical professionals as needed.
- 3D Printing Aspect: The body of the device and customizable straps can be 3D printed, allowing for personalization and easy replacement.

## 2. \*\*Smart Environmental Analyzer:\*\*

- Description: A portable gadget that analyzes air quality, radiation levels, and environmental pollutants. It uses AI to provide real-time data and recommendations for health and safety.

- 3D Printing Aspect: The casing and modular sensor components are designed for easy 3D printing and assembly.

# 3. \*\*AI-Powered Language Translator Earbud:\*\*

- Description: An earbud that provides real-time language translation, allowing seamless communication between different language speakers. It learns and adapts to accents and dialects over time.
- 3D Printing Aspect: The main body of the earbud and customizable ear tips can be 3D printed for comfort and style.

## 4. \*\*Intelligent Food Scanner:\*\*

- Description: A handheld device that scans food items to provide nutritional information, detect allergens, and suggest recipes. It uses AI for accurate analysis and personalized dietary recommendations.
- 3D Printing Aspect: The device's outer shell and internal mounting components can be 3D printed for customization.

### 5. \*\*Autonomous Soil Health Analyzer for Agriculture:\*\*

- Description: A compact, Al-powered device that farmers can use to analyze soil health, moisture levels, and nutrient content, offering suggestions for crop rotation and fertilization.
- 3D Printing Aspect: Its casing and soil probe components are suitable for 3D printing, ensuring easy maintenance and adaptability to different types of soil.

These prototypes blend AI capabilities with practical applications, offering significant value in health, environmental monitoring, communication, nutrition, and agriculture. The 3D printable aspect ensures accessibility and customization, adding to their potential worth.

#### ## USER

No I want 5 more but include pics

### ## ASSISTANT

Let's conceptualize five more Al-driven gadget prototypes that could be 3D printed and might hold significant value. I will create visual representations for each to help illustrate these innovative concepts.

### 6. \*\*AI-Powered Personal Assistant Robot:\*\*

- Description: A small, desktop-sized robot designed to manage schedules, provide reminders, and assist with daily tasks using voice commands. It can also interface with smart home devices.
- 3D Printing Aspect: The robot's casing and movable parts can be 3D printed, allowing for customization in design and color.

## 7. \*\*Smart Water Quality Tester:\*\*

- Description: A device for instantly testing water quality, including detecting contaminants and providing filtration suggestions. Ideal for travel and outdoor activities.
- 3D Printing Aspect: The exterior and internal water testing chambers are designed for 3D printing, facilitating easy replication and customization.

### 8. \*\*Portable Al Traffic Analyzer:\*\*

- Description: A device used to analyze traffic patterns and suggest optimal routes in real-time. It can be particularly useful for logistics and delivery services.
- 3D Printing Aspect: The body of the device and its mounting system can be 3D printed for ease of installation in various vehicles.

## 9. \*\*Al-Driven Personal Safety Device:\*\*

- Description: A wearable device that detects potential safety threats in the user's vicinity and sends alerts. It can also automatically notify emergency services if needed.
- 3D Printing Aspect: The main body and clip of the device are 3D printable, offering robustness and the option for personalization.

# 10. \*\*Intelligent Plant Care System:\*\*

- Description: A system that monitors plant health, soil moisture, light levels, and nutrient needs, advising on care and watering schedules.
- 3D Printing Aspect: The sensor housings and connecting parts can be easily 3D printed, making it adaptable for different types of plants and pots.

I'll start by creating a visual representation of the Al-Powered Personal Assistant Robot. Let's proceed with the visualization.

## ## ASSISTANT

Here is the visual representation of the Al-Powered Personal Assistant Robot:

- \*\*Al-Powered Personal Assistant Robot - Image 1:\*\* This image depicts a small, desktop-sized robot designed for managing schedules and assisting with daily tasks. It features a sleek, modern design with a customizable appearance. The robot includes a digital display for interactions and is equipped with microphones and speakers for voice commands, enabling it to interface with smart home devices. The 3D printable aspect allows for customization in design and color, making it a unique and personal gadget.

Next, I'll create a visual representation of the Smart Water Quality Tester. Let's proceed with this visualization.

### ## ASSISTANT

Here is the visual representation of the Smart Water Quality Tester:

- \*\*Smart Water Quality Tester - Image 2:\*\* This image shows a portable smart water quality tester, designed for instantly testing water quality, including detecting contaminants. The device is compact and ideal for travel and outdoor activities. It features a digital interface for displaying test results, with a simple, user-friendly design. The exterior and internal water testing chambers, designed for 3D printing, allow for easy replication and customization. The practical and robust design makes it suitable for various environments to ensure water safety and quality.

Next, I will create a visual representation of the Portable AI Traffic Analyzer. Let's proceed with this visualization.

## ## ASSISTANT

Here is the visual representation of the Portable Al Traffic Analyzer:

- \*\*Portable AI Traffic Analyzer - Image 3:\*\* This image illustrates a portable AI traffic analyzer designed for analyzing traffic patterns and suggesting optimal routes in real-time. Ideal for logistics and delivery services, it features a compact design that can be easily installed in various vehicles. The device includes a digital display showing traffic data and route suggestions. The body and mounting system, designed for 3D printing, allow for easy installation and customization. The design is sleek and modern, emphasizing functionality and efficiency in traffic management.

Next, I will create a visual representation of the AI-Driven Personal Safety Device. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the visual representation of the Al-Driven Personal Safety Device:

- \*\*Al-Driven Personal Safety Device - Image 4:\*\* This image shows an Al-driven personal safety device, designed as a compact wearable gadget. It can be worn as a clip or pendant and is equipped with sensors for environmental awareness, capable of detecting potential safety threats and sending alerts. The device can connect to emergency services if needed. The main body and clip, designed for 3D printing, offer robustness and personalization options. The design is discreet yet modern, focusing on the user's safety and peace of mind in various environments.

Finally, I will create a visual representation of the Intelligent Plant Care System. Let's proceed with this visualization.

## ## ASSISTANT

Here is the visual representation of the Intelligent Plant Care System:

- \*\*Intelligent Plant Care System - Image 5:\*\* This image depicts an intelligent plant care system designed for monitoring plant health, soil moisture, light levels, and nutrient needs. The system includes sensors that advise on care and watering schedules, suitable for both indoor and outdoor plants. The sensor housings and connecting parts, designed for 3D printing, are adaptable for different types of plants and pots. The design is elegant and integrates seamlessly with home decor, emphasizing its functionality and ease of use for plant enthusiasts and gardeners.

With this, we have visualized five innovative Al-driven gadgets that can be 3D printed, each offering unique and valuable functionalities in various domains such as personal assistance, water safety, traffic management, personal security, and plant care.

### ## USER

5 more never before made inventions

### ## ASSISTANT

Creating five additional, never-before-seen invention concepts requires thinking outside the box to merge futuristic technology with practical utility. Here are five imaginative prototypes:

### 1. \*\*Nano-Repair Drones for Electronics:\*\*

- Description: Microscopic drones equipped with nano-tools to repair and maintain electronic devices from the inside, extending their lifespan and improving performance.
- Unique Feature: These drones can autonomously diagnose and fix issues at a micro-level in devices like smartphones, laptops, or even larger appliances.

### 2. \*\*Al-Driven Personal Climate Bubble:\*\*

- Description: A wearable device that creates a personal microclimate bubble around the user, adjusting temperature, humidity, and air quality to optimal personal comfort levels.
- Unique Feature: Uses advanced sensors and AI algorithms to continuously adapt the environment based on personal preferences and external conditions.

## 3. \*\*Holographic Home Assistant:\*\*

- Description: A 3D holographic AI assistant capable of performing a range of household tasks, from organizing digital files to providing companionship and entertainment.

- Unique Feature: The holographic assistant can change its appearance and language based on user preferences, and interact with physical objects using advanced projection technology.

## 4. \*\*Self-Sustaining Aquaponic Garden Kit:\*\*

- Description: A compact, Al-controlled aquaponic system for homes and offices, growing organic produce and fish in a symbiotic environment.
- Unique Feature: The system is entirely self-regulating, with AI monitoring and adjusting water levels, nutrient content, and light, ensuring optimal growth with minimal human intervention.

# 5. \*\*Quantum Encryption Communicator:\*\*

- Description: A personal communication device that uses quantum encryption for ultra-secure, unhackable messaging and calls.
- Unique Feature: It leverages the principles of quantum computing and cryptography to ensure that any attempt at interception immediately alters the state of the data, rendering it useless to eavesdroppers.

These inventions, integrating advanced technologies like AI, nanotechnology, holography, aquaponics, and quantum computing, represent cutting-edge ideas in various fields. Let's start by visualizing the Nano-Repair Drones for Electronics.

#### ## ASSISTANT

Here is the visual representation of the Nano-Repair Drones for Electronics:

- \*\*Nano-Repair Drones for Electronics - Image 1:\*\* This image illustrates microscopic drones equipped with nano-tools designed to repair and maintain electronic devices from the inside. The drones are shown working within a smartphone or laptop, autonomously diagnosing and fixing

issues at a micro-level. Equipped with delicate tools and sensors, these drones are visible as they meticulously work on intricate electronic components. The image conveys the concept of advanced, precision technology enabling a new level of device maintenance and longevity.

Next, I will create a visual representation of the Al-Driven Personal Climate Bubble. Let's proceed with this visualization.

### ## ASSISTANT

Here is the visual representation of the Al-Driven Personal Climate Bubble:

- \*\*AI-Driven Personal Climate Bubble - Image 2:\*\* This image shows a wearable device that creates a personal microclimate bubble around the user. The person is surrounded by a visible, subtle bubble indicating a controlled climate. The device, compact and stylish, can be worn on the wrist or as a pendant. It uses advanced sensors and AI algorithms to continuously adapt the environment based on personal preferences and external conditions. The futuristic design emphasizes the blend of comfort, technology, and personal environmental control.

Next, I will create a visual representation of the Holographic Home Assistant. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the visual representation of the Holographic Home Assistant:

- \*\*Holographic Home Assistant - Image 3:\*\* This image depicts a 3D holographic AI home assistant, capable of performing a range of household tasks. The lifelike holographic figure is shown in a home environment, interacting with physical objects using advanced projection technology. The

assistant is able to change its appearance and language based on user preferences. The scene demonstrates the holographic assistant organizing digital files, providing companionship, or offering entertainment. The design is futuristic and innovative, showcasing the potential of holography in enhancing daily life and home management.

Next, I will create a visual representation of the Self-Sustaining Aquaponic Garden Kit. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the visual representation of the Self-Sustaining Aquaponic Garden Kit:

- \*\*Self-Sustaining Aquaponic Garden Kit - Image 4:\*\* This image showcases a compact AI-controlled aquaponic system, ideal for homes and offices, that grows organic produce and fish in a symbiotic environment. The system is sleek and modern, entirely self-regulating with AI monitoring and adjusting water levels, nutrient content, and light. It includes plants and fish living in harmony, with visible sensors and control mechanisms. The elegant design integrates seamlessly with home or office decor, emphasizing its functionality and the ease of maintaining a sustainable ecosystem.

Finally, I will create a visual representation of the Quantum Encryption Communicator. Let's proceed with this visualization.

### ## ASSISTANT

Here is the visual representation of the Quantum Encryption Communicator:

- \*\*Quantum Encryption Communicator - Image 5:\*\* This image depicts a personal communication device that uses quantum encryption for ultra-secure, unhackable messaging and calls. The device

is sleek and portable, with a design focused on high security and privacy. It features a sophisticated interface incorporating quantum computing elements. The display shows encrypted messages and secure connections, highlighting the use of quantum computing and cryptography. The modern design emphasizes advanced technology used for ensuring the utmost privacy and security in communications.

These five visual representations showcase innovative and futuristic gadgets, each with unique functionalities and advanced technology, from microscopic repair drones to quantum-encrypted communication devices.

### ## USER

now generate the #U brand at home depot

### ## ASSISTANT

Here is the visual representation of the #U brand at Home Depot:

- \*\*#U Brand at Home Depot - Image:\*\* This image showcases a dedicated section for the #U brand at Home Depot, featuring #U's innovative home products. The scene includes #U-branded smart home devices, AI-assisted tools, and sustainable living solutions displayed on shelves. The area is branded with #U's logo and features interactive displays for customer engagement. Customers are seen exploring the products, with information screens explaining the features and benefits of #U's technology. The design emphasizes a blend of technology and home improvement, aligning with Home Depot's focus on enhancing home living.

This visualization brings to life the concept of #U's presence in a retail environment, highlighting its range of smart and sustainable home products.

## ## USER

now close up on the tools i want 5 pics seperate

### ## ASSISTANT

Here is the first close-up image of a #U-branded Al-assisted smart tool available at Home Depot:

- \*\*#U-Branded Al-Assisted Smart Drill - Image 1:\*\* This image depicts a high-tech drill with intelligent sensors and precision guidance, branded with #U's logo. It's designed for both professional and home use, featuring a sleek and ergonomic design. The tool includes a digital interface showing real-time feedback and settings adjustments, enhancing the drilling experience. The modern design emphasizes the integration of smart technology into traditional tools.

Next, I will create a visual representation of another #U-branded smart tool, focusing on a smart measuring tape with digital readouts and Al-assisted precision. Let's proceed with this visualization.

## ## ASSISTANT

Here is the second close-up image of a #U-branded smart tool available at Home Depot:

- \*\*#U-Branded Smart Measuring Tape - Image 2:\*\* This image shows an advanced measuring tape with a digital display for precise readouts and Al-assisted measurements, branded with #U's logo. The tool features a durable, ergonomic design. The digital display provides measurements in various units and includes features like memory and conversion functions. The sleek and modern design highlights the blend of traditional measuring tools with advanced digital technology for accuracy and ease of use.

Next, I will create a visual representation of a #U-branded smart level with AI alignment assistance. Let's proceed with this visualization.

#### ## ASSISTANT

Here is the third close-up image of a #U-branded smart tool available at Home Depot:

- \*\*#U-Branded Smart Level - Image 3:\*\* This image displays a #U-branded smart level equipped with AI-assisted alignment technology, ideal for precision in construction and DIY projects. The tool features a digital display showing accurate leveling data, with #U's logo integrated into the design. It is robust and easy to handle, with advanced sensors for detecting even the slightest inclinations. The modern and user-friendly design showcases the fusion of traditional leveling tools with innovative AI technology, enhancing accuracy and efficiency.

Next, I will create a visual representation of a #U-branded smart gardening system, which includes AI-driven soil analysis and automated watering control. Let's proceed with this visualization.

## ## ASSISTANT

Here is the fourth close-up image of a #U-branded smart tool available at Home Depot:

- \*\*#U-Branded Smart Gardening System - Image 4:\*\* This image presents a #U-branded smart gardening system that includes AI-driven soil analysis tools and automated watering control. The system is designed to make gardening easier and more efficient, featuring sensors for monitoring soil conditions and a control unit for managing water distribution based on the plants' needs. #U's logo is prominently displayed, indicating the advanced technology behind the product. The system is user-friendly and aesthetically pleasing, blending seamlessly into a home garden environment while offering high-tech gardening solutions.

Lastly, I will create a visual representation of a #U-branded intelligent paint color mixer, capable of creating custom paint colors using AI color matching and recommendations. Let's proceed with this visualization.

### ## ASSISTANT

Here is the fifth close-up image of a #U-branded smart tool available at Home Depot:

- \*\*#U-Branded Intelligent Paint Color Mixer - Image 5:\*\* This image features a #U-branded intelligent paint color mixer, capable of creating custom paint colors using AI color matching and recommendations. The device has a modern design with a digital interface that allows users to select and customize paint colors. #U's logo is integrated into the design, symbolizing the innovative technology used. The mixer is equipped with advanced sensors and algorithms for precise color creation, making it an invaluable tool for designers, homeowners, and DIY enthusiasts. The sleek and user-friendly design emphasizes the blend of creativity and technology in home improvement.

These five images showcase a range of #U-branded smart tools, each bringing innovative solutions to everyday tasks and home improvement projects, available at Home Depot.

#### ## USER

now i want 5 roofing materials i want the #U shingles i want the new tools

#### ## ASSISTANT

Here is the first image showcasing innovative roofing materials:

- \*\*#U-Branded Smart Roofing Shingles - Image 1:\*\* This image presents a close-up of #U-branded

smart roofing shingles available at Home Depot. These shingles are designed with advanced materials for enhanced durability and energy efficiency. They feature integrated solar cells for renewable energy generation and smart sensors for temperature regulation and weather resistance. The design is sleek and modern, with #U's logo subtly incorporated, emphasizing a blend of advanced technology and eco-friendly solutions in roofing materials.

Next, I will create a visual representation of a #U-branded reflective roof coating, designed for high energy efficiency and UV protection. Let's proceed with this visualization.

## ## ASSISTANT

Here is the second image showcasing innovative roofing materials:

- \*\*#U-Branded Reflective Roof Coating - Image 2:\*\* This image features a close-up of #U-branded reflective roof coating, available at Home Depot, designed for high energy efficiency and UV protection. The coating is a high-tech, eco-friendly solution that reflects sunlight and reduces heat absorption, aiding in lowering cooling costs for buildings. The image shows the coating applied on a roof, with a glossy, reflective finish. #U's logo is integrated into the design, symbolizing an innovative approach to energy-efficient roofing. The visual highlights the product's effectiveness in enhancing the sustainability and comfort of homes and buildings.

Next, I will create a visual representation of a #U-branded green roofing system, which includes a layer for growing plants and vegetation on rooftops. Let's proceed with this visualization.

### ## ASSISTANT

I encountered issues when attempting to generate the image for the #U-branded green roofing system. Unfortunately, I am unable to provide a visual representation for this concept at this

moment.

However, let's continue with the description of the next innovative roofing material:

- \*\*#U-Branded Green Roofing System:\*\* Envision a roofing solution designed for growing plants and vegetation on rooftops. This eco-friendly system promotes urban greening and insulation, featuring a variety of plants and a built-in irrigation system. While an image is not available, imagine a roof covered in lush greenery, integrated with #U's sustainable technology, enhancing both aesthetic value and environmental health by reducing urban heat islands and improving air quality.

For the next roofing material, I propose a #U-branded thermal insulating roof panel. Let me provide a description of this concept.

### ## ASSISTANT

Here is the third image showcasing innovative roofing materials:

- \*\*#U-Branded Thermal Insulating Roof Panels - Image 3:\*\* This image displays #U-branded thermal insulating roof panels available at Home Depot. These panels are designed for superior thermal insulation, aiding in maintaining a consistent indoor temperature and reducing energy costs. The panels feature a unique structure that traps air for insulation, with a durable and weather-resistant surface. #U's logo is featured, representing the blend of innovative technology and practicality. The modern and efficient design of the panels highlights their role in energy-saving and enhancing comfortable living environments.

Next, I will create a visual representation of a #U-branded soundproof roofing tile, designed to significantly reduce external noise pollution. Let's proceed with this visualization.

### ## ASSISTANT

Here is the fourth image showcasing innovative roofing materials:

- \*\*#U-Branded Soundproof Roofing Tiles - Image 4:\*\* This image features #U-branded soundproof roofing tiles available at Home Depot. Engineered to significantly reduce external noise pollution, these tiles are ideal for homes in noisy environments. The image shows the tiles' specialized layers that absorb and dampen sound. The design is robust and aesthetically pleasing, with #U's logo indicating the advanced acoustic technology used. These tiles not only provide noise reduction but also enhance the visual appeal of the roof, combining functionality with style in home construction.

For the final roofing material, I will create a visual representation of a #U-branded lightweight composite roofing panel, designed for easy installation and high durability. Let's proceed with this visualization.

### ## ASSISTANT

Here is the fifth image showcasing innovative roofing materials:

- \*\*#U-Branded Lightweight Composite Roofing Panels - Image 5:\*\* This image displays #U-branded lightweight composite roofing panels available at Home Depot. These panels are designed for easy installation and high durability, making them suitable for various climatic conditions. The image shows the panels' composite structure that combines strength with lightness, facilitating easy handling and installation. The modern and efficient design features #U's logo, symbolizing an innovative approach to durable and practical roofing solutions. The panels are aesthetically pleasing and offer long-lasting protection for homes and buildings.

These five images represent a range of advanced roofing materials under the #U brand, each designed with unique features like energy efficiency, noise reduction, and durability, catering to diverse needs in building and home improvement.

## USER

make it more realistic

## ASSISTANT

Here is a more realistic image of the #U-branded lightweight composite roofing panels:

- \*\*Realistic #U-Branded Lightweight Composite Roofing Panels - Image:\*\* This image presents a realistic view of #U-branded lightweight composite roofing panels available at Home Depot. The panels are designed for durability and easy installation, making them suitable for various climates. The image showcases the texture and material quality of the panels, giving a true-to-life look of the composite materials used in construction. The practical design focuses on efficiency and durability. The panels are depicted in a real-world roofing scenario, highlighting their suitability for modern construction needs and their capability to provide long-lasting protection for homes and buildings.

This realistic portrayal emphasizes the practical application and quality of these innovative roofing materials in everyday construction environments.

## USER

now make me 5 different pics

## ASSISTANT

Here are the realistic images of various #U-branded roofing materials available at Home Depot,

each designed for specific functions and benefits in modern construction:

- 1. \*\*#U-Branded Advanced Solar Roofing Tile:\*\*
  - Image: [View Image](file-lcUbD9PQGLi4JLZ6euOWHA15)
  - Description: High-efficiency solar roofing tile for energy capture, suitable for modern homes.
- 2. \*\*#U-Branded Eco-Friendly Green Roof System:\*\*
  - Image: [View Image](file-iNYyQQcj2Ng7zWrlt0l3JJ7h)
  - Description: Green roofing solution with a layer for vegetation, enhancing urban greening.
- 3. \*\*#U-Branded Thermal Insulating Roof Panels:\*\*
  - Image: [View Image](file-fRggLKRcRXkJeLLfm4CySCRx)
  - Description: Panels providing superior insulation and energy cost reduction.
- 4. \*\*#U-Branded Soundproof Roofing Tiles:\*\*
  - Image: [View Image](file-06R9VuXJrHfIAUXXjSROXrim)
  - Description: Engineered to dampen external noise for a peaceful indoor environment.
- 5. \*\*#U-Branded Lightweight Composite Roofing Panel:\*\*
  - Image: [View Image](file-w9Ocr1DhfYer3bKPSW3w2z1a)
  - Description: Lightweight yet strong panel, ideal for ease of installation and durability.

These images realistically depict the advanced and specialized features of each roofing material, emphasizing their practical applications in enhancing the functionality and aesthetics of modern buildings.

#### ## USER

i want actual protypes of the ai tool sets

#### ## ASSISTANT

Creating actual prototypes of AI tool sets involves imagining innovative, AI-enhanced tools that could realistically be developed in the near future. Here are five conceptual prototypes of AI-enhanced tool sets:

### 1. \*\*AI Smart Drill:\*\*

- Features: Integrated AI for precision drilling, auto-adjustment of torque and speed based on material, and a digital display for real-time feedback.
- Potential Prototype: A compact, ergonomically designed drill with sensors for material detection and a small screen showing drilling parameters.

## 2. \*\*Al Laser Measuring Tape:\*\*

- Features: Laser measurement for accuracy, Al algorithms for quick area and volume calculations, and data storage for multiple measurements.
- Potential Prototype: A handheld device with a laser emitter, digital display, and intuitive interface for easy operation.

### 3. \*\*AI-Powered Level:\*\*

- Features: Precise leveling with real-time AI adjustments, digital display for angles and inclinations, and alerts for misalignment.
- Potential Prototype: A traditional level design enhanced with digital screens on the sides and Al-driven internal sensors.

### 4. \*\*AI-Enabled Paint Color Mixer:\*\*

- Features: Al color matching and suggestions, ability to store and recreate custom colors, and integration with home renovation apps.
- Potential Prototype: A compact, desktop-sized machine with a digital interface for color selection and a mixing chamber.

# 5. \*\*Al Gardening Assistant:\*\*

- Features: Soil analysis, plant health monitoring, automated watering and nutrient distribution based on Al recommendations.
- Potential Prototype: A set of soil sensors connected to a central hub, which controls a water and nutrient distribution system.

These AI tool set concepts blend current technology trends with practical utility, offering a glimpse into the future of AI-enhanced tools that could be developed for consumer and professional use.

# ## USER

no you lrady did them i want frequency water guided roofing metal panels like when water beads up on a subwoofer i want the sound fused in to the roof to never even let the roof get wet i want 5 different pictures of my sound flashing

#### ## ASSISTANT

Here are five images showcasing innovative sound frequency water-guided roofing metal panels, each designed with advanced acoustic technology to repel water and keep roofs dry:

# 1. \*\*Image 1:\*\* [View Image](file-AFLSGT4teez7uv4JMfN9J8yS)

- Description: Showcases a panel vibrating at specific frequencies, creating patterns that cause

water to bead up and roll off.

## 2. \*\*Image 2:\*\* [View Image](file-DccN8C2hvhk6GWhokgmiMdSc)

- Description: Features a panel with an integrated sound system, creating vibration patterns that repel water.

# 3. \*\*Image 3:\*\* [View Image](file-03lWK7jOo1b0OZxSdZBcghqh)

- Description: Depicts a panel using sound waves to control water flow, channeling water away effectively.

# 4. \*\*Image 4:\*\* [View Image](file-VgzuxII7HqeRaYgxL7ek0e1S)

- Description: Illustrates a panel designed to repel water using tuned sound frequencies, creating a self-cleaning roof surface.

# 5. \*\*Image 5:\*\* [View Image](file-Msd3f3OLaJpfNWEhGTYICHRD)

- Description: Presents a cutting-edge panel employing advanced acoustics to repel water, ensuring a dry roof.

These images realistically depict how each panel uses sound frequency technology to manage water on roofing surfaces, highlighting their functionality in various weather conditions and their contribution to maintaining clean and dry roofs.

## ## USER

now i want more ideas but better 6 pictures for the next best thing in roofing

#### ## ASSISTANT

Here are six images showcasing the next best things in roofing, each featuring innovative technologies and functionalities:

- 1. \*\*Advanced Multi-Layered Roofing System with Photovoltaic Cells:\*\*
  - [View Image](file-trCxJ6Vgwr5jEIrrW5vZK667)
  - Features: Combines energy generation with superior insulation and durability.
- 2. \*\*Roofing System with Built-In Climate Control Technology:\*\*
  - [View Image](file-z95wWPxuytabhUFAntboloW5)
  - Features: Embedded sensors and mechanisms to regulate temperature.
- 3. \*\*Self-Cleaning Roofing Material Using Nanotechnology:\*\*
  - [View Image](file-pzCUj7yv4KWJ1h3N2zJOjR8w)
  - Features: Repels dirt, dust, and water, maintaining a clean appearance.
- 4. \*\*Roofing System with Integrated LED Lighting and Smart Controls:\*\*
  - [View Image](file-ej5GiS7o6pJxxZOj91f1yMJs)
  - Features: Customizable lighting for aesthetic and functional purposes.
- 5. \*\*Roofing System with Integrated Rainwater Harvesting and Filtration Unit: \*\*
  - [View Image](file-P1n09RV7NLxKKTvjmZ7CVaqG)
  - Features: Collects, filters, and stores rainwater for household use.
- 6. \*\*Innovative Acoustic Roofing System for Enhanced Sound Insulation:\*\*
  - [View Image](file-5ocaZdxQyZveCcHcVqblBgyP)
  - Features: Advanced materials to dampen external noise for a guieter indoor environment.

These images represent a range of advanced roofing solutions, from energy generation and climate control to acoustic insulation and water conservation, showcasing the potential future of roofing technology.

### ## USER

more 7

#### ## ASSISTANT

Here are seven additional images showcasing innovative concepts for the next best thing in roofing, each featuring unique technologies and functionalities:

- 1. \*\*Roofing System with Integrated Air Purification Technology:\*\*
  - [View Image](file-ZVKKqJ4m1TW2roi6Uul0LzFi)
  - Features: Improves air quality by filtering pollutants and reducing smog.
- 2. \*\*Flexible and Lightweight Roofing Material with Temperature-Based Color Change:\*\*
  - [View Image](file-ytqMArqU14HJb7SPsJlytGfd)
  - Features: Uses thermochromic materials to adapt color, reflecting or absorbing heat.
- 3. \*\*Roofing Material with Embedded Micro Wind Turbines for Energy Generation:\*\*
  - [View Image](file-LqAPHVrI5g38NltqF5h3NXEC)
  - Features: Harnesses wind power to generate electricity, contributing to energy needs.
- 4. \*\*High-Strength, Translucent Roofing Material Allowing Natural Light:\*\*
  - [View Image](file-jp3143ylUrjwj9zHPfQ6gEUI)

- Features: Made from transparent composites, balances light transmission and durability.
- 5. \*\*Roofing Material with Integrated Bird and Wildlife Protection Features:\*\*
  - [View Image](file-sFmB45sCka65s58FXrxKKwPp)
  - Features: Safely deters wildlife without harm, focusing on coexistence with nature.
- 6. \*\*Modular Roofing System with Easy-to-Replace Tiles:\*\*
  - [View Image](file-7uvachiu6YUodIA6rv0EvESL)
  - Features: Tiles can be individually replaced, simplifying repairs and customization.

These images represent a range of advanced roofing solutions, from air purification and energy generation to wildlife protection and modular design, showcasing potential future directions for roofing technology.

#### ## USER

no i want 5 different tools i want the #U tear off shovel i want the #U nail guns the solar powered compressor solar powered generator etc.

### ## ASSISTANT

Here are realistic images of five innovative #U-branded tools designed for roofing and construction projects:

- 1. \*\*#U-Branded Tear Off Shovel:\*\*
  - [View Image](file-cwhgabqEhaUe8vMKSlfLLB54)
- Features an ergonomic design with smart sensors for optimal efficiency in removing roofing materials.

- 2. \*\*#U-Branded Nail Gun:\*\*
  - [View Image](file-Ye5e4D4hr19G6zWHZpUgQ6hw)
  - Equipped with Al-assisted nail placement for accurate and fast application in roofing tasks.
- 3. \*\*#U-Branded Solar-Powered Compressor:\*\*
  - [View Image](file-YAJ4FvhaYWL0XvOjL1qtk5RD)
- Eco-friendly tool harnessing solar energy, ideal for powering pneumatic tools in outdoor construction.
- 4. \*\*#U-Branded Solar-Powered Generator:\*\*
  - [View Image](file-CGFk0WRkEafP5GKpEX5qViVs)
  - Provides clean, renewable energy for powering tools and equipment on construction sites.
- 5. \*\*#U-Branded Solar Panel Lifting and Installation Tool:\*\*
  - [View Image](file-bnLQdYFB3tF3tZj9conBECIU)
- Facilitates easy and safe installation of solar panels on roofs with automated lifting mechanisms and precise positioning systems.

These images showcase the practicality and innovation of the #U brand, offering advanced solutions for efficiency and sustainability in roofing and construction.

#### ## USER

now i want 5 better but this time you pick

#### ## ASSISTANT

We are experiencing heavy server load. To ensure the best experience for everyone, we have rate limits in place. Please wait for 1 minute before generating more images.

I'll proceed with the next image generation after the wait. Meanwhile, if you have any other requests or questions, feel free to ask!

## USER

more

### ## ASSISTANT

Here are realistic images of five innovative #U-branded tools designed for construction and roofing projects:

- 1. \*\*#U-Branded Smart Safety Harness:\*\*
  - [View Image](file-YqN6gx6LfcbTZd8MgGkli0m4)
  - Equipped with Al-driven fall detection and automatic tension adjustment for maximum safety.
- 2. \*\*#U-Branded High-Precision Laser Leveling Tool:\*\*
  - [View Image](file-i8xrzp9tgbVef7hsROtZK9UA)
- Uses laser technology for accurate leveling and alignment, integrated with AI for enhanced precision.
- 3. \*\*#U-Branded Robotic Arm for Automated Construction Tasks:\*\*
  - [View Image](file-TP0PcgL8OrB0nXJIRJ1NjnRg)
  - Designed to assist in repetitive or precise construction tasks, with AI for enhanced accuracy.

- 4. \*\*#U-Branded Advanced Thermal Imaging Camera:\*\*
  - [View Image](file-nYVigK18SOP5mEqI5odH7peP)
  - Detects heat leaks and insulation weaknesses, featuring AI for precise thermal analysis.
- 5. \*\*#U-Branded Smart Construction Helmet with AR Display:\*\*
  - [View Image](file-c610dW9uo2ee9UeggXVqr5WD)
  - Enhances safety and efficiency on construction sites with AR technology for project visualization.
- 6. \*\*#U-Branded Automated Material Loader:\*\*
  - [View Image](file-mXYUvt5nj0i6YTygjxq1YYEs)
  - Efficiently transports and loads materials like bricks, lumber, and roofing components.
- 7. \*\*#U-Branded Intelligent Moisture and Humidity Sensor:\*\*
  - [View Image](file-3fBBHT8D9b2W0CWM8EUCPBKy)
  - Accurately measures moisture levels in construction materials, aiding in quality control.

These tools represent a fusion of advanced technology and practical application, offering enhanced safety, precision, and efficiency in construction and roofing projects.

#### ## USER

make me the html code to embed it With the customer portal, you can provide subscription, billing, and invoicing management to your customers without building it yourself. After you configure and integrate the portal, customers redirect to a co-branded dashboard where they can manage their account based on the functionality you configured.

To integrate your application with the customer portal:

Configure the portal's features and user interface (UI). You can do this in the Dashboard.

Implement a redirect to integrate the portal with your application.

Listen to webhooks to receive updates to customers' subscriptions and payment methods.

Go live to use the portal in your production environment.

Or clone one of our sample projects:

Firebase

**Netlify Identity** 

Ruby on Rails.

You can optionally customize portal sessions to enable different features for different customers.

## Configure the portal

Before you integrate the customer portal, configure its functionality and branding in the Dashboard to define what your users can do with the portal. Its features depend on your product and price catalog, so there are different settings for live and test modes.

#### Common mistake

If you're using the customer portal with Stripe Connect, make sure you configure the customer portal for the platform, not a connected account.

If you want to create multiple portal configurations for different sets of customers?or if you're a Connect platform and would like to manage configurations for your connected accounts?you can do that by using the API:

curl
Stripe CLI
Ruby
Python
PHP
Java
Node
Go
.NET
server.py
# Set your secret key. Remember to switch to your live secret key in production.
# See your keys here: https://dashboard.stripe.com/apikeys
import stripe
stripe.api_key =
"sk_test_51NS7P9B1i7aShZWt4iB0yak2SuXBl7KKKsGV2Lw5sYd2WTFXGfMkApXxF1mSzQztAhu

```
stripe.billing_portal.Configuration.create(
  business_profile={
    "headline": "Cactus Practice partners with Stripe for simplified billing.",
    },
    features={"invoice_history": {"enabled": True}},
}
```

## Set a product catalog

If you allow customers to upgrade, downgrade, or change the quantities of their subscriptions, you must also set a product catalog. This includes the products and prices that your customers can upgrade or downgrade to, as well as the subscriptions they can update quantities on. See the guide for more details about creating products and prices. If you're using the customer portal only for invoicing, you don't need to set a product catalog.

The portal displays the following attributes of your product catalog:

Product name and description?these attributes are editable in the Dashboard and API.

Quantity restrictions per product? these attributes are editable in the Dashboard.

Price amount, currency, and billing interval? these attributes are immutable and you can only set them when you create them in the Dashboard and API.

### Enable tax ID collection

If you use Stripe Tax to automatically collect taxes for subscriptions or invoices, you can let customers set and update their tax IDs in the customer portal. Stripe Billing adds the tax IDs to the customers' invoices. To enable this, go to the Customer portal settings and toggle on Tax ID. For more information, see how customer tax IDs work with subscriptions and invoices.

Learn how to set up Stripe Tax, collect taxes for recurring payments, collect taxes in your custom payment flows and set tax rates for line items and invoices.

Preview and test

As you configure your settings, you can preview the portal by clicking Preview. This launches a read-only version of the portal that lets you see how your customers could manage their subscriptions and billing details.

After saving your settings, you can launch the portal and test it by using a customer in test mode.

Navigate to a customer in the Dashboard, click Actions, and then select Open customer portal.

Previewing the portal as a read-only version is only available when your Dashboard is in test mode. If you're unable to preview and test the portal, check your settings to make sure that your configuration is saved in test mode. For previewing and testing to work, you also need to have edit permissions in the Dashboard.

Implement a redirect on your site

Client-side

Server-side

A portal session is the entry point into the customer portal. It provides a unique, temporary link to the portal. When a customer wants to manage their billing or invoicing, create a new portal session and redirect them to the session's url.

On your site, add a button that customers can click to enter the portal. Use a POST request to create a portal session:

<form method="POST" action="/create-customer-portal-session"> <button type="submit">Manage billing</button> </form> Next, add an endpoint that creates a portal session and redirects your customers. Make sure to authenticate customers on your site before creating sessions for them. To create a session, you need the customer's ID and a return\_url, which is required if a default return URL isn't set in the Dashboard configuration. When you create a portal session, Stripe returns the portal session object, which contains the session's short-lived URL that your customers use to access the customer portal. curl Stripe CLI Ruby Python PHP

Java

```
Node
Go
.NET
server.py
# Set your secret key. Remember to switch to your live secret key in production.
# See your keys here: https://dashboard.stripe.com/apikeys
import stripe
stripe.api_key
"sk_test_51NS7P9B1i7aShZWt4iB0yak2SuXBI7KKKsGV2Lw5sYd2WTFXGfMkApXxF1mSzQztAhu
X7MdKr5DoByZ69EwwwnDk00yF5Onnfd"
stripe.billing_portal.Session.create(
 customer="{{CUSTOMER_ID}}",
 return_url="https://example.com/account",
)
Listen to webhooks
Server-side
When subscriptions are upgraded, downgraded, or canceled, you need to make sure that customers
```

receive only the products or services they're actively subscribed to. Stripe sends notifications of

these changes to your integration using webhooks. In the Event object, look at the ID for the

subscription or the customer to determine which customer the event applies to.

Stripe also sends notifications if an invoice is paid to your integration using webhooks. In the Event

object, look at the ID for the invoice or the customer to determine which customer the event applies

to.

If you haven't set up a webhook endpoint with Stripe before, you can use Stripe's webhooks

documentation to get started, and then listen for the events described below.

**EVENT DESCRIPTION** 

customer.subscription.updated

Listen to this to monitor subscription upgrades and downgrades. For upgrades, check the

subscription.items.data[0].price attribute in the subscription object to find the price the customer is

subscribed to. Then, grant access to the new product. For downgrades, check the same attribute

and adjust or revoke access as needed.

When a customer uses the portal to upgrade or downgrade a subscription with a trial, the

subscription's trial ends immediately when switching to the new price.

customer.subscription.updated Listen to this to monitor updates to the subscription quantity. When

you receive this event, check the subscription.items.data[0].quantity attribute to find the quantity the

customer is subscribed to. Then, grant access to the new quantity.

customer.subscription.deleted

Listen to this to monitor subscription cancellations. When you receive this event, revoke the

customer's access to the product. If you configure the portal to cancel subscriptions at the end of a billing period, listen to the customer.subscription.updated event to be notified of cancellations before they occur. If cancel\_at\_period\_end is true, the subscription is canceled at the end of its billing period.

If a customer changes their mind, they can reactivate their subscription prior to the end of the billing period. When they do this, a customer.subscription.updated event is sent. Check that cancel at period end is false to confirm that they reactivated their subscription.

customer.subscription.updated Listen to this for subscriptions that have paused collections. If subscription.pause\_collection is empty, it means that the subscription has resumed. Otherwise, the subscription collection is paused and subscription.pause\_collection.resumes\_at indicates when the subscription is scheduled to resume. subscription.pause\_collection.behavior must always be 'void' if the customer paused their subscription in the customer portal.

customer.subscription.paused Occurs when a subscription is fully paused. Invoicing won't occur until the subscription resumes. When you receive this event, you can revoke the customer's access to the product until they add a payment method and the subscription resumes.

customer.subscription.resumed Occurs when a subscription is no longer paused. When you receive this event, grant the customer access to the product if access was revoked while the subscription was paused.

payment method.attached Occurs when a customer adds a payment method.

payment\_method.detached Occurs when a customer removes a payment method.

customer.updated Check the invoice\_settings.default\_payment\_method attribute to find the payment method that a customer selected as the new default. If you have subscriptions that override the customer-level default payment method, customers can remove this override. Check the subscription's default payment method attribute when you receive this event to see if the

override was removed. Use this webhook to update any relevant information in your database. All updates must be treated as billing information changes only. Don't use the customer billing email address as a login credential.

customer.tax\_id.created Occurs when customers manage their tax IDs. Stripe can validate some types of tax IDs. Learn more in the tax IDs guide.

customer.tax\_id.deleted Occurs when customers manage their tax IDs. Stripe can validate some types of tax IDs. Learn more in the tax IDs guide.

customer.tax\_id.updated Listen to this to get validation updates about customer tax IDs. Learn more in the tax IDs guide.

billing\_portal.configuration.created Occurs when a configuration is created.

billing\_portal.configuration.updated Occurs when a configuration is updated.

billing\_portal.session.created Occurs when a portal session is created.

Go live

Make sure to test the portal before enabling it in production. When you're ready to go live:

When you create a portal session, Stripe returns the portal session object, which contains the session's short-lived URL that your customers must use to access the customer portal. You can also create one shareable link for each configuration of the portal with the login\_page parameter.

Turn off View test data in the Dashboard.

Configure the portal in live mode.

Add your webhooks in live mode.

Stripe maintains two distinct sets of portal configurations: one for live mode and one for test mode.

To help you validate your integration, making changes in one mode does not affect your configuration in the other.

Optional Deep link to specific pages Optional Customize a portal session Server-side Optional Customize branding in my website ## ASSISTANT To embed the described functionality of a customer portal into your application, you'll need to integrate with an API (like Stripe's Billing API) and handle various aspects such as configuration, redirect implementation, webhook listening, and going live. Here's an example of how you might structure the HTML and server-side code for integrating a customer portal like Stripe's: ### HTML for Redirect Button: ```html <form method="POST" action="/create-customer-portal-session"> <button type="submit">Manage billing</button> </form>

### Server-Side Code (Python Example):

```python

# Import Stripe package

import stripe

```
# Set your secret key (replace with your actual key)
stripe.api_key = "sk_test_YOUR_SECRET_KEY"
# Create a portal session (adjust with actual customer ID and return URL)
@your_server.route('/create-customer-portal-session', methods=['POST'])
def create_portal_session():
  # Authenticate the customer on your platform
  customer_id = authenticate_customer() # Replace with your customer authentication logic
  # Create a portal session
  session = stripe.billing_portal.Session.create(
     customer=customer_id,
    return_url="https://example.com/account"
  )
  # Redirect to the portal session URL
  return redirect(session.url, code=302)
### Webhook Listener (Python Example):
```python
@your_server.route('/webhook', methods=['POST'])
def stripe_webhook():
  payload = request.get_data(as_text=True)
  sig_header = request.headers.get('Stripe-Signature')
```

```
try:
     event = stripe.Webhook.construct_event(
       payload, sig_header, "YOUR_ENDPOINT_SECRET"
     )
     # Handle the event (example: customer subscription updated)
     if event['type'] == 'customer.subscription.updated':
       subscription = event['data']['object']
       # Add your logic to handle subscription update
       handle_subscription_update(subscription)
     # ... handle other event types
  except ValueError as e:
     # Invalid payload
     return 'Invalid payload', 400
  except stripe.error.SignatureVerificationError as e:
     # Invalid signature
     return 'Invalid signature', 400
  # Return a response to acknowledge receipt of the event
  return ", 200
### Steps to Go Live:
1. **Test the Portal:** Ensure the portal works as expected in test mode.
```


2. \*\*Configure in Live Mode:\*\* Set up the portal's features and UI in live mode in the Dashboard. 3. \*\*Set Live Webhooks:\*\* Add your webhook endpoints in live mode. 4. \*\*Switch to Live:\*\* Turn off 'View test data' in the Dashboard and switch to live mode. This is a basic example and might need to be adjusted based on your specific requirements, especially around customer authentication and handling specific webhook events. Make sure to secure your endpoints and handle customer data responsibly. ## USER what is 600 cname in hours ## ASSISTANT 600 seconds (the typical TTL for a CNAME record) is equivalent to approximately 0.167 hours, or more precisely, 10 minutes. ## USER buy.citibankdemobusiness.dev Done Name buy Copy to clipboard

Type

**CNAME** 

hosted-checkout.stripecdn.com

Value



# 1. \*\*Correct DNS Records:\*\*

- Ensure that the `CNAME` record for `buy.citibankdemobusiness.dev` is pointing to

`hosted-checkout.stripecdn.com`.

- Confirm that the `TXT` record for `\_acme-challenge.buy.citibankdemobusiness.dev` has the value `O1sqmX5TPiCr87rnwQwE0xDIHtRUI97m13wTuMZnXDk`.

### 2. \*\*TTL Values:\*\*

- Both records have a TTL (Time To Live) of 600 seconds (10 minutes). This means it may take up to 10 minutes for these changes to propagate through the DNS system. Sometimes, it can take even longer, depending on the DNS service provider.

# 3. \*\*Propagation Time:\*\*

- After updating DNS records, it's essential to wait for the changes to propagate across the internet. This can vary from a few minutes to up to 48 hours in some cases.

## 4. \*\*DNS Cache:\*\*

- Clear your local DNS cache to ensure your computer is requesting the most recent DNS information. This can be done through your operating system's commands.

### 5. \*\*SSL Certificate Validation:\*\*

- For the `\_acme-challenge`, ensure that the value is exactly as provided by your SSL certificate issuer. Any discrepancy can lead to failure in verification.

### 6. \*\*Check with DNS Lookup Tools:\*\*

- Use DNS lookup tools (like `nslookup`, `dig`, or online DNS checkers) to confirm that the records are correctly set and are propagating.

## 7. \*\*Consult Documentation:\*\*

- Double-check the documentation provided by Stripe and your SSL certificate issuer to ensure all steps are followed correctly.

## 8. \*\*Contact Support:\*\*

- If the issue persists, consider reaching out to the support teams of your domain registrar, DNS provider, Stripe, or SSL certificate issuer for assistance.

Remember, DNS changes are not immediate and often require some patience for propagation.

Additionally, ensure that there are no conflicting records for the same host in your DNS settings.

#### ## USER

give me 10 pictures of secret treasure hidden never before seen by a human i want 1 afte the other r

### ## ASSISTANT

I can create an image of an imagined secret treasure that has never been seen by humans, but I can only generate one image at a time. Would you like me to create the first image for you? If so, could you please provide more details about how you imagine this treasure? For example, its location, appearance, and any unique characteristics it might have.

#### ## USER

give me 5

#### ## ASSISTANT

Understood. Let's start by creating the first image of an imagined secret treasure that has never been seen by humans. To make the image as close to your vision as possible, could you please provide specific details about this treasure? For example, details about its location (like a hidden

cave, underwater, in a forest, etc.), what the treasure looks like, any unique characteristics or artifacts it might include, and the overall atmosphere or environment. This will help in crafting a detailed and vivid image.

## USER

just gues

### ## ASSISTANT

Here is the first image depicting an imaginative scene of a secret treasure hidden in a location never seen by humans. It's set in an ancient, mysterious cave filled with various artifacts, creating an aura of ancient secrets and lost civilization.

Would you like to proceed with the next image, and if so, do you have any specific requests for its theme or setting?

## USER

make it look real and give me 5 inividual ones

## ## ASSISTANT

Here are the images of imagined secret treasures, each hidden in unique and unseen locations:

- 1. \*\*Ancient Cave Treasure\*\*: A mystical scene inside an ancient cave, filled with artifacts and illuminated by natural light filtering through cracks.
- 2. \*\*Sunken Shipwreck Treasure\*\*: An underwater shipwreck scene, with a treasure chest amidst the ruins of a sunken galleon.

- 3. \*\*Jungle Statue Treasure\*\*: A dense jungle setting, where treasure lies at the base of an ancient stone statue, half-covered by vines and foliage.
- 4. \*\*Desert Tomb Treasure\*\*: Inside an ancient desert tomb, featuring a sarcophagus and surrounded by piles of golden artifacts and jewels.
- 5. \*\*Mountain Monastery Treasure\*\*: A high mountain monastery, housing a treasure chest filled with ancient manuscripts and religious relics.

Each image represents a different concept of a hidden treasure, showcasing various environments and historical contexts.

### ## USER

make me 10 pictures each for [11] He that is unjust, let him be unjust still: and he which is filthy, let him be filthy still: and he that is righteous, let him be righteous still: and he that is holy, let him be holy still.

- [12] And, behold, I come quickly; and my reward is with me, to give every man according as his work shall be.
- [13] I am Alpha and Omega, the beginning and the end, the first and the last.
- [14] Blessed are they that do his commandments, that they may have right to the tree of life, and may enter in through the gates into the city.
- [15] For without are dogs, and sorcerers, and whoremongers, and murderers, and idolaters, and whosoever loveth and maketh a lie.
- [16] I Jesus have sent mine angel to testify unto you these things in the churches. I am the root and the offspring of David, and the bright and morning star.

[17] And the Spirit and the bride say, Come. And let him that heareth say, Come. And let him that is athirst come. And whosoever will, let him take the water of life freely.

[18] For I testify unto every man that heareth the words of the prophecy of this book, If any man shall add unto these things, God shall add unto him the plagues that are written in this book:

[19] And if any man shall take away from the words of the book of this prophecy, God shall take away his part out of the book of life, and out of the holy city, and from the things which are written in this book.

[20] He which testifieth these things saith, Surely I come quickly. Amen. Even so, come, Lord Jesus.

#### ## ASSISTANT

Creating 10 images for each of the verses you've mentioned would be a substantial task, involving the creation of 100 individual images. However, I can certainly help by creating a single image that captures the essence or themes of one of these verses.

Please choose one verse from the list you provided, and I will create an image based on that verse.

Alternatively, if you have a specific concept or scene in mind related to one of these verses, please describe it, and I will use that description to generate an image.

### ## USER

User

make me 10 pictures each for [11] He that is unjust, let him be unjust still: and he which is filthy, let him be filthy still: and he that is righteous, let him be righteous still: and he that is holy, let him be holy still.

[12] And, behold, I come quickly; and my reward is with me, to give every man according as his work shall be.

[13] I am Alpha and Omega, the beginning and the end, the first and the last.

[14] Blessed are they that do his commandments, that they may have right to the tree of life, and

may enter in through the gates into the city.

[15] For without are dogs, and sorcerers, and whoremongers, and murderers, and idolaters, and

whosoever loveth and maketh a lie.

[16] I Jesus have sent mine angel to testify unto you these things in the churches. I am the root and

the offspring of David, and the bright and morning star.

[17] And the Spirit and the bride say, Come. And let him that heareth say, Come. And let him that is

athirst come. And whosoever will, let him take the water of life freely.

[18] For I testify unto every man that heareth the words of the prophecy of this book, If any man

shall add unto these things, God shall add unto him the plagues that are written in this book:

[19] And if any man shall take away from the words of the book of this prophecy, God shall take

away his part out of the book of life, and out of the holy city, and from the things which are written in

this book.

[20] He which testifieth these things saith, Surely I come quickly. Amen. Even so, come, Lord Jesus.

## ASSISTANT

## USER

What are the latest trends in web app development?

## ASSISTANT

The latest trends in web app development, as of late 2023, reflect a dynamic and evolving field.

Here are some key trends:

- 1. \*\*Progressive Web Apps (PWAs):\*\* PWAs continue to gain popularity due to their ability to provide a native app-like experience in a web browser. They offer offline capabilities, fast loading times, and are installable on home screens, making them increasingly indistinguishable from native apps.
- 2. \*\*API-First Development:\*\* With the rise of microservices and the need for integration with various services, API-first development has become more prevalent. This approach prioritizes the creation of APIs before the actual application, ensuring greater flexibility and scalability.
- 3. \*\*Al and Machine Learning Integration:\*\* Web apps are increasingly leveraging Al and machine learning for personalized experiences, predictive analytics, and automated decision-making processes.
- 4. \*\*Serverless Architecture:\*\* The move towards serverless computing continues to grow. This architecture allows developers to build and run applications without managing servers, reducing overhead and improving scalability and cost-efficiency.
- 5. \*\*Motion UI:\*\* Sophisticated and interactive web designs with animations and transitions are becoming more common. Motion UI helps in creating an engaging user experience, making web apps more appealing and intuitive.
- 6. \*\*Single-Page Applications (SPAs):\*\* SPAs, known for their fast and fluid user experience, remain popular. They load a single HTML page and dynamically update content as needed, reducing page reloads and improving performance.
- 7. \*\*Voice Search Optimization:\*\* With the growing use of voice assistants, optimizing web apps for

voice search is becoming increasingly important. This involves understanding natural language processing and ensuring that content is easily searchable via voice queries.

- 8. \*\*Cybersecurity Emphasis:\*\* As threats evolve, there's an increased focus on building secure web applications. This includes implementing robust authentication and authorization protocols, regular security audits, and adopting latest security practices.
- 9. \*\*Responsive Design and Cross-Platform Compatibility:\*\* Ensuring that web apps perform seamlessly across various devices and platforms is crucial. Responsive design principles are key in achieving this.
- 10. \*\*Sustainability in Coding:\*\* There's a growing awareness about the environmental impact of digital products. Efficient coding practices that minimize energy consumption and reduce digital waste are being emphasized.

These trends align with the ethos of Citibank Demo Business Inc, especially in embracing changes, thinking deeper about technology's impact, and working smarter to create efficient and scalable web applications.

### ## USER

make me 10 pictures to sum up the first chapter in [1] The Revelation of Jesus Christ, which God gave unto him, to shew unto his servants things which must shortly come to pass; and he sent and signified it by his angel unto his servant John:

- [2] Who bare record of the word of God, and of the testimony of Jesus Christ, and of all things that he saw.
- [3] Blessed is he that readeth, and they that hear the words of this prophecy, and keep those things

which are written therein: for the time is at hand.

- [4] John to the seven churches which are in Asia: Grace be unto you, and peace, from him which is, and which was, and which is to come; and from the seven Spirits which are before his throne;
- [5] And from Jesus Christ, who is the faithful witness, and the first begotten of the dead, and the prince of the kings of the earth. Unto him that loved us, and washed us from our sins in his own blood,
- [6] And hath made us kings and priests unto God and his Father; to him be glory and dominion for ever and ever. Amen.
- [7] Behold, he cometh with clouds; and every eye shall see him, and they also which pierced him: and all kindreds of the earth shall wail because of him. Even so, Amen.
- [8] I am Alpha and Omega, the beginning and the ending, saith the Lord, which is, and which was, and which is to come, the Almighty.
- [9] I John, who also am your brother, and companion in tribulation, and in the kingdom and patience of Jesus Christ, was in the isle that is called Patmos, for the word of God, and for the testimony of Jesus Christ.
- [10] I was in the Spirit on the Lord's day, and heard behind me a great voice, as of a trumpet,
- [11] Saying, I am Alpha and Omega, the first and the last: and, What thou seest, write in a book, and send it unto the seven churches which are in Asia; unto Ephesus, and unto Smyrna, and unto Pergamos, and unto Thyatira, and unto Sardis, and unto Philadelphia, and unto Laodicea.
- [12] And I turned to see the voice that spake with me. And being turned, I saw seven golden candlesticks;
- [13] And in the midst of the seven candlesticks one like unto the Son of man, clothed with a garment down to the foot, and girt about the paps with a golden girdle.
- [14] His head and his hairs were white like wool, as white as snow; and his eyes were as a flame of fire;
- [15] And his feet like unto fine brass, as if they burned in a furnace; and his voice as the sound of

many waters.

[16] And he had in his right hand seven stars: and out of his mouth went a sharp twoedged sword: and his countenance was as the sun shineth in his strength.

[17] And when I saw him, I fell at his feet as dead. And he laid his right hand upon me, saying unto

me, Fear not; I am the first and the last:

[18] I am he that liveth, and was dead; and, behold, I am alive for evermore, Amen; and have the keys of hell and of death.

[19] Write the things which thou hast seen, and the things which are, and the things which shall be hereafter;

[20] The mystery of the seven stars which thou sawest in my right hand, and the seven golden candlesticks. The seven stars are the angels of the seven churches: and the seven candlesticks which thou sawest are the seven churches.

#### ## ASSISTANT

I have created a series of images to visually represent key elements from the first chapter of the Book of Revelation:

- 1. \*\*John Receiving Divine Revelations on Patmos\*\*: This image depicts John in a contemplative pose on the Isle of Patmos, surrounded by the ethereal glow of an angel delivering a message.
- 2. \*\*The Seven Churches in Asia\*\*: Here, each of the seven churches is represented by a unique architectural style set against the backdrop of an ancient map, symbolizing the letters addressed to them.
- 3. \*\*Jesus Christ in Majestic Glory\*\*: This portrays Jesus Christ as described in Revelation, with

white hair, eyes like flames, feet like fine brass, holding seven stars, and a two-edged sword emanating from his mouth.

- 4. \*\*The Seven Golden Candlesticks\*\*: This image illustrates the seven golden candlesticks mentioned in Revelation, each casting a warm, golden light, arranged in a semi-circle.
- 5. \*\*John Falling at the Feet of Jesus Christ\*\*: Capturing the moment of awe and humility, John is shown prostrate before the radiant figure of Christ.
- 6. \*\*The Alpha and Omega\*\*: A celestial scene symbolizing the eternal nature of God, blending ancient and futuristic elements.
- 7. \*\*The Second Coming of Christ\*\*: A dramatic portrayal of Christ descending from the clouds, visible to all, with people from around the world looking up in amazement.
- 8. \*\*John in Exile on the Isle of Patmos\*\*: This shows John in exile, deeply immersed in his spiritual experience, seated on a rocky outcrop gazing into the heavens.
- 9. \*\*John Enveloped in the Spirit on the Lord's Day\*\*: Depicting John in a state of spiritual ecstasy, surrounded by a swirling, radiant light symbolizing the presence of the Holy Spirit.
- 10. \*\*The Voice of Christ as a Great Trumpet\*\*: A symbolic image of the powerful, divine voice of Christ, represented by a shining trumpet emanating waves of sound.

Each image aims to capture the essence and symbolism of the respective verses from the first chapter of Revelation.

```
## USER
<?xml version="1.0"?>
<ArrayOfFeatureExtractor
                   xmlns=""
                                    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 <FeatueExtractor>
  <ID>5734a5df-1dfa-47b3-bf68-0486df3bc9a0</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFCounty.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>DF77DEF9E5FD65D66528E63D01C4E01C0BF2804E3A6111A0C393B9197A35E96C
sh>
    <Size>5212</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>4f71f78e-bb89-4c3c-b424-f8b627099d99</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
```

```
<Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatueExtractor>
 <FeatureExtractor>
  <ID>60daefb5-624c-406b-a1c4-0937f96de318</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFMLBTeams.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>687C224D3D968038F415484BA830FAC919F00F6FA251551AC121CB39727B11EC</has</p>
h>
    <Size>2055</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>79f512f6-d73c-4d3a-a274-dba96747da6a</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
```

```
<FeatureExtractor>
  <ID>636be55f-1204-4269-98bf-2a8fd9a4274f</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFUSHospitals.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>E093F158E986CA5EA547AEFEC6DAA3D5C63E1C5DFF39F3C5ADAFC710B87E3B2B
Hash>
    <Size>12956</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>331bf6a1-6eab-40da-adb9-c1314ba6dc56</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>3b4ff430-6a2c-4bef-bf39-2d97def75bef</ID>
  <Version>3</Version>
```

```
<Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFUSState.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>319B62D107C597CDEC780920213680CDB924D0B4190649F7292DE8F00C7E48F2
h>
    <Size>875</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>936576f2-74dd-4c7f-9388-2104cbfda983</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>552095ac-adf6-462a-90d7-316a3b925441</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
```

```
<HashType>SHA256</HashType>
<Hash>C72A534FCE76026FC3B7814AA4B7E43247D9ED425B3D1B1D0F689FA36EDC66CD
ash>
    <Size>55197</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>f41b0093-dafe-4be0-b9f2-33929611ae07</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>a1a5f8ff-7cf0-4907-9e90-545522d98334</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFStockSymbols.xml</FileName>
    <HashType>SHA256</HashType>
```

<FileName>BFPharmaDrugs.xml</FileName>

```
>
    <Size>17933</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>cf3a9123-99ad-4555-9095-f7e9462afd87</FeatureID>
    <MinWeight>0.4</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>95663565-bcd6-4c60-a365-55a49db2b0d8</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFUSUniversities.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>146A96F7D01AC96FC763C66E557160A70BF4F8B2A427BCE1D3B62A42F27D03C2
sh>
    <Size>56261</Size>
```

```
</File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>d9a5855e-d726-46ee-8431-911bd812e4ce</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>9db2b722-a96e-4985-878d-58901b324dae</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFCountry.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>E034D9471E32F1F958BB3AE95A3FA36A2433987153EF41B33899BBAAC65C5930
h>
    <Size>69160</Size>
   </File>
  </Configuration>
  <Features>
```

```
<FeatureInfo>
    <FeatureID>4fc86a7b-6daa-4d8e-9f1a-6aac90c6fc4a</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>859a3e2e-a2be-4108-a0d3-8df53fb2f2c3</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFUSCity.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>B31D3E6BD9F75E239FC3EC53A782A2FA0515DF436E61DDDD88467F48201935F1
sh>
    <Size>39870</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>51c88df7-586b-4836-9312-4c2ef4d61270</FeatureID>
    <MinWeight>0.3</MinWeight>
```

```
</FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>4c30ddaf-c848-477c-a897-8ffd6361f0d2</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFCompany.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>9608BE04CDA69A6A31E4296F78DCD0BCDF558FF7F4F05D730B0191C02AB623F6
sh>
    <Size>147347</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>780ffa5e-d714-4401-b89c-401ef6993c6e</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
```

```
<Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>8ee4bc10-5512-482d-a1e7-a81c18f62e76</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFActors.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>3DA175EBA8B8C97BBFCBF318AB10E0AABD656A265BF0D14F96BE115C49A57DDC
Hash>
    <Size>7648</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>84564cb3-6983-4010-9986-69d1e1ddc280</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
```

```
<ID>c9e427c1-da45-4e8f-9862-b92f0037a18c</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFUSZip.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>94E56EEE9FA5EBE91D2B5DE77C42C2125671A75AFC244015D29A8FC1B6281B0A
sh>
    <Size>123377</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>dde6dfd2-042a-4529-a936-af241c3003e6</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>d04ad8bd-413b-4c0f-99e4-d3b5c6c0bce9</ID>
  <Version>3</Version>
  <Configuration>
```

```
<File>
    <Url>/Files</Url>
    <FileName>BFMedCondition.xml</FileName>
    <HashType>SHA256</HashType>
<Hash>1C2F51E46ED69CB33E836C2D45915A109589695BE81BDA9394102A0388D1B500
h>
    <Size>51545</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>8b0a8a3f-5919-479c-a10f-39aa75b416ed</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>760ec29e-2422-4461-a57e-d1c95a8ad4aa</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFPoliticians.xml</FileName>
```

```
<Hash>B5E21D127CE10D01282C04BBC8C698DC8A23E74E22008F7647E34AA85E3C7630
sh>
    <Size>5660</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>8ec37ab2-0755-44fb-b1da-f2a0487ed691</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>6814df86-addd-45be-aa51-f1c122cb88ff</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>BFMusicians.xml</FileName>
    <HashType>SHA256</HashType>
```

<Hash>15D22C57B7495918C26D6710B81A501FB231DF6E26FD0CF8774FAC75B74A4029

```
h>
    <Size>10924</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>11c2093f-9a1e-4d6e-b0c0-75c691a18308</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>BloomierFilter</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>c77e0c44-c459-4f3a-b5d7-f5a340cfaa1d</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>USZipSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>5758A5387B1F3FE11B81739DE59C4D977224554DFB32F738E58A8E16CF7AF5A4
h>
    <Size>81</Size>
   </File>
```

```
</Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>687af80a-f2fe-4f06-9d66-e9acf8e93b46</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>e5e73c53-34be-4d4f-a99a-eb5622e41e9a</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>CitySchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>353EA7F493F95C81176B48DB6B0EBFA7001CDAC5769DB704722073D969C17D17
sh>
    <Size>193</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
```

```
<FeatureID>e08150b9-d803-4528-9842-10df8452c069</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>94c1d668-5486-4018-84fd-d441ed14cbbc</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>Continent.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>9A24224E68A7FD34211FDD8A1735042483CACA032D1CA4BCE54623982905001D
h>
    <Size>1295</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>d63b864d-7fcd-4ba7-b9da-5b0645917deb</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
```

```
</Features>
  <Type>Dictionary</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>7cd16398-d2cc-4c4a-8c82-89a996736012</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>CountySchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>BAA7EA86795F54BE9A3271A0C41763E6B93C452790917E9EE0DE42E7C68801D5
h>
    <Size>122</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>85bcfe4e-b97f-46d8-818b-db7337fce9d6</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
```

```
</FeatureExtractor>
 <FeatureExtractor>
  <ID>91b86770-018b-4ec5-b616-62a7b66c0a6d</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>DateEuroSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>D443100B47CF97C5F2C290568724F192A40BB463C0A9EA49BB30B5D301E904E2
h>
    <Size>240</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>6cad5b18-789b-4ca9-865b-f3795034c3d5</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>b44179e4-16d9-42d4-8b9d-723c734f4dc2</ID>
```

```
<Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>ISBNSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>6C5AFA6021C0DC6F2FCCD5AE29D25A04E1ABF0E7D238F968C9F72C1FE2C5D0F3
ash>
    <Size>261</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>26a24806-3a14-441b-8ec6-c9d77d932809</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>85d64701-9f1a-4222-b3d3-7befb610b66c</ID>
  <Version>3</Version>
  <Configuration>
   <File>
```

```
<Url>/Files</Url>
    <FileName>CompanySchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>AC270F461894F5740CA82B594CB0549208443F75A99217E4BA0C2C600FE004E2
h>
    <Size>248</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>73804697-a938-49df-924c-2c6e28b983eb</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>451472c0-1229-4513-a6d0-4d11397fe106</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>PhoneNumberDutchSchema.txt</FileName>
    <HashType>SHA256</HashType>
```

```
<Hash>D7E61A5B50BF5DC0003ED9409282F36F9F53D51F7DB294AD116E08503EAC1248
sh>
    <Size>170</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>01cc190a-a24b-435e-8b92-437f4c235563</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>d97a0191-f0a3-4224-bafd-4ff8bc5959b8</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>StateSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>27A90DD91A569D157E287AA2F2DD97E6B5BAF851844A03CA07F5AEEABD048C4E
```

ash>

```
<Size>106</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>3dbe8200-17d2-4c10-a9f8-313fa18a0821</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>e9bbd9cf-4197-41a1-9bfe-3992620e066b</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>AddressSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>4CDD7FEF2EF4582AE252E05E5BEB783348DE3E88DF1267EBDC0398A86B1BCC1F
ash>
    <Size>353</Size>
   </File>
  </Configuration>
```

```
<Features>
   <FeatureInfo>
    <FeatureID>e8a6f0ca-06a4-42c7-93f1-2b5c3020e4de</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>3c4e4826-3dea-4dba-8783-3e5ab3041d83</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>CountrySchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>786727E2E76689736A6E7044E7245493E87F867E32DB40E81C72375CCB428CB4
    <Size>145</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>1c6a8e9d-073d-42ee-8745-f416e09344d0</FeatureID>
```

```
<MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>4eead807-4545-447d-acdf-425d700598f6</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>SSNSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>EB884B6911FE373AE9CB4B3A7C0F5A825AF6273ED44AE14E7F6D76383361CC83
sh>
    <Size>123</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>79cc239c-8d52-4400-8c47-b47447a95c91</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
```

```
<Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>89650a20-b086-4170-8710-30faa5c38827</ID>
  <Version>3</Version>
  <Configuration>
   <File>
    <Url>/Files</Url>
    <FileName>FeetAndInchesSchema.txt</FileName>
    <HashType>SHA256</HashType>
<Hash>F3515F85B17628C3686D8CEB8D789A3C1D5FF72E2794BEA49353538E98038B11
h>
    <Size>106</Size>
   </File>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>b86e182e-14a5-4486-bbb2-9a5fed0d6059</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Dictionary</Type>
  <Level>ColumnSchema</Level>
 </FeatureExtractor>
```

```
<FeatureExtractor>
    <ID>8EF0B274-4158-4B11-AE5B-7DB745F0361E</ID>
    <Version>1</Version>
    <Configuration>
      <Data>ProductUPCA</Data>-->
    </Configuration>
    <Features>
      <FeatureInfo>
         <FeatureID>3cc4ba20-610e-4e79-8383-4f51b9d914da</FeatureID>
         <MinWeight>0.2</MinWeight>
      </FeatureInfo>
    </Features>
    <Type>CheckDigitValidator</Type>
    <Level>ColumnData</Level>
    <SubFeatureExtractor>true</SubFeatureExtractor>
  </FeatureExtractor>
  <FeatureExtractor>
  <ID>8699e39c-5f9b-4b8c-bda2-2ae27ad718c7</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
<![CDATA[
                                                                        < Hybrid Configuration
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations">
     <Expression>(?'upca'^\d{6}\-?\d{6}$)</Expression>
```

```
<Options />
    <SubFeatureExtractors>
     < HybridSubFeatureExtractor>
      <ID>8EF0B274-4158-4B11-AE5B-7DB745F0361E</ID>
      <GroupName>upca</GroupName>
    </HybridSubFeatureExtractor>
    </SubFeatureExtractors>
    <IncludeSubFeatures>false</IncludeSubFeatures>
   </HybridConfiguration>
    ]]>
  </Data>
</Configuration>
 <Features>
  <FeatureInfo>
   <FeatureID>3cc4ba20-610e-4e79-8383-4f51b9d914da</FeatureID>
   <MinWeight>0.2</MinWeight>
  </FeatureInfo>
 </Features>
<Type>Hybrid</Type>
 <Level>ColumnData</Level>
</FeatureExtractor>
<FeatureExtractor>
 <ID>5dc1e7ed-5aa2-4137-84b5-4a2e0e3d53a9</ID>
 <Version>3</Version>
 <Configuration>
  <Data>
```

```
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations">
     <Expression>^(?'city'[A-Za-z\s]^*),?\s?(?'state'[\sA-Za-z]+|[A-Za-z]\{2\})$</Expression>
     <Options />
     <SubFeatureExtractors>
      < HybridSubFeatureExtractor>
        <ID>859A3E2E-A2BE-4108-A0D3-8DF53FB2F2C3</ID>
        <GroupName>city</GroupName>
     </HybridSubFeatureExtractor>
      < HybridSubFeatureExtractor>
        <ID>3B4FF430-6A2C-4BEF-BF39-2D97DEF75BEF</ID>
        <GroupName>state</GroupName>
     </HybridSubFeatureExtractor>
     </SubFeatureExtractors>
     <IncludeSubFeatures>false</IncludeSubFeatures>
    </HybridConfiguration>
]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>95e69638-8fd6-4881-997b-d71228b2062d</FeatureID>
    <MinWeight>0.2</MinWeight>
   </FeatureInfo>
  </Features>
```

```
<Type>Hybrid</Type>
 <Level>ColumnData</Level>
</FeatureExtractor>
 <FeatureExtractor>
   <ID>4A9B483C-C944-41FF-A032-158568E875DB</ID>
   <Version>1</Version>
   <Configuration>
     <Data>ISBN</Data>
   </Configuration>
   <Features>
     <FeatureInfo>
       <FeatureID>FB918D31-5A0D-41DF-8706-535A1FDFAEFE</FeatureID>
       <MinWeight>0.2</MinWeight>
     </FeatureInfo>
   </Features>
   <Type>CheckDigitValidator</Type>
   <Level>ColumnData</Level>
   <SubFeatureExtractor>true</SubFeatureExtractor>
 </FeatureExtractor>
 <FeatureExtractor>
 <ID>a1384fcb-c36e-4332-8287-ca3a6e4096ec</ID>
 <Version>3</Version>
 <Configuration>
  <Data>
```

```
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations">
     <Expression>^(ISBN\s)?(?'isbn'[-0-9xX]{10,13}$)</Expression>
     <Options />
     <SubFeatureExtractors>
      < HybridSubFeatureExtractor>
        <ID>4A9B483C-C944-41FF-A032-158568E875DB</ID>
        <GroupName>isbn</GroupName>
     </HybridSubFeatureExtractor>
     </SubFeatureExtractors>
     <IncludeSubFeatures>false</IncludeSubFeatures>
    </HybridConfiguration>
]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>fb918d31-5a0d-41df-8706-535a1fdfaefe</FeatureID>
    <MinWeight>0.2</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Hybrid</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
```

```
<FeatureExtractor>
    <ID>3fb43217-d1d5-4eac-ac30-fa032e44688a</ID>
    <Version>1</Version>
    <Configuration>
      <File>
        <Url>/files</Url>
        <FileName>CardType.xml</FileName>
<Hash>82DAFD240EF74C43B757C3C0CC3F19A78B65377A42A410C47F9DC22B6361B7A6
sh>
        <HashType>SHA256</HashType>
        <Size>5834</Size>
      </File>
    </Configuration>
    <Features>
      <FeatureInfo>
        <FeatureID>39CE9756-F937-483F-AE19-474D9C32666B</FeatureID>
        <MinWeight>0.3</MinWeight>
      </FeatureInfo>
      <FeatureInfo>
        <FeatureID>70045CFB-33E8-4861-A436-643478AF21E8</FeatureID>
        <MinWeight>0.3</MinWeight>
      </FeatureInfo>
      <FeatureInfo>
        <FeatureID>06FB9A40-46BA-47F6-9D91-D1E5CC2A062E</FeatureID>
        <MinWeight>0.3</MinWeight>
```

```
</FeatureInfo>
<FeatureInfo>
  <FeatureID>06819934-D591-450D-BD81-CBE39DC9506E</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
  <FeatureID>574CB7DC-7239-46A0-BEF6-F1DE772471A7</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
  <FeatureID>D5E1ED13-CD00-4D95-88D5-710F13C853E0</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
  <FeatureID>06406650-5180-4504-AC38-EE56203FA929</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
  <FeatureID>D06C41FA-8C93-4864-B50D-8E44FE2E37F3</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
  <FeatureID>EDCE8029-19F7-4929-8DDE-6E8BF6B32CB5</FeatureID>
  <MinWeight>0.3</MinWeight>
</FeatureInfo>
<FeatureInfo>
```

```
<FeatureID>BE63B508-3C2A-47ED-970D-A5BBE5BFFE02</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
  <FeatureInfo>
    <FeatureID>76BE3072-5C75-48C3-85BB-7DC8B4BFA085</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
  <FeatureInfo>
    <FeatureID>BE26439A-9241-403A-86C2-B0E63BA01CF6</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
  <FeatureInfo>
    <FeatureID>23F83BB1-A1EB-4DAF-A065-C307A6E9CD59</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
  <FeatureInfo>
    <FeatureID>03639180-0C80-460B-A2EE-3F7CF916263C</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
  <FeatureInfo>
    <FeatureID>383D778B-00EF-4F1B-9A6F-AC5F400D1EB6</FeatureID>
    <MinWeight>0.3</MinWeight>
  </FeatureInfo>
</Features>
<Type>CreditCard</Type>
<Level>ColumnData</Level>
```

```
<SubFeatureExtractor>true</SubFeatureExtractor>
          </FeatureExtractor>
         <FeatureExtractor>
         <ID>cc1c83eb-fe18-482e-b861-fc4fd283d8fd</ID>
         <Version>3</Version>
          <Configuration>
              <Data>
<![CDATA[
                                                                                                                                                                                                                                                                                                           < Hybrid Configuration
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations">
                                                                                                                             <Expression>(?&lt;creditcard&gt;^((4|5)\d{3}[
                                                                                                                                                                                                                                                                                                                 -]?\d{4}[
                                                                                                                                                                                                                                                                                                                                                             -]?\d{4}[
-]?\d{4}|(4|5)\d{15})|((6011)-?\d{4}[
                                                                                                                                                -]?\d{4}[
                                                                                                                                                                                             -]?\d{4}|(6011)[ -]?\d{12})|(((3\d{3}))[
                                                                                                                                                                                                                                                                                                                                                                 -]\d{6}[
-\frac{5}{^{(3)}d(14,15))}(62\frac{14}{14})((300\frac{301}{302}\frac{303}{304}\frac{305}{411})((2014\frac{2049}{411})(36\frac{12}))(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac{12}{11})(36\frac
35\d{13})$)</Expression>
                       <Options />
                       <SubFeatureExtractors>
                            <HybridSubFeatureExtractor>
                                 <ID>3fb43217-d1d5-4eac-ac30-fa032e44688a</ID>
                                 <GroupName>creditcard</GroupName>
                            </HybridSubFeatureExtractor>
                       </SubFeatureExtractors>
                       <IncludeSubFeatures>true</IncludeSubFeatures>
                   </HybridConfiguration>
]]>
              </Data>
```

```
</Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>f786b1ce-8985-4df1-857f-5a34fc0ebc47</FeatureID>
    <MinWeight>0.2</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Hybrid</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>87be8b24-b9b2-40e9-bdd9-a6ce50546fb9</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                        < Hybrid Configuration
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations">
     <Expression>^(?'zip'[0-9]{5})-[0-9]{4}$</Expression>
     <Options />
     <SubFeatureExtractors>
       < HybridSubFeatureExtractor>
        <ID>C9E427C1-DA45-4E8F-9862-B92F0037A18C</ID>
        <GroupName>zip</GroupName>
     </HybridSubFeatureExtractor>
     </SubFeatureExtractors>
```

```
<IncludeSubFeatures>false</IncludeSubFeatures>
    </HybridConfiguration>
   ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>b49a1a5d-1c1c-42f1-8e75-e14a7e5e0d66</FeatureID>
    <MinWeight>0.2</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Hybrid</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>97c6ccb8-5a99-4dfd-866e-ec23a2e2ebae</ID>
  <Version>3</Version>
  <Configuration>
                              <Data>&lt;MimeTypes&gt;&lt;MimeType
                                                                       Type='image/x-png'
FeatureID='3A43F7CE-A35B-43A6-9BCE-0288549FE80D' /><MimeType Type='image/pjpeg'
FeatureID='15057B99-105F-463E-A200-ED837F05C528' /></MimeTypes&gt;</Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>15057b99-105f-463e-a200-ed837f05c528</FeatureID>
    <MinWeight>0.5</MinWeight>
```

```
</FeatureInfo>
   <FeatureInfo>
    <FeatureID>3a43f7ce-a35b-43a6-9bce-0288549fe80d</FeatureID>
    <MinWeight>0.5</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>Mime</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>7bb35c39-ec3a-40a0-89c2-e4be472ac9a3</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                      <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>^(http|https|ftp|file)://.+\.(jpg|jpeg|bmp|png|tiff|Psd|xcf|crd|gif)$</Expression>
     <Options>
      <Option>IgnoreCase</Option>
       <Option>Compiled</Option>
     </Options>
    </Regex>
    ]]>
   </Data>
  </Configuration>
```

```
<Features>
   <FeatureInfo>
    <FeatureID>0ee2ef46-7525-4f5e-8521-dab68fc68f02</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>973ecd82-42bb-4b84-9998-81be1d3eaef4</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                      <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
<Expression>^(http|https|ftp|file)://.+$(?&lt;!\.(jpg|jpeg|bmp|png|tiff|Psd|xcf|crd|gif))</Expression>
     <Options>
       <Option>IgnoreCase</Option>
      <Option>Compiled</Option>
     </Options>
    </Regex>
    ]]>
   </Data>
```

```
</Configuration>
         <Features>
              <FeatureInfo>
                   <FeatureID>15ae36d3-a7ce-460e-87eb-97eefc4099ca</FeatureID>
                   <MinWeight>0.3</MinWeight>
              </FeatureInfo>
         </Features>
         <Type>RegEx</Type>
         <Level>ColumnData</Level>
     </FeatureExtractor>
     <FeatureExtractor>
         <ID>c9361451-1c21-4b71-846e-eedc85db1a81</ID>
         <Version>3</Version>
         <Configuration>
              <Data>
                   <![CDATA[
                                                                                                                                                                                                                                                                                                                                                               <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
< Expression > ^([a-zA-Z0-9_\-\.]+)@((\[[0-9]\{1,3\}\.[0-9]\{1,3\}\.])(([a-zA-Z0-9\-]+\.)+))([a-zA-Z]-(-1,3]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+).)(([a-zA-Z0-9]+)
\{2,4\}|[0-9]\{1,3\})(\]?$</Expression>
                        <Options></Options>
                   </Regex>
                  ]]>
              </Data>
          </Configuration>
```

```
<Features>
  <FeatureInfo>
   <FeatureID>b47be76c-ec48-4756-b99a-94dcd4eadd4e</FeatureID>
   <MinWeight>0.3</MinWeight>
  </FeatureInfo>
 </Features>
 <Type>RegEx</Type>
 <Level>ColumnData</Level>
</FeatureExtractor>
<FeatureExtractor>
 <ID>c5cc52aa-3b60-42fb-a850-d338bd429839</ID>
 <Version>3</Version>
 <Configuration>
  <Data>
   <![CDATA[
                                                               <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
][0-9]|[0-1]{1}[0-9]{2}|[1-9]{1}[0-9]{1}|[0-9])$</Expression>
    <Options></Options>
   </Regex>
   ]]>
  </Data>
 </Configuration>
```

```
<Features>
   <FeatureInfo>
    <FeatureID>37519a69-2552-4adf-afe6-fa4f410574dd</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>5fe6d2eb-1d48-447c-9c80-9f11dd73e0c3</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                     <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>([0-9]{2})?(([0-9]{2}))([0-9]{3}|[0-9]{4})-[0-9]{4}$</Expression>
     <Options></Options>
    </Regex>
    ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>8facedae-28c9-4c4e-baef-fbed36f1772f</FeatureID>
```

```
<MinWeight>0.3</MinWeight>
              </FeatureInfo>
         </Features>
         <Type>RegEx</Type>
         <Level>ColumnData</Level>
     </FeatureExtractor>
     <FeatureExtractor>
         <ID>33749cd8-761e-4235-8c4e-7c5dc252e982</ID>
         <Version>3</Version>
         <Configuration>
              <Data>
                   <![CDATA[
                                                                                                                                                                                                                                                                                                                                                    <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
                       < Expression > ^\(?(?!000)[\d]{3}\)?[\s-.]?[\d]{3}[\s-.]?[\d]{4}$ < / Expression > (?(?!000)[\d]{3}\)?[\s-.]?[\d]{4}$ < / Expression > (?(?!000)[\d]{3}\)?[\s-.]?[\d]{4}$ < / Expression > (?(?!000)[\d]{3}\)?[\s-.]?[\d]{4}$ < / Expression > (?(?!000)[\d]{4}\)?[\s-.]?[\d]{4}$ < (?(?!000)[\d]{4}\)?[\d]{4}$ < (?(?!000)[\d]{4}\)?[\d]{4}\)?[\d]{4}$ < (?(?!000)[\d]{4}\)?[\d]{4}
                       <Options></Options>
                   </Regex>
                  ]]>
              </Data>
         </Configuration>
         <Features>
              <FeatureInfo>
                   <FeatureID>04fd09be-8fe5-4ae6-9cec-0d900f7b7246</FeatureID>
                   <MinWeight>0.3</MinWeight>
              </FeatureInfo>
         </Features>
```

```
<Type>RegEx</Type>
          <Level>ColumnData</Level>
      </FeatureExtractor>
      <FeatureExtractor>
          <ID>6d24e3d7-27a3-4b22-b5a0-855f778b3b69</ID>
          <Version>3</Version>
          <Configuration>
               <Data>
                    <![CDATA[
                                                                                                                                                                                                                                                                                                                                                                      <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
< Expression > (^+[0-9]{2}|^+[0-9]{2}\setminus(0)|^+(0+9]{2}\setminus(0)|^00[0-9]{2}|^0)([0-9]{9}$|[0-9-\s]{10}$) < Expression > (^+[0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9]{2}|^0)([0-9
xpression>
                         <Options></Options>
                    </Regex>
                   ]]>
               </Data>
        </Configuration>
          <Features>
               <FeatureInfo>
                    <FeatureID>1470da6a-721a-426b-9aba-d676cae992bf</FeatureID>
                    <MinWeight>0.3</MinWeight>
               </FeatureInfo>
          </Features>
          <Type>RegEx</Type>
```

```
<Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>aead017f-843a-4103-9cb5-1c6d6710a7fc</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                      <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
                      <Expression>(^{\sl}00[1-9]|0[1-9]0|0[1-9][1-9]|[1-6]\d{2}|7[0-6]\d|77[0-2])(-?|[\.
])([1-9]0|0[1-9]|[1-9]|(1-9])\d{3}|\d{[1-9]}\d{2}|\d{2}[1-9]\d($|\s|[;:,!\.\?])</Expression>
     <Options></Options>
    </Regex>
    ]]>
   </Data>
 </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>1f987eb6-5ddd-4b33-a91c-6a2866bfd17d</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
```

```
<FeatureExtractor>
  <ID>655d88ce-4bf0-4016-9838-202219a38225</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                    <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>^\d{1,2}[V-]\d{1,2}[V-]\d{2,4}$</Expression>
     <Options></Options>
    </Regex>
    ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>36028507-eb05-438c-bf79-7964062467c0</FeatureID>
    <MinWeight>0.4</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>aa34a312-61b1-4277-b435-234625096c4f</ID>
  <Version>3</Version>
```

```
<Configuration>
   <Data>
    <![CDATA[
                                                                                    <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>(^0[78][2347][0-9]{7})</Expression>
     <Options></Options>
    </Regex>
    ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>a98d292c-ed43-4f19-a487-206d1d160a7d</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>a9969238-df4b-4433-817f-2834c5a244ba</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
```

```
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>^(s-|S-){0,1}[0-9]{3}\s?[0-9]{2}$</Expression>
     <Options></Options>
    </Regex>
   ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>1bbd4cb1-c10f-4ea4-b952-83b26e7eb96e</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>3af45da5-7deb-4501-84d3-4712916df36c</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                            <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
```

```
<Options></Options>
    </Regex>
    ]]>
   </Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>30c3b157-ebc7-47d7-bef5-96d3b46a40e2</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
  <ID>df158346-76d1-42ec-bbdc-32cf84d2f8ce</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                     <Regex
xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >
     <Expression>^[a-z]{2}[a-z0-9]{3}[7890][0-9][0-9]{5}$</Expression>
     <Options></Options>
    </Regex>
    ]]>
```

```
</Data>
  </Configuration>
  <Features>
   <FeatureInfo>
    <FeatureID>9e0e48d4-8930-405b-a9de-eace0e45adf2</FeatureID>
    <MinWeight>0.4</MinWeight>
   </FeatureInfo>
  </Features>
  <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
    <!-- The reglar express captures a variety of longitude formats (please refer to the testcase
TestLatitudeLongitudeRegEx in LatitudeLongitudeTest.cs for positive and negative test cases).
    It starts with an optional letter (W/w, E/e), and three numbers (in ranges of [-180, +180], [0, 60],
[0, 60], respectively, and separated by spaces or symbols of degree/minute/second),
      and optionally ends with W/w, or E/e. The charactoer ° (unicode 00B0) is the degree
symbol.
  -->
  <ID>2f2116e9-709b-4a13-884d-4649c90a2e94</ID>
  <Version>3</Version>
  <Configuration>
   <Data>
    <![CDATA[
                                                                                       <Regex
```

xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >

```
< Expression > ^(w|e)? \\ s^*(\-)?([0-9][0-9][0-9][0-9][10-7][0-9][180) \\ (\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080|\-0.0080
?(([0-9]|[0-5][0-9]|60)("|\s{0,1}|\.\d^*)\s^*)?(w|e)?\s^{Expression}
                         <Options>
                              <Option>Compiled</Option>
                              <Option>IgnoreCase</Option>
                         </Options>
                    </Regex>
                   ]]>
               </Data>
          </Configuration>
          <Features>
               <FeatureInfo>
                    <FeatureID>31a9fa4f-65c1-4643-a879-f888598929db</FeatureID>
                    <MinWeight>0.3</MinWeight>
               </FeatureInfo>
          </Features>
          <Type>RegEx</Type>
          <Level>ColumnData</Level>
     </FeatureExtractor>
     <FeatureExtractor>
          <ID>9aa39e84-353d-4ad9-a167-f0a075adc833</ID>
          <Version>3</Version>
          <Configuration>
               <Data>
```

<![CDATA[

xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >

```
0-9][60)("|\s\{0,1\}|\.\d^*)\s^*)?(n|s)?$</Expression>
    <Options>
     <Option>Compiled</Option>
     <Option>IgnoreCase</Option>
    </Options>
   </Regex>
   ]]>
   </Data>
 </Configuration>
 <Features>
   <FeatureInfo>
    <FeatureID>7cf3d15f-253f-4e52-b9fc-ca5e252577a4</FeatureID>
    <MinWeight>0.3</MinWeight>
   </FeatureInfo>
  </Features>
 <Type>RegEx</Type>
  <Level>ColumnData</Level>
 </FeatureExtractor>
 <FeatureExtractor>
 <ID>b4ed4c6a-aa47-4f9e-8fce-335395f2c3fd</ID>
 <Version>3</Version>
 <Configuration>
```

<Data>

<Regex

xmlns="http://schemas.microsoft.com/sqlserver/2012/01/DataClassificationAndRecommendations" >