

CCAIS Website — Content Guide

Static [Astro](#) site (live at ccaais.ac.uk). Content = Markdown files + one team file (src/data/team.ts). **Push to main → GitHub Actions builds and deploys** (live in a few minutes); nothing is built or uploaded by hand.

Access

- Repo: <https://github.com/Citizen-Centric-AI-Systems-CCAIS/citizen-centric-ai-systems-ccaais.github.io>
- Direct push needs **collaborator (write) access** — ask an admin (Seb Stein) to add your GitHub username.
- No write access → **fork + pull request** (also the route if you want review first; see [Pull requests](#)).

Setup

```
git clone git@github.com:Citizen-Centric-AI-Systems-CCAIS/citizen-centric-ai-systems-ccaais.github.io
npm install
npm run dev # http://localhost:4321 (site search only works in a full build)
npm run optimize-images # optional: archive + down-scale oversized images in public/
```

Where content lives

Type	Folder	URL
Blog	src/content/blog/	/uncategorised/<file>/
News	src/content/news/	/latest-news/<file>/
Project	src/content/projects/	/projects/<file>/
Event	src/content/events/	/events/<file>/
Impact	src/content/impacts/	/impacts/<file>/
Open source	src/content/open-source/	/open-sources/<file>/

- Filename → URL slug (kebab-case).
- Images live in public/images/{news,projects,team}/ (create others as needed), referenced as /images/...

Frontmatter

Field	Required	Notes
title	yes	quoted
date	yes	YYYY-MM-DD; sorts newest-first
image	no	/images/...; omit → coloured gradient header
imageCredit / imageCreditUrl	no	small footer credit (+ optional link)
excerpt	no	overrides the auto-summary (first paragraph)
author	no	team slug → adds a byline, lists on their page
members	no	list of slugs and/or { name, url } (external, no page)

Field	Required	Notes
eventDate	events only	YYYY-MM-DD (the day the event starts)
eventEndDate	events, no	YYYY-MM-DD — end day for a multi-day event
location	events, no	venue name, e.g. "Highfield Campus, University of
locationUrl	events, no	joining link for an online event (used instead of loca
eventStatus	events, no	scheduled (default), cancelled, postponed, reschedul
performers	events, no	list of speakers — each a plain name, or { name, affi

First paragraph = listing summary + meta description. No image is fine.

The extra event fields above feed Google's Event rich-result data (they surface as *recommended* items in Search Console). Only eventDate is required; the rest are optional and safe to omit.

Add a post (blog / news / project)

New .md in the matching folder (see table). Same schema for all three:

```

---
title: "..."
date: 2026-07-03
author: your-slug
image: "/images/news/foo.jpg"
imageCredit: "Photo by Jane Doe on Unsplash"
imageCreditUrl: "https://unsplash.com/@janedoe"
members:
  - sebastian-stein
  - { name: "Dr Bahar Rastegari", url: "https://www.southampton.ac.uk/people/5xrg8y/doct
---

```

Body in Markdown. Lead with a strong first paragraph.

author/members are team slugs; inline { name, url } credits an external person with no CCAIS page. Then commit/push (or PR).

Team (src/data/team.ts)

Single source of truth; the /author/<slug>/ pages and the team page are generated from it.

- **Edit someone:** find their block, change fields. Retiring them → set group: "Alumni".
- **Add someone:** drop a square photo in public/images/team/, then add a block in the right group's section (order within a group = display order):

```

{
  slug: "firstname-lastname", // unique; → /author/firstname-lastname/, used in auth
  name: "Dr Firstname Lastname",
  role: "PhD Student – Topic",
  group: "PhD Students", // Researchers | PhD Students | Research Engineers / A

```

```
photo: img("firstname-lastname.jpg"),
email: "x@soton.ac.uk",           // optional
websites: ["https://..."],        // optional; string or { label, url }
biography: `...`,                 // optional
},
```

External collaborators without a page: inline { name, url } in a post's members, or add them once to the collaborators list at the bottom of team.ts and reference by slug.

Pull requests

- **Have write access, want review:** branch → push → PR → merge.
- **Read-only:** fork → PR (the GitHub web editor auto-forks and opens a PR via *Propose changes*).
- Only main deploys — a PR never touches the live site until merged.

Gotchas

- Red build in **Actions** = almost always a frontmatter typo (missing ---, unquoted title, bad date, or a missing comma/quote in team.ts).
- Renaming a file/slug changes its URL and breaks inbound links.
- Don't delete public/google....html (Search Console verification).
- Sitemap, search index, OG/Twitter tags, JSON-LD and llms.txt are all auto-generated — just add content.