DTL-H1001 Debugging Station Problems Checklist

This form must be completed and FAXed to SCEA Tool Coordinator, before your faulty systems can be replaced.

| Company Name | Contact Name | Phone Number |
|-----------------------|---------------|-----------------------|
| | | |
| Hardware Product Code | Serial Number | Date Problem Reported |
| | | |

Debugging Station Specific Questions

| Step | Symptom/Test | |
|------|---|----|
| 1. | Powers up (green LED)? [11A] | |
| 2. | Has the unit been connected to the wrong voltage power supply? (The symptoms will be complete failure, and probably a strong smell!). | |
| 3. | Does your unit play audio discs? | |
| 4. | Does your unit play black discs reliably? | |
| 5. | Does the unit play gold discs, if the unit is powered up whilst resting on its sid (at 90° to its normal operating position)? | 'e |

Fault Code

Please identify your fault code using the Hardware Returns Fault Coding System Sheet which is attached.

| Condition Code | Fault ID | |
|-----------------------|----------|--|
| | | |
| | | |

Comments:

| | | | HARDWAR | RE / SOF | HARDWARE / SOFTWARE RETURNS FAULT CODING SYSTEM | JRNS | FAULT CO | DING S | YSTEM | | ; ; | | |
|-----------------------|----------------|--|---|-------------------------|---|---------------------|--|-----------------------|--|------------------------------|--------------------------------|--|--------------------|
| CONDITIONCODE | | ND ACTION | E TOTAL STREET | QUALITY | Ĕ | SION | | UNSTABLE | | PHYSICAL | OTHER CONDITIONS | | |
| 1 CONSTANTLY | GENERAL | 110 POWER PROBLEM | | 2 () 2 () 2 () | | ACNBA 04F | ABNORMAL NOISE | | 180 | PHYSICAL DAMAGE | 180 SPECIAL REQUIREMENTS | | |
| 2 INTERMITTANTLY | | 111 NO Power on AC | | 132 Fault | Faulty lamp/LED 14 | 146 Rattle | J | T | 161 | Damaged Cabinet | 181 Test & Check | | |
| 3 AFTER A WHILE | <u>., -, -</u> | 118 Power off function not | T | 134 Fault | Faulty on-screen display | Ŧ | 1: | ŀ | \$ | | 182 General Overhauf | | |
| IN A HOT | 1 | Powers up, but no | | 138 Fault | Faulty error display | T. | J | Γ. | 185 | Damaged Door | | | |
| | | operation. | | | | 7 | | Т | _1. | _ | | | |
| 5 ENVIRONMENT | | 11X Other Power Problem | | | | | | | 897 | Socket. | | | |
| A AFTER BEING DROPPED | | | | ٠-, | | | | | = | Missing Ornamental Parts | | | |
| WHEN | | | | | 1 | Τ. | J | Т | 180 | Markings orased/oneled of | Ţ <u>.</u> | COMPLETINGTHE FAULT CODE CARD | Γ |
| CONTAMINATION | | | | | نث. | T. : | <u>1 </u> | Ι. | 16b | D Damaged Controller | | In order that the reported problem can be easily found and rectified it is ESSENTIAL that this card is | puna |
| S SOFTWARE | COMMUNICATION | | | 230 TRA | TRANSMISSION | _ | | | - | | | completed. | |
| | | | | 234 No | No connection between base unit & handsel | T | 1 8 | 251 Tuning drift | <u> </u> | Γ. | | THANKYOU. | - |
| | | 1 | | 235 betw | Poor connection between base unit & | 1 | L | Τ | 1 | | | 1. Select the condition code 1.2.3.4.5. A. K. L. or Sa | 9 |
| | | | PICTURE 1 EVE | hand | Т | | | | | | | write this single digit in the first box on the other side of | jo e of |
| | PICTURE | 310, NO PICTURE (Audio OK) | 320 PROBLEM | 88 E | PROBLEM | a40 Pictu | PICTURE NOISE 3 | 350 UNSTABLE PIC | UNSTABLE PICTURE | | | uns stato. 2. Select the area affected and type of problem using the fault description matrix and write the corresponding 3 digit | ng the 13 digit |
| | | olo naruware cogo | TICLUS OD OREN | į į | 5 | $\overline{}$ | i | | a l | | | code in the next 3 boxes. 3. If the problem has more than 1 symptom please | in in |
| | | 319 No Sollware Logo | 322 Picture too bright | 92 | | 343 Noise | 95 | 354 Picture shaking | naking . | | | second fault code. | 1 |
| | | | 327 Only partial picture | ž, | ct centaring of | 344 Branko | Bitanking Lines on 3 | 355 Picture | Picture Mickering | . [| | 4. Place this card into the box with the faulty unit, it will be used in the diagnosis and repair of the unit. | will be |
| | | | | 33 6 Picit | Picture stanted 3 | 346 Ghosti | Ghosting on picture 3 | 35C Unstable | Unstable Hardware Logo | | | FAULT CODING SYSTEM-EXAMPLES OF USE | |
| <i>~</i> | | | | | , rà | 349 Noise | Noise on Hardware | 35D Unstable | Unstable Software Logo | | | Described Fault : FAULT COD | E/S |
| | | | | | 1.6 | 34A Noise | Noise on Software | | L | | : | 9 6 | <u>.</u> |
| | COLOUR | 410. NO COLOUR | 420 COLOUR LEVEL | 064 000 000 | POOR COLOUR QUALITY | 440 NOIS | NOISY COLOUR | 450 UNSTA | UNSTABLE COLOUR | | | | <u>.</u> |
| | | 414 No colour in part of picture | 421 Weak colour | 431 Som | Some Colours Missing | | 7 | 451 Colour Flashing | lashing | | | | <u>.</u> |
| | | F | 422 Excessive colour | | <u>ar - :</u> | 1 | | 153 Flickerin | Flickering Colour | | | 63 | ٥ |
| | AUDIG | 518 NO AUDIO (Picture OK) | 520 AUDIO LEVEL PROBLEM | \$30 AUE | AUDIO QUALITY S | 540 NOIS | NOISY AUDIO | SSO UNSTAR | UNSTABLE AUDIO | | | 9 9 9 | 4 |
| | | 514 Some Sounds Missing | 521 Low audio level | 1 | <u>, w</u> | 541 Hom | | 551 Jumping Audio | Jumping or Repeating Audio | Ţ | 581 No stereo operation | | |
| | | | 522 Excessive audio level | evel | <u>. s</u> | 544 Static | Static or elick noise | 553 Audio Dropouts | ropouts | <u> </u> | 582 Poor Channel Separation | 0008 | <u></u> |
| | | 1: | | | 1.* | S45 Buzz | 1 . |] | - | 1 | | Game (software) CD has missing instruction manual | |
| | MECHANISM | 810 NO MECHANICAL OPERATION | 820 MECHANICAL OPERATION | 830 876 | SPEED PROBLEM 6 | 640 MECH | MECHANICAL NOISE | | | 668 DAMAGE TO SOFTWARE | | S D C Came (software) CD is faulty as it | 2 |
| | | 611 No disk rotation | | l | | 841 Rolah (excer | Rolation noise (excessive) | | | 862 Disk gets scratched | | doesn't play - all others do. | |
| , | | 614 No last forward/rewind function. (audio CD mode) | | | | 642 Motor | Motor noise (excessive) | Γ | 1 | | | | 9 |
| | | 61B Continuous disk ratation | | | 1. <u>6</u> | 646 Disk | Disk scraping | | 1 | 1 | | Cora was spill inside console & now makes a buzzing noise. | |
| | MISCELLANEOUS | 711 No initial screen | 722 System resets itself whilst being used | | | | | 760 DATA F | DATA READ WRITE PROBLEM (memory card) | SOFTWARE | 601 Damaged disk | | |
| | | 712. System does not reset | 723 System locks out / crashes | | | | <u> </u> | 761 Formett (memor | Formetting problem (memory card) | | 902 Faulty disk | | |
| | | 713. System does not boot up | 728 communication | | | | | 782 Date be | Data being kist (memory card) | | B03 Damaged disk case | NOTE: Do maged disk case in order that the reported problem can be assily found and recitied | |
| 2011 (0)40% 1.2 | | 717 No Data Storage Operation | | | | 1, 1 | | : 1 | | | 004 Fautty printed mater | it is ESSENTIAL at teast one error description code is giv ITHANK YOU. | e l |

