

[Package ID]
unknown

[Package name]
2D Graphics Tool

[Program name]
timpos

[Version]
1.1 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress TPOS_TAR.Z

2. tar xf TPOS_TAR

3. Copy timpos to some directory (/usr/local/bin for instance)

[Document]
timpos.txt (Japanese)

[New features]
First release for SGI

=====

[Package ID]
unknown

[Package name]
3D Graphics Tool

[Program name]
dxf2rsd

[Version]
2.81 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress D2R_TAR.Z

2. tar xf D2R_TAR

3. Copy dxf2rsd to some directory (/usr/local/bin for instance)

[Document]
dxf2rsd.txt (Japanese)

[New features]
First release for SGI

=====
[Package ID]

unknown

[Package name]

3D Graphics Tool

[Program name]

mktod

[Version]

1.4 (for SGI)

[Environment]

SGI IRIX 5.3

[Installation]

1. uncompress MKTD_TAR.Z

2. tar xf MKTD_TAR

3. Copy mktod to some directory (/usr/local/bin for instance)

[Document]

mktod.txt (Japanese)

[New features]

First release for SGI
=====

[Package ID]

unknown

[Package name]

3D Graphics Tool

[Program name]

mimefilt

[Version]

1.51 (for SGI)

[Environment]

SGI IRIX 5.3

[Installation]

1. uncompress MFLT_TAR.Z

2. tar xf MFLT_TAR

3. Copy mimefilt to some directory (/usr/local/bin for instance)

[Document]

mimefilt.txt (Japanese)

[New features]

First release for SGI

=====

[Package ID]
unknown

[Package name]
2D Graphics Tool

[Program name]
rgb2tim

[Version]
2.1 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress RGB_TAR.Z

2. tar xf RGB_TAR

3. Copy rgb2tim to some directory (/usr/local/bin for instance)

[Document]
rgb2tim.txt (Japanese)

[New features]
First release for SGI

=====

[Package ID]
unknown

[Package name]
3D Graphics Tool

[Program name]
rsdform

[Version]
1.81 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress RFRM_TAR.Z

2. tar xf RFRM_TAR

3. Copy rsdform to some directory (/usr/local/bin for instance)

[Document]
rsdform.txt (Japanese)

[New features]
First release for SGI

=====

[Package ID]
unknown

[Package name]
3D Graphics Tool

[Program name]
rsdlink

[Version]
3.7 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress RLNK_TAR.Z

2. tar xf RLNK_TAR

3. Copy rsdlink to some directory (/usr/local/bin for instance)

[Document]
rsdlink.txt (Japanese)

[New features]
First release for SGI

=====

[Package ID]
unknown

[Package name]
3D Graphics Tool

[Program name]
tmdsort
(tmdinfo)

[Version]
1.25 (for SGI)

[Environment]
SGI IRIX 5.3

[Installation]
1. uncompress TSRT_TAR.Z

2. tar xf TSRT_TAR

3. Copy tmdsort to some directory (/usr/local/bin for instance)

4. Copy tmdsort there with the name of "tmdinfo"

[Document]
tmdsort.txt (Japanese)

[New features]
First release for SGI