GTE Command Reference

July 19, 1996

Version 1.0

Sony Computer Entertainment Inc.

Limiters:

During some calculation processing, calculation results, data values in registers, etc., are clipped when they exceed specified upper limit and lower limit values. In other words, data values lower than the lower limit value are converted to the lower limit value, and data values higher than the upper limit value are converted to the upper limit value. Also, the occurrence of such conversions is reflected in out-of-bounds data detection flags in the FLAG register. These functions are referred to as "limiters."

The usage of the various limiters and the codes used to specify them in this documentation are listed below.

Code Specification	Limiter	Out-of-bounds detect bit	Lower limit	Upper limit	Comments
A1S	**A1**	**24**	**-2^15**	**2^15-1**	
A2S	**A2**	**23**	**-2^15**	**2^15-1**	
A3S	**A3**	**22**	**-2^15**	**2^15-1**	
A1U	**A1**	**24**	**0**	**2^15-1**	
A2U	**A2**	**23**	**0**	**2^15-1**	
A3U	**A3**	**22**	**0**	**2^15-1**	
A1C	**A1**	**24**	**0 or -2^15**	**2^15-1**	Lower limit val is specified using lim argument.
A2C	**A3**	**23**	**0 or -2^15**	**2^15-1**	Lower limit val is specified using lim argument.
A3C	**A3**	**22**	**0 or -2^15**	**2^15-1**	Lower limit val is specified using lim argument.
B1	**B1**	**21**	**0**	**2^8-1**	
B2	**B2**	**20**	**0**	**2^8-1**	
B3	**B3**	**19**	**0**	**2^8-1**	
C	**C**	**18**	**0**	**2^16-1**	
D1	**D1**	**14**	**-2^10**	**2^10-1**	
D2	**D2**	**13**	**-2^10**	**2^10-1**	
E	**E**	**12**	**0**	**2^12-1**	

Calculation error detection:

Overflow and underflow detection are performed only for certain specific calculation operations. In this documentation, the calculation test result flag number is listed between angle brackets < > to the right of calculation operations that are subject to such detection.

Explanation:

Character attributes	Example	Content
Underline	VAL	Intermediate value (No corresponding register)
Emphasis character	**OBJ**	32-bit value

Code	Meaning
limX()	Limiter application X is the limiter designation code.

<-	FIFO data transfer
	Example: a <- b <- c <- d; is equivalent to the following:
	a = b;
	b = c;
	c = d;

^	Power Example: a^b means "a to the power of b".
==	Argument value condition
n=0,1,2 {}	Repeat the process between the curly parentheses {} three times, substituting 0, 1, and 2 for n.
(a.b.c)	Fixed-point number Sign portion: a bits, integer portion: b bits, fractional portion: c bits
(-.b.-)	b-bit binary data
<n>	Calculation subject to overflow and underflow testing The test result is reflected in cumulative test flag n in the FLAG register.

Descriptor examples:

(A) A = B;

--> A=B is executed for the fixed-point expression (1.15.0).

(B)

(1.15.0) IR0 = limX(SSX);

Limiter:

Code	Lower limit	Upper limit
limX	**-2^15**	**2^15-1**

--> The 32-bit value SSX is rounded using the limiter specified by X. The fixed-point expression (1.12.0) representing the results obtained is substituted for IR1.

(C)

```
n=0,1,2{
    (1.3.12)L1n
        = limA(LL1n);
}
```

--> For the fixed-point expression (1.3.12), the following are executed:

L10=limA(LL10);
L11=limA(LL11);
L12=limA(LL12);

(D)

sf==0 sf==1
(1.31.0) (1.19.12) A = B;

--> B is substituted for A. However, the value is converted into a 32-bit signed fixed-point number with no fractional part if sf is 0, and with a 12-bit fraction if sf is 1.

Command list:

Command	Required cycles	Function
RTPS	**14**	Coordinate transformation & perspective transformation
RTPT	**22**	Coordinate transformation & perspective transformation
NCDS	**19**	Light source calculation
NCDT	**44**	Light source calculation
NCCS	**17**	Light source calculation
NCCT	**39**	Light source calculation
CDP	**13**	Light source calculation
CC	**11**	Light source calculation
NCS	**14**	Light source calculation
NCT	**30**	Light source calculation
MVMVA	**8**	Matrix calculation
DCPL	**8**	Depth cueing
INTPL	**8**	Interpolation
DPCS	**8**	Depth cueing
DPCT	**17**	Depth cueing
SQR	**5**	Vector squaring
AVSZ3	**5**	Z-averaging
AVSZ4	**6**	Z-averaging
NCLIP		Normal clipping
OP	**6**	Outer product
GPF	**5**	General purpose interpolation
GPL	**5**	General purpose interpolation

Command details:

Command details are listed below.

RTPS Required cycles:14

Function: Coordinate transformation and perspective transformation_

Calculations:

(1.31.12) **SSX** = **TRX** + R11*VX0 + R12*VY0 + R13*VZ0; <1>
(1.31.12) **SSY** = **TRY** + R21*VX0 + R22*VY0 + R23*VZ0; <2>
(1.31.12) **SSZ** = **TRZ** + R31*VX0 + R32*VY0 + R33*VZ0; <3>
(1.15. 0) IR1 = limA1S(**SSX**);
(1.15. 0) IR2 = limA2S(**SSY**);
(1.15. 0) IR3 = limA3S(**SSZ**);
(0.16. 0) SZx(0) <- SZ0(1) <- SZ1(2) <- SZ2(3) <- limC(**SSZ**);
(1.27.16) **SX** = OFX + IR1*(H/SZ); <4>
(1.27.16) **SY** = OFY + IR2*(H/SZ); <4>
(1.19.24) **P** = DQB + DQA*(H/SZ); <4>
(1. 3.12) IR0 = limE(**P**)
(1.15. 0) SX0 <- SX1 <- SX2 <- limD1(**SX**);
(1.15. 0) SY0 <- SY1 <- SY2 <- limD2(**SY**);
(1. 7.24) **MAC0** = **P**;
(1.31. 0) **MAC1** = **SSX**;
(1.31. 0) **MAC2** = **SSY**;
(1.31. 0) **MAC3** = **SSZ**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

RTPT Required cycles:22

Function: Coordinate transformation and perspective transformation_

Calculations:

```
n=0,1,2 {
    (1.31.12)  SSXn = TRX + R11*VXn + R12*VYn +R13*VZn; <1>
    (1.31.12)  SSYn = TRY + R21*VXn + R22*VYn +R23*VZn; <2>
    (1.31.12)  SSZn = TRZ + R31*VXn + R32*VYn +R33*VZn; <3>
    (0.16. 0)  SZx(0) = SZ2(3);
    (0.16. 0)  SZ0(1) = limC(SSZ0);
    (0.16. 0)  SZ0(2) = limC(SSZ1);
    (0.16. 0)  SZ0(3) = limC(SSZ2);
    (1.27.16)  SXn = OFX + IR1*(H/SZ n); <4>
    (1.27.16)  SYn = OFY + IR2*(H/SZ n); <4>
    (1.19.24)  P = DQB + DQA*(H/SZ2); <4>
    (1. 3.12)  IR0 = limE(P);
    (1.15. 0)  SXn = limD1(SXn);
    (1.15. 0)  SYn = limD2(SYn);
}
(1.15. 0)  IR1 = limA1S(SSX2);
(1.15. 0)  IR2 = limA2S(SSY2);
(1.15. 0)  IR3 = limA3S(SSZ2);
(1. 7.24)  MAC0 = P;
(1.31. 0)  MAC1 = SSX2;
(1.31. 0)  MAC2 = SSY2;
(1.31. 0)  MAC3 = SSZ2;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCDS Required cycles:19

Function: Light source calculation

Calculations:

(1.19.24) **LL1** = L11*VX0 + L12*VY0 + L13*VZ0; <1>
(1.19.24) **LL2** = L21*VX0 + L22*VY0 + L23*VZ0; <2>
(1.19.24) **LL3** = L31*VX0 + L32*VY0 + L33*VZ0; <3>
(1. 3.12) L1 = limA1U(**LL1**);
(1. 3.12) L2 = limA2U(**LL2**);
(1. 3.12) L3 = limA3U(**LL3**);
(1.19.24) **RRLT** = **RBK** + LR1*L1 + LR2*L2 + LR3*L3; <1>
(1.19.24) **GGLT** = **GBK** + LG1*L1 + LG2*L2 + LG3*L3; <2>
(1.19.24) **BBLT** = **BBK** + LB1*L1 + LB2*L2 + LB3*L3; <3>
(1. 3.12) RLT = limA1U(**RRLT**);
(1. 3.12) GLT = limA2U(**GGLT**);
(1. 3.12) BLT = limA3U(**BBLT**);
(1.27.16) **RR0** = R*RLT + IR0*limA1S(**RFC** - R*RLT); <1>
(1.27.16) **GG0** = G*GLT + IR0*limA2S(**GFC** - G*GLT); <2>
(1.27.16) **BB0** = B*BLT + IR0*limA3S(**BFC** - B*BLT); <3>
(1.11. 4) IR1 = limA1U(**RR0**);
(1.11. 4) IR2 = limA2U(**GG0**);
(1.11. 4) IR3 = limA3U(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.27. 4) **MAC1** = **RR0**;
(1.27. 4) **MAC2** = **GG0**;
(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCDT **Required cycles:44**

Function: Light source calculation

Calculations:

```
n=0,1,2 {
    (1.19.24)  LL1n = L11*VXn + L12*Vyn + L13*VZn; <1>
    (1.19.24)  LL2n = L21*VXn + L22*Vyn + L23*VZn; <2>
    (1.19.24)  LL3n = L31*VXn + L32*Vyn + L33*VZn; <3>
    (1. 3.12)  L1n = limA1U(LL1n);
    (1. 3.12)  L2n = limA2U(LL2n);
    (1. 3.12)  L3n = limA3U(LL3n);
    (1.19.24)  RRLTn = RBK + LR1*L1n + LR2*L2n + LR3*L3n; <1>
    (1.19.24)  GGLTn = GBK + LG1*L1n + LG2*L2n + LG3*L3n; <2>
    (1.19.24)  BBLTn = BBK + LB1*L1n + LB2*L2n + LB3*L3n; <3>
    (1. 3.12)  RLTn = limA1U(RRLTn);
    (1. 3.12)  GLTn = limA2U(GGLTn);
    (1. 3.12)  BLTn = limA3U(BBLTn);
    (1.27.16)  RRn = R*RLTn + IR0*limA1S(RFC - R*RLTn); <1>
    (1.27.16)  GGn = G*GLTn + IR0*limA2S(GFC - G*GLTn); <2>
    (1.27.16)  BBn = B*BLTn + IR0*limA3S(BFC - B*BLTn); <3>
    (-. 8. -)  CDn = CODE
    (-. 8. 0)  Rn = limB1(RRn); Gn = limB2(GGn);
    (-.8. 0)    Bn = limB3(BBn);
}
(1.11. 4)  IR1 = limA1U(RR2);
(1.11. 4)  IR2 = limA2U(GG2);
(1.11. 4)  IR3 = limA3U(BB2);
(1.27. 4)  MAC1 = RR2;
(1.27. 4)  MAC2 = GG2;
(1.27. 4)  MAC3 = BB2;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCCS Required cycles: 17

Function: Light source calculation

Calculations:

(1.19.24) **LL1** = L11*VX0 + L12*VY0 + L13*VZ0; <1>
(1.19.24) **LL2** = L21*VX0 + L22*VY0 + L23*VZ0; <2>
(1.19.24) **LL3** = L31*VX0 + L32*VY0 + L33*VZ0; <3>
(1. 3.12) L1 = limA(**LL1**);
(1. 3.12) L2 = limA(**LL2**);
(1. 3.12) L3 = limA(**LL3**);
(1.19.24) **RRLT** = **RBK** + LR1*L1 +LR2*L2 + LR3*L3; <1>
(1.19.24) **GGLT** = **GBK** + LG1*L1 +LG2*L2 + LG3*L3; <2>
(1.19.24) **BBLT** = **BBK** + LB1*L1 +LB2*L2 + LB3*L3; <3>
(1. 3.12) RLT = limA1U(**RRLT**);
(1. 3.12) GLT = limA2U(**GGLT**);
(1. 3.12) BLT = limA3U(**BBLT**);
(1.27.16) **RR0** = R*RLT; <1>
(1.27.16) **GG0** = G*GLT; <2>
(1.27.16) **BB0** = B*BLT; <3>
(1.11. 4) IR1 = limA1U(**RR0**);
(1.11. 4) IR2 = limA2U(**GG0**);
(1.11. 4) IR3 = limA3U(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.27. 4) **MAC1** = **RR0**;
(1.27. 4) **MAC2** = **GG0**;
(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCCT Required cycles: 39

Function: Light source calculation

Calculations:

```
n=0,1,2 {
    (1.19.24)  LL1n = L11*VXn + L12*VYn + L13*VZn; <1>
    (1.19.24)  LL2n = L21*VXn + L22*VYn + L23*VZn; <2>
    (1.19.24)  LL3n = L31*VXn + L32*VYn + L33*VZn; <3>
    (1. 3.12)  L1n = limA1U(LL1n);
    (1. 3.12)  L2n = limA2U(LL2n);
    (1. 3.12)  L3n = limA3U(LL3n);
    (1.19.24)  RRLTn = RBK + LR1*L1n + LR2*L2n + LR3*L3n; <1>
    (1.19.24)  GGLTn = GBK + LG1*L1n + LG2*L2n + LG3*L3n; <2>
    (1.19.24)  BBLTn = BBK + LB1*L1n + LB2*L2n + LB3*L3n; <3>
    (1. 3.12)  RLTn = limA1U(RRLTn);
    (1. 3.12)  GLTn = limA2U(GGLTn);
    (1. 3.12)  BLTn = limA3U(BBLTn);
    (1.27.16)  RRn = R*RLTn; <1>
    (1.27.16)  GGn = G*GLTn; <2>
    (1.27.16)  BBn = B*BLTn; <3>
    (-. 8. -)  CDn = CODE
    (0. 8. 0)  Rn = limB1(RRn);
    (0. 8. 0)  Gn = limB2(GGn);
    (0. 8. 0)  Bn = limB3(BBn);
}
(1.11. 4)  IR1 = limA1U(RR2); IR2 = limA2U(GG2);
(1.11. 4)  IR3 = limA3U(BB2);
(1.27. 4)  MAC1 = RR2;  MAC2 = GG2;
(1.27. 4)  MAC3 = BB2;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

CDP **Required cycles: 13**

Function: Light source calculation

Calculations:

(1.19.24) **RRLT** = **RBK** + LR1*IR1 + LR2*IR2 + LR3*IR3; <1>

(1.19.24) **GGLT** = **GBK** + LG1*IR1 + LG2*IR2 + LG3*IR3; <2>

(1.19.24) **BBLT** = **BBK** + LB1*IR1 + LB2*IR2 + LB3*IR3; <3>

(1. 3.12) RLT = limA1U(**RRLT**);

(1. 3.12) GLT = limA2U(**GGLT**);

(1. 3.12) BLT = limA3U(**BBLT**);

(1.27.16) **RR0** = R*RLT + IR0*limA1S(**RFC** - R*RLT); <1>

(1.27.16) **GG0** = G*GLT + IR0*limA2S(**GFC** - G*GLT); <2>

(1.27.16) **BB0** = B*BLT + IR0*limA3S(**BFC** - B*BLT); <3>

(1.11. 4) IR1 = limA1U(**RR0**);

(1.11. 4) IR2 = limA2U(**GG0**);

(1.11. 4) IR3 = limA3U(**BB0**);

(-. 8. -) CD0 <- CD1 <- CD2 <- CODE

(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);

(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);

(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);

(1.27. 4) **MAC1** = **RR0**;

(1.27. 4) **MAC2** = **GG0**;

(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

CC Required cycles: 11

Function: Light source calculation

Calculations:

(1.19.24) **RRLT** = **RBK** + LR1*IR1 + LR2*IR2 + LR3*IR3; <1>
(1.19.24) **GGLT** = **GBK** + LG1*IR1 + LG2*IR2 + LG3*IR3; <2>
(1.19.24) **BBLT** = **BBK** + LB1*IR1 + LB2*IR2 + LB3*IR3; <3>
(1. 3.12) RLT = limA1U(**RRLT**);
(1. 3.12) GLT = limA2U(**GGLT**);
(1. 3.12) BLT = limA3U(**BBLT**);
(1.27.16) **RR0** = R*RLT; <1>
(1.27.16) **GG0** = G*GLT; <2>
(1.27.16) **BB0** = B*BLT; <3>
(1.11. 4) IR1 = limA1U(**RR0**);
(1.11. 4) IR2 = limA2U(**GG0**);
(1.11. 4) IR3 = limA3U(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.27. 4) **MAC1** = **RR0**;
(1.27. 4) **MAC2** = **GG0**;
(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCS Required cycles: 14

Function: Light source calculation

Calculations:

(1.19.24) **LL1** = L11*VX0 + L12*VY0 + L13*VZ0; <1>
(1.19.24) **LL2** = L21*VX0 + L22*VY0 + L23*VZ0; <2>
(1.19.24) **LL3** = L31*VX0 + L32*VY0 + L33*VZ0; <3>
(1. 3.12) L1 = limA1U(**LL1**);
(1. 3.12) L2 = limA2U(**LL2**);
(1. 3.12) L3 = limA3U(**LL3**);
(1.19.24) **RR0** = **RBK** + LR1*L1 + LR2*L2 + LR3*L3; <1>
(1.19.24) **GG0** = **GBK** + LG1*L1 + LG2*L2 + LG3*L3; <2>
(1.19.24) **BB0** = **BBK** + LB1*L1 + LB2*L2 + LB3*L3; <3>
(1. 3.12) IR1 = limA1U(**RR0**);
(1. 3.12) IR2 = limA2U(**GG0**);
(1. 3.12) IR3 = limA3U(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 0. 8) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 0. 8) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 0. 8) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.19.12) **MAC1** = **RR0**;
(1.19.12) **MAC2** = **GG0**;
(1.19.12) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB** **COD**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCT **Required cycles: 30**

Function: Light source calculation

Calculations:

```
n=0,1,2 {
    (1.19.24)   LL1n = L11*VXn + L12*VYn + L13*VZn; <1>
    (1.19.24)   LL2n = L21*VXn + L22*VYn + L23*VZn; <2>
    (1.19.24)   LL3n = L31*VXn + L32*VYn + L33*VZn; <3>
    (1. 3.12)   L1n = limA1U(LL1n);
    (1. 3.12)   L2n = limA2U(LL2n);
    (1. 3.12)   L3n = limA3U(LL3n);
    (1.19.24)   RRn = RBK + LR1*L1n + LR2*L2n + LR3*L3n; <1>
    (1.19.24)   GGn = GBK + LG1*L1n + LG2*L2n + LG3*L3n; <2>
    (1.19.24)   BBn = BBK + LB1*L1n + LB2*L2n + LB3*L3n; <3>
    (-. 8. -)   CDn = CODE
    (0. 0. 8)   Rn = limB1(RRn);
    (0. 0. 8)   Gn = limB2(GGn);
    (0. 0. 8)   Bn = limB3(BBn);
}
(1. 3.12)   IR1  = limA1U(RR2);
(1. 3.12)   IR2  = limA2U(GG2);
(1. 3.12)   IR3  = limA3U(BB2);
(1.19.12)   MAC1 =  RR2;
(1.19.12)   MAC2 =  GG2;
(1.19.12)   MAC3 =  BB2;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB** **COD**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

MVMVA sf,mx,v,cv,lm **Required cycles: 8**

Function: Matrix and vector multiplication

Items specified using arguments:

Argu-ment	Specified content	Value=0	Value = 1	Value=2	Value = 3
sf	Scaling format	Scale large	Scale small	Not valid	Not valid
mx	Multiplication array (MX) **(1.3.12)**	**R**	**L**	**LR**	Not valid
v	Multiplication vector (V) **(1.m.n)**	**Vp0 p=X/Y/Z**	**Vp1 p=X/Y/Z**	**Vp2 p=X/Y/Z**	**IRp p=0/1/2**
cv	Addition vector (CV) **(1.16+m. n)**	**TRp p=X/Y/Z**	**pBK p=R/B/G**	**pFC p=R/B/G**	**0**
lm	Limiter A1/2/3 lower limit	**-2^15**	**0**	Not valid	Not valid

*** Data formats**

The multiplication matrix data format is fixed.

The other data formats are determined by the multiplication vector data format.

Calculations: (m and n are determined by the multiplication vector data format.)

(1.16+m.n+12) **MT1** = CV1 + MX11*V1 + MX12*V2 + MX13*V3; <1>
(1.16+m.n+12) **MT2** = CV2 + MX21*V1 + MX22*V2 + MX23*V3; <2>
(1.16+m.n+12) **MT3** = CV3 + MX31*V1 + MX32*V2 + MX33*V3; <3>
(1.16+m.n) **MAC1** = **MT1**
(1.16+m.n) **MAC2** = **MT2**
(1.16+m.n) **MAC3** = **MT3**

sf == 0 sf == 1
(1.m-12.n+12) (1.m.n) IR1 = limA1C(**MT1**);
(1.m-12.n+12) (1.m.n) IR2 = limA2C(**MT2**)
(1.m-12.n+12) (1.m.n) IR3 = limA3C(**MT3**)

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

DCPL Required cycles: 8

Function: Depth cueing

Calculations:

(1.27.16) **RR0** = R*IR1 + IR0*limA1S(**RFC** - R*IR1); <1>
(1.27.16) **GG0** = G*IR2 + IR0*limA2S(**GFC** - G*IR2); <2>
(1.27.16) **BB0** = B*IR3 + IR0*limA3S(**BFC** - B*IR3); <3>
(1.11. 4) IR1 = limA1S(**RR0**);
(1.11. 4) IR2 = limA2S(**GG0**);
(1.11. 4) IR3 = limA3S(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.27. 4) **MAC1** = **RR0**;
(1.27. 4) **MAC2** = **GG0**;
(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

INTPL **Required cycles: 8**

Function: Interpolation

Calculations: (m and n request the data format of IRp(p=1,2,3) as (1.m.n).)

(1.16+m.n+12)	**IPL1** = 1.0*IR1 + IR0*limA1S(**RFC**-1.0*IR1); <1>
(1.16+m.n+12)	**IPL2** = 1.0*IR2 + IR0*limA2S(**GFC**-1.0*IR2); <2>
(1.16+m.n+12)	**IPL3** = 1.0*IR3 + IR0*limA3S(**BFC**-1.0*IR3); <3>
(1. m. n)	IR1 = limA1S(**IPL1**);
(1. m. n)	IR2 = limA2S(**IPL2**);
(1. m. n)	IR3 = limA3S(**IPL3**);
(-. 8. -)	CD0 <- CD1 = CD2 = CODE
(0.12-n. n-4)	R0 <- R1 <- R2 <- limB1(**IPL1**);
(0.12-n. n-4)	G0 <- G1 <- G2 <- limB2(**IPL2**);
(0.12-n. n-4)	B0 <- B1 <- B2 <- limB3(**IPL3**);
(1.16+m. n)	**MAC1** = **IPL1**;
(1.16+m. n)	**MAC2 = IPL2**;
(1.16+m. n)	**MAC3** = **IPL3**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB** | **COD**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

DPCS **Required cycles: 8**

Function: Depth cueing

Calculations:

(1.27.16) **RR0** = R*1.0 + IR0*limA1S(**RFC**-R*1.0); <1>
(1.27.16) **GG0** = G*1.0 + IR0*limA2S(**GFC**-G*1.0); <2>
(1.27.16) **BB0** = B*1.0 + IR0*limA3S(**BFC**-B*1.0); <3>
(1.11. 4) IR1 = limA1S(**RR0**);
(1.11. 4) IR2 = limA2S(**GG0**);
(1.11. 4) IR3 = limA3S(**BB0**);
(-. 8. -) CD0 <- CD1 <- CD2 <- CODE
(0. 8. 0) R0 <- R1 <- R2 <- limB1(**RR0**);
(0. 8. 0) G0 <- G1 <- G2 <- limB2(**GG0**);
(0. 8. 0) B0 <- B1 <- B2 <- limB3(**BB0**);
(1.27. 4) **MAC1** = **RR0**;
(1.27. 4) **MAC2** = **GG0**;
(1.27. 4) **MAC3** = **BB0**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

DPCT **Required cycles: 17**

Function: Depth cueing

Calculations:

```
n=0,1,2 {
    (1.27.16)   RRn = Rn*1.0 + IR0*limA1S(RFC-R*1.0); <1>
    (1.27.16)   GGn = Gn*1.0 + IR0*limA2S(GFC-G*1.0); <2>
    (1.27.16)   BBn = Bn*1.0 + IR0*limA3S(BFC-B*1.0); <3>
    (1.11. 4)   IR1 = limA1S(RR2);
    (1.11. 4)   IR2 = limA2S(GG2);
    (1.11. 4)   IR3 = limA3S(BB2);
    (-. 8. -)   CDn = CODE
    (0. 8. 0)   Rn = limB1(RRn);
    (0. 8. 0)   Gn = limB2(GGn);
    (0. 8. 0)   Bn = limB3(BBn);
}
(1.27. 4)   MAC1 = RR2;
(1.27. 4)   MAC2 = GG2;
(1.27. 4)   MAC3 = BB2;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	▨ **IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	▨ **R0 G0 B0**	**LB3,**
21	▨ **R1 G1 B1**	▨ **RFC**
22	▨ **R2 G2 B2**	▨ **GFC**
23		▨ **BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	▨ **IR1**	**L13,L21**
10	▨ **IR2**	**L22,L23**
11	▨ **IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	▨ **R0 G0 B0**	**LB3,**
21	▨ **R1 G1 B1**	**RFC**
22	▨ **R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	▨ **MAC1**	**OPY**
26	▨ **MAC2**	**H,**
27	▨ **MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	▨ **FLAG**

SQR sf Required cycles: 5

Function: Vector squaring

Items specified using arguments:

Argu ment	Specified content	Value =0	Value=1
sf	Output format	–	Performs calculations on data shifted 12 bits to the left in the IRn register.

Calculations: (m and n request the data format of IRp(p=1,2,3) as (1.m.n).)

sf == 0	sf == 1	
(1.m+28.n)	(1.m+16.n+12)	**L1** = IR1*IR1; <1>
(1.m+28.n)	(1.m+16.n+12)	**L2** = IR2*IR2; <2>
(1.m+28.n)	(1.m+16.n+12)	**L3** = IR3*IR3; <3>
(1.m .n)	(1.m+16.n+12)	IR1 = limA1U(**L1**);
(1.m .n)	(1.m+16.n+12)	IR2 = limA2U(**L2**);
(1.m .n)	(1.m+16.n+12)	IR3 = limA3U(**L3**);
(1.m+16.0)	(1.m+16.n+12)	**MAC1** = **L1**;
(1.m+16.0)	(1.m+16.n+12)	**MAC2** = **L2**;
(1.m+16.0)	(1.m+16.n+12)	**MAC3** = **L3**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

AVSZ3 **Required cycles: 5**

Function: Z-averaging

Calculations:

```
(1.31.21)   OOTZ =  ZSF3*SZ0(1)
                  + ZSF3*SZ1(2)
                  + ZSF3*SZ2(3); <4>
(0.16. 0)   OTZ = limC(OOTZ);
(1.31. 0)   MAC0 = OOTZ;
```

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

AVSZ4 Required cycles: 6

Function: Z-averaging

Calculations:

(1.31.12) **OOTZ** = ZSF4*SZx(0)
+ ZSF4*SZ0(1)
+ ZSF4*SZ1(2)
+ ZSF4*SZ2(3); <4>

(0.16. 0) OTZ = limC(**OOTZ**);

(1.31. 0) **MAC0** = **OOTZ**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

NCLIP Required cycles: 8

Function: Normal clipping

Calculations:

(1.43. 0) **OPZ** = SX0*SY1 + SX1*SY2 + SX2*SY0
- SX0*SY2 - SX1*SY0 - SX2*SY1; <4>

(1.31. 0) **MAC0** = **OPZ**;

Referenced registers:

	Data	Control
0	VX0,VY0	R11,R12
1	VZ0	R13,R21
2	VX1,VY1	R22,R23
3	VZ1	R31,R32
4	VX2,VY2	R33,
5	VZ2	TRX
6	RGB CODE	TRY
7	OTZ	TRZ
8	IR0	L11,L12
9	IR1	L13,L21
10	IR2	L22,L23
11	IR3	L31,L32
12	SX0,SY0	L33,
13	SX1,SY1	RBK
14	SX2,SY2	GBK
15	SX2P,SY2P	BBK
16	SZx(0)	LR1,LR2
17	SZ0(1)	LR3,LG1
18	SZ1(2)	LG2,LG3
19	SZ2(3)	LB1,LB2
20	R0 G0 B0	LB3,
21	R1 G1 B1	RFC
22	R2 G2 B2	GFC
23		BFC
24	MAC0	OFX
25	MAC1	OPY
26	MAC2	H,
27	MAC3	DQA,
28	IRGB	DQB
29	ORGB	ZSF3,
30	DATA32	ZSF4,
31	LZC	FLAG

Modified registers:

	Data	Control
0	VX0,VY0	R11,R12
1	VZ0	R13,R21
2	VX1,VY1	R22,R23
3	VZ1	R31,R32
4	VX2,VY2	R33,
5	VZ2	TRX
6	RGB CODE	TRY
7	OTZ	TRZ
8	IR0	L11,L12
9	IR1	L13,L21
10	IR2	L22,L23
11	IR3	L31,L32
12	SX0,SY0	L33,
13	SX1,SY1	RBK
14	SX2,SY2	GBK
15	SX2P,SY2P	BBK
16	SZx(0)	LR1,LR2
17	SZ0(1)	LR3,LG1
18	SZ1(2)	LG2,LG3
19	SZ2(3)	LB1,LB2
20	R0 G0 B0	LB3,
21	R1 G1 B1	RFC
22	R2 G2 B2	GFC
23		BFC
24	MAC0	OFX
25	MAC1	OPY
26	MAC2	H,
27	MAC3	DQA,
28	IRGB	DQB
29	ORGB	ZSF3,
30	DATA32	ZSF4,
31	LZC	FLAG

OP sf Required cycles: 6

Function: Outer product

Items specified using arguments:

Argument	Specified content	Value =0	Value=1
sf	Output format	–	Performs calculations on data shifted 12 bits to the left in the IRn register.

Calculations: : (m and n request the data format of IRp(p=1,2,3) as (1.m.n).)

sf == 0	sf == 1	
(1.m+28.n)	(1.m+16.n+12)	**OPX** = DY1(R22)*DZ2(IR3)
		- DZ1(R33)*DY2(IR2); <1>
(1.m+28.n)	(1.m+16.n+12)	**OPY** = DZ1(R33)*DX2(IR1)
		- DX1(R11)*DZ2(IR3); <2>
(1.m+28.n)	(1.m+16.n+12)	**OPZ** = DX1(R11)*DY2(IR2)
		- DY1(R22)*DX2(IR1); <3>
(1.m .n)	(1.m .n)	IR1 = limA1S(**OPX**);
(1.m .n)	(1.m .n)	IR2 = limA2S(**OPY**);
(1.m .n)	(1.m .n)	IR3 = limA3S(**OPZ**);
(1.m+16.n)	(1.m+16.n)	**MAC1** = **OPX**;
(1.m+16.n)	(1.m+16.n)	**MAC2** = **OPY**;
(1.m+16.n)	(1.m+16.n)	**MAC3** = **OPZ**;

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	DATA32	ZSF4,
31	LZC	FLAG

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

GPF sf **Required cycles: 5**

Function: General purpose interpolation

Items specified using arguments:

Argument	Specified content	Value =0	Value=1
sf	Output format	–	Performs calculations on data shifted 12 bits to the left in the IRn register.

Calculations: : (m and n request the data format of IRp(p=1,2,3) as (1.m.n).)

sf == 0	sf == 1	
(1.m+28.n)	(1.m+16.n+12)	**IPX** = IR0*IR1; <1>
(1.m+28.n)	(1.m+16.n+12)	**IPY** = IR0*IR2; <2>
(1.m+28.n)	(1.m+16.n+12)	**IPZ** = IR0*IR3; <3>
(1.m .n)	(1.m .n)	IR1 = limA1S(**IPX**);
(1.m .n)	(1.m .n)	R2 = limA2S(**IPY**);
(1.m .n)	(1.m .n)	IR3 = limA3S(**IPZ**);
(1.m+16.n)	(1.m+16.n)	**MAC1** = **IPX**;
(1.m+16.n)	(1.m+16.n)	**MAC2** = **IPY**;
(1.m+16.n)	(1.m+16.n)	**MAC3** = **IPZ**;

(-. 8. -)	CD0 <- CD1 <- CD2 <- CODE
(0. 0. 8)	R0 <- R1 <- R2 <- limB1(**IPX**);
(0. 0. 8)	G0 <- G1 <- G2 <- limB2(**IPY**);
(0. 0. 8)	B0 <- B1 <- B2 <- limB3(**IPZ**);

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB** **COD**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

GPL sf **Required cycles: 5**

Function: General purpose interpolation

Items specified using arguments:

Argu ment	Specified content	Value =0	Value=1
sf	Output format	–	Performs calculations on data shifted 12 bits to the left in the IRn register.

Calculations: : (m and n request the data format of IRp(p=1,2,3) as (1.m.n).)

sf == 0	sf == 1	
(1.m+28.n)	(1.m+16.n+12)	**IPX** = **MAC1** + IR0*IR1; <1>
(1.m+28.n)	(1.m+16.n+12)	**IPY** = **MAC2** + IR0*IR2; <2>
(1.m+28.n)	(1.m+16.n+12)	**IPZ** = **MAC3** + IR0*IR3; <3>
(1.m .n)	(1.m .n)	IR1 = limA1S(**IPX**);
(1.m .n)	(1.m .n)	IR2 = limA2S(**IPY**);
(1.m .n)	(1.m .n)	IR3 = limA3S(**IPZ**);
(1.m+16.n)	(1.m+16.n)	**MAC1** = **IPX**;
(1.m+16.n)	(1.m+16.n)	**MAC2** = **IPY**;
(1.m+16.n)	(1.m+16.n)	**MAC3** = **IPZ**;

(-. 8. -)	CD0 <- CD1 <- CD2 <- CODE
(0. 0. 8)	R0 <- R1 <- R2 <- limB1(**IPX**);
(0. 0. 8)	G0 <- G1 <- G2 <- limB2(**IPY**);
(0. 0. 8)	B0 <- B1 <- B2 <- limB3(**IPZ**);

Referenced registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB** **COD**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**

Modified registers:

	Data	Control
0	**VX0,VY0**	**R11,R12**
1	**VZ0**	**R13,R21**
2	**VX1,VY1**	**R22,R23**
3	**VZ1**	**R31,R32**
4	**VX2,VY2**	**R33,**
5	**VZ2**	**TRX**
6	**RGB CODE**	**TRY**
7	**OTZ**	**TRZ**
8	**IR0**	**L11,L12**
9	**IR1**	**L13,L21**
10	**IR2**	**L22,L23**
11	**IR3**	**L31,L32**
12	**SX0,SY0**	**L33,**
13	**SX1,SY1**	**RBK**
14	**SX2,SY2**	**GBK**
15	**SX2P,SY2P**	**BBK**
16	**SZx(0)**	**LR1,LR2**
17	**SZ0(1)**	**LR3,LG1**
18	**SZ1(2)**	**LG2,LG3**
19	**SZ2(3)**	**LB1,LB2**
20	**R0 G0 B0**	**LB3,**
21	**R1 G1 B1**	**RFC**
22	**R2 G2 B2**	**GFC**
23		**BFC**
24	**MAC0**	**OFX**
25	**MAC1**	**OPY**
26	**MAC2**	**H,**
27	**MAC3**	**DQA,**
28	**IRGB**	**DQB**
29	**ORGB**	**ZSF3,**
30	**DATA32**	**ZSF4,**
31	**LZC**	**FLAG**