


- GENERAL NOTES
- ALL CONSTRUCTION SHALL CONFORM TO THE "STANDARD SPECIFICATIONS FOR MUNICIPAL PUBLIC WORKS CONSTRUCTION" AND STANDARD PLANS AS ADOPTED BY THE CITY, AND ANY REQUIREMENTS ESTABLISHED AT CITY HEARINGS ON THIS SITE.
 - ALL CONSTRUCTION IS SUBJECT TO THE INSPECTION BY THE CITY, AND THE CONTRACTOR SHALL NOTIFY THE CITY OF HIS SCHEDULE IN SUFFICIENT TIME TO PERMIT INSPECTION PRIOR TO AND DURING THE WORK.
 - LOCATIONS OF EXISTING UTILITIES AND IMPROVEMENTS SHOWN ARE APPROXIMATE ONLY AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO DETERMINE THE EXACT LOCATION(S) OF ALL UTILITIES AND IMPROVEMENTS TO AVOID DAMAGE OR DISTURBANCE.
 - ALL WORK WITHIN THE SITE AND CITY RIGHT OF WAY SHALL BE SUBJECT TO THE INSPECTION OF THE ENGINEER.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS FOR ROAD AND UTILITY CONSTRUCTION PRIOR TO BEGINNING WORK.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADJUSTING MANHOLE FRAMES AND CATCH BASIN GRATES.
 - ALL SANITARY SEWER LATERALS ARE TO BE CONNECTED TO THE MAIN SEWER WITH WYES OR SWEEPING TEES.
 - SANITARY SEWER IS TO BE CONSTRUCTED WITH PVC SDR35 ASTM 3034 GASKETED JOINT PIPE.

ORIGINAL IN SEWER FILE
Sewerage unit 8-5, B-1

Revisions approved to date
Juel E. Buchanan Date: 6/5/85
APPROVED FOR CONSTRUCTION
CITY OF MOUNTLAKE TERRACE
Juel E. Buchanan DATE: 4/9/85



Scale 1"=30'
Project 476
Drawn KAB
Approved BSM
Date 2-19-85

REV. 11 RELOCATE SS LINE / MH's #12,2 BSM 5-9-85

planning
economics
engineering
research

CLARK • COLEMAN • RUPEIKS, Inc.
3233 eastlake ave. e. seattle, washington, 98102
phone (206) 328-9729

FOX HILL - PHASE II
City of Mountlake Terrace, Washington

Sanitary Sewer Plan