


NW 1/4 SEC. 27 ,TWP.27 N ,RGE. 4 E ,W.M.




SCALE: 1" = 30'



NOTES:

1. FOR WATER METER BOXES LOCATED IN PROPOSED DRIVEWAYS, REFER TO M.L.T. PLAN #202 FOR METER BOX REQUIREMENT IN AREAS WITH VEHICULAR TRAFFIC. ALL SERVICES 3/4" LINE AND 3/4" METER.
2. TRENCH BEDDING FOR WATER MAINS TO BE PER NOTE #8 OF "WATER NOTES" ON SHEET 10. TRENCH BEDDING FOR SANITARY SEWER MAINS TO BE PER NOTE #17 OF "SANITARY SEWER NOTES" ON SHEET 10.
3. STATIONING FOR SANITARY SEWER MANHOLES ARE TO CENTER OF STRUCTURE. SANITARY SEWER SIDE SERVICES ARE STATIONED TO THE NEAREST DOWNSTREAM MANHOLE.
4. ALL SANITARY SEWER MANHOLES ARE TO BE MANHOLE TYPE 1-48" PER CITY OF M.L.T. STANDARD PLAN 305 UNLESS OTHERWISE NOTED.
5. THRUST BLOCKING TO BE PER CITY OF M.L.T. STANDARD PLAN 209.
6. IF A MIN. 3' HORIZONTAL CLEARANCE BETWEEN THE FACE OF CURB & THE PROPOSED FIRE HYDRANTS CANNOT BE MAINTAINED, GUARD POSTS SHALL BE INSTALLED PER CITY OF M.L.T. STANDARD PLAN 212.



G1 GROUP FOUR, Inc.
16303 JUANITA-WOODVILLE WAY NE
BOTHELL, WASHINGTON 98011
(206) 776-4581 • (206) 362-4244 • FAX (206) 362-3819
SURVEYING ENGINEERING PLANNING MANAGEMENT
DRAWN BY: GST CHECKED BY: DATE: 7/96
APPROVED BY: DATE:

AS-BUILT

MELANIE LANE NO. 2
SANITARY SEWER AND WATER PLAN

MOUNTLAKE TERRACE WASHINGTON

24 HOUR NOTICE

REQUIRED PRIOR TO NEED FOR
INSPECTION. CALL 24 HOUR REQUEST LINE
775-9694

CITY OF MOUNTLAKE TERRACE
APPROVED PLAN

DATE: _____

BY: _____
(EXCEPT WHERE NOTED) SUBJECT TO FIELD
INSPECTION AND COMPLIANCE TO ALL
APPLICABLE LAWS, CODES, ORDINANCES,
STANDARDS AND SPECIFICATIONS OF THE
CITY OF MOUNTLAKE TERRACE, WASHINGTON

CALL 48 HOURS
BEFORE YOU DIG
1-800-424-5555

SHT 8 OF 13

JOB NO: 94-5001

228-97-8