



23404

23406

6x4 REDUCER FOR 23406 IS 10 FT. FROM  
CLEANOUT  
6x4 REDUCER FOR 23404 IS 4 FT. FROM  
CLEANOUT  
MAIN CLEANOUT FOR BOTH HOUSES IS 37"  
FROM BACKSIDE OF SIDEWALK.  
MAIN CLEANOUT FOR BOTH HOUSES IS 7'  
DEEP.  
MAIN CLEANOUT IS LOCATED IN DRIVEWAY OF  
23404.  
6" STEEL WATER MAIN IS 3' DEEP AND  
ABANDONED.  
49' FROM CLEANOUT TO WYE TIE-IN TO  
MAINLINE AFTER THE MANHOLE.  
SHALLOW BELLY IN MAINLINE FROM CLEANOUT  
TO TIE-IN.

6x4 REDUCER

3'-1"

8'

SIDEWALK

CLEANOUT  
FOGITE 01 BOX

48TH AVENUE W

ABANDONED  
6" STL WATER MAIN  
3' DEEP

SEWER MAIN

MH 2-54

13'



CITY OF MOUNTLAKE TERRACE  
DEPARTMENT OF COMMUNITY DEVELOPMENT

Side Sewer As-Built  
23404 & 23406 48th Avenue West  
Public Works Repair

-SS  
revision date  
May 00