



212TH ST. S.W.



VICINITY MAP

DATUM: CITY OF LYNNWOOD - U.S.C&G.S.
BENCH MARK:
Invert of Sanitary Sewer Manhole 680'±, N. & 44TH AVE. W.
and 5'± S. & 212TH ST. S.W.
ELEVATION: 412.74


GENERAL NOTES:

1. LOCATIONS SHOWN OF EXISTING UTILITIES ARE APPROXIMATE ONLY AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY LOCATIONS SO AS TO AVOID DAMAGE OR DISTURBANCE.
2. ALL WORK AND MATERIALS SHALL CONFORM TO THE STANDARDS OF THE CITY OF MOUNTLAKE TERRACE AND DIVISION III OF THE STANDARD SPECIFICATIONS FOR MUNICIPAL PUBLIC WORKS CONSTRUCTION, WASH. STATE CHAPTER, AMERICAN PUBLIC WORKS ASSOCIATION (A.P.W.A.), 1975, AS APPROVED BY THE STATE OF WASH., DEPARTMENT OF SOCIAL AND HEALTH SERVICES.
3. MINIMUM SLOPE FOR SIDE SEWERS IS 0.02 FT/FT, MINIMUM SIZE IS 6".
4. MANHOLES SHALL BE STANDARD 48" DIA. PRECAST WITH ECCENTRIC CONE.
5. ALL TRENCHES SHALL BE WATER SETTLED PRIOR TO TESTING OF SEWER FOR ACCEPTANCE.
6. ALL SEWER PIPE (SANITARY) TO BE JOHNS-MANVILLE, J.M. RINGTITE, P.C., SDR 35 WITH CLASS "B" BEDDING TO TOP OF PIPE.
7. SWIMMING POOLS SHALL BE DRAINED TO THE SANITARY SEWER COLLECTION SYSTEM. CONNECTION SHALL BE MADE TO NEAREST SEWER.

APPROVED *[Signature]* 10/20/76
FOR CONSTRUCTION DATE

James Barndollar
10/20/76

APR '6 1993



50 A-76-2 SHEET 2 OF 4 SHEETS

G4 GROUP FOUR, Inc., P.S.
3810 1ST Street S.W., P.O. Box 298
Lynnwood, Washington 98036
206 775-4581

DESIGNED BY *[Signature]* CHECKED BY *[Signature]* APPROVED BY *[Signature]*

SANITARY SEWER PLAN
NORTHERN LIGHTS APARTMENT
H.J.M. DEVELOPMENT, INC.
MOUNTLAKE TERRACE, WASHINGTON