









DATE	NO.	BY	CHKD.	DATE	NO.	BY	CHKD.
10/25/78	1	JAMIE	YES	10/25/78	1	JAMIE	YES

DATE	NO.	BY	CHKD.	DATE	NO.	BY	CHKD.
10/25/78	1	JAMIE	YES	10/25/78	1	JAMIE	YES



1. TRENCHES TO BE INSTALLED LEVEL.
2. GROUND SURFACE OVER TRENCHES TO BE GRADED LEVEL.



# GENERAL NOTES

1. ALL LOCATIONS OF EXISTING UTILITIES ARE APPROXIMATE AND IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THE CORRECT LOCATIONS SO AS TO AVOID DAMAGE OR DISTURBANCE.
2. ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH THE CITY OF MOUNTLAKE TERRACE STANDARDS AND SPECIFICATIONS, OR APWA SPECIFICATIONS.
3. TEST OBSERVATION AND INSPECTION SHALL BE BY THE CITY OF MOUNTLAKE TERRACE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSTALLATION OF SIDE SEWERS (LATERALS & TEES) AND THE PLACING OF 2x4 MARKERS WITH THE LENGTH AND DEPTH OF THE LATERALS AND TEES INSCRIBED ON THE MARKERS. LATERALS TO BE 6" CONCRETE.
5. ALL MANHOLES NOT IN PAVED PUBLIC R/W TO HAVE LOCKING LIDS.
6. SANITARY SEWER PIPE TO BE CONCRETE CLASS C-14-2 OR APPROVED EQUAL, BEDDING TO BE CLASS "B". USE NON-SHRINK GROUT AT M.H. CONNECTIONS. MASTER BUILDERS EMBECO OR EQUAL.
7. WATER MAIN TO BE DUCTILE IRON, CLASS 52 WITH CLASS "D" BEDDING. WATER SERVICE PIPE TO BE TYPE K COPPER.
8. ALL WATER MAIN TO BE TYTON JOINT OR APPROVED EQUAL.
9. WATER MAIN TO BE INSTALLED WITH A MINIMUM 3' COVER AND MAX. 4' COVER.
10. CONTRACTOR TO FLUSH AND DEORINATE WATER LINES IN ACCORDANCE WITH MOUNTLAKE TERRACE SPECIFICATIONS OR APWA SPECIFICATIONS PRIOR TO TESTING.
11. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO NOTIFY THE CITY OF MOUNTLAKE TERRACE FOR ALL TESTS AND INSPECTIONS. WATERMAIN TO BE TESTED AT 275 PSI.
12. ALL BACKFILL TO BE COMPACTED TO ORIGINAL DENSITY (95%). BACKFILL IN EXISTING R/W MUST BE 3/4" MINUS CRUSHED ROCK.

Scan Name: scans06339.pdf  
Scan Date:

2-23-A-1

9 November 78

Michael E. Miller

7.31.78

Long Brothers Engineering, Inc.		
PLANNING - ENGINEERING - SURVEYING		
7116 - 220TH S.W. PH. (206) 774-8863		
MOUNTLAKE TERRACE, WASH. 98043		
DRAWN BY: MARY	CHECKED BY: M. MILLER - 7.31.78	JOB NO: 686
PROJECT MANAGER: MIKE MILLER		SHEET: 1 OF 1

REVISED DRAINAGE SYSTEM		DATE	BY
NO.	REVISION	DATE	BY
ROAD AND UTILITY PLAN FOR			
DONNA MCGEE ADD.			
MOUNTLAKE TERRACE, WA.			