

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://www.boston.gov/

Checker Input

Show source outline image report

Check by

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 4, column 29; to line 4, column 59

```
"utf-8" /><script type="text/javascript">(windo
```

2. **Warning** The `navigation` role is unnecessary for element `nav`.

From line 206, column 5; to line 206, column 124

```
m-c"> <nav role="navigation" aria-labelledby="block-mainmenu-menu"
id="block-mainmenu" data-block-plugin-id="menu_block:main">
```

3. **Warning** The `banner` role is unnecessary for element `header`.

From line 310, column 3; to line 310, column 77

```
true"> <header id="main-menu" class="h" role="banner" data-swiftype-
index="false"> <
```

4. **Error** Element `div` not allowed as child of element `label` in this context.
(Suppressing further errors from this subtree.)

From line 312, column 3; to line 312, column 19

```
ex="0"> <div class="brg"> <
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [label](#):

[Phrasing content](#), but with no descendant [labelable elements](#) unless it is the element's [labeled control](#), and no descendant [label](#) elements.

5. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 386, column 30; to line 386, column 191

```
iews-row"><article role="article" about="/covid-19-boston-0"
class="node-13669561 node clearfix node-emergency-alert modstate-
published" bos_context_type="Emergency Alert">
```

Attributes for element [article](#):

[Global attributes](#)

6. **Warning** The `article` role is unnecessary for element `article`.

From line 386, column 30; to line 386, column 191

```
iews-row"><article role="article" about="/covid-19-boston-0"
class="node-13669561 node clearfix node-emergency-alert modstate-
published" bos_context_type="Emergency Alert">
```

7. **Warning** Article lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all articles](#).

From line 386, column 30; to line 386, column 191

```
iews-row"><article role="article" about="/covid-19-boston-0"
class="node-13669561 node clearfix node-emergency-alert modstate-
published" bos_context_type="Emergency Alert">
```

8. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 458, column 7; to line 458, column 114

```
<article class="node-21 node clearfix node-landing-page
```

```
modstate-published" bos_context_type="Landing Page">
```

Attributes for element [article](#):

[Global attributes](#)

9. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 470, column 1; to line 470, column 128

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-list b b--fw clearfix b--w" bos_context_type="List">  
<di
```

Attributes for element `div`:

[Global attributes](#)

10. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 498, column 3; to line 498, column 161

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-message-for-the-day motd-422201 cds g--24" bos_context_type="Message For The Day">
```

Attributes for element `div`:

[Global attributes](#)

11. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 540, column 3; to line 540, column 161

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-message-for-the-day motd-463071 cds g--24" bos_context_type="Message For The Day">
```

Attributes for element `div`:

[Global attributes](#)

12. **Error** Duplicate ID `Layer_1`.

From line 548, column 9; to line 548, column 101

```
<svg id="Layer_1" data-name="Layer 1"
```

```
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

13. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
↵↵      <svg id="Layer_1" data-name="Layer 1"  
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

14. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 582, column 3; to line 582, column 161

```
↵↵      <div class="entity entity-paragraphs-item component-section  
paragraphs-item-message-for-the-day motd-414246 cds g--24"  
bos_context_type="Message For The Day">↵↵
```

Attributes for element `div`:

[Global attributes](#)

15. **Error** Duplicate ID `Layer_1`.

From line 590, column 9; to line 590, column 101

```
↵↵      <svg id="Layer_1" data-name="Layer 1"  
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

16. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
↵↵      <svg id="Layer_1" data-name="Layer 1"  
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

17. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 622, column 3; to line 622, column 161

```
↵↵      <div class="entity entity-paragraphs-item component-section  
paragraphs-item-message-for-the-day motd-432861 cds g--24"  
bos_context_type="Message For The Day">↵↵
```

Attributes for element `div`:

[Global attributes](#)

18. **Error Duplicate ID** `Layer_1`.
- From line 630, column 9; to line 630, column 101
- ```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```
19. **Warning The first occurrence of ID** `Layer_1` **was here.**
- From line 506, column 9; to line 506, column 101
- ```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```
20. **Error Attribute** `bos_context_type` **not allowed on element** `div` **at this point.**
- From line 664, column 3; to line 664, column 161
- ```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-message-for-the-day motd-411241 cds g--24"
bos_context_type="Message For The Day">
```
- Attributes for element `div`:
- [Global attributes](#)
21. **Error Duplicate ID** `Layer_1`.
- From line 672, column 9; to line 672, column 101
- ```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```
22. **Warning The first occurrence of ID** `Layer_1` **was here.**
- From line 506, column 9; to line 506, column 101
- ```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```
23. **Error Attribute** `bos_context_type` **not allowed on element** `div` **at this point.**
- From line 710, column 3; to line 710, column 161
- ```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-message-for-the-day motd-386246 cds g--24"
```

```
bos_context_type="Message For The Day">
```

Attributes for element [div](#):

[Global attributes](#)

24. **Error Duplicate ID** `Layer_1`.

From line 718, column 9; to line 718, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

25. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

26. **Error Attribute** `bos_context_type` **not allowed on element** `div` **at this point.**

From line 754, column 3; to line 754, column 161

```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-message-for-the-day motd-386296 cds g--24"
bos_context_type="Message For The Day">
```

Attributes for element [div](#):

[Global attributes](#)

27. **Error Duplicate ID** `Layer_1`.

From line 762, column 9; to line 762, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

28. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

29. **Error Attribute** `bos_context_type` **not allowed on element** `div` **at this**

point.

From line 804, column 3; to line 804, column 161

```

<div class="entity entity-paragraphs-item component-section
paragraphs-item-message-for-the-day motd-396641 cds g--24"
bos_context_type="Message For The Day">

```

Attributes for element [div](#):[Global attributes](#)30. **Error Duplicate ID** `Layer_1`.

From line 812, column 9; to line 812, column 101

```

<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl

```

31. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```

<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl

```

32. **Error Attribute** `bos_context_type` **not allowed on element** `div` **at this point.**

From line 850, column 3; to line 850, column 161

```

<div class="entity entity-paragraphs-item component-section
paragraphs-item-message-for-the-day motd-386256 cds g--24"
bos_context_type="Message For The Day">

```

Attributes for element [div](#):[Global attributes](#)33. **Error Duplicate ID** `Layer_1`.

From line 858, column 9; to line 858, column 101

```

<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl

```

34. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

35. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 907, column 45; to line 907, column 161

```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-fyi b b--b b--fw" bos_context_type="Fyi"> <di
```

Attributes for element `div`:

[Global attributes](#)

36. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 936, column 45; to line 936, column 187

```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-transaction-grid b b--g b--fw"
bos_context_type="Transaction Grid"> <di
```

Attributes for element `div`:

[Global attributes](#)

37. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 951, column 21; to line 951, column 276

```
<a href="https://www.boston.gov/departments/elections/how-
add-your-name-annual-census" class="entit...em-transactions lwi g--3 g-
-3--sl m-t200 m-t500--m" bos_context_type="Transactions"
```

Attributes for element `a`:

[Global attributes](#)

`href` — Address of the [hyperlink](#)

`target` — [Browsing context](#) for [hyperlink navigation](#)

`download` — Whether to download the resource instead of navigating to it, and its file name if so

`ping` — [URLs](#) to ping

`rel` — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

38. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 952, column 5; to line 952, column 47

```
<span class="lwi-ic" bos-media-id="166024">
```

Attributes for element `span`:

[Global attributes](#)

39. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 953, column 9; to line 953, column 17

```
<article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

40. **Error** Duplicate ID `Layer_1`.

From line 955, column 5; to line 955, column 99

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><polyg
```

41. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

42. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 953, column 9; to line 953, column 17

```
<article>
```

43. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 970, column 7; to line 970, column 200

```
-----  
<a href="/career-center" class="entity entity-paragraphs-  
item component-section paragraphs-item-transactions lwi g--3 g--3--sl  
m-t200 m-t500--m" bos_context_type="Transactions" target="_blank">e  
-----
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

44. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 971, column 5; to line 971, column 47

```
-----  
<span class="lwi-ic" bos-media-id="166294">e  
-----
```

Attributes for element `span`:

[Global attributes](#)

45. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 972, column 9; to line 972, column 17

```
-----  
<article>e  
-----
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

46. **Error** Duplicate ID `Layer_1`.

From line 974, column 5; to line 974, column 99

```
age">↵      <svg id="Layer_1" data-name="Layer 1"  
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><circl
```

47. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
↵↵      <svg id="Layer_1" data-name="Layer 1"  
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

48. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 972, column 9; to line 972, column 17

```
>↵      <article>↵
```

49. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 989, column 7; to line 989, column 214

```
↵↵↵↵      <a href="/boston-permits-and-licenses" class="entity entity-  
paragraphs-item component-section parag...em-transactions lwi g--3 g--3--  
sl m-t200 m-t500--m" bos_context_type="Transactions" target="_blank">↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

50. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 990, column 5; to line 990, column 47

```
ank">␣ <span class="lwi-ic" bos-media-id="165901">
```

Attributes for element [span](#):

[Global attributes](#)

51. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 991, column 9; to line 991, column 17

```
>␣ <article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

52. **Error** Duplicate ID `Layer_1`.

From line 993, column 5; to line 993, column 99

```
age">␣ <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><path
```

53. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
␣␣␣␣ <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

54. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 991, column 9; to line 991, column 17

```
>␣ <article>
```

55. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1008, column 7; to line 1008, column 231

```
␣␣␣␣␣␣ <a href="http://www.cityofboston.gov/assessing/search/"
class="entity entity-paragraphs-item compon...em-transactions lwi g--3 g-
-3--sl m-t200 m-t500--m" bos_context_type="Transactions"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

56. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1009, column 5; to line 1009, column 47

```
ank">     <span class="lwi-ic" bos-media-id="166112">
```

Attributes for element `span`:

[Global attributes](#)

57. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1010, column 9; to line 1010, column 17

```
>     <article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

58. **Error** Duplicate ID `Layer_1`.

From line 1012, column 5; to line 1012, column 99

```
age">     <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

59. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
```

```
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

60. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 1010, column 9; to line 1010, column 17

```
>e      <article>e
```

61. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1027, column 7; to line 1027, column 244

```

<a href="/departments/parking-clerk/how-get-resident-parking-
permit" class="entity entity-paragraph...em-transactions lwi g--3 g--3--
sl m-t200 m-t500--m" bos_context_type="Transactions" target="_blank">e

```

Attributes for element `a`:

[Global attributes](#)

`href` — Address of the [hyperlink](#)

`target` — [Browsing context](#) for [hyperlink navigation](#)

`download` — Whether to download the resource instead of navigating to it, and its file name if so

`ping` — [URLs](#) to ping

`rel` — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

`hreflang` — Language of the linked resource

`type` — Hint for the type of the referenced resource

`referrerpolicy` — [Referrer policy](#) for [fetches](#) initiated by the element

62. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1028, column 5; to line 1028, column 47

```
ank">e      <span class="lwi-ic" bos-media-id="166210">e
```

Attributes for element `span`:

[Global attributes](#)

63. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1029, column 9; to line 1029, column 17

```
>␣      <article>␣
```

Contexts in which element [article](#) may be used:

Where [sectioning content](#) is expected.

Content model for element [span](#):

[Phrasing content](#).

64. **Error Duplicate ID** `Layer_1`.

From line 1031, column 5; to line 1031, column 99

```
age">␣      <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

65. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```
␣␣␣      <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

66. **Warning Article lacks heading. Consider using** `h2` `h6` **elements to** [add identifying headings to all articles](#).

From line 1029, column 9; to line 1029, column 17

```
>␣      <article>␣
```

67. **Error Attribute** `bos_context_type` **not allowed on element** `a` **at this point.**

From line 1046, column 7; to line 1046, column 196

```
␣␣␣␣      <a href="/metrolist" class="entity entity-paragraphs-item
component-section paragraphs-item-transactions lwi g--3 g--3--sl m-t200
m-t500--m" bos_context_type="Transactions" target="_blank">␣      <
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the

destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

68. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1047, column 5; to line 1047, column 47

```
ank"> <span class="lwi-ic" bos-media-id="166385">
```

Attributes for element [span](#):

[Global attributes](#)

69. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1048, column 9; to line 1048, column 17

```
> <article>
```

Contexts in which element [article](#) may be used:

Where [sectioning content](#) is expected.

Content model for element [span](#):

[Phrasing content](#).

70. **Error** Duplicate ID `Layer_1`.

From line 1050, column 5; to line 1050, column 99

```
age"> <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><polyg
```

71. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

72. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1048, column 9; to line 1048, column 17

```
> <article>
```


73. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1065, column 7; to line 1065, column 219

```
<a href="https://registry.boston.gov/birth" class="entity
entity-paragraphs-item component-section ..em-transactions lwi g--3 g-
-3--sl m-t200 m-t500--m" bos_context_type="Transactions"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

74. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1066, column 5; to line 1066, column 47

```
<span class="lwi-ic" bos-media-id="165883">
```

Attributes for element `span`:

[Global attributes](#)

75. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1067, column 9; to line 1067, column 17

```
<article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

76. **Error** Duplicate ID `Layer_1`.

From line 1069, column 5; to line 1069, column 99

```
age">↵      <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

77. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
↵↵      <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

78. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1067, column 9; to line 1067, column 17

```
>↵      <article>↵
```

79. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1084, column 7; to line 1084, column 235

```
↵↵↵↵      <a href="/departments/parking-clerk/how-pay-parking-ticket"
class="entity entity-paragraphs-item co...em-transactions lwi g--3 g--3--
sl m-t200 m-t500--m" bos_context_type="Transactions" target="_blank">↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

80. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1085, column 5; to line 1085, column 47

```
ank">␣ <span class="lwi-ic" bos-media-id="166192">
```

Attributes for element [span](#):

[Global attributes](#)

81. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1086, column 9; to line 1086, column 17

```
>␣ <article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

82. **Error** Duplicate ID `Layer_1`.

From line 1088, column 5; to line 1088, column 99

```
age">␣ <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

83. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
␣␣␣␣ <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

84. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1086, column 9; to line 1086, column 17

```
>␣ <article>
```

85. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1103, column 7; to line 1103, column 224

```
␣␣␣␣ <a href="https://www.boston.gov/my-neighborhood"
class="entity entity-paragraphs-item component-sec...em-transactions lwi
g--3 g--3--sl m-t200 m-t500--m" bos_context_type="Transactions"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

86. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1104, column 5; to line 1104, column 47

```
ank"> <span class="lwi-ic" bos-media-id="165902">
```

Attributes for element `span`:

[Global attributes](#)

87. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1105, column 9; to line 1105, column 17

```
> <article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

88. **Error** Duplicate ID `Layer_1`.

From line 1107, column 5; to line 1107, column 99

```
age"> <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

89. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
```

```
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

90. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 1105, column 9; to line 1105, column 17

```
><e      <article><e
```

91. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1122, column 7; to line 1122, column 302

```
<e><e      <a
href="https://www.invoicecloud.com/portal/(S(2ggore0qtc51ecyq3bjb3ybo))
/2/Site.aspx?G=13377843-58...em-transactions lwi g--3 g--3--sl m-t200 m-
```

Attributes for element `a`:

[Global attributes](#)

`href` — Address of the [hyperlink](#)

`target` — [Browsing context](#) for [hyperlink navigation](#)

`download` — Whether to download the resource instead of navigating to it, and its file name if so

`ping` — [URLs](#) to ping

`rel` — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

`hreflang` — Language of the linked resource

`type` — Hint for the type of the referenced resource

`referrerpolicy` — [Referrer policy](#) for [fetches](#) initiated by the element

92. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1123, column 5; to line 1123, column 47

```
ank"><e      <span class="lwi-ic" bos-media-id="165918"><e
```

Attributes for element `span`:

[Global attributes](#)

93. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1124, column 9; to line 1124, column 17

```
> <article>
```

Contexts in which element [article](#) may be used:

Where [sectioning content](#) is expected.

Content model for element [span](#):

[Phrasing content](#).

94. **Error Duplicate ID** `Layer_1`.

From line 1126, column 5; to line 1126, column 99

```
age"> <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><path
```

95. **Warning The first occurrence of ID** `Layer_1` **was here.**

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

96. **Warning Article lacks heading. Consider using** `h2 - h6` **elements to** [add identifying headings to all articles](#).

From line 1124, column 9; to line 1124, column 17

```
> <article>
```

97. **Error Attribute** `bos_context_type` **not allowed on element** `a` **at this point.**

From line 1141, column 7; to line 1141, column 302

```
<a
href="https://www.invoicecloud.com/portal/(S(scnz1wa3impvdxtnkldze42j))
/2/Site.aspx?G=13377843-58...em-transactions lwi g--3 g--3--sl m-t200 m-
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if

so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the

destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

98. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1142, column 5; to line 1142, column 47

```
ank"> <span class="lwi-ic" bos-media-id="166265">
```

Attributes for element [span](#):

[Global attributes](#)

99. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1143, column 9; to line 1143, column 17

```
> <article>
```

Contexts in which element [article](#) may be used:

Where [sectioning content](#) is expected.

Content model for element [span](#):

[Phrasing content](#).

100. **Error** Duplicate ID `Layer_1`.

From line 1145, column 5; to line 1145, column 99

```
age"> <svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 144 144"><rect
```

101. **Warning** The first occurrence of ID `Layer_1` was here.

From line 506, column 9; to line 506, column 101

```
<svg id="Layer_1" data-name="Layer 1"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 66 66"><circl
```

102. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1143, column 9; to line 1143, column 17

```
> <article>
```

103. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1160, column 7; to line 1160, column 219

```
<a href="https://www.cityofboston.gov/311/" class="entity
entity-paragraphs-item component-section ...em-transactions lwi g--3 g-
-3--sl m-t200 m-t500--m" bos_context_type="Transactions"
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

104. **Error** Attribute `bos-media-id` not allowed on element `span` at this point.

From line 1161, column 5; to line 1161, column 47

```
<span class="lwi-ic" bos-media-id="166477">
```

Attributes for element `span`:

[Global attributes](#)

105. **Error** Element `article` not allowed as child of element `span` in this context. (Suppressing further errors from this subtree.)

From line 1162, column 9; to line 1162, column 17

```
<article>
```

Contexts in which element `article` may be used:

Where [sectioning content](#) is expected.

Content model for element `span`:

[Phrasing content](#).

106. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add](#)

identifying headings to all articles.

From line 1162, column 9; to line 1162, column 17

>e <article>e

107. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1209, column 1; to line 1209, column 136

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-featured-topics b b--fw" bos_context_type="Featured Topics"> <di
```

Attributes for element `div`:[Global attributes](#)

108. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1264, column 1; to line 1264, column 161

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-news-and-announcements component-section" bos_context_type="News And Announcements"> <d
```

Attributes for element `div`:[Global attributes](#)

109. **Error** Element `p` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 1330, column 27; to line 1330, column 29

```
s="title"><p>Electr
```

Contexts in which element `p` may be used:Where [flow content](#) is expected.

110. **Error** Element `p` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 1363, column 27; to line 1363, column 29

```
s="title"><p>Adapti
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

111. **Error** Element `p` not allowed as child of element `h3` in this context.
(Suppressing further errors from this subtree.)

From line 1396, column 27; to line 1396, column 29

```
s="title"><p>Buildi
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

112. **Error** Element `p` not allowed as child of element `h3` in this context.
(Suppressing further errors from this subtree.)

From line 1429, column 27; to line 1429, column 29

```
s="title"><p>Featur
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

113. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1463, column 33; to line 1463, column 170

```
<div class="entity entity-paragraphs-item component-section
paragraphs-item-grid-of-cards b--w b b--fw" bos_context_type="Grid Of
Cards"><< d
```

Attributes for element `div`:

[Global attributes](#)

114. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1486, column 1; to line 1486, column 193

```
<a href="https://www.youtube.com/watch?v=8FgqH2KWXu4"
class="entity entity-paragraphs-item component-section paragraphs-item-
card cd g--4 g--4--sl m-t500" bos_context_type="Card" data-lity="">
```

Attributes for element `a`:

[Global attributes](#)

`href` — Address of the [hyperlink](#)

`target` — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

115. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1504, column 1; to line 1504, column 193

```

-----
<a href="https://www.youtube.com/watch?v=8y3IxYEvHT8"
class="entity entity-paragraphs-item component-section paragraphs-item-
card cd g--4 g--4--sl m-t500" bos_context_type="Card" data-lity="">
-----

```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

116. **Error** Attribute `bos_context_type` not allowed on element `a` at this point.

From line 1522, column 1; to line 1522, column 178

```

-----
<a href="https://www.youtube.com/user/cityofboston"
class="entity entity-paragraphs-item component-section paragraphs-item-
card cd g--4 g--4--sl m-t500" bos_context_type="Card"> <d
-----

```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

117. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1546, column 33; to line 1546, column 161

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-bos311 b b--fw b--b b--by" bos_context_type="Bos311">
<d
```

Attributes for element `div`:

[Global attributes](#)

118. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1613, column 1; to line 1613, column 118

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-newsletter" bos_context_type="Newsletter"> <d
```

Attributes for element `div`:

[Global attributes](#)

119. **Error** No space between attributes.

At line 1619, column 32

```
= "sh cl m-b300" ">
```

120. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 1619, column 32

```
"sh cl m-b300"">
```

121. **Warning** Attribute `"` is not serializable as XML 1.0.

From line 1619, column 7; to line 1619, column 33

```
"> <div class="sh cl m-b300"">
```

122. **Error** Attribute `"` not allowed on element `div` at this point.

From line 1619, column 7; to line 1619, column 33

```
"> <div class="sh cl m-b300"">
```

Attributes for element `div`:

[Global attributes](#)

123. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1689, column 1; to line 1689, column 134

```
<div class="entity entity-paragraphs-item component-section paragraphs-item-events-and-notices" bos_context_type="Events And Notices"> <d
```

Attributes for element `div`:

[Global attributes](#)

124. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 1824, column 7; to line 1824, column 191

```
 <div
Attributes for element div:
Global attributes
```

126. **Error** Attribute `bos_context_type` not allowed on element `div` at this point.

From line 1888, column 1; to line 1888, column 185

```
<div class="entity entity-paragraphs-item paragraphs-item-
text-two-column component-section col_half entity entity-paragraphs-
item component-section" bos_context_type="Text Two Column"> <d
```

Attributes for element [div](#):
[Global attributes](#)

127. **Error** Attribute `alt` not allowed on element `div` at this point.

From line 1892, column 16; to line 1892, column 318

```
<p><div data-embed-button="media_entity_embed" data-entity-
embed-display="bos_media_image" data-entity-...h" height="731"
width="1200" class="media-element file-default embedded-entity" data-
```

Attributes for element [div](#):
[Global attributes](#)

128. **Error** Attribute `height` not allowed on element `div` at this point.

From line 1892, column 16; to line 1892, column 318

```
<p><div data-embed-button="media_entity_embed" data-entity-
embed-display="bos_media_image" data-entity-...h" height="731"
width="1200" class="media-element file-default embedded-entity" data-
```

Attributes for element [div](#):
[Global attributes](#)

129. **Error** Attribute `width` not allowed on element `div` at this point.

From line 1892, column 16; to line 1892, column 318

```
<p><div data-embed-button="media_entity_embed" data-entity-
embed-display="bos_media_image" data-entity-...h" height="731"
width="1200" class="media-element file-default embedded-entity" data-
```

Attributes for element [div](#):

[Global attributes](#)

130. **Error** No `p` element in scope but a `p` end tag seen.

From line 1894, column 1; to line 1894, column 4

```
/></div></p>
```

131. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 1940, column 19; to line 1940, column 157

```
<article class="contextual-region node-38046 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

132. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 1943, column 21; to line 1943, column 66

```
<div class="cdp-i field-item" role="listitem">
```

133. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1944, column 9; to line 1944, column 17

```
> <article>
```

134. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1940, column 19; to line 1940, column 157

```
<article class="contextual-region node-38046 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

135. **Error** Attribute `bos_context_type` not allowed on element `article` at

this point.

From line 1987, column 15; to line 1987, column 151

```
<article class="contextual-region node-421 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

136. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 1990, column 21; to line 1990, column 66

```
<div class="cdp-i field-item" role="listitem">
```

137. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1991, column 9; to line 1991, column 17

```
> <article>
```

138. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 1987, column 15; to line 1987, column 151

```
<article class="contextual-region node-421 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

139. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2038, column 15; to line 2038, column 151

```
<article class="contextual-region node-411 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

140. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2041, column 21; to line 2041, column 66

```
<div class="cdp-i field-item" role="listitem">
```

141. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2042, column 9; to line 2042, column 17

```
> <article>
```

142. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2038, column 15; to line 2038, column 151

```
<article class="contextual-region node-411 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

143. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2089, column 15; to line 2089, column 156

```
<article class="contextual-region node-11555266 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

144. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2092, column 21; to line 2092, column 66

```
<div class="cdp-i field-item" role="listitem">
```

145. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2093, column 9; to line 2093, column 17

```
>e      <article>e
```

146. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2089, column 15; to line 2089, column 156

```
      <article class="contextual-region node-11555266 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile">e  <a
```

147. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2140, column 15; to line 2140, column 151

```
      <article class="contextual-region node-396 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">e  <a
```

Attributes for element [article](#):

[Global attributes](#)

148. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2143, column 21; to line 2143, column 66

```
      <div class="cdp-i field-item" role="listitem">e
```

149. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2144, column 9; to line 2144, column 17

```
>e      <article>e
```

150. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2140, column 15; to line 2140, column 151

```
      <article class="contextual-region node-396 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
```

```
Profile">␣ <a
```

151. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2191, column 15; to line 2191, column 153

```
<article class="contextual-region node-38036 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">␣ <a
```

Attributes for element `article`:

[Global attributes](#)

152. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2194, column 21; to line 2194, column 66

```
<div class="cdp-i field-item" role="listitem">␣
```

153. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2195, column 9; to line 2195, column 17

```
>␣ <article>␣
```

154. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2191, column 15; to line 2191, column 153

```
<article class="contextual-region node-38036 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">␣ <a
```

155. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2242, column 15; to line 2242, column 153

```
<article class="contextual-region node-38041 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">␣ <a
```

Attributes for element [article](#):

[Global attributes](#)

156. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2245, column 21; to line 2245, column 66

```
<div class="cdp-i field-item" role="listitem">
```

157. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2246, column 9; to line 2246, column 17

```
> <article>
```

158. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2242, column 15; to line 2242, column 153

```
<article class="contextual-region node-38041 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

159. **Error** Attribute `bos_context_type` not allowed on element [article](#) at this point.

From line 2293, column 15; to line 2293, column 151

```
<article class="contextual-region node-456 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

160. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2296, column 21; to line 2296, column 66

```
<div class="cdp-i field-item" role="listitem">
```

161. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2297, column 9; to line 2297, column 17

```
>↵      <article>↵
```

162. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2293, column 15; to line 2293, column 151

```
      <article class="contextual-region node-456 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">↵  <a
```

163. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2344, column 15; to line 2344, column 151

```
      <article class="contextual-region node-446 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">↵  <a
```

Attributes for element [article](#):

[Global attributes](#)

164. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2347, column 21; to line 2347, column 66

```
      <div class="cdp-i field-item" role="listitem">↵
```

165. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2348, column 9; to line 2348, column 17

```
>↵      <article>↵
```

166. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2344, column 15; to line 2344, column 151

```
<article class="contextual-region node-446 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile">␣ <a
```

167. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2395, column 15; to line 2395, column 156

```
<article class="contextual-region node-11555246 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile">␣ <a
```

Attributes for element `article`:

[Global attributes](#)

168. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2398, column 21; to line 2398, column 66

```
<div class="cdp-i field-item" role="listitem">␣
```

169. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2399, column 9; to line 2399, column 17

```
>␣ <article>␣
```

170. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2395, column 15; to line 2395, column 156

```
<article class="contextual-region node-11555246 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile">␣ <a
```

171. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2446, column 15; to line 2446, column 151

```
<article class="contextual-region node-426 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

172. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2449, column 21; to line 2449, column 66

```
<div class="cdp-i field-item" role="listitem">
```

173. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2450, column 9; to line 2450, column 17

```
> <article>
```

174. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2446, column 15; to line 2446, column 151

```
<article class="contextual-region node-426 clearfix node
modstate-published cdp m-t500 g--1 g--3--sl" bos_context_type="Person
Profile"> <a
```

175. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2497, column 15; to line 2497, column 156

```
<article class="contextual-region node-11555256 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

176. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2500, column 21; to line 2500, column 66

```
<div class="cdp-i field-item" role="listitem">
```

177. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2501, column 9; to line 2501, column 17

```
>
```

178. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2497, column 15; to line 2497, column 156

```
<article class="contextual-region node-11555256 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile"> <a
```

179. **Error** Attribute `bos_context_type` not allowed on element `article` at this point.

From line 2548, column 15; to line 2548, column 156

```
<article class="contextual-region node-11555261 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile"> <a
```

Attributes for element [article](#):

[Global attributes](#)

180. **Error** An element with `role=listitem` must be contained in, or owned by, an element with `role=list` or `role=group`.

From line 2551, column 21; to line 2551, column 66

```
<div class="cdp-i field-item" role="listitem">
```

181. **Warning** Article lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all articles](#).

From line 2552, column 9; to line 2552, column 17

```
>
```


182. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 2548, column 15; to line 2548, column 156

```
<article class="contextual-region node-11555261 clearfix
node modstate-published cdp m-t500 g--1 g--3--sl"
bos_context_type="Person Profile">... <a
```

183. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 443, column 7; to line 443, column 61

```
">... <section class="main-content" id="content" role="main">...</section>
```

184. **Warning** The `navigation` role is unnecessary for element `nav`.

From line 2622, column 7; to line 2622, column 142

```
e">... <nav role="navigation" aria-labelledby="block-footermenu-
menu" id="block-footermenu" data-block-plugin-id="menu_block:menu-
footer-menu">...</nav>
```

185. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 2728, column 3; to line 2728, column 33

```
cript>... <script type="text/javascript">window
```

186. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 2728, column 387; to line 2728, column 510

```
}</script><script async type="text/javascript"
src="/_Incapsula_Resource?
SWJIYLWA=719d34d31c8e3a6e6ffffd425f7e032f3&ns=1&cb=892331743"></scri
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 496 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.11.21