# FORM BUILDER

## Production UI/UX Handoff — Visual First

Field Workforce & Operations Management Platform

### 25 distinct approved UI screens / states


Every distinct screen from both batches is shown at large size on its own page.

**Visual authority**


Use these exact supplied screens as the visual source of truth. Where variants conflict, choose the target variant explicitly rather than blending them.

# All 25 UI Screens / States


This contact sheet confirms the complete visual set included in this document.




S01 End-user Purchase Requisition / Ne




S02 Documents / Attachments Tab Config




S03 Data Sources / Lookups Configurati




S04 Submission List / Purchase Requisi




S05 Notes Tab Configuration




S06 Form Preview ⊡ Interactive / Role-



S07 Approval Workflow Configuration ⊡




S08 Form Preview ⊡ Device / Test Form




S09 Rules / Conditions Builder ⊡ IF /



S10 Form Settings




S11 Add Tab / Tab Type Selection




S12 List View Configuration ⊡ Column S




S13 Form Versions / Version History




S14 Rules / Conditions Builder ⊡ Rule



S15 Header Configuration



S16 Details / Grid Tab Configuration



S17 Create New Form




S18 List View Configuration ⊡ Preview




S19 Import / Export Form ⊡ Import Conf




S20 Publish Form ⊡ Validation Errors /




S21 Approver Review / Pending Approval



S22 Submission Record View ⊡ In Review



S23 Approval Workflow Configuration ⊡



S24 Import / Export Form ⊡ Validation



S25 Publish Form ⊡ All Checks Passed /

# Screen Inventory

| ID | Screen / State | Category |
|---|---|---|
| **S01** | End-user Purchase Requisition / New Request | Runtime · Requester |
| **S02** | Documents / Attachments Tab Configuration | Builder · Tab configuration |
| **S03** | Data Sources / Lookups Configuration | Builder · Data |
| **S04** | Submission List / Purchase Requisitions | Operations · Submissions |
| **S05** | Notes Tab Configuration | Builder · Tab configuration |
| **S06** | Form Preview — Interactive / Role-based Variant | Builder · Preview |
| **S07** | Approval Workflow Configuration — Stage Settings Variant | Builder · Workflow |
| **S08** | Form Preview — Device / Test Form Variant | Builder · Preview |
| **S09** | Rules / Conditions Builder — IF / THEN Variant | Builder · Rules |
| **S10** | Form Settings | Builder · Settings |
| **S11** | Add Tab / Tab Type Selection | Builder · Design |
| **S12** | List View Configuration — Column Setup Variant | Builder · List View |
| **S13** | Form Versions / Version History | Builder · Versioning |
| **S14** | Rules / Conditions Builder — Rule Type Variant | Builder · Rules |
| **S15** | Header Configuration | Builder · Design |
| **S16** | Details / Grid Tab Configuration | Builder · Tab configuration |
| **S17** | Create New Form | Builder · Creation |
| **S18** | List View Configuration — Preview / Formatting Variant | Builder · List View |
| **S19** | Import / Export Form — Import Configuration | System · Portability |
| **S20** | Publish Form — Validation Errors / Warnings | System · Publishing |


| | | |
|---|---|---|
| **S21** | Approver Review / Pending Approval | Operations · Approval |
| **S22** | Submission Record View — In Review | Operations · Record |
| **S23** | Approval Workflow Configuration — Full Workflow Variant | Builder · Workflow |
| **S24** | Import / Export Form — Validation Success | System · Portability |
| **S25** | Publish Form — All Checks Passed / Ready to Publish | System · Publishing |

# End-to-End UX Flows

Screen IDs below reference the large visual catalog that follows.


| | |
|---|---|
| **F01 · Create → Configure → Preview → Publish** | S17 Create New Form → S11 Add Tab → S15 Header → S16 Details/Grid and/or S05 Notes / S02 Documents → S03 Data Sources when needed → S10 Form Settings → S09 or S14 Rules → S07 or S23 Workflow → S12 or S18 List View → S06 or S08 Preview → S20 validation issues if any → fix → S25 ready to publish → Publish. |
| **F02 · Requester Submission** | S01 New Request → complete configured sections/tabs → Save as Draft or Submit Request → S04 Submission List → S22 Submission Record. |
| **F03 · Approval Decision** | Pending approval entry → S21 Approver Review → inspect record/items/documents/notes/progress → Approve / Reject / Return → updated approval progress → S22 record state and S04 list state update. |
| **F04 · Publish Error Recovery** | S20 Publish validation errors/warnings → jump to affected builder area → correct configuration → re-run validation → S25 all checks passed → Publish. |
| **F05 · Versioning / Edit Published Form** | S13 Version History → inspect/duplicate/create new draft version → edit in normal builder flow → Preview → Publish validation → publish new version. Historical published versions remain historical. |
| **F06 · Import Existing Form** | S19 Import Configuration → upload JSON and select import mode → validate → S24 validation success → import to draft → review/edit → Preview → Publish. |
| **F07 · Data Source to Lookup** | S03 Data Sources → configure source/mapping/connectivity → use from lookup-capable fields in builder → Preview → Publish. A dedicated standalone Field Properties screen was not supplied in these two batches. |

# S01 · End-user Purchase Requisition / New Request | Runtime · Requester





Purpose: Capture a new purchase requisition in the published end-user experience. | Source: Modern Purchase Requisition Dashboard(2).png

# S02 · Documents / Attachments Tab Configuration | Builder · Tab configuration





Purpose: Configure a Documents-type tab inside the form design. | Source: WorkFlow Pro Attachment Builder(2).png

# S03 · Data Sources / Lookups Configuration | Builder · Data





Purpose: Manage reusable data sources used by lookup fields. | Source: Purchase Requisition Data Sources Dashboard(2).png

# S04 · Submission List / Purchase Requisitions | Operations · Submissions





Purpose: Manage and track submitted requests in a dense operational list. | Source: WorkFlow Pro Purchase Requisitions Dashboard(2).png

# S05 · Notes Tab Configuration | Builder · Tab configuration





Purpose: Configure the threaded Notes-type tab. | Source: WorkFlow Pro Notes Tab Builder (1)(1).png

# S06 · Form Preview — Interactive / Role-based Variant | Builder · Preview





Purpose: Test the draft form from an end-user role before publication. | Source: Purchase Requisition Form Preview(3).png

# S07 · Approval Workflow Configuration — Stage Settings Variant | Builder · Workflow





Purpose: Configure ordered approval stages and the selected stage settings. | Source: WorkFlow Pro Approval Workflow Dashboard(3).png

# S08 · Form Preview — Device / Test Form Variant | Builder · Preview





Purpose: Preview the draft form across desktop/tablet/mobile presentation modes. | Source: Purchase Requisition Form Preview(1) (1)(1).png

# S09 · Rules / Conditions Builder — IF / THEN Variant | Builder · Rules





Purpose: Create and manage declarative form rules. | Source: Form Rules Builder Dashboard (1)(1).png

# S10 · Form Settings | Builder · Settings





Purpose: Configure form-wide metadata, permissions and submission behaviour. | Source: Purchase Requisition Form Settings Dashboard(2).png

# S11 · Add Tab / Tab Type Selection | Builder · Design





Purpose: Add a new configurable tab beneath the form header. | Source: WorkFlow Pro Tab Configuration Preview(2).png

# S12 · List View Configuration — Column Setup Variant | Builder · List View





Purpose: Define which fields appear in the submissions list and how they behave. | Source: WorkFlow Pro List View Configuration(2).png

# S13 · Form Versions / Version History | Builder · Versioning





Purpose: Track form versions and create a safe path for future edits. | Source: WorkFlow Pro Version History Dashboard(2).png

# S14 · Rules / Conditions Builder — Rule Type Variant | Builder · Rules





Purpose: Configure rules with explicit rule-type selection. | Source: Purchase Requisition Rule Builder(2).png

# S15 · Header Configuration | Builder · Design





Purpose: Design the main/header area that appears above form tabs. | Source: Modern Form Header Configuration Dashboard(2).png

# S16 · Details / Grid Tab Configuration | Builder · Tab configuration





Purpose: Configure a repeating row/grid tab and its line-detail experience. | Source: Purchase Requisition Tab Builder(2).png

# S17 · Create New Form | Builder · Creation





Purpose: Create a new form definition and initial workspace structure. | Source: Contoso Form Builder Setup(2).png

# S18 · List View Configuration — Preview / Formatting Variant | Builder · List View





Purpose: Configure list columns while previewing the resulting submission table. | Source: Purchase Requisition List View Configuration(2).png

# S19 · Import / Export Form — Import Configuration | System · Portability





Purpose: Upload a form definition and choose how the import should be handled. | Source: S19-import-export-initial.png

# S20 · Publish Form — Validation Errors / Warnings | System · Publishing





Purpose: Block publication until configuration errors are resolved. | Source: S20-publish-validation-errors.png

# S21 · Approver Review / Pending Approval | Operations · Approval





Purpose: Give the current approver a focused decision workspace. | Source: WorkFlow Pro Purchase Approval Dashboard(2).png

# S22 · Submission Record View — In Review | Operations · Record





Purpose: Display the complete submitted record and its current workflow state. | Source: WorkFlow Pro Purchase Requisition Review(2).png

# S23 · Approval Workflow Configuration — Full Workflow Variant | Builder · Workflow





Purpose: Configure stages, selected-stage behaviour and workflow-wide properties in one workspace. | Source: WorkFlow Pro Approval Workflow Dashboard(1)(2).png

# S24 · Import / Export Form — Validation Success | System · Portability




Purpose: Confirm that an uploaded form definition is valid before import. | Source: S24-import-validation-success.png

# S25 · Publish Form — All Checks Passed / Ready to Publish | System · Publishing




Purpose: Provide the final publish confirmation after validation succeeds. | Source: S25-publish-ready.png

# Screen-by-Screen UX Specification

Behavioural notes for implementation. These do not replace the visual source pages above.

## S01 · End-user Purchase Requisition / New Request

| | |
|---|---|
| **Purpose** | Capture a new purchase requisition in the published end-user experience. |
| **Entry** | My Requests → New Request. |
| **Primary actions** | Complete General Information and other configured tabs; Save as Draft; Submit Request. |
| **Exit / implementation note** | Draft remains editable, or a submitted request moves into submission tracking and the approval lifecycle. Shows the runtime pattern: header/main information first, tabbed work areas, request summary, guidance and contextual help. |

## S02 · Documents / Attachments Tab Configuration

| | |
|---|---|
| **Purpose** | Configure a Documents-type tab inside the form design. |
| **Entry** | Form Builder → Design → select the Attachments tab. |
| **Primary actions** | Configure tab name/description/type, allowed file types, max file size/count, multiple-file and required-file behaviour, scan toggle and permissions. |
| **Exit / implementation note** | The Documents tab configuration remains part of the current form draft. This is configuration UI, not the end-user attachment screen. |

## S03 · Data Sources / Lookups Configuration

| | |
|---|---|
| **Purpose** | Manage reusable data sources used by lookup fields. |
| **Entry** | Data Sources / Lookups management. |
| **Primary actions** | Search sources, add a data source, edit source properties, configure connection details, test connection, map display/value fields, sync. |
| **Exit / implementation note** | Configured sources become available to lookup-enabled form fields. The supplied UI visibly includes static lists, APIs, SharePoint lists and external databases. Implementation scope for each connector must follow the backend/product plan. |

## S04 · Submission List / Purchase Requisitions

| | |
|---|---|
| **Purpose** | Manage and track submitted requests in a dense operational list. |
| **Entry** | Forms → Purchase Requisition → Submissions. |
| **Primary actions** | Search, filter by status/department/date, apply more filters, open a row, create a new submission, view the form. |
| **Exit / implementation note** | Open Submission Record, start New Submission, or remain in the filtered list. Configured list columns and system status/approver fields are combined in the operational table. |

## S05 · Notes Tab Configuration

| | |
|---|---|
| **Purpose** | Configure the threaded Notes-type tab. |
| **Entry** | Form Builder → Design → select Notes. |
| **Primary actions** | Set tab metadata, attachments, author/timestamp visibility, append-only behaviour, visibility audience, permissions and optional approval-stage linkage. |
| **Exit / implementation note** | The Notes configuration remains part of the current form draft. The screen explicitly presents notes as a history/thread rather than a single overwriteable text field. |

## S06 · Form Preview — Interactive / Role-based Variant

| | |
|---|---|
| **Purpose** | Test the draft form from an end-user role before publication. |
| **Entry** | Form Builder → Preview. |
| **Primary actions** | Select viewport/view-as role, choose interactive or read-only preview, reset/load sample data, navigate tabs and test form behaviour. |
| **Exit / implementation note** | Return to builder configuration; preview does not represent the published form. The source screen notes that some workflow actions may not be available in preview mode. |

## S07 · Approval Workflow Configuration — Stage Settings Variant

| | |
|---|---|
| **Purpose** | Configure ordered approval stages and the selected stage settings. |
| **Entry** | Form Builder → Workflow. |
| **Primary actions** | Add/reorder stages, set approver type, approval mode, comment requirements, return behaviour and outcomes on approve/reject/return. |
| **Exit / implementation note** | Workflow configuration remains attached to the form draft and is validated before publish. Sidebar also exposes Decision Rules, Notifications, Escalations and General Settings as visible design areas. |

## S08 · Form Preview — Device / Test Form Variant

| | |
|---|---|
| **Purpose** | Preview the draft form across desktop/tablet/mobile presentation modes. |
| **Entry** | Form Builder → Preview. |
| **Primary actions** | Switch device preview, preview as a role, toggle help/section descriptions, fill sample data and inspect configured tabs. |
| **Exit / implementation note** | Return to builder after visual/behavioural verification. The screen explicitly states that submissions made in this preview are not saved. |

## S09 · Rules / Conditions Builder — IF / THEN Variant

| | |
|---|---|
| **Purpose** | Create and manage declarative form rules. |
| **Entry** | Form Builder → Rules. |
| **Primary actions** | Search/add rules, enable/disable a rule, define IF condition(s), THEN action(s), and select fields/sections/system values. |
| **Exit / implementation note** | Rule remains in draft configuration and is tested through Preview / Publish validation. Rule group tabs shown include Show/Hide, Validation, Calculation and Workflow. |

## S10 · Form Settings

| | |
|---|---|
| **Purpose** | Configure form-wide metadata, permissions and submission behaviour. |
| **Entry** | Form Builder → Form Settings. |
| **Primary actions** | Edit basic information, access/permissions, submission settings, numbering/reference, notifications, general settings, appearance and advanced settings. |
| **Exit / implementation note** | Settings persist in the form draft and are checked before publication. Offline mode, API access and analytics controls are visible in the source design; their implementation scope must be confirmed separately. |

## S11 · Add Tab / Tab Type Selection

| | |
|---|---|
| **Purpose** | Add a new configurable tab beneath the form header. |
| **Entry** | Form Builder → Design → Add Tab. |
| **Primary actions** | Name the tab; choose Details/Grid, Form/Fields, Notes or Documents; set icon, position, initial layout, visibility and help text. |
| **Exit / implementation note** | Add Tab creates the tab and returns the user to its type-specific configuration. This is the clearest source screen defining the four tab types. |

## S12 · List View Configuration — Column Setup Variant

| | |
|---|---|
| **Purpose** | Define which fields appear in the submissions list and how they behave. |
| **Entry** | Form Builder → List View. |
| **Primary actions** | Add/reorder selected columns, edit field/label/width, allow sorting/filtering/mobile display, configure default sorting, search, page size and empty state. |
| **Exit / implementation note** | Configuration drives the operational Submission List. This variant emphasizes selected columns and a dedicated Column Properties panel. |

## S13 · Form Versions / Version History

| | |
|---|---|
| **Purpose** | Track form versions and create a safe path for future edits. |
| **Entry** | Form Builder → Versions. |
| **Primary actions** | Inspect version metadata/change summary, restore/select a historical version, duplicate as a new version, create a version. |
| **Exit / implementation note** | Editing should continue through a new draft/version rather than mutating historical published data. The UI shows Draft and Published history together with current-version detail. |

## S14 · Rules / Conditions Builder — Rule Type Variant

| | |
|---|---|
| **Purpose** | Configure rules with explicit rule-type selection. |
| **Entry** | Form Builder → Rules. |
| **Primary actions** | Choose Show/Hide, Validation, Calculation, Set Value or Workflow rule type; define condition and action; enable/disable rule. |
| **Exit / implementation note** | Rule becomes part of the draft configuration for Preview and Publish validation. This is a distinct visual variant from S09 and should not be silently merged during implementation. |

## S15 · Header Configuration

| | |
|---|---|
| **Purpose** | Design the main/header area that appears above form tabs. |
| **Entry** | Form Builder → Design → Configure Header. |
| **Primary actions** | Configure Layout, Sections, Fields and Display Rules; choose 1–4 columns, section style/titles/spacing, add/reorder sections and fields; inspect Live Preview. |
| **Exit / implementation note** | Save Header returns the user to the form design workspace. Supports controlled layout rather than arbitrary pixel positioning. |

## S16 · Details / Grid Tab Configuration

| | |
|---|---|
| **Purpose** | Configure a repeating row/grid tab and its line-detail experience. |
| **Entry** | Form Builder → Design → select a Details/Grid tab. |
| **Primary actions** | Configure General, Columns, Line Details, Validations and Display Rules; add/reorder columns; set row behaviour and grid options; inspect read-only preview. |
| **Exit / implementation note** | Save Tab returns to the builder with updated grid configuration. The source explicitly supports add/edit/delete rows and an optional line-details section. |

## S17 · Create New Form

| | |
|---|---|
| **Purpose** | Create a new form definition and initial workspace structure. |
| **Entry** | Form Builder → Forms → Create New Form. |
| **Primary actions** | Enter form metadata, choose header layout, choose initial workspace setup, configure the first tab, Save Draft or Create and Open Builder. |
| **Exit / implementation note** | Creates a draft form and opens the builder when requested. A Templates navigation item is visible, but no template-selection flow was supplied in these batches. |

## S18 · List View Configuration — Preview / Formatting Variant

| | |
|---|---|
| **Purpose** | Configure list columns while previewing the resulting submission table. |
| **Entry** | Form Builder → List View. |
| **Primary actions** | Select fields, reorder columns, edit display name/width/sort/filter/link behaviour/alignment/format, add conditional formatting, control column visibility. |
| **Exit / implementation note** | List View Preview reflects the draft configuration used by the Submission List. This is a distinct visual variant from S12 and includes more formatting/visibility controls. |

## S19 · Import / Export Form — Import Configuration

| | |
|---|---|
| **Purpose** | Upload a form definition and choose how the import should be handled. |
| **Entry** | Forms → Purchase Requisition → Import / Export. |
| **Primary actions** | Upload JSON, choose Create as new form / Update existing form / Validate only, run Import Form, inspect Recent Imports. |
| **Exit / implementation note** | Validation/import result or return to the form. Export Form and Export Submissions tabs are visible, but detailed export-tab screens were not supplied. |

## S20 · Publish Form — Validation Errors / Warnings

| | |
|---|---|
| **Purpose** | Block publication until configuration errors are resolved. |
| **Entry** | Form Builder → Publish. |
| **Primary actions** | Review errors, warnings and passed checks; use Go to Workflow / Go to Fields / Configure links; re-run validation; review publish options. |
| **Exit / implementation note** | Return to affected configuration areas or proceed toward Review only after blocking errors are resolved. The source uses a four-step publish journey: Validate → Review → Confirm → Completed. |

## S21 · Approver Review / Pending Approval

| | |
|---|---|
| **Purpose** | Give the current approver a focused decision workspace. |
| **Entry** | Approvals → Pending Approvals → selected request. |
| **Primary actions** | Review requisition information/items/documents/notes/history; choose Approve, Reject or Return; add comments/internal note; move Previous/Next. |
| **Exit / implementation note** | Decision updates Approval Progress and the request lifecycle. This is the dedicated approval-action experience, distinct from the general record view. |

## S22 · Submission Record View — In Review

| | |
|---|---|
| **Purpose** | Display the complete submitted record and its current workflow state. |
| **Entry** | Forms → Purchase Requisition → Submissions → selected record. |
| **Primary actions** | Review overview/items/documents/notes/approval history/related records; print/export; inspect status, current approver and approval progress. |
| **Exit / implementation note** | Return to submission list, navigate Previous/Next, or take an available approval action when authorized. The supplied screen is an In Review state and includes approval controls in the status panel. |

## S23 · Approval Workflow Configuration — Full Workflow Variant

| | |
|---|---|
| **Purpose** | Configure stages, selected-stage behaviour and workflow-wide properties in one workspace. |
| **Entry** | Form Builder → Workflow. |
| **Primary actions** | Add/reorder stages, set approver/backup/condition, configure approve/reject responses and notifications; configure delegation, reassignment, history and escalation settings. |
| **Exit / implementation note** | Test workflow or keep configuration in the current form draft. This is a more advanced workflow variant than S07; advanced capabilities visible here should follow confirmed product scope. |

## S24 · Import / Export Form — Validation Success

| | |
|---|---|
| **Purpose** | Confirm that an uploaded form definition is valid before import. |
| **Entry** | Import Form Definition after selecting a JSON file. |
| **Primary actions** | Review successful validation result and imported definition summary; proceed with Validate & Import or cancel. |
| **Exit / implementation note** | Create/update the form draft according to the selected import option. The source shows form/version/tab/field/workflow/rule metadata after validation. |

## S25 · Publish Form — All Checks Passed / Ready to Publish

| | |
|---|---|
| **Purpose** | Provide the final publish confirmation after validation succeeds. |
| **Entry** | Publish flow after all blocking checks pass. |
| **Primary actions** | Review passed checks and Publish Summary; go Back, Save as Draft or Publish Form. |
| **Exit / implementation note** | Publish the validated form for its configured audience, or return without publishing. This is the ready-to-publish state corresponding to the error state in S20. |

# Production Implementation Rules

- Implement the exact target visual variant; do not blend conflicting Rules, Workflow, Preview or List View variants.
- Preserve the Form Builder as a reusable module. Purchase Requisition is sample configuration, not hardcoded core logic.
- Add production states not fully shown in the mockups: loading, empty, error, disabled, permission-denied, unsaved-change, validation and retry states where relevant.
- Use accessible semantic controls, keyboard operability, visible focus states and clear validation messaging.
- Builder is desktop-oriented; runtime/record/approval views must adapt cleanly to smaller widths.
- Do not make the browser client authoritative for permissions, approvals, version lifecycle or persistence.
- Published/historical versions must not be mutated directly; continue edits through a new draft/version.
- After each implemented screen, compare a fresh screenshot against the exact source image before moving on.