Welcome to Intro to





Mine Çetinkaya-Rundel

@minebocek
mine-cetinkaya-rundel
mine@stat.duke.edu

Workshop materials

OPTION 1



bit.ly/shiny-rmd-cloud


log in and sit tight

OPTION 2



bit.ly/shiny-rmd-repo





2. launch rstudioconf-2018-intro-shiny-rmarkdown.Rproj



Clone or download ▼



Use SSH


Use Git or checkout with SVN using the web URL.

https://github.com/mine-cetinkaya-runde



Open in Desktop

Download ZIP



DEMO



Who are we?



Mine Çetinkaya-Rundel



Amanda Gadrow



Gabriela De Quieroz



Overview

- Day 1: (Mostly) R Markdown
- Day 2: (Mostly) Shiny
- Lots of info!
- Lots of "your turn" breaks
- Additional time for Q&A at the end of each day



Outline - Day 1

- 9am 10:30am -
- 10:30am 11am Morning break
- 11am 12:30pm -
- 12:30pm -1:30pm Lunch 👖
- 1:30pm 3pm -
- 3pm 3:30pm Afternoon break
- 3:30pm 5pm -





Getting started with R Markdown



What is Markdown?

- Lightweight markup language with plain text formatting syntax
- Designed so that it can be converted to HTML (and many other formats)





rstudioconf-2018-intro-shiny-rmarkdown

Materials for the "Intro to Shiny and R Markdown" 2-day workshop at rstudio::conf 2018.

Outline

Day 1: January 31

- 09:00 10:30: Session 1 Introduction to R Markdown
- · Welcome and motivation
- Demo: R, Markdown, knitr, Pandoc/YAML, Parameters, Templates, Tables, htmlwidgets, rpubs (and maybe shiny/shinyapps.io)
- Composing your prose (markdown)
 - o Text, headers, lists, hyperlinks
 - Math text
 - Images
 - Tables
 - Bibliographies and citations
 - The Markdown Quick Reference



A Markdown-formatted document should be publishable as-is, as plain text, without looking like it's been marked up with tags or formatting instructions.

- John Gruber



What is R Markdown?

- Markdown + R
- Text + R code (in chunks) gets converted to text + R code + R output in HTML (and many other formats)

my-first-rmd.Rmd my-first-rmd.Rmd 🚾 Insert 🗸 | 🎧 🔠 📑 Run 🗸 | 💁 🔻 | 🗏 title: "My First R Markdown doc" author: "Mine Cetinkaya-Rundel" date: "1/23/2018" 5 output: html_document 8 * ```{r setup, include=FALSE} 9 knitr::opts_chunk\$set(echo = TRUE) 12 - ## R Markdown 14 This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com 16 When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R c chunk like this: 17 18 ~ ```{r cars} ₩ 🔻 🕨 19 summary(cars)



My First R Markdown doc

Mine Cetinkaya-Rundel 1/23/2018

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
## speed dist
## Min. : 4.0 Min. : 2.00
## 1st Qu.:12.0 1st Qu.: 26.00
## Median :15.0 Median : 36.00
## Mean :15.4 Mean : 42.98
## 3rd Qu.:19.0 3rd Qu.: 56.00
## Max. :25.0 Max. :120.00
```



Your turn

- In RStudio, File → New File → R Markdown...
- Title: My first R Markdown doc
- Author: [INSERT NAME]
- OK
- Knit the document, saving the file as my-first-rmd. Rmd








Tips

- When you create an Rmd document, it will first ask you to give it a title, that is the **title** of the document. Use whatever capitalization you prefer in titles, and you can edit it later too.
- When you go to knit the file, it will ask for another name. This is the **filename**. You might want to keep it no-spaces-no-capitals.









Demo recap

- R, Markdown

knitr

Pandoc/YAML

Parameters

- Templates

- Tables

htmlwidgets

- RPubs

