



california  
health  
interview  
survey

## CHIS 2014 DATA DICTIONARY

Public Use File

Adult Survey

August 2015



# **CHIS 2014 DATA DICTIONARY**

## **Adult Survey**

## **Public Use File**

August 2015

adult.sas7bdat

Contact:  
California Health Interview Survey  
UCLA Center for Health Policy Research  
10960 Wilshire Blvd., Suite 1550  
Los Angeles, CA 90024  
Email: [chis@ucla.edu](mailto:chis@ucla.edu)

***Suggested Citation:***

California Health Interview Survey. CHIS 2014 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: August 2015

# TABLE OF CONTENTS

<b>1. Introduction .....</b>	<b>2</b>
1.1 CHIS 2014 Adult Survey Data File .....	2
1.2 Accompanying Files .....	2
<b>2. What's New in CHIS 2013-2014.....</b>	<b>2</b>
<b>3. CHIS 2013-2014 Design and Methodology Summary .....</b>	<b>4</b>
3.1 Overview .....	4
3.2 Switch to a Continuous Survey .....	5
3.3 Sample Design Objectives.....	6
3.4 Data Collection .....	8
3.5 Response Rates .....	9
3.6 Weighting the Sample .....	10
3.7 Imputation Methods.....	11
<b>4. How to Use the Data Dictionary.....</b>	<b>13</b>
<b>5. Sample Code for Analysis and Pooling of CHIS data.....</b>	<b>14</b>
<b>6. Data Dictionary Variable Listings .....</b>	<b>15</b>
A. Variable Name (Alphabetical) .....	15
B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire) .....	26
C. Restricted Variables .....	37
<b>7. Data Dictionary .....</b>	<b>38</b>
Section Q: Screening Information .....	38
Section A: Demographic Information, Part I.....	40
Section B: General Health Condition .....	50
Section C: Health Behaviors.....	72
Section D: General Health, Disability, and Sexual Health.....	86
Section F: Mental Health.....	97
Section G: Demographic Information, Part II & Child Care.....	111
Section H: Health Insurance .....	123
Section J: Health Care Utilization/Access and Dental Health.....	160
Section K: Employment, Income, Poverty Status & Food Security.....	187
Section L: Public Program Participation .....	201
Section M: Housing & Community Involvement.....	204
Section N: Demographic Info Part III, Geographic Info .....	209
Section O: Full Design and Replicate Weight Series 0-80.....	213

# 1. Introduction

## 1.1 CHIS 2014 Adult Survey Data File

The 2014 California Health Interview Survey (CHIS 2014) Adult Data File consists of individual records obtained from the 2014 data collection period of the CHIS 2013-2014 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact [dacchpr@ucla.edu](mailto:dacchpr@ucla.edu). Limited technical assistance is also available from CHIS – please send email to [chis@ucla.edu](mailto:chis@ucla.edu).

## 1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT\_PROC\_FORMAT.SAS
- c. **Format file:** ADULT\_FORMAT.SAS
- d. **Label file:** ADULT\_LABEL.SAS
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta  
See Section 3.7 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

## 2. What's New in CHIS 2013-2014

As an ongoing cross-sectional survey of California's population, each CHIS two-year data cycle has its own unique features. **This document describes the main cycle-specific methodological changes that were implemented in CHIS 2013-2014.** It is recommended that CHIS data users review the information below and detailed online documentation as necessary before analyzing or reporting CHIS data.

*CHIS Methodological Documentation Online:*

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **One-Year Data File Release** – CHIS 2013 and 2014 public use files (PUFs) were released as separate, one-year data files (one file for each year), which is different from the combined two-year data files released in the past. The switch to single-year data files was facilitated by continuous data collection, which began in the CHIS 2011-2012 data collection cycle. The CHIS 2013-2014 data collection cycle includes interviews conducted between February 2013 and early January 2015 with approximately half of the interviews conducted during calendar year 2013 and the other half during calendar year 2014. We will re-release CHIS 2011 and 2012 data files as separate, one-year files

later in 2015 for researchers who want to make single year estimates across this four-year timespan. Two-year data files for the CHIS 2013-2014 cycle can be requested later this year via our Data Access Center (DAC, see <http://healthpolicy.ucla.edu/chis/data/Pages/GetCHISData.aspx>).

As of the CHIS 2013 and 2014 data file release (August 2015), AskCHIS (<http://ask.chis.ucla.edu>) included individual year data for CHIS 2011, 2012, 2013, and 2014, so users can produce single-year estimates. In future years, we anticipate releasing one-year PUFs and updating AskCHIS annually, which will provide CHIS users with much more timely data and greater flexibility in structuring their analyses. Users should be cautious examining indicators for small populations (such as child, teen, or racial/ethnic groups) due to the smaller sample sizes of the one-year data; pooling two or more cycles of one-year data is generally advised.

Users who need more information about pooling/trending data over time should review the Analyze CHIS Data website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx> or go to the Analyze CHIS Data user forum at <http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>.

- 2) **Measuring Modified Adjusted Gross Income (MAGI) and Medi-Cal Eligibility** – CHIS has always included adult survey questions to estimate eligibility for California’s Medicaid program, Medi-Cal. The 2010 Patient Protection and Affordable Care Act (ACA) included numerous changes to Medi-Cal eligibility. Effective January 1, 2014, income-based eligibility for Medi-Cal and Healthy Families (California’s Children’s Health Insurance Program) participation is determined by Modified Adjusted Gross Income (MAGI). CHIS 2014 (and CHIS 2013, but most relevant to 2014) included the following changes to approximate a respondent’s MAGI.
  - a. Added two questions to identify households receiving workers’ compensation in the past month and the amount received in order to exclude workers’ compensation income from total income (AL32, AL33);
  - b. Modified questions on child support to eliminate “other” income sources (government or veterans’ programs) (AL15, AL16) to exclude child support income from total income;
  - c. Added two questions clarifying whether there is anyone else not living in the household, but living in the U.S., who is supported by the total household income reported (AK32, AK33).

The MAGI approximation informed the construction of the CHIS 2014 variable, **ELGMAGI3**, capturing uninsured individuals who are “newly eligible” for Medi-Cal under the ACA. **ELGMAGI3** also categorizes many uninsured individuals eligible for Healthy Families as *Medi-Cal eligible* due to the transition of Healthy Families enrollees into the Targeted Low Income Medicaid Program.

Detailed documentation about the MAGI variable is forthcoming. See the Analyze CHIS Data forum for more information (<http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>).

- 3) **New and Updated Survey Questions** – Most CHIS questions are included in every CHIS cycle, but some are added or removed depending on both stake-holder input on public health importance and funding availability. Noteworthy changes include:
  - a. New content CHIS 2013-2014:
    - i. 2014 only: Questions to determine Covered California (the state health insurance marketplace) participation and experience shopping for coverage in the individual market.

- ii. 2013-2014: Contraception use, access to general and specialty care, dental insurance, industry and occupation (forthcoming), teen and child sedentary behavior, and teen grade level and organizational involvement.
  - b. Removed content: falls among older adults; moderate and vigorous activity in the past week; fruit and vegetable consumption in the past month; mammography; teen drug use/sexual behavior and STI testing; and, bullying and interpersonal violence among teens.
- 4) **Japanese American Oversample and Tagalog Interviewing** – A special oversample of Japanese Americans was conducted using telephone numbers associated with Japanese first and last names. These phone numbers were used to increase the yield of Californians of Japanese descent for an oversample of about 130 Japanese Americans. The *CHIS 2013-2014 Methodology Report 1 – Sample Design* includes more information about this oversample. CHIS continued to oversample Koreans and Vietnamese as well. CHIS 2013-2014 also includes interviews in Tagalog, in addition to its usual languages: English, Spanish, Chinese (Cantonese and Mandarin dialects), Korean and Vietnamese.
- 5) **County Oversamples** – As before, some counties funded additional interviews. In CHIS 2013-2014, approximately 1,600 additional households were sampled in San Diego County to provide sub-county estimates (as has been done since 2005). Three other counties also included supplemental oversamples (Calaveras, Siskiyou, and Tuolumne) of about 400 additional households each. An address-based sample was used in Sonoma County to complete interviews in about 500 additional households.
- 6) **Dual-Frame Cell Phone & Landline RDD Sample** – In CHIS 2013-2014, 7,752 adult interviews were conducted from the cell phone sample (19.3% of adult interviews). In CHIS 2011-2012, 9,151 adult interviews were conducted from the cell phone sample (21.3% of adult interviews). CHIS 2009 had 3,047 (6.4% of adult interviews) interviews conducted from the cell phone sample. Like CHIS 2011-2012, CHIS 2013-2014 used county-level goals for the cell phone RDD sample. The complete sample design is in *CHIS 2013-2014 Methodology Report 5 – Sample Design* (to be released Fall 2015). For more about cell phone sampling from the American Association for Public Opinion Research see [http://www.aapor.org/Cell\\_Phone\\_Task\\_Force\\_Report.htm](http://www.aapor.org/Cell_Phone_Task_Force_Report.htm)

### 3. CHIS 2013-2014 Design and Methodology Summary

#### 3.1 Overview

A series of five methodology reports will be available with more detail about the methods used in CHIS 2013-2014:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at [CHIS@ucla.edu](mailto:CHIS@ucla.edu).

The CHIS is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011. CHIS is the largest state health survey and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health and the Department of Health Care Services. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

The sample is designed to meet and optimize two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (visit UCLA-CHPR's publication page at: [http://healthpolicy.ucla.edu/publications/Pages/default.aspx\\_for\\_examples\\_of\\_CHIS\\_studies](http://healthpolicy.ucla.edu/publications/Pages/default.aspx_for_examples_of_CHIS_studies)).

## **3.2 Switch to a Continuous Survey**

From the first CHIS cycle in 2001 through 2009, CHIS data was collected during a 7-9 month period every other year. Beginning in 2011, CHIS data have been collected continually over a 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

CHIS 2013-2014 data were collected between February 2013 and early January 2015. Approximately half of the interviews were conducted during the 2013 calendar year and half during the 2014 calendar year. As in previous CHIS cycles, weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc.) and thus not eligible to participate in CHIS. When the weights are applied to the data, the results represent California's residential population during that year for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at: <http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS Methods Report #5—Weighting and Variance Estimation, available at:



<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle year.

### 3.3 Sample Design Objectives

The CHIS 2013-2014 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed a dual-frame, multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. The random-digit-dial (RDD) sample was designed to achieve completed adult interviews with approximately 80% landline and 20% cellular phone numbers. For the landline RDD sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The Los Angeles County stratum included 8 sub-strata for Service Planning Areas, and the San Diego County stratum included 6 sub-strata for Health Service Districts. Approximately 1,600 additional households were sampled in San Diego County to obtain the sub-county estimates. Most of the strata (39 of 44) are made up of a single county with no sub-strata (counties 3-41 in Table 1-1), with three multi-county strata comprised of the 17 remaining counties (see Table 1-1). CHIS 2013-2014 also included supplemental geographic oversamples of landlines in 3 small counties (Calaveras, Siskiyou, and Tuolumne) that were part of multi-county strata (about 400 additional households for each county). An address-based sample of an additional 500 households was conducted in Sonoma County and oversamples of about 130 Japanese Americans, 104 Korean Americans, and 120 Vietnamese Americans were completed using list samples. A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective—to provide health estimates for adults at the local level. The same landline geographic stratification of the state has been used since CHIS 2005.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). However, given the smaller sample sizes of one-year data files, two or more pooled cycles of CHIS data are generally required to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, teens, etc. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames, drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. Surname and given name lists were used similarly to increase the yield of Californians of Japanese descent.

Table 3-1. California county and county group strata used in the CHIS 2013-2014 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou,
4. Santa Clara	24. Placer	Lassen, Modoc, Trinity, Del Norte
5. San Bernardino	25. Merced	44. Mariposa, Mono, Tuolumne,
6. Riverside	26. Butte	Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2013-2014, the goal was to complete approximately 8,000 interviews (20% of all RDD interviews statewide) with adults from the cell phone sample. Although the geographic information available for cell phone numbers is not as precise as that for landlines, cell phone numbers were assigned to the same 44 strata (i.e., 41 strata defined by a single county and 3 strata created by multiple counties). The cell phone stratification closely resembles that of the landline sample and has the same stratum names, though the cell phone strata represent slightly different geographic areas than the landline strata. As in CHIS 2011-2012, if a sampled cell number was shared by two or more adult members of a household, one household member was selected for the adult interview; otherwise the adult owner of the sampled number was selected. Cell numbers used exclusively by children under 18 were considered ineligible. About 480 teen interviews and 1,250 child interviews were completed from the cell phone sample in CHIS 2013-2014.

The cell phone sampling method used in CHIS has evolved since its first implementation in 2007 when only cell numbers belonging to adults in cell-only households were eligible for sampling adults. There have been two significant changes to the cell phone sample since 2009. First, all cell phone sample numbers used for non-business purposes by adults living in California were eligible for the extended interview. Thus, adults in households with landlines who had their own cell phones or shared one with another adult household member could have been selected through either the cell or landline sample. The second change was the inclusion of child and adolescent extended interviews.

The cell phone sample design and targets by stratum of the cell phone sample have also changed throughout the cycles of the survey. In CHIS 2007 a non-overlapping dual-frame design was implemented where cell phone only users were screened and interviewed in the cell phone sample. Beginning in 2009, an

overlapping dual-frame design has been implemented. In this design, dual phone users (e.g., those with both cell and landline service) can be selected and interviewed from either the landline or cellphone samples.

The number of strata has also evolved as more information about cell numbers has become available. In CHIS 2007 the cell phone frame was stratified into 7 geographic sampling strata created using telephone area codes. In CHIS 2009 and 2011-2012, the number of cell phone strata was increased to 28. These strata were created using both area codes and the geographic information assigned to the number. In CHIS 2011-2013, with the availability of more detailed geographic information, the number of strata was increased to 44 geographic areas that correspond to single and grouped counties similar to the landline strata.

### 3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, Korean, and, for the first time, Tagalog. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2013-2014 data collection under contract with the UCLA Center for Health Policy Research. For all samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. Children and adolescents were generally sampled at the end of the adult interview. In landline, list, and ABS sample households with children where the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview for child-first cases, the final data contain completed child and adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2013-2014 by the type of sample (landline RDD, surname list, cell RDD, and Sonoma ABS). These numbers are provided in greater detail in *CHIS 2013-2014 Methodology Series: Report 2 – Data Collection*. Note that these figures were accurate as of data collection completion and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://healthpolicy.ucla.edu/chis/design/Pages/sample.aspx>.

Table 3-2. Number of completed CHIS 2013-2014 interviews by type of sample and instrument

Type of sample	Adult*	Child	Adolescent
Total all samples	40,240 <sup>1</sup>	5,512	2,253
Landline RDD	31,615	4,164	1,738
Surname list	392	50	18
Cell RDD	7,752	1,256	482
Sonoma ABS	481	42	15

\*Includes interviews meeting the criteria as partially complete

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

Interviews in all languages were administered using Westat's computer-assisted telephone interviewing (CATI) system. The average adult interview took about 36 minutes to complete. The average child and adolescent interviews took about 16 minutes and 23 minutes, respectively. For "child-first" interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 11 percent of the adult interviews were completed in a language other than English, as were about 23 percent of all child (parent proxy) interviews and 5 percent of all adolescent interviews.

### 3.5 Response Rates

The overall response rate for CHIS 2013-2014 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 50.7 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and for 82.2 percent of surname list sample numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2013-2014 advance letter to encourage cooperation.

The CHIS 2013-2014 screener response rate for the landline/list sample was 28.8 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener response rate was 30.7 percent. The extended interview response rate for the landline/list sample varied across the adult (44.8 percent), child (68.9 percent) and adolescent (40.2 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview response rate for the cell sample was 52.1 percent, the child rate was 72.2 percent, and the adolescent rate 41.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2013-2014, the landline/list sample household response rate was 14.8 percent (the product of the screener response rate and the extended interview response rate at the household level of 51.4 percent). The cell sample household response rate was 16.6

---

<sup>1</sup>Numbers in this table represent the data publically released and available through our Data Access Center. Total sample sizes may differ for specific calculations within the five methodology reports, or for specific analyses based on CHIS data.

percent, incorporating a household-level extended interview response rate of 53.9 percent. All of the household and person level response rates vary by sampling stratum.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. However, comparing the CHIS and BRFSS response rates requires recomputing the CHIS response rates so they match the BRFSS response rate calculation methods. The 2013 California BRFSS landline response rate is 38.9 percent, the cell phone response rate is 39.3 percent, and the combined landline and cell phone rate is 39.0 percent.<sup>2</sup> Recalculating the CHIS response rates using the BRFSS method, the CHIS 2013-2014 landline response rate is 39.5, cell phone response rate is 32.1 percent, and the combined landline and cell phone response rate is 37.2 percent. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. For example, based on the last reported BRFSS refusal rates in 2011; the refusal rate for California (31.4%) was the highest in the nation and was twice the national median (16.0%). Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. For more information about the CHIS 2013-2014 response rates please see *CHIS 2013-2014 Methodology Series: Report 4 – Response Rates*.

Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data (see section 2.6 on imputation methods for more information).

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically-ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. For 248 adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

### 3.6 Weighting the Sample

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2013-2014 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;

---

<sup>2</sup> As reported in the Behavioral Risk Factor Surveillance System: 2013 Summary Data Quality Report. Retrieved May 22, 2015, available online at [http://www.cdc.gov/brfss/annual\\_data/2013/pdf/2013\\_dqr.pdf](http://www.cdc.gov/brfss/annual_data/2013/pdf/2013_dqr.pdf)

- Adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using an iterative proportional fitting method, or “raking” as it is commonly called, so that CHIS estimates are consistent with the marginal population control totals. This iterative procedure forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a pre-specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2013-2014 were created primarily from the California Department of Finance’s (DOF) 2014 Population Estimates and 2014 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

The 2014 DOF control totals used to create the CHIS 2013-2014 weights are based on 2010 Census counts, as were those used for the 2011-2012 cycle. Please pay close attention when comparing estimates using CHIS 2013-2014 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. See *CHIS 2013-2014 Methodology Series: Report 5 – Weighting and Variance Estimation* for more information on the weighting process.

### **3.7 Imputation Methods**

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is one of the most commonly used methods for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents who answer a survey item form a pool of donors, while the item non-respondents form a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Westat used hot deck imputation to impute the same items in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2013-2014 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match. Among the standard list of control variables, gender, age, race/ethnicity and region of California were imputed by Westat. UCLA-CHPR begins their imputation process by imputing household income and educational attainment, so that these characteristics are available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent’s value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

## 4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2014 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009 and CHIS 2011-12 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME14:** The names of the 2014 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME13:** The names of the 2013 survey items identical or similar to the 2013-14 items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME11:** The names of 2011-12 survey items identical or similar to the 2013-14 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
  - 1: INAPPLICABLE.
  - 2: PROXY SKIPPED.
  - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
  - 7: REFUSED.
  - 8: DON'T KNOW.
  - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.



## **5. Sample Code for Analysis and Pooling of CHIS data**

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

## 6. Data Dictionary Variable Listings

### A. Variable Name (Alphabetical)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
AB1	GENERAL HEALTH CONDITION	DD-13
AB106_P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)	DD-17
AB108_P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-21
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-27
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-27
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-28
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-29
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-32
AB116_P1	ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-33
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-33
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-34
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-34
AB120_P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-35
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-14
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-17
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-18
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-21
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-22
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)	DD-25
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-26
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-30
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-31
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-31
AB40	STILL HAS ASTHMA	DD-14
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15

VARIABLE	LABEL	PAGE
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-19
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-20
AB51_P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-23
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-32
AB63	LAST EYE EXAM DILATED PUPILS	DD-26
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-19
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-30
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-20
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-22
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-37
AC31_P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-39
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-43
AC34_P1	# DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-43
AC35_P1	# DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-44
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	DD-45
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-46
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-46
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	DD-47
AC47_P1	# OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)	DD-47
AC48_P1	# OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)	DD-48
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	DD-48
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	DD-49
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-74
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-126
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-40
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-35
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-37
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-52
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-54
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-55
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-55
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-55
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-54
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-39
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-40
AE16_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-41
AE30	FLU VACCINE IN PAST 12 MOS	DD-60
AESODA_P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-38
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-38
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-68

VARIABLE	LABEL	PAGE
AF63	FEEL NERVOUS WORST MONTH	DD-69
AF64	FEEL HOPELESS WORST MONTH	DD-70
AF65	FEEL RESTLESS WORST MONTH	DD-61
AF66	FEEL DEPRESSED WORST MONTH	DD-61
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-62
AF68	FEEL WORTHLESS WORST MONTH	DD-62
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-63
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-63
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-64
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-64
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	DD-145
AG10	RESPONDENT USUALLY WORKS	DD-83
AG11	SPOUSE USUALLY WORKS	DD-84
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-77
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-82
AG3	HAVE ANY KIND OF DENTAL INSURANCE	DD-146
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-84
AG9 P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-85
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-123
AH100	ANYONE HELP FIND HEALTH PLAN	DD-111
AH101 P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-111
AH102 P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-112
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-112
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	DD-115
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	DD-116
AH109	SPOUSE COVERED BY COVERED CA	DD-116
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	DD-117
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	DD-117
AH112	FIND PLAN COULD AFFORD-COVERED CA	DD-118
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	DD-118
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	DD-119
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	DD-119
AH117	COST OF SELECTED PLAN IMPORTANT	DD-120
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	DD-120
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	DD-121
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-144
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	DD-121
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-96
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-131
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-133
AH33NEW	BORN IN U.S.	DD-74
AH34NEW	MOTHER BORN IN U.S.	DD-75
AH35NEW	FATHER BORN IN U.S.	DD-75

VARIABLE	LABEL	PAGE
AH37	'LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-77
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-123
AH43A	LIVING WITH A PARENT	DD-80
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-80
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-81
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-86
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-87
AH52_P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-88
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-126
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-94
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-94
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-110
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-113
AH96_P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-113
AH97_P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-114
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-114
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-115
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-81
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-89
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-89
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-92
AI22C	MAIN HEALTH PLAN IS HMO	DD-91
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-93
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-93
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-96
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-90
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-88
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-91
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-90
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-65
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-130
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-134
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-134
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-135
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-135
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-136
AJ108	EVER USED INTERNET	DD-136

VARIABLE	LABEL	PAGE
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-131
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-137
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-137
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-138
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-138
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	DD-139
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	DD-139
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	DD-140
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	DD-140
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	DD-141
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	DD-141
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	DD-142
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	DD-142
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	DD-143
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	DD-143
AJ140	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-56
AJ141	RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR	DD-57
AJ142_P1	MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE)	DD-57
AJ143_P1	PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)	DD-58
AJ144	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-58
AJ145	RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR	DD-59
AJ146	PLACE RECEIVED MAIN BIRTH CONTROL METHOD	DD-59
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-132
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-133
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-60
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-65
AJ31	FELL RESTLESS PAST 30 DAYS	DD-66
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-66
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-67
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-67
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-129
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-127
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-128
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-128
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-129
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-132
AJ8B	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-144
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-130
AK1	WORK STATUS LAST WEEK	DD-150
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-154
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-155
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR	DD-167

VARIABLE	LABEL	PAGE
	MOBILE HOME	
AK25	OWN OR RENT HOME	DD-167
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-170
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-151
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	DD-156
AK33_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	DD-156
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-152
AK7_P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	DD-152
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	DD-154
AKWKLNG	TIME AT MAIN JOB	DD-153
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-166
AL2	RECEIVING TANF OR CALWORKS	DD-164
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-165
AL32	RECD ANY WORKERS COMPENSATION LAST MO	DD-166
AL5	RECEIVING FOOD STAMP BENEFITS	DD-164
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-165
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-157
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-168
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-157
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	DD-168
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-169
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM34	TELEPHONE CALLS RECEIVED	DD-172
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-169
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-170
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-171
AM38_P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-172
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-171
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-159
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-171
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-159
ASTCUR	CURRENT ASTHMA STATUS	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-16
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-45
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-53
CARE PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	DD-146
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-72

VARIABLE	LABEL	PAGE
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-78
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	DD-122
COVRDCA_S	SPOUSE WITH PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	DD-122
DIABCK_P1	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)	DD-23
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-56
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-68
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-127
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-70
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-71
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-71
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-69
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	DD-163
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PRE-ACA)	DD-163
ER	ER VISIT WITHIN THE PAST YEAR	DD-145
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-73
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE)	DD-86
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-85
FORGO	HAD TO FORGO NECESSARY CARE	DD-146
FPG	FEDERAL POVERTY GUIDELINE	DD-161
FSLEV	FOOD SECURITY STATUS LEVEL	DD-160
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-160
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-50
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-49
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-50
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
HMO	HMO STATUS	DD-92
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-97
INS	CURRENTLY INSURED	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-98
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-99
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-99
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-100
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-100
INSANY	ANY INS IN LAST 12 MOS	DD-101
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-101
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-102
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-105
INSMC	COVERED BY MEDICARE	DD-102
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-103
INSMC_S	COVERED BY MEDI-CAL	DD-103
INSMC_S	SPOUSE COVERED BY MEDI-CAL	DD-104



VARIABLE	LABEL	PAGE
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-105
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-107
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-107
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	DD-108
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-108
INS_S	SPOUSE CURRENTLY INSURED	DD-98
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-13
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-76
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-11
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-12
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-12
NUMCIG	# OF CIGARETTES PER DAY	DD-42
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-109
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-110
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
OVRWT	OVERWEIGHT OR OBESE	DD-54
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-79
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-147
PC_NEWP	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS	DD-147
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-162
POVLL	POVERTY LEVEL	DD-162
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	DD-161
PROXY	A PROXY INTERVIEW	DD-2
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-8
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-9
RACEHP2_P	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-9
RAKEDW0	CHIS2014RAKED WEIGHT - FULL SAMPLE	DD-176
RAKEDW1	CHIS2014 RAKED WEIGHT - REPLICATE 1	DD-176
RAKEDW10	CHIS2014 RAKED WEIGHT - REPLICATE 10	DD-179
RAKEDW11	CHIS2014 RAKED WEIGHT - REPLICATE 11	DD-180
RAKEDW12	CHIS2014 RAKED WEIGHT - REPLICATE 12	DD-180
RAKEDW13	CHIS2014 RAKED WEIGHT - REPLICATE 13	DD-180
RAKEDW14	CHIS2014 RAKED WEIGHT - REPLICATE 14	DD-181
RAKEDW15	CHIS2014 RAKED WEIGHT - REPLICATE 15	DD-181
RAKEDW16	CHIS2014 RAKED WEIGHT - REPLICATE 16	DD-181
RAKEDW17	CHIS2014 RAKED WEIGHT - REPLICATE 17	DD-182

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW18	CHIS2014 RAKED WEIGHT - REPLICATE 18	DD-182
RAKEDW19	CHIS2014 RAKED WEIGHT - REPLICATE 19	DD-182
RAKEDW2	CHIS2014 RAKED WEIGHT - REPLICATE 2	DD-177
RAKEDW20	CHIS2014 RAKED WEIGHT - REPLICATE 20	DD-183
RAKEDW21	CHIS2014 RAKED WEIGHT - REPLICATE 21	DD-183
RAKEDW22	CHIS2014 RAKED WEIGHT - REPLICATE 22	DD-183
RAKEDW23	CHIS2014 RAKED WEIGHT - REPLICATE 23	DD-184
RAKEDW24	CHIS2014 RAKED WEIGHT - REPLICATE 24	DD-184
RAKEDW25	CHIS2014 RAKED WEIGHT - REPLICATE 25	DD-184
RAKEDW26	CHIS2014 RAKED WEIGHT - REPLICATE 26	DD-185
RAKEDW27	CHIS2014 RAKED WEIGHT - REPLICATE 27	DD-185
RAKEDW28	CHIS2014 RAKED WEIGHT - REPLICATE 28	DD-185
RAKEDW29	CHIS2014 RAKED WEIGHT - REPLICATE 29	DD-186
RAKEDW3	CHIS2014 RAKED WEIGHT - REPLICATE 3	DD-177
RAKEDW30	CHIS2014 RAKED WEIGHT - REPLICATE 30	DD-186
RAKEDW31	CHIS2014 RAKED WEIGHT - REPLICATE 31	DD-186
RAKEDW32	CHIS2014 RAKED WEIGHT - REPLICATE 32	DD-187
RAKEDW33	CHIS2014 RAKED WEIGHT - REPLICATE 33	DD-187
RAKEDW34	CHIS2014 RAKED WEIGHT - REPLICATE 34	DD-187
RAKEDW35	CHIS2014 RAKED WEIGHT - REPLICATE 35	DD-188
RAKEDW36	CHIS2014 RAKED WEIGHT - REPLICATE 36	DD-188
RAKEDW37	CHIS2014 RAKED WEIGHT - REPLICATE 37	DD-188
RAKEDW38	CHIS2014 RAKED WEIGHT - REPLICATE 38	DD-189
RAKEDW39	CHIS2014 RAKED WEIGHT - REPLICATE 39	DD-189
RAKEDW4	CHIS2014 RAKED WEIGHT - REPLICATE 4	DD-177
RAKEDW40	CHIS2014 RAKED WEIGHT - REPLICATE 40	DD-189
RAKEDW41	CHIS2014 RAKED WEIGHT - REPLICATE 41	DD-190
RAKEDW42	CHIS2014 RAKED WEIGHT - REPLICATE 42	DD-190
RAKEDW43	CHIS2014 RAKED WEIGHT - REPLICATE 43	DD-190
RAKEDW44	CHIS2014 RAKED WEIGHT - REPLICATE 44	DD-191
RAKEDW45	CHIS2014 RAKED WEIGHT - REPLICATE 45	DD-191
RAKEDW46	CHIS2014 RAKED WEIGHT - REPLICATE 46	DD-191
RAKEDW47	CHIS2014 RAKED WEIGHT - REPLICATE 47	DD-192
RAKEDW48	CHIS2014 RAKED WEIGHT - REPLICATE 48	DD-192
RAKEDW49	CHIS2014 RAKED WEIGHT - REPLICATE 49	DD-192
RAKEDW5	CHIS2014 RAKED WEIGHT - REPLICATE 5	DD-178
RAKEDW50	CHIS2014 RAKED WEIGHT - REPLICATE 50	DD-193
RAKEDW51	CHIS2014 RAKED WEIGHT - REPLICATE 51	DD-193
RAKEDW52	CHIS2014 RAKED WEIGHT - REPLICATE 52	DD-193
RAKEDW53	CHIS2014 RAKED WEIGHT - REPLICATE 53	DD-194
RAKEDW54	CHIS2014 RAKED WEIGHT - REPLICATE 54	DD-194
RAKEDW55	CHIS2014 RAKED WEIGHT - REPLICATE 55	DD-194
RAKEDW56	CHIS2014 RAKED WEIGHT - REPLICATE 56	DD-195
RAKEDW57	CHIS2014 RAKED WEIGHT - REPLICATE 57	DD-195
RAKEDW58	CHIS2014 RAKED WEIGHT - REPLICATE 58	DD-195

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW59	CHIS2014 RAKED WEIGHT - REPLICATE 59	DD-196
RAKEDW6	CHIS2014 RAKED WEIGHT - REPLICATE 6	DD-178
RAKEDW60	CHIS2014 RAKED WEIGHT - REPLICATE 60	DD-196
RAKEDW61	CHIS2014 RAKED WEIGHT - REPLICATE 61	DD-196
RAKEDW62	CHIS2014 RAKED WEIGHT - REPLICATE 62	DD-197
RAKEDW63	CHIS2014 RAKED WEIGHT - REPLICATE 63	DD-197
RAKEDW64	CHIS2014 RAKED WEIGHT - REPLICATE 64	DD-197
RAKEDW65	CHIS2014 RAKED WEIGHT - REPLICATE 65	DD-198
RAKEDW66	CHIS2014 RAKED WEIGHT - REPLICATE 66	DD-198
RAKEDW67	CHIS2014 RAKED WEIGHT - REPLICATE 67	DD-198
RAKEDW68	CHIS2014 RAKED WEIGHT - REPLICATE 68	DD-199
RAKEDW69	CHIS2014 RAKED WEIGHT - REPLICATE 69	DD-199
RAKEDW7	CHIS2014 RAKED WEIGHT - REPLICATE 7	DD-178
RAKEDW70	CHIS2014 RAKED WEIGHT - REPLICATE 70	DD-199
RAKEDW71	CHIS2014 RAKED WEIGHT - REPLICATE 71	DD-200
RAKEDW72	CHIS2014 RAKED WEIGHT - REPLICATE 72	DD-200
RAKEDW73	CHIS2014 RAKED WEIGHT - REPLICATE 73	DD-200
RAKEDW74	CHIS2014 RAKED WEIGHT - REPLICATE 74	DD-201
RAKEDW75	CHIS2014 RAKED WEIGHT - REPLICATE 75	DD-201
RAKEDW76	CHIS2014 RAKED WEIGHT - REPLICATE 76	DD-201
RAKEDW77	CHIS2014 RAKED WEIGHT - REPLICATE 77	DD-202
RAKEDW78	CHIS2014 RAKED WEIGHT - REPLICATE 78	DD-202
RAKEDW79	CHIS2014 RAKED WEIGHT - REPLICATE 79	DD-202
RAKEDW80	CHIS2014 RAKED WEIGHT - REPLICATE 80	DD-203
RAKEDW8	CHIS2014 RAKED WEIGHT - REPLICATE 8	DD-179
RAKEDW9	CHIS2014 RAKED WEIGHT - REPLICATE 9	DD-179
RBMI	BMI DESCRIPTIVE	DD-53
RN_FORGO	REASONS FORGONE NECESSARY CARE	DD-148
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-148
SC_NEWP	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS	DD-149
<b>SECTION A</b>	<b>DEMOGRAPHIC INFORMATION, PART I</b>	<b>DD-3</b>
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-13</b>
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-35</b>
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-49</b>
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-60</b>
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-74</b>
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-86</b>
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION/ACCESS AND DENTAL HEALTH</b>	<b>DD-123</b>
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-150</b>
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-164</b>
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-167</b>
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO</b>	<b>DD-172</b>
<b>SECTION O</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-176</b>

VARIABLE	LABEL	PAGE
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-82
SMKCUR	CURRENT SMOKER	DD-41
SMOKING	CURRENT SMOKING HABITS	DD-42
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-72
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-78
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4
SRASO2	OTHER ASIAN (EXCLUDES JAPANESE)	DD-5
SRCH	SELF-REPORTED CHINESE	DD-5
SRH	SELF-REPORTED LATINO/HISPANIC	DD-7
SRJP	SELF-REPORTED JAPANESE	DD-6
SRKR	SELF-REPORTED KOREAN	DD-5
SRO	SELF-REPORTED OTHER RACE	DD-7
SRPH	SELF-REPORTED FILIPINO	DD-6
SRSEX	SELF-REPORTED GENDER	DD-4
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRW	SELF-REPORTED WHITE	DD-10
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	DD-149
UNINSANY	UNINSURED IN PAST 12 MOS	DD-109
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-173
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-173
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-174
UR_IHS	RURAL AND URBAN - IHS	DD-174
UR_OMB	RURAL AND URBAN - OMB	DD-174
UR_RHP	RURAL AND URBAN - RHP	DD-175
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-175
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-124
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-124
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-125
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	DD-125
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-51
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-51
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-52
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-73
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	DD-83
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-79

**B. Variable name (by Location in CHIS 2013-14 Adult Questionnaire)**

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
<b>SECTION Q</b>	<b>SCREENING INFORMATION</b>	<b>DD-1</b>
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	DD-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
<b>SECTION A</b>	<b>DEMOGRAPHIC INFORMATION, PART I</b>	<b>DD-3</b>
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	DD-3
SRSEX	SELF-REPORTED GENDER	DD-4
SRAS	SELF-REPORTED ASIAN	DD-4
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-4
SRASO2	OTHER ASIAN (EXCLUDES JAPANESE)	DD-5
SRCH	SELF-REPORTED CHINESE	DD-5
SRKR	SELF-REPORTED KOREAN	DD-5
SRJP	SELF-REPORTED JAPANESE	DD-6
SRPH	SELF-REPORTED FILIPINO	DD-6
SRVT	SELF-REPORTED VIETNAMESE	DD-6
SRH	SELF-REPORTED LATINO/HISPANIC	DD-7
SRO	SELF-REPORTED OTHER RACE	DD-7
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-8
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	DD-8
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	DD-9
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	DD-9
SRW	SELF-REPORTED WHITE	DD-10
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-10
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-10
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-11
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-11
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-12
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-12
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	DD-13
<b>SECTION B</b>	<b>GENERAL HEALTH CONDITION</b>	<b>DD-13</b>
AB1	GENERAL HEALTH CONDITION	DD-13
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-14
AB40	STILL HAS ASTHMA	DD-14
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15
ASTCUR	CURRENT ASTHMA STATUS	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-16
AB106_P	ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)	DD-17

VARIABLE	LABEL	PAGE
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-17
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS	DD-18
AH13A	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS	DD-18
AB67	ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS	DD-19
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	DD-19
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-20
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	DD-20
AB108_P1	CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)	DD-21
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-21
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	DD-22
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	DD-22
DIABCK_P1	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)	DD-23
AB51_P1	TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)	DD-23
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)	DD-25
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	DD-26
AB63	LAST EYE EXAM DILATED PUPILS	DD-26
AB109	VISITED ER FOR DIABETES IN PAST 12 MOS	DD-27
AB110_P	VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)	DD-27
AB111	ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS	DD-28
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE	DD-28
AB113	HAVE WRITTEN COPY OF DIABETES CARE PLAN	DD-29
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	DD-29
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	DD-30
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-30
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-31
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-31
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE	DD-32
AB115	VISITED ER FOR HEART DISEASE IN PAST 12 MOS	DD-32
AB116_P1	ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE)	DD-33
AB117	ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS	DD-33
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	DD-34
AB119	HAVE WRITTEN COPY OF HEART DISEASE CARE	DD-34

VARIABLE	LABEL	PAGE
AB120 P1	CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)	DD-35
<b>SECTION C</b>	<b>HEALTH BEHAVIORS</b>	<b>DD-35</b>
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	DD-35
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	DD-36
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	DD-37
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-37
AE SODA	# OF TIMES DRINKING SODA PER WEEK	DD-38
AESODA P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	DD-38
AC31 P1	# TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)	DD-39
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-39
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-40
AD32 P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	DD-40
AE16 P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	DD-41
SMKCUR	CURRENT SMOKER	DD-41
SMOKING	CURRENT SMOKING HABITS	DD-42
NUMCIG	# OF CIGARETTES PER DAY	DD-42
AC32	HAD ALCOHOL PAST 12 MONTHS	DD-43
AC34 P1	# DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-43
AC35 P1	# DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)	DD-44
BINGE12	BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-45
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	DD-45
AC42 P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	DD-46
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	DD-46
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	DD-47
AC47 P1	# OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)	DD-47
AC48 P1	# OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)	DD-48
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	DD-48
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	DD-49
<b>SECTION D</b>	<b>GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH</b>	<b>DD-49</b>
HGHTI P	HEIGHT: INCHES (PUF RECODE)	DD-49
HGHTM P	HEIGHT: METERS (PUF RECODE)	DD-50
HEIGHM P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-50
WEIGHK P	WEIGHT: KG - UCLA (PUF RECODE)	DD-51
WGHTK P	WEIGHT: KG (PUF RECODE)	DD-51
WGHTP P	WEIGHT: LBS (PUF RECODE)	DD-52
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-52
BMI P	BODY MASS INDEX (PUF RECODE)	DD-53
RBMI	BMI DESCRIPTIVE	DD-53
OVRWT	OVERWEIGHT OR OBESE	DD-54
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-54
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-54

VARIABLE	LABEL	PAGE
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-55
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-55
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-55
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-56
AJ140	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-56
AJ141	RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR	DD-57
AJ142_P1	MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE)	DD-57
AJ143_P1	PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)	DD-58
AJ144	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	DD-58
AJ145	RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR	DD-59
AJ146	PLACE RECEIVED MAIN BIRTH CONTROL METHOD	DD-59
AE30	FLU VACCINE IN PAST 12 MOS	DD-60
<b>SECTION F</b>	<b>MENTAL HEALTH</b>	<b>DD-60</b>
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-60
AF65	FEEL RESTLESS WORST MONTH	DD-61
AF66	FEEL DEPRESSED WORST MONTH	DD-61
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	DD-62
AF68	FEEL WORTHLESS WORST MONTH	DD-62
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	DD-63
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	DD-63
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	DD-64
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	DD-64
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-65
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-65
AJ31	FELL RESTLESS PAST 30 DAYS	DD-66
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-66
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-67
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-67
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	DD-68
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-68
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	DD-69
AF63	FEEL NERVOUS WORST MONTH	DD-69
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	DD-70
AF64	FEEL HOPELESS WORST MONTH	DD-70
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	DD-71
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	DD-71
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	DD-72
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	DD-72
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	DD-73
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	DD-73
<b>SECTION G</b>	<b>DEMOGRAPHIC INFORMATION, PART II &amp; CHILD CARE</b>	<b>DD-74</b>
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	DD-74
AH33NEW	BORN IN U.S.	DD-74



VARIABLE	LABEL	PAGE
AH34NEW	MOTHER BORN IN U.S.	DD-75
AH35NEW	FATHER BORN IN U.S.	DD-75
LNGHM P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	DD-76
AG21	LANGUAGE OF TV, RADIO, NEWSPAPERS	DD-77
AH37	'LEVEL OF ENGLISH PROFICIENCY: GENERAL	DD-77
SPK ENG	ENGLISH USE AND PROFICIENCY	DD-78
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-78
YRUS P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	DD-79
PCTLF P	PERCENT LIFE IN US (PUF RECODE)	DD-79
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-80
AH43A	LIVING WITH A PARENT	DD-80
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	DD-81
AHEDC P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	DD-81
AG22	EVER SERVE IN U.S. ARMED FORCES	DD-82
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	DD-82
AG10	RESPONDENT USUALLY WORKS	DD-83
WRKST P1	WORKING STATUS (PUF 1 YR RECODE)	DD-83
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-84
AG11	SPOUSE USUALLY WORKS	DD-84
AG9 P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	DD-85
FAMTYP P	FAMILY TYPE (PUF RECODE)	DD-85
FAMSIZE2 P1	FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE)	DD-86
<b>SECTION H</b>	<b>HEALTH INSURANCE</b>	<b>DD-86</b>
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-86
AH50 P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-87
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-88
AH52 P1	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)	DD-88
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-89
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-89
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-90
AI45 P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-90
AI45A P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	DD-91
AI22C	MAIN HEALTH PLAN IS HMO	DD-91
HMO	HMO STATUS	DD-92
AI22A P	NAME OF HEALTH PLAN (PUF RECODE)	DD-92
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-93
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	DD-93
AH71 P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	DD-94
AH72 P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	DD-94
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	DD-95

VARIABLE	LABEL	PAGE
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-96
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	DD-96
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-97
INS	CURRENTLY INSURED	DD-97
INS_S	SPOUSE CURRENTLY INSURED	DD-98
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-98
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-99
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-99
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-100
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-100
INSANY	ANY INS IN LAST 12 MOS	DD-101
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-101
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-102
INSMC	COVERED BY MEDICARE	DD-102
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-103
INSMC_S	COVERED BY MEDI-CAL	DD-103
INSMC_S	SPOUSE COVERED BY MEDI-CAL	DD-104
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-105
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	DD-105
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-106
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-107
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-107
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-108
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	DD-108
UNINSANY	UNINSURED IN PAST 12 MOS	DD-109
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-109
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-110
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	DD-110
AH100	ANYONE HELP FIND HEALTH PLAN	DD-111
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	DD-111
AH102_P1	# NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)	DD-112
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	DD-112
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	DD-113
AH96_P1	HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)	DD-113
AH97_P1	PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)	DD-114
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	DD-114
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	DD-115
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	DD-115
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	DD-116

VARIABLE	LABEL	PAGE
AH109	SPOUSE COVERED BY COVERED CA	DD-116
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	DD-117
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	DD-117
AH112	FIND PLAN COULD AFFORD-COVERED CA	DD-118
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	DD-118
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	DD-119
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	DD-119
AH117	COST OF SELECTED PLAN IMPORTANT	DD-120
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	DD-120
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	DD-121
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	DD-121
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	DD-122
COVRDCA S	SPOUSE WITH PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	DD-122
<b>SECTION J</b>	<b>HEALTH CARE UTILIZATION/ACCESS AND DENTAL HEALTH</b>	<b>DD-123</b>
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-123
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	DD-123
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-124
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-124
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	DD-125
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-125
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-126
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-126
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-127
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	DD-127
AJ78	CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS	DD-128
AJ79	HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE	DD-128
AJ80	DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS	DD-129
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-129
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-130
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-130
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-131
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	DD-131
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-132
AJ81	DELAYED PRESCRIPTION FOR ASTHMA	DD-132
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	DD-133
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	DD-133
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	DD-134
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	DD-134
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	DD-135
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	DD-135
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	DD-136
AJ108	EVER USED INTERNET	DD-136

VARIABLE	LABEL	PAGE
AJ110	CONFIDENCE TO COMPLETE APPL ONLINE ON OWN	DD-137
AJ111	SOMEONE TO HELP FILL OUT APPL ONLINE	DD-137
AJ112	HOW OFTEN DOC LISTENS CAREFULLY	DD-138
AJ113	HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO	DD-138
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	DD-139
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	DD-139
AJ131 P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	DD-140
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	DD-140
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	DD-141
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	DD-141
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	DD-142
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	DD-142
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	DD-143
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	DD-143
AJ8B	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-144
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-144
ER	ER VISIT WITHIN THE PAST YEAR	DD-145
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	DD-145
AG3	HAVE ANY KIND OF DENTAL INSURANCE	DD-146
CARE PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	DD-146
FORGO	HAD TO FORGO NECESSARY CARE	DD-146
PC INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-147
PC NEWP	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS	DD-147
RN FORGO	REASONS FORGONE NECESSARY CARE	DD-148
SC INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE	DD-148
SC NEWP	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS	DD-149
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	DD-149
<b>SECTION K</b>	<b>EMPLOYMENT, INCOME, POVERTY STATUS &amp; FOOD SECURITY</b>	<b>DD-150</b>
AK1	WORK STATUS LAST WEEK	DD-150
AK2 P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	DD-151
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-152
AK7 P1	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)	DD-152
AKWKLNG	TIME AT MAIN JOB	DD-153
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	DD-154
AK10 P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-154
AK10A P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-155
AK22 P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-155
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	DD-156
AK33 P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	DD-156
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-157

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-157
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-158
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-159
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-159
FSLEV	FOOD SECURITY STATUS LEVEL	DD-160
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	DD-160
FPG	FEDERAL POVERTY GUIDELINE	DD-161
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	DD-161
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-162
POVLL	POVERTY LEVEL	DD-162
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PRE-ACA)	DD-163
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	DD-163
<b>SECTION L</b>	<b>PUBLIC PROGRAM PARTICIPATION</b>	<b>DD-164</b>
AL2	RECEIVING TANF OR CALWORKS	DD-164
AL5	RECEIVING FOOD STAMP BENEFITS	DD-164
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-165
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-165
AL32	RECD ANY WORKERS COMPENSATION LAST MO	DD-166
AL18A	RECDV SOCIAL SECURITY OR PENSION LAST MONTH	DD-166
<b>SECTION M</b>	<b>HOUSING &amp; COMMUNITY INVOLVEMENT</b>	<b>DD-167</b>
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-167
AK25	OWN OR RENT HOME	DD-167
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	DD-168
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	DD-168
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	DD-169
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	DD-169
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-170
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	DD-170
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	DD-171
AM40	MEET INFORMALLY TO DEAL W/COMM PROB PAST YR	DD-171
AM37	CURRENTLY PAYING OFF MORTGAGE/HOME LOAN	DD-171
AM38_P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	DD-172
<b>SECTION N</b>	<b>DEMOGRAPHIC INFO PART III, GEOGRAPHIC INFO</b>	<b>DD-172</b>
AM34	TELEPHONE CALLS RECEIVED	DD-172
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-173
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-173
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-174
UR_IHS	RURAL AND URBAN - IHS	DD-174
UR_OMB	RURAL AND URBAN - OMB	DD-174
UR_RHP	RURAL AND URBAN - RHP	DD-175

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
UR TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-175
<b>SECTION 0</b>	<b>FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80</b>	<b>DD-176</b>
RAKEDW0	CHIS2014RAKED WEIGHT - FULL SAMPLE	DD-176
RAKEDW1	CHIS2014 RAKED WEIGHT - REPLICATE 1	DD-176
RAKEDW2	CHIS2014 RAKED WEIGHT - REPLICATE 2	DD-177
RAKEDW3	CHIS2014 RAKED WEIGHT - REPLICATE 3	DD-177
RAKEDW4	CHIS2014 RAKED WEIGHT - REPLICATE 4	DD-177
RAKEDW5	CHIS2014 RAKED WEIGHT - REPLICATE 5	DD-178
RAKEDW6	CHIS2014 RAKED WEIGHT - REPLICATE 6	DD-178
RAKEDW7	CHIS2014 RAKED WEIGHT - REPLICATE 7	DD-178
RAKEDW8	CHIS2014 RAKED WEIGHT - REPLICATE 8	DD-179
RAKEDW9	CHIS2014 RAKED WEIGHT - REPLICATE 9	DD-179
RAKEDW10	CHIS2014 RAKED WEIGHT - REPLICATE 10	DD-179
RAKEDW11	CHIS2014 RAKED WEIGHT - REPLICATE 11	DD-180
RAKEDW12	CHIS2014 RAKED WEIGHT - REPLICATE 12	DD-180
RAKEDW13	CHIS2014 RAKED WEIGHT - REPLICATE 13	DD-180
RAKEDW14	CHIS2014 RAKED WEIGHT - REPLICATE 14	DD-181
RAKEDW15	CHIS2014 RAKED WEIGHT - REPLICATE 15	DD-181
RAKEDW16	CHIS2014 RAKED WEIGHT - REPLICATE 16	DD-181
RAKEDW17	CHIS2014 RAKED WEIGHT - REPLICATE 17	DD-182
RAKEDW18	CHIS2014 RAKED WEIGHT - REPLICATE 18	DD-182
RAKEDW19	CHIS2014 RAKED WEIGHT - REPLICATE 19	DD-182
RAKEDW20	CHIS2014 RAKED WEIGHT - REPLICATE 20	DD-183
RAKEDW21	CHIS2014 RAKED WEIGHT - REPLICATE 21	DD-183
RAKEDW22	CHIS2014 RAKED WEIGHT - REPLICATE 22	DD-183
RAKEDW23	CHIS2014 RAKED WEIGHT - REPLICATE 23	DD-184
RAKEDW24	CHIS2014 RAKED WEIGHT - REPLICATE 24	DD-184
RAKEDW25	CHIS2014 RAKED WEIGHT - REPLICATE 25	DD-184
RAKEDW26	CHIS2014 RAKED WEIGHT - REPLICATE 26	DD-185
RAKEDW27	CHIS2014 RAKED WEIGHT - REPLICATE 27	DD-185
RAKEDW28	CHIS2014 RAKED WEIGHT - REPLICATE 28	DD-185
RAKEDW29	CHIS2014 RAKED WEIGHT - REPLICATE 29	DD-186
RAKEDW30	CHIS2014 RAKED WEIGHT - REPLICATE 30	DD-186
RAKEDW31	CHIS2014 RAKED WEIGHT - REPLICATE 31	DD-186
RAKEDW32	CHIS2014 RAKED WEIGHT - REPLICATE 32	DD-187
RAKEDW33	CHIS2014 RAKED WEIGHT - REPLICATE 33	DD-187
RAKEDW34	CHIS2014 RAKED WEIGHT - REPLICATE 34	DD-187
RAKEDW35	CHIS2014 RAKED WEIGHT - REPLICATE 35	DD-188
RAKEDW36	CHIS2014 RAKED WEIGHT - REPLICATE 36	DD-188
RAKEDW37	CHIS2014 RAKED WEIGHT - REPLICATE 37	DD-188
RAKEDW38	CHIS2014 RAKED WEIGHT - REPLICATE 38	DD-189
RAKEDW39	CHIS2014 RAKED WEIGHT - REPLICATE 39	DD-189
RAKEDW40	CHIS2014 RAKED WEIGHT - REPLICATE 40	DD-189
RAKEDW41	CHIS2014 RAKED WEIGHT - REPLICATE 41	DD-190
RAKEDW42	CHIS2014 RAKED WEIGHT - REPLICATE 42	DD-190

<b>VARIABLE</b>	<b>LABEL</b>	<b>PAGE</b>
RAKEDW43	CHIS2014 RAKED WEIGHT - REPLICATE 43	DD-190
RAKEDW44	CHIS2014 RAKED WEIGHT - REPLICATE 44	DD-191
RAKEDW45	CHIS2014 RAKED WEIGHT - REPLICATE 45	DD-191
RAKEDW46	CHIS2014 RAKED WEIGHT - REPLICATE 46	DD-191
RAKEDW47	CHIS2014 RAKED WEIGHT - REPLICATE 47	DD-192
RAKEDW48	CHIS2014 RAKED WEIGHT - REPLICATE 48	DD-192
RAKEDW49	CHIS2014 RAKED WEIGHT - REPLICATE 49	DD-192
RAKEDW50	CHIS2014 RAKED WEIGHT - REPLICATE 50	DD-193
RAKEDW51	CHIS2014 RAKED WEIGHT - REPLICATE 51	DD-193
RAKEDW52	CHIS2014 RAKED WEIGHT - REPLICATE 52	DD-193
RAKEDW53	CHIS2014 RAKED WEIGHT - REPLICATE 53	DD-194
RAKEDW54	CHIS2014 RAKED WEIGHT - REPLICATE 54	DD-194
RAKEDW55	CHIS2014 RAKED WEIGHT - REPLICATE 55	DD-194
RAKEDW56	CHIS2014 RAKED WEIGHT - REPLICATE 56	DD-195
RAKEDW57	CHIS2014 RAKED WEIGHT - REPLICATE 57	DD-195
RAKEDW58	CHIS2014 RAKED WEIGHT - REPLICATE 58	DD-195
RAKEDW59	CHIS2014 RAKED WEIGHT - REPLICATE 59	DD-196
RAKEDW60	CHIS2014 RAKED WEIGHT - REPLICATE 60	DD-196
RAKEDW61	CHIS2014 RAKED WEIGHT - REPLICATE 61	DD-196
RAKEDW62	CHIS2014 RAKED WEIGHT - REPLICATE 62	DD-197
RAKEDW63	CHIS2014 RAKED WEIGHT - REPLICATE 63	DD-197
RAKEDW64	CHIS2014 RAKED WEIGHT - REPLICATE 64	DD-197
RAKEDW65	CHIS2014 RAKED WEIGHT - REPLICATE 65	DD-198
RAKEDW66	CHIS2014 RAKED WEIGHT - REPLICATE 66	DD-198
RAKEDW67	CHIS2014 RAKED WEIGHT - REPLICATE 67	DD-198
RAKEDW68	CHIS2014 RAKED WEIGHT - REPLICATE 68	DD-199
RAKEDW69	CHIS2014 RAKED WEIGHT - REPLICATE 69	DD-199
RAKEDW70	CHIS2014 RAKED WEIGHT - REPLICATE 70	DD-199
RAKEDW71	CHIS2014 RAKED WEIGHT - REPLICATE 71	DD-200
RAKEDW72	CHIS2014 RAKED WEIGHT - REPLICATE 72	DD-200
RAKEDW73	CHIS2014 RAKED WEIGHT - REPLICATE 73	DD-200
RAKEDW74	CHIS2014 RAKED WEIGHT - REPLICATE 74	DD-201
RAKEDW75	CHIS2014 RAKED WEIGHT - REPLICATE 75	DD-201
RAKEDW76	CHIS2014 RAKED WEIGHT - REPLICATE 76	DD-201
RAKEDW77	CHIS2014 RAKED WEIGHT - REPLICATE 77	DD-202
RAKEDW78	CHIS2014 RAKED WEIGHT - REPLICATE 78	DD-202
RAKEDW79	CHIS2014 RAKED WEIGHT - REPLICATE 79	DD-202
RAKEDW80	CHIS2014 RAKED WEIGHT - REPLICATE 80	DD-203

## C. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

### Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	PUFLY_ID	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES			
VALUE:	.	0 - HIGH	FREQ 19516	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

[illegible]

LABEL:       HOUSEHOLD SIZE (PUF 1 YR RECODE)

MEAN STATISTICS	
N	19516
MIN	1
MAX	10
MEAN	2.42

UNIVERSE: ALL ADULTS

```
INPUT VAR: ADLTCNT KIDCNT
```

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

VARNAME:	INTVLANG	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	LANGUAGE OF INTERVIEW			
			FREQ	%
VALUE:	1	ENGLISH	17032	87.27
	2	SPANISH	1619	8.30
	3	VIETNAMESE	348	1.78
	4	KOREAN	156	0.80
	5	CANTONESE	115	0.59
	6	MANDARIN	219	1.12
	8	FILIPINO / TAGALOG	27	0.14
UNIVERSE:	ALL ADULTS			
INPUT VAR:	ENGLSPAN			
NOTES:				

VARNAME:	PROXY	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	A PROXY INTERVIEW			
VALUE:	1	YES		FREQ %
	2	NO		114 0.58
				19402 99.42
UNIVERSE:	ALL ADULTS			
INPUT VAR:	APRX1			
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRTENR QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		13268	67.99
2	RENT/SOME OTHER ARRANGEMENT		6248	32.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

## Section A: Demographic Information, Part I

---

VARNAME: SRAGE\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
18	18-25 YEARS		1046	5.36
26	26-29 YEARS		377	1.93
30	30-34 YEARS		702	3.60
35	35-39 YEARS		791	4.05
40	40-44 YEARS		1011	5.18
45	45-49 YEARS		1216	6.23
50	50-54 YEARS		1723	8.83
55	55-59 YEARS		2083	10.67
60	60-64 YEARS		2311	11.84
65	65-69 YEARS		2395	12.27
70	70-74 YEARS		1970	10.09
75	75-79 YEARS		1570	8.04
80	80-84 YEARS		1156	5.92
85	85+ YEARS		1165	5.97

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRSEX QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED GENDER

VALUE:			FREQ	%
1	MALE		7889	40.42
2	FEMALE		11627	59.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRAS QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		2146	11.00
2	NO		17370	89.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRASO QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		680	3.48
2	NO		18836	96.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME:	SRASO2	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	OTHER ASIAN (EXCLUDES JAPANESE)			
			FREQ	%
VALUE:	1	YES	341	1.75
	2	NO	19175	98.25
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRCH	QNAME14:	NA		
		QNAME13:	NA	QNAME11:	NA
LABEL:	SELF-REPORTED CHINESE				
				FREQ	%
VALUE:	1	YES		598	3.06
	2	NO		18918	96.94
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	SRKR	QNAME14:	NA		
		QNAME13:	NA	QNAME11:	NA
LABEL:	SELF-REPORTED KOREAN				
				FREQ	%
VALUE:	1	YES		216	1.11
	2	NO		19300	98.89
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRJP QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED JAPANESE

VALUE:	1	YES	FREQ	%
	2	NO	340	1.74
			19176	98.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRPH QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:	1	YES	FREQ	%
	2	NO	292	1.50
			19224	98.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRVT QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:	1	YES	FREQ	%
	2	NO	406	2.08
			19110	97.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRH QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		3793	19.44
2	NO		15723	80.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRO QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		1638	8.39
2	NO		17878	91.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: OMBSRR\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	HISPANIC	3793	19.44
2	WHITE, NON-HISPANIC (NH)	12345	63.26
3	AFRICAN AMERICAN ONLY, NOT HISPANIC	787	4.03
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH	147	0.75
5	ASIAN ONLY, NH	2008	10.29
6	OTHER, NH	36	0.18
7	TWO OR MORE RACES, NH	400	2.05

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO

NOTES:

VARNAME: RACECN\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	OTHER SINGLE RACE	1677	8.59
2	AMERICAN INDIAN/ALASKAN NATIVE	248	1.27
3	ASIAN	2038	10.44
4	AFRICAN AMERICAN	816	4.18
5	WHITE	14288	73.21
7	MORE THAN ONE RACE	449	2.30

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEDF\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LATINO	3793	19.44
2	NON-LATINO OTHER, ONE RACE	70	0.36
3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV	145	0.74
4	NON-LATINO ASIAN	2003	10.26
5	NON-LATINO AFR. AMER.	785	4.02
6	NON-LATINO WHITE	12319	63.12
8	NON-LATINO, TWO+ RACES	401	2.05

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEHP2\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LATINO	2454	12.57
2	OTHER SINGLE/MULTIPLE RACE	1387	7.11
3	AMERICAN INDIAN/ALASKAN NATIVE	209	1.07
4	ASIAN	2025	10.38
5	AFRICAN AMERICAN	820	4.20
6	WHITE	12621	64.67

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: SRW QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED WHITE

VALUE:	1	YES	FREQ	%
	2	NO	14694	75.29
			4822	24.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRAA QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:	1	YES	FREQ	%
	2	NO	917	4.70
			18599	95.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: SRAI QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:	1	YES	FREQ	%
	2	NO	542	2.78
			18974	97.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5C QNAME14: QA13\_A10  
QNAME13: QA13\_A10 QNAME11: QA11\_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-9	NOT ASCERTAINED		1	0.01
-8	DON'T KNOW		8	0.04
-1	INAPPLICABLE		19027	97.49
1	YES		106	0.54
2	NO		374	1.92

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: MARIT QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		9782	50.12
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		6876	35.23
3	NEVER MARRIED		2858	14.64

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	MARIT_45	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	MARITAL STATUS - AGE 45 AND OLDER			
			FREQ	%
VALUE:	-1	INAPPLICABLE	3927	20.12
	1	MARRIED	8070	41.35
	2	LIVING WITH PARTNER	479	2.45
	3	WIDOWED	2922	14.97
	4	DIVORCED/SEPARATED	2800	14.35
	5	NEVER MARRIED	1318	6.75
UNIVERSE:	ALL ADULTS AGE 45 AND OLDER			
INPUT VAR:	AH43 SRAGE			
NOTES:				

VARNAME:	MARIT2	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	MARITAL STATUS- 4 CATEGORIES			
			FREQ	%
VALUE:	1	MARRIED	9782	50.12
	2	LIVING W/ PARTNER	829	4.25
	3	WID/SEP/DIV	6047	30.98
	4	NEVER MARRIED	2858	14.64
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH43			
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	LATIN2TP	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	LATIN/HISPANIC SUBTYPES - 2 LVLS			
			FREQ	%
VALUE:	-1	NON-LATINO	15723	80.56
	1	MEXICAN	3088	15.82
	2	OTHER	705	3.61
UNIVERSE:	ADULTS WHO ARE LATINO OR HISPANIC			
INPUT VAR:				
NOTES:				

## Section B: General Health Condition

VARNAME:	AB1	QNAME14:	QA13_B1		
		QNAME13:	QA13_B1	QNAME11:	QA11_B1
LABEL:	GENERAL HEALTH CONDITION				
				FREQ	%
VALUE:	1	EXCELLENT		3255	16.68
	2	VERY GOOD		5994	30.71
	3	GOOD		5882	30.14
	4	FAIR		3205	16.42
	5	POOR		1180	6.05
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB17 QNAME14: QA13\_B2  
QNAME13: QA13\_B2 QNAME11: QA11\_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		2846	14.58
2	NO		16670	85.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB40 QNAME14: QA13\_B3  
QNAME13: QA13\_B3 QNAME11: QA11\_B3

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		16670	85.42
1	YES		1784	9.14
2	NO		1062	5.44

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB41 QNAME14: QA13\_B4  
QNAME13: QA13\_B4 QNAME11: QA11\_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	16670	85.42
	2	NO	957	4.90
			1889	9.68

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:	1	CURRENT ASTHMA	FREQ	%
	2	NO CURRENT ASTHMA	1848	9.47
			17668	90.53

UNIVERSE: ADULTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	ASTS	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA			
			FREQ	%
VALUE:	-1	INAPPLICABLE	16670	85.42
	1	SYMPTOMS	1939	9.94
	2	NO SYMPTOMS	907	4.65
UNIVERSE:	ALL ADULTS DIAGNOSED WITH ASTHMA			
INPUT VAR:	AB19 AB66			
NOTES:				

VARNAME:	ASTYR	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA			
			FREQ	%
VALUE:	-1	INAPPLICABLE	17668	90.53
	1	SYMPTOMS	1662	8.52
	2	NO SYMPTOMS	186	0.95
UNIVERSE:	ALL ADULTS WITH ASTHMA			
INPUT VAR:	AB19			
NOTES:				



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB106\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19354	99.17
1	YES		95	0.49
2	NO		67	0.34

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR: AB106

NOTES:

---

VARNAME: AB18 QNAME14: QA13\_B9

QNAME13: QA13\_B9 QNAME11: QA11\_B9

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		16670	85.42
1	YES		994	5.09
2	NO		1852	9.49

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME14: QA13\_B5  
QNAME13: QA13\_B5 QNAME11: QA11\_B5

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	17668	90.53
1	NOT AT ALL	186	0.95
2	LESS THAN EVERY MONTH	706	3.62
3	EVERY MONTH	398	2.04
4	EVERY WEEK	274	1.40
5	EVERY DAY	284	1.46

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH13A QNAME14: QA13\_B6  
QNAME13: QA13\_B6 QNAME11: QA11\_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

VALUE:		FREQ	%
-1	INAPPLICABLE	17668	90.53
1	YES	162	0.83
2	NO	1686	8.64

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB67 QNAME14: QA13\_B11  
QNAME13: QA13\_B11 QNAME11: QA11\_B11

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS

VALUE:			FREQ	%
-1	INAPPLICABLE		18518	94.89
1	YES		8	0.04
2	NO		990	5.07

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

VARNAME: AB42\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17426	89.29
0	0 DAYS		1974	10.11
1	1-2 DAYS		44	0.23
3	3-4 DAYS		32	0.16
5	5+ DAYS		40	0.20

UNIVERSE: ALL ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR: AB42

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB43

QNAME14: QA13\_B15

QNAME13: QA13\_B15

QNAME11: QA11\_B15

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		16670	85.42
1	YES		1606	8.23
2	NO		1240	6.35

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB98

QNAME14: QA13\_B16

QNAME13: QA13\_B16

QNAME11: QA11\_B16

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17910	91.77
1	YES		426	2.18
2	NO		1180	6.05

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS  
DEVELOP ASTHMA CARE PLAN

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB108\_P1 QNAME14: NA

QNAME13: NA QNAME11: QA11\_B17

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA (PUF 1 YR RECODE)

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	16575	84.93
1	VERY CONFIDENT	2158	11.06
2	SOMEWHAT CONFIDENT	555	2.84
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT	114	0.58

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: AB108

NOTES:

---

VARNAME: AB22 QNAME14: QA13\_B18

QNAME13: QA13\_B18 QNAME11: QA11\_B18

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:		FREQ	%
1	YES	2476	12.69
2	NO	16559	84.85
3	BORDERLINE OR PRE-DIABETES	481	2.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB99 QNAME14: QA13\_B19

QNAME13: QA13\_B19 QNAME11: QA11\_B19

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		481	2.46
1	YES		2325	11.91
2	NO		16710	85.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AB23\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	AGES 18 AND UNDER		68	0.35
2	AGES 19-29		100	0.51
3	AGES 30-39		251	1.29
4	AGES 40-49		459	2.35
5	AGES 50-59		724	3.71
6	AGES 60-69		572	2.93
7	AGES 70-79		225	1.15
8	AGES 80 AND OVER		77	0.39

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES:

-----

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   DIABCK\_P1                               QNAME14:   NA

QNAME13:   NA                               QNAME11:   NA

LABEL:       # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH (PUF 1 YR RECODE)

MEAN STATISTICS

N	2476
MIN	0
MAX	150
MEAN	38.99

UNIVERSE:   ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES:       TOPCODE = 150

VARNAME:   AB51\_P1                               QNAME14:   NA

QNAME13:   NA                               QNAME11:   NA

LABEL:       TYPE I OR TYPE II DIABETES (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	17083	87.53
1	TYPE I	203	1.04
2	TYPE 2	2230	11.43

UNIVERSE:   ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE I OR II DIABETES

INPUT VAR: AB51

NOTES:       EXCLUDES INDIVIDUALS WHO REPORTED ANOTHER TYPE OF DIABETES

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB24 QNAME14: QA13\_B22

QNAME13: QA13\_B22 QNAME11: QA11\_B22

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	YES		730	3.74
2	NO		1746	8.95

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

---

VARNAME: AB25 QNAME14: QA13\_B23

QNAME13: QA13\_B23 QNAME11: QA11\_B23

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	YES		1800	9.22
2	NO		676	3.46

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26 QNAME14: QA13\_B24  
QNAME13: QA13\_B24 QNAME11: QA11\_B24

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

N	2476
MIN	0
MAX	3650
MEAN	481.31

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB27\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	17040	87.31
0	0 TIMES	164	0.84
1	1 TIMES	408	2.09
2	2 TIMES	605	3.10
3	3 TIMES	331	1.70
4	4 TIMES	549	2.81
5	5+ TIMES	141	0.72
995	R NEVER HEARD OF IT	278	1.42

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB28\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	17040	87.31
0	0 TIMES	714	3.66
1	1 TIMES	563	2.88
2	2 TIMES	415	2.13
3	3 TIMES	218	1.12
4	4 TIMES	316	1.62
5	5+ TIMES	250	1.28

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB28

NOTES:

VARNAME: AB63 QNAME14: QA13\_B27

QNAME13: QA13\_B27 QNAME11: QA11\_B27

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	17040	87.31
1	WITHIN THE PAST MONTH	386	1.98
2	1 TO 12 MOS AGO	1489	7.63
3	1 TO 2 YRS AGO	276	1.41
4	2 OR MORE YRS AGO	216	1.11
5	NEVER	109	0.56

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB109 QNAME14: QA13\_B28

QNAME13: QA13\_B28 QNAME11: QA11\_B28

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	YES		135	0.69
2	NO		2341	12.00

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

-----  
VARNAME: AB110\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19381	99.31
1	YES		58	0.30
2	NO		77	0.39

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR  
DIATBETES IN PAST 12 MOS

INPUT VAR: AB110

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB111 QNAME14: QA13\_B30

QNAME13: QA13\_B30 QNAME11: QA11\_B30

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	YES		90	0.46
2	NO		2386	12.23

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

---

VARNAME: AB112 QNAME14: QA13\_B31

QNAME13: QA13\_B31 QNAME11: QA11\_B31

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17040	87.31
1	YES		1956	10.02
2	NO		520	2.66

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB113 QNAME14: QA13\_B32  
QNAME13: QA13\_B32 QNAME11: QA11\_B32

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17560	89.98
	2	NO	844	4.32
			1112	5.70

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS  
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB114\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	114	0.58
	1	VERY CONFIDENT	16950	86.85
	2	SOMEWHAT CONFIDENT	1503	7.70
	3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT	768	3.94
			181	0.93

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB114

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB81 QNAME14: QA13\_B34

QNAME13: QA13\_B34 QNAME11: QA11\_B34

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

VALUE:			FREQ	%
-1	INAPPLICABLE		7889	40.42
1	YES		496	2.54
2	NO		11067	56.71
3	BORDERLINE GESTATIONAL DIABETES		64	0.33

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

-----

VARNAME: AB29 QNAME14: QA13\_B35

QNAME13: QA13\_B35 QNAME11: QA11\_B35

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		8123	41.62
2	NO		11018	56.46
3	BORDERLINE HYPERTENSION		375	1.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME14: QA13\_B36

QNAME13: QA13\_B36 QNAME11: QA11\_B36

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		11393	58.38
1	YES		6532	33.47
2	NO		1591	8.15

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME14: QA13\_B37

QNAME13: QA13\_B37 QNAME11: QA11\_B37

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		2276	11.66
2	NO		17240	88.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB52 QNAME14: QA13\_B38

QNAME13: QA13\_B38 QNAME11: QA11\_B38

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		17240	88.34
1	YES		672	3.44
2	NO		1604	8.22

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB115 QNAME14: QA13\_B39

QNAME13: QA13\_B39 QNAME11: QA11\_B39

LABEL: VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17240	88.34
1	YES		387	1.98
2	NO		1889	9.68

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB116\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: ER VISIT FOR HEART DISEASE BECAUSE UNABLE TO SEE OWN DR (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19130	98.02
1	YES		138	0.71
2	NO		248	1.27

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR: AB116

NOTES:

VARNAME: AB117 QNAME14: QA13\_B41

QNAME13: QA13\_B41 QNAME11: QA11\_B41

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17240	88.34
1	YES		321	1.64
2	NO		1955	10.02

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AB118 QNAME14: QA13\_B42

QNAME13: QA13\_B42 QNAME11: QA11\_B42

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17240	88.34
1	YES		1747	8.95
2	NO		529	2.71

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

-----

VARNAME: AB119 QNAME14: QA13\_B43

QNAME13: QA13\_B43 QNAME11: QA11\_B43

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17769	91.05
1	YES		641	3.28
2	NO		1106	5.67

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL  
PROVIDER DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

-----

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AB120\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17156	87.91
1	VERY CONFIDENT		1245	6.38
2	SOMEWHAT CONFIDENT		809	4.15
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		192	0.98

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR: AB120

NOTES:

---

## Section C: Health Behaviors

---

VARNAME: AD37W QNAME14: QA13\_C1

QNAME13: QA13\_C1 QNAME11: QA11\_C1

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		7728	39.60
2	NO		11590	59.39
3	UNABLE TO WALK		198	1.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AD40W QNAME14: QA13\_C4

QNAME13: QA13\_C4 QNAME11: QA11\_C4

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		197	1.01
1	YES		12201	62.52
2	NO		7118	36.47

UNIVERSE: ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

---

VARNAME: AD41W QNAME14: QA13\_C5

QNAME13: QA13\_C5 QNAME11: QA11\_C5

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

MEAN STATISTICS

N	12181
MIN	1
MAX	75
MEAN	4.55

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST 7 DAYS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AD42W QNAME14: QA13\_C6  
QNAME13: QA11\_C6 QNAME11: QA11\_C6

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

MEAN STATISTICS	
N	12201
MIN	1
MAX	3600
MEAN	34.83

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST 7 DAYS

INPUT VAR:

NOTES:

---

VARNAME: AC11 QNAME14: QA13\_C7  
QNAME13: QA13\_C7 QNAME11: QA11\_C10

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS	
N	19516
MIN	0
MAX	300
MEAN	5.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE\_SODA QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	19516
MIN	0
MAX	69
MEAN	1.23

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

VARNAME: AESODA\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
0	0 TIMES	14327	73.41
1	1 TIME	1992	10.21
2	2-3 TIMES	1365	6.99
3	4-6 TIMES	406	2.08
4	7-13 TIMES	908	4.65
5	14-20 TIMES	289	1.48
6	21+ TIMES	229	1.17

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC31\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK (PUF 1 YR RECODE)

VALUE:			FREQ	%
0	0		9639	49.39
1	1		4683	24.00
2	2		2541	13.02
3	3		1293	6.63
4	4		597	3.06
5	5		350	1.79
6	6		89	0.46
7	7		215	1.10
8	8		22	0.11
9	9		87	0.45

UNIVERSE: ALL ADULTS

INPUT VAR: AC31

NOTES: TOPCODE = 9

VARNAME: AE15 QNAME14: QA13\_C14  
QNAME13: QA13\_C14 QNAME11: QA11\_C16

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:			FREQ	%
1	YES		7939	40.68
2	NO		11577	59.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A QNAME14: QA13\_C15

QNAME13: QA13\_C15 QNAME11: QA11\_C17

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:			FREQ	%
-1	INAPPLICABLE		11550	59.18
1	EVERY DAY		1340	6.87
2	SOME DAYS		504	2.58
3	NOT AT ALL		6122	31.37

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AD32\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18192	93.22
0	0 CIGARETTES		1	0.01
1	1-5 CIGARETTES		232	1.19
6	6-10 CIGARETTES		504	2.58
11	11-15 CIGARETTES		184	0.94
16	16+ CIGARETTES		403	2.06

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW  
SMOKE EVERY DAY

INPUT VAR: AD32

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19010	97.41
0	0 CIGARETTES		15	0.08
1	1 CIGARETTE		106	0.54
2	2 CIGARETTES		104	0.53
3	3 CIGARETTES		77	0.39
4	4 CIGARETTES		34	0.17
5	5 CIGARETTES		70	0.36
6	6-10 CIGARETTES		69	0.35
11	11+ CIGARETTES		31	0.16

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR: AE16

NOTES: TOPCODE = 6

VARNAME: SMKCUR QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: CURRENT SMOKER

VALUE:			FREQ	%
1	CURRENT SMOKER		1843	9.44
2	NOT CURRENT SMOKER		17673	90.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SMOKING QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		1843	9.44
2	QUIT SMOKING		6096	31.24
3	NEVER SMOKED REGULARLY		11577	59.32

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

VARNAME: NUMCIG QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:			FREQ	%
1	NONE		17686	90.62
2	<=1 CIGARETTES		135	0.69
3	2-5 CIGARETTES		504	2.58
4	6-10 CIGARETTES		573	2.94
5	11-19 CIGARETTES		218	1.12
6	20 OR MORE		400	2.05

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC32 QNAME14: QA14\_C64

QNAME13: QA13\_C20 QNAME11: QA11\_C22

LABEL: HAD ALCOHOL PAST 12 MONTHS

VALUE:			FREQ	%
1	YES		12995	66.59
2	NO		6521	33.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AC34\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		13770	70.56
0	0 DAYS		3565	18.27
1	1 DAYS		275	1.41
2	2 DAYS		307	1.57
3	3 DAYS		199	1.02
4	4 DAYS		119	0.61
5	5 DAYS		174	0.89
6	6 DAYS		101	0.52
7	7 DAYS		31	0.16
8	8-10 DAYS		188	0.96
11	11-14 DAYS		124	0.64
15	15-19 DAYS		49	0.25
20	20-24 DAYS		126	0.65
25	25-29 DAYS		28	0.14
30	30+ DAYS		460	2.36

UNIVERSE: MALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC34

NOTES:

-----

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC35\_P1

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	12267	62.86
0	0 DAYS	5302	27.17
1	1 DAYS	341	1.75
2	2 DAYS	347	1.78
3	3 DAYS	175	0.90
4	4 DAYS	139	0.71
5	5 DAYS	148	0.76
6	6 DAYS	100	0.51
7	7 DAYS	27	0.14
8	8-10 DAYS	153	0.78
11	11-14 DAYS	100	0.51
15	15-19 DAYS	30	0.15
20	20-24 DAYS	90	0.46
25	25-29 DAYS	14	0.07
30	30+ DAYS	283	1.45

UNIVERSE: FEMALE WHO DRANK ALCOHOL IN THE PAST 12 MOS

INPUT VAR: AC35

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE12

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:			FREQ	%
1	NO BINGE DRINKING PAST YEAR		15388	78.85
2	ONCE A YEAR		616	3.16
3	LESS THAN MONTHLY, MORE THAN ONCE A YEAR		1933	9.90
4	MONTHLY		488	2.50
5	LESS THAN WEEKLY BUT MORE THAN MONTHLY		539	2.76
6	DAILY OR WEEKLY		552	2.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC42

QNAME14: QA13\_C12

QNAME13: QA13\_C12

QNAME11: QA11\_C12

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB

VALUE:			FREQ	%
1	NEVER		675	3.46
2	SOMETIMES		1341	6.87
3	USUALLY		1847	9.46
4	ALWAYS		15370	78.76
5	DOESN'T EAT FRUITS AND VEGETABLES		21	0.11
6	DOESN'T SHOP FOR FRUITS AND VEGETABLES		119	0.61
7	DOESN'T SHOP IN HIS/HER NEIGHBORHOOD		143	0.73

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC42\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

VALUE:			FREQ	%
1	NEVER		675	3.46
2	SOMETIMES		1341	6.87
3	USUALLY		1847	9.46
4	ALWAYS		15370	78.76
5	DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL	283		1.45

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

---

VARNAME: AC44 QNAME14: QA13\_C13

QNAME13: QA13\_C13 QNAME11: QA11\_C13

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

VALUE:			FREQ	%
-1	INAPPLICABLE		958	4.91
1	NEVER		270	1.38
2	SOMETIMES		3190	16.35
3	USUALLY		5055	25.90
4	ALWAYS		10043	51.46

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC46 QNAME14: QA13\_C8  
QNAME13: QA13\_C8 QNAME11: NA

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

N	19516
MIN	0
MAX	240
MEAN	4.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC47\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF GLASSES OF WATER DRANK YESTERDAY (PUF 1 YR RECODE)

MEAN STATISTICS

N	19516
MIN	0
MAX	99
MEAN	6.16

UNIVERSE: ALL ADULTS

INPUT VAR: AC47

NOTES: EXCLUDED VALUE "99" IN CALCULATING THE MEAN; TOPCODE = 20; "99"  
REFERS TO LESS THAN 1 GLASS OF WATER

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AC48\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: # OF GLASSES OF NON-LOW/FAT MILK DRANK YESTERDAY (PUF 1 YR RECODE)

MEAN STATISTICS

N	19516
MIN	0
MAX	6
MEAN	0.50

UNIVERSE: ALL ADULTS

INPUT VAR: AC48

NOTES: TOPCODE = 6

VARNAME: AC49 QNAME14: QA13\_C25  
QNAME13: QA13\_C18 QNAME11: NA

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE:		FREQ	%
-1	INAPPLICABLE	17686	90.62
1	YES	941	4.82
2	NO	889	4.56

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC50 QNAME14: QA13\_C27  
QNAME13: QA13\_C19 QNAME11: NA

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17686	90.62
	2	NO	1292	6.62
			538	2.76

UNIVERSE: ADULTS WHO SMOKE DAILY/SOME DAYS PER WEEK AND HAD = 100 CIG. IN LIFETIME

INPUT VAR:

NOTES:

---

## Section D: General Health, Disability, and Sexual Health

---

VARNAME: HGHTI\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

	MEAN STATISTICS	
	N	19516
	MIN	42
	MAX	77
	MEAN	65.84

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: HGHTM\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HEIGHT: METERS (PUF RECODE)

## MEAN STATISTICS

N	19516
MIN	1
MAX	2
MEAN	1.67

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

---

VARNAME: HEIGHM\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

## MEAN STATISTICS

N	19516
MIN	1
MAX	2
MEAN	1.67

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   WEIGHK\_P                                   QNAME14:   NA  
  QNAME13:   NA                                   QNAME11:   NA

LABEL:       WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N	19516
MIN	41
MAX	150
MEAN	76.42

UNIVERSE:   ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES:       TOPCODE=150; BOTTOMCODE=41

---

VARNAME:   WGHTK\_P                                   QNAME14:   NA  
  QNAME13:   NA                                   QNAME11:   NA

LABEL:       WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

N	19516
MIN	41
MAX	150
MEAN	76.42

UNIVERSE:   ALL ADULTS

INPUT VAR: WGHTK

NOTES:       TOPCODE=150; BOTTOMCODE=41

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY[illegible]

LABEL:            WEIGHT: LBS (PUF RECODE)

## MEAN STATISTICS

N	19516
MIN	90
MAX	330
MEAN	168.47

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: AD50 QNAME14: QA13\_D3  
QNAME13: QA11\_D3 QNAME11: QA11\_D4

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

			FREQ	%
VALUE:	1	YES	2042	10.46
	2	NO	17474	89.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	19516
MIN	14
MAX	86
MEAN	27.39

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK\_P HEIGHM\_P

NOTES: TOPCODE=12; BOTTOMCODE=99

VARNAME: RBMI QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	345	1.77
2	NORMAL 18.5-24.99	7168	36.73
3	OVERWEIGHT 25.0-29.99	6848	35.09
4	OBESE 30.0+	5155	26.41

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Updated category labels to reflect 2010 CDC recommendations for  
overweight among teens.

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: OVRWT QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		12003	61.50
2	NO		7513	38.50

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

---

VARNAME: AD57 QNAME14: QA13\_D5

QNAME13: QA11\_D5 QNAME11: QA11\_D6

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

VALUE:			FREQ	%
1	YES		5028	25.76
2	NO		14488	74.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AD51 QNAME14: QA13\_D6

QNAME13: QA11\_D6 QNAME11: QA11\_D7

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		2963	15.18
2	NO		16553	84.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AD52 QNAME14: QA13\_D7  
QNAME13: QA13\_D7 QNAME11: QA11\_D8  
LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND  
VALUE: 1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

VARNAME: AD53 QNAME14: QA13\_D8  
QNAME13: QA11\_D8 QNAME11: QA11\_D9  
LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE  
VALUE: 1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

VARNAME: AD54 QNAME14: QA13\_D9  
QNAME13: QA11\_D9 QNAME11: QA11\_D10  
LABEL: HAS DIFFICULTY WORKING AT A JOB  
VALUE: -1 INAPPLICABLE  
1 YES  
2 NO  
UNIVERSE: ALL ADULTS UNDER 65 YEARS OLD  
INPUT VAR:  
NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   DISABLE                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

VALUE:			FREQ	%
1	DISABLED		7601	38.95
2	NOT DISABLED		11915	61.05

UNIVERSE:   ALL ADULTS

INPUT VAR:   SRAGE AD50 AD51 AD52 AD53 AD54 AD57

NOTES:       ADAPTED FROM AMERICAN COMMUNITY SURVEY;   FOR 65+,   AD54 IS EXCLUDED

---

VARNAME:   AJ140                                   QNAME14:   QA13\_J44

QNAME13:   QA13\_J44                                   QNAME11:   NA

LABEL:       RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17221	88.24
1	YES		576	2.95
2	NO		1605	8.22

UNIVERSE:   WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ141 QNAME14: QA13\_J45  
QNAME13: QA13\_J45 QNAME11: NA

LABEL: RECEIVED BIRTH CONTROL METHOD/RX FROM DR PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17221	88.24
1	YES		583	2.99
2	NO		1598	8.19

UNIVERSE: WOMEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ142\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: MAIN TYPE OF BIRTH CONTROL RECEIVED FROM DR PAST YR (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		18819	96.43
3	IUD (MIRENA PARAGARD)		93	0.48
5	BIRTH CONTROL PILLS		326	1.67
6	OTHER HORMONAL METHODS (INJECTION/DEPO-P		88	0.45
91	OTHER BIRTH CONTROL		76	0.39

UNIVERSE: WOMEN 18-44 YRS RECEIVED BIRTH CONTROL METHOD/RX FROM DR

INPUT VAR: AJ142

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ143\_P1

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD/RX (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		18819	96.43
1	PRIVATE DOCTOR'S OFFICE OR HMO FACILITY		303	1.55
3	HOSPITAL OR HOSPITAL CLINIC		81	0.42
4	PLANNED PARENTHOOD OR COUNTY HEALTH DEPT		113	0.58
6	OTHER		86	0.44

UNIVERSE: WOMEN 18-44 YEARS RECEIVING BIRTH CONTROL METHOD/PRESCRIPTION FROM DR

INPUT VAR: AJ143

NOTES:

VARNAME: AJ144

QNAME14: QA13\_J48

QNAME13: QA13\_J48

QNAME11: NA

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17673	90.56
1	YES		84	0.43
2	NO		1645	8.43

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ145

QNAME14: QA13\_J49

QNAME13: QA13\_J49

QNAME11: NA

LABEL: RECEIVED MALE BIRTH CONTROL METHOD FROM DOC PAST YR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17673	90.56
1	YES		110	0.56
2	NO		1619	8.30

UNIVERSE: MEN 18-44 YEARS

INPUT VAR:

NOTES:

VARNAME: AJ146

QNAME14: QA13\_J50

QNAME13: QA13\_J50

QNAME11: NA

LABEL: PLACE RECEIVED MAIN BIRTH CONTROL METHOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		19292	98.85
1	PRIVATE DOCTOR'S OFFICE		30	0.15
2	HMO FACILITY		2	0.01
3	HOSPITAL OR HOSPITAL CLINIC		24	0.12
4	PLANNED PARENTHOOD		12	0.06
5	COUNTY HEALTH DEPARTMENT, CLINIC		17	0.09
6	SCHOOL OR SCHOOL-BASED CLINIC		17	0.09
7	EMPLOYER OR COMPANY CLINIC		2	0.01
8	INDIAN HEALTH SERVICE		1	0.01
9	PHARMACY		2	0.01
91	SOME OTHER PLACE		3	0.02

UNIVERSE: MEN 18-44 YEARS RECEIVING MALE BIRTH CONTROL METHOD FROM DR

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AE30 QNAME14: QA13\_B45

QNAME13: NA QNAME11: NA

LABEL: FLU VACCINE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		11166	57.21
2	NO		8350	42.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

## Section F: Mental Health

---

VARNAME: AJ29 QNAME14: QA13\_F1

QNAME13: QA13\_F1 QNAME11: QA11\_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		312	1.60
2	MOST OF THE TIME		712	3.65
3	SOME OF THE TIME		3120	15.99
4	A LITTLE OF THE TIME		6444	33.02
5	NOT AT ALL		8814	45.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AF65 QNAME14: QA13\_F10  
QNAME13: QA13\_F10 QNAME11: QA11\_F10

LABEL: FEEL RESTLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	16049	82.24
1	ALL OF THE TIME	272	1.39
2	MOST OF THE TIME	552	2.83
3	SOME OF THE TIME	1078	5.52
4	A LITTLE OF THE TIME	803	4.11
5	NOT AT ALL	648	3.32

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

VARNAME: AF66 QNAME14: QA13\_F11  
QNAME13: QA13\_F11 QNAME11: QA11\_F11

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	16049	82.24
1	ALL OF THE TIME	194	0.99
2	MOST OF THE TIME	385	1.97
3	SOME OF THE TIME	766	3.92
4	A LITTLE OF THE TIME	732	3.75
5	NOT AT ALL	1276	6.54

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AF67 QNAME14: QA13\_F12  
QNAME13: QA13\_F12 QNAME11: QA11\_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16049	82.24
1	ALL OF THE TIME		421	2.16
2	MOST OF THE TIME		645	3.30
3	SOME OF THE TIME		948	4.86
4	A LITTLE OF THE TIME		771	3.95
5	NOT AT ALL		568	2.91

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

VARNAME: AF68 QNAME14: QA13\_F13  
QNAME13: QA13\_F13 QNAME11: QA11\_F13

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16049	82.24
1	ALL OF THE TIME		184	0.94
2	MOST OF THE TIME		306	1.57
3	SOME OF THE TIME		633	3.24
4	A LITTLE OF THE TIME		557	2.85
5	NOT AT ALL		1673	8.57

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF69B QNAME14: QA13\_F14  
QNAME13: QA13\_F14 QNAME11: QA11\_F14

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		17222	88.25
1	A LOT		419	2.15
2	SOME		546	2.80
3	NOT AT ALL		346	1.77
4	DOES NOT WORK		869	4.45

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL  
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

VARNAME: AF70B QNAME14: QA13\_F15  
QNAME13: QA13\_F15 QNAME11: QA11\_F15

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
1	A LOT		969	4.97
2	SOME		1031	5.28
3	NOT AT ALL		538	2.76

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF71B QNAME14: QA13\_F16  
QNAME13: QA13\_F16 QNAME11: QA11\_F16

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
1	A LOT		1096	5.62
2	SOME		987	5.06
3	NOT AT ALL		455	2.33

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

VARNAME: AF72B QNAME14: QA13\_F17  
QNAME13: QA13\_F17 QNAME11: QA11\_F17

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
1	A LOT		864	4.43
2	SOME		1140	5.84
3	NOT AT ALL		534	2.74

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ30

QNAME14: QA13\_F2

QNAME13: QA11\_F2

QNAME11: QA11\_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		138	0.71
2	MOST OF THE TIME		275	1.41
3	SOME OF THE TIME		1244	6.37
4	A LITTLE OF THE TIME		2504	12.83
5	NOT AT ALL		15241	78.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ1

QNAME14: QA13\_F20

QNAME13: QA11\_F20

QNAME11: QA11\_F20

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16747	85.81
1	YES		2108	10.80
2	NO		406	2.08
3	NO INSURANCE		141	0.72

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL  
PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS  
WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ31 QNAME14: QA13\_F3  
QNAME13: QA11\_F3 QNAME11: QA11\_F3

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		415	2.13
2	MOST OF THE TIME		564	2.89
3	SOME OF THE TIME		2996	15.35
4	A LITTLE OF THE TIME		4877	24.99
5	NOT AT ALL		10550	54.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ32 QNAME14: QA13\_F4  
QNAME13: QA11\_F4 QNAME11: QA11\_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		130	0.67
2	MOST OF THE TIME		278	1.42
3	SOME OF THE TIME		1052	5.39
4	A LITTLE OF THE TIME		1758	9.01
5	NOT AT ALL		16184	82.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ33 QNAME14: QA13\_F5

QNAME13: QA11\_F5 QNAME11: QA11\_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		693	3.55
2	MOST OF THE TIME		792	4.06
3	SOME OF THE TIME		2387	12.23
4	A LITTLE OF THE TIME		3484	17.85
5	NOT AT ALL		12046	61.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ34 QNAME14: QA13\_F6

QNAME13: QA11\_F6 QNAME11: QA11\_F6

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		180	0.92
2	MOST OF THE TIME		279	1.43
3	SOME OF THE TIME		911	4.67
4	A LITTLE OF THE TIME		1355	6.94
5	NOT AT ALL		16677	85.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF62 QNAME14: QA13\_F7  
QNAME13: QA11\_F7 QNAME11: QA11\_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:	-2	PROXY SKIPPED	FREQ	%
	1	YES	114	0.58
	2	NO	3353	17.18
			16049	82.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: DISTRESS QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

	MEAN STATISTICS
N	19402
MIN	0
MAX	24
MEAN	3.09

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N	19402
MIN	0
MAX	21
MEAN	3.09

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED  
DATA; TOPCODE = 21

VARNAME: AF63 QNAME14: QA13\_F8  
QNAME13: QA11\_F8 QNAME11: QA11\_F8

LABEL: FEEL NERVOUS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	16049	82.24
1	ALL OF THE TIME	364	1.87
2	MOST OF THE TIME	701	3.59
3	SOME OF THE TIME	1042	5.34
4	A LITTLE OF THE TIME	796	4.08
5	NOT AT ALL	450	2.31

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	YES		1207	6.18
2	NO		18195	93.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR&gt;=13

VARNAME: AF64

QNAME14: QA13\_F9

QNAME13: QA11\_F9

QNAME11: QA11\_F9

LABEL: FEEL HOPELESS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16049	82.24
1	ALL OF THE TIME		208	1.07
2	MOST OF THE TIME		474	2.43
3	SOME OF THE TIME		804	4.12
4	A LITTLE OF THE TIME		835	4.28
5	NOT AT ALL		1032	5.29

UNIVERSE: ALL ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:	-2	PROXY SKIPPED	FREQ	%
	1	YES	114	0.58
	2	NO	653	3.35
			18749	96.07

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS&gt;=13

VARNAME: DSTRSYR

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

## MEAN STATISTICS

N	19402
MIN	0
MAX	24
MEAN	3.68

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
0	NONE		538	2.76
1	MODERATE		1031	5.28
2	SEVERE		969	4.97

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: SOCIAL2 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
0	NONE		455	2.33
1	MODERATE		987	5.06
2	SEVERE		1096	5.62

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK2

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		18091	92.70
0	NONE		346	1.77
1	MODERATE		546	2.80
2	SEVERE		419	2.15

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

VARNAME: FAMILY2

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		16864	86.41
0	NONE		534	2.74
1	MODERATE		1140	5.84
2	SEVERE		864	4.43

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section G: Demographic Information, Part II & Child Care

---

VARNAME: ACHLDC\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18796	96.31
1	\$0-24/WEEK		106	0.54
3	\$25-49/WEEK		87	0.45
4	\$50-99/WEEK		174	0.89
5	\$100-199/WEEK		203	1.04
6	\$200+/WEEK		150	0.77

UNIVERSE: ALL ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE  
IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

---

VARNAME: AH33NEW QNAME14: QA13\_G1

QNAME13: QA13\_G1 QNAME11: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		14875	76.22
2	BORN OUTSIDE U.S.		4641	23.78

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH34NEW QNAME14: QA13\_G2

QNAME13: QA13\_G2 QNAME11: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		4675	23.95
1	BORN IN U.S.		12900	66.10
2	BORN OUTSIDE U.S.		1941	9.95

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

---

VARNAME: AH35NEW QNAME14: QA13\_G3

QNAME13: QA13\_G3 QNAME11: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		4675	23.95
1	BORN IN U.S.		12623	64.68
2	BORN OUTSIDE U.S.		2218	11.37

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   LNGHM\_P1

QNAME14:   NA

QNAME13:   NA

QNAME11:   NA

LABEL:       LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	ENGLISH		13793	70.68
2	SPANISH		1112	5.70
3	CHINESE		250	1.28
4	VIETNAMESE		297	1.52
5	KOREAN		120	0.61
6	OTHER ONE LANGUAGE ONLY		104	0.53
8	ENGLISH & SPANISH		2091	10.71
9	ENGLISH & CHINESE		217	1.11
10	ENGLISH & EUROPEAN LANGUAGE		414	2.12
11	ENGLISH & ANOTHER ASIAN LANGUAGE		574	2.94
12	ENGLISH & ONE OTHER LANGUAGE		162	0.83
13	OTHER LANGUAGES (2+)		382	1.96

UNIVERSE:   ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG21 QNAME14: QA13\_G5  
QNAME13: QA13\_G5 QNAME11: QA11\_G6

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

VALUE:			FREQ	%
-1	INAPPLICABLE		13790	70.66
1	ONLY ENGLISH		1991	10.20
2	BOTH ENGLISH AND OTHER LANGUAGE(S)		1988	10.19
3	ONLY OTHER LANGUAGE(S)		1747	8.95

UNIVERSE: ALL ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER  
THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AH37 QNAME14: QA13\_G6  
QNAME13: QA13\_G6 QNAME11: QA11\_G7

LABEL: 'LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:			FREQ	%
-1	INAPPLICABLE		13790	70.66
1	VERY WELL		2149	11.01
2	WELL		1364	6.99
3	NOT WELL		1453	7.45
4	NOT AT ALL		760	3.89

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR  
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	SPK_ENG	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	ENGLISH USE AND PROFICIENCY			
			FREQ	%
VALUE:	1	SPEAK ONLY ENGLISH	13793	70.68
	2	VERY WELL/WELL	3510	17.99
	3	NOT WELL/NOT AT ALL	2213	11.34
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH36_1	AH36_2	AH36_3	AH36_4 AH36_5 AH36_6 AH36_7 AH36_8 AH36_9
NOTES:				

VARNAME:	CITIZEN2	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	CITIZENSHIP STATUS (3 LVLS)			
			FREQ	%
VALUE:	1	US-BORN CITIZEN	14875	76.22
	2	NATURALIZED CITIZEN	3024	15.49
	3	NON-CITIZEN	1617	8.29
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AH39 AH33 AH40			
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: YRUS\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14875	76.22
1	<5 YEARS		184	0.94
3	5-9 YEARS		288	1.48
4	10-14 YEARS		476	2.44
5	15+ YEARS		3693	18.92

UNIVERSE: ALL ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO  
OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

VARNAME: PCTLF\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		435	2.23
2	21-40		1084	5.55
3	41-60		1545	7.92
4	61-80		1038	5.32
5	81+		15414	78.98

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44 QNAME14: QA13\_G10  
QNAME13: QA13\_G10 QNAME11: QA11\_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		8893	45.57
1	YES		10377	53.17
2	NO		246	1.26

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

VARNAME: AH43A QNAME14: QA13\_G12  
QNAME13: QA13\_G12 QNAME11: QA11\_G13

LABEL: LIVING WITH A PARENT

VALUE:			FREQ	%
-1	INAPPLICABLE		18424	94.40
1	YES		821	4.21
2	NO		271	1.39

UNIVERSE: ALL ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR  
(LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND  
LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44A QNAME14: QA13\_G19

QNAME13: QA13\_G19 QNAME11: QA11\_G20

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		15973	81.85
1	YES		720	3.69
2	NO		2823	14.47

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

VARNAME: AHEDC\_P1 QNAME14: NA

QNAME13: NA QNAME11:

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	NO FORMAL EDUCATION OR GRADE 1-8	1215	6.23
2	GRADE 9-11	899	4.61
3	GRADE 12/H.S. DIPLOMA	4228	21.66
4	SOME COLLEGE	3030	15.53
5	VOCATIONAL SCHOOL	681	3.49
6	AA OR AS DEGREE	1755	8.99
7	BA OR BS DEGREE	4279	21.93
8	SOME GRAD. SCHOOL	256	1.31
9	MA OR MS DEGREE	2302	11.80
10	PH.D. OR EQUIVALENT	871	4.46

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG22 QNAME14: QA13\_G22  
QNAME13: QA13\_G22 QNAME11: QA11\_G23

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		2374	12.16
2	NO		17142	87.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SERVED QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

MEAN STATISTICS	
N	2369
MIN	1
MAX	5
MEAN	3.13

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME14: QA13\_G27  
QNAME13: QA13\_G27 QNAME11: QA11\_G28

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		16166	82.83
1	YES		889	4.56
2	NO		1880	9.63
3	LOOKING FOR WORK		581	2.98

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WRKST\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		7217	36.98
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		1531	7.84
3	OTHER EMPLOYED		60	0.31
4	UNEMPLOYED, LOOKING FOR WORK		748	3.83
5	UNEMPLOYED, NOT LOOKING FOR WORK		9960	51.04

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES: CANNOT BE TRENDED WITH WRKST 2003

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG8 QNAME14: QA13\_G33  
QNAME13: QA13\_G32 QNAME11: QA11\_G31

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		9700	49.70
1	WORKING AT A JOB OR BUSINESS		4719	24.18
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		237	1.21
3	LOOKING FOR WORK		184	0.94
4	NOT WORKING AT A JOB OR BUSINESS		4676	23.96

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

VARNAME: AG11 QNAME14: QA13\_G34  
QNAME13: QA13\_G33 QNAME11: QA11\_G32

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		14656	75.10
1	YES		249	1.28
2	NO		4457	22.84
3	LOOKING FOR WORK		154	0.79

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO  
IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO  
QUESTION

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9\_P1 QNAME14: QA13\_G35  
QNAME13: QA13\_G34 QNAME11: NA

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14311	73.33
1	PRIVATE COMPANY/NON-PROFIT ORG	3060	15.68
2	GOVERNMENT	960	4.92
3	SELF-EMPLOYED/FAMILY BUSINESS/FARM	1185	6.07

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES:

VARNAME: FAMTYP\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:		FREQ	%
1	SINGLE ADULT, 21+	8457	43.33
2	SINGLE YOUNG ADULT, 19-20	272	1.39
3	MARRIED, NO KIDS	6803	34.86
4	MARRIED WITH KIDS	2987	15.31
5	SINGLE WITH KIDS	822	4.21
6	SINGLE 18 YEARS OLD	175	0.90

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: FAMSIZE2\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: FAMILY SIZE: INCL. ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1 YR RECODE)

MEAN STATISTICS

N	19516
MIN	1
MAX	8
MEAN	2.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY HOUSEHOLD INCOME; TOPCODE = 8

---

## Section H: Health Insurance

---

VARNAME: AH49 QNAME14: QA13\_H8

QNAME13: QA13\_H8 QNAME11: QA11\_H8

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	10706	54.86
1	YES	3778	19.36
2	NO	5032	25.78

UNIVERSE: ALL ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH50\_P

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		50	0.26
-1	INAPPLICABLE		15743	80.67
1	KAISER		1639	8.40
2	BLUE CROSS		139	0.71
3	UNITED HEALTHCARE (FORMER PACIFICARE)		448	2.30
4	BLUE SHIELD		165	0.85
5	HEALTH NET		293	1.50
6	AETNA		18	0.09
7	CIGNA HEALTH CARE		4	0.02
8	OTHER		1017	5.21

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES: CATEGORY CHANGE; CHIS 2013-14 NOW INCORPORATES UPCODING OF  
OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AH50 CATEGORIES (DID  
NOT APPLY IN CHIS 2011 AND PRIOR)

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME14: QA13\_H10  
QNAME13: QA11\_H10 QNAME11: QA11\_H10

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		14484	74.22
1	YES		3100	15.88
2	NO		1932	9.90

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		12638	64.76
1	DIRECTLY		3129	16.03
2	CURRENT EMPLOYER		98	0.50
3	FORMER EMPLOYER		1891	9.69
4	UNION		153	0.78
6	AARP		674	3.45
7	SPOUSE'S EMPLOYER/SPOUSE'S UNION		322	1.65
8	OTHER		611	3.13

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR: AH52

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15 QNAME14: QA13\_H30  
QNAME13: QA11\_H26 QNAME11: QA11\_H26

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	18564	95.12
1	COVERED BY ANOTHER PLAN	578	2.96
2	TOO EXPENSIVE	241	1.23
3	DIDNT LIKE PLAN OFFERED	62	0.32
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	15	0.08
5	IN PROCESS	6	0.03
6	DIDNT TAKE UP - OTHER	33	0.17
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	5	0.03
91	OTHER	12	0.06

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH  
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A QNAME14: QA13\_H31  
QNAME13: QA11\_H27 QNAME11: QA11\_H27

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	18721	95.93
1	HAVENT WORKED HERE LONG ENOUGH	102	0.52
2	CONTRACT OR TEMP EMPLOYEE	136	0.70
3	DONT WORK ENOUGH HOURS PER WEEK	470	2.41
4	DOES NOT MEET AGE REQUIREMENTS	4	0.02
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	7	0.04
6	NOT ELIGIBLE - OTHER	22	0.11
7	HAS LEFT POSITION/RETIRED/LAID OFF	42	0.22
91	OTHER	12	0.06

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI37A QNAME14: QA13\_H43  
QNAME13: QA11\_H39 QNAME11: QA11\_H39

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		17482	89.58
1	YES		1550	7.94
2	NO		484	2.48

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

VARNAME: AI45\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18860	96.64
1	COVERED BY ANOTHER PLAN		416	2.13
2	TOO EXPENSIVE		196	1.00
3	DIDNT LIKE PLAN OFFERED		31	0.16
4	OTHER REASON		13	0.07

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR: AI45

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19282	98.80
1	COVERED BY ANOTHER PLAN		31	0.16
2	TOO EXPENSIVE		46	0.24
3	DIDNT LIKE PLAN OFFERED		140	0.72
4	OTHER REASON		17	0.09

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES:

VARNAME: AI22C QNAME14: QA13\_H63

QNAME13: QA11\_H57 QNAME11: QA11\_H57

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		5087	26.07
1	YES		5557	28.47
2	NO		8872	45.46

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: HMO QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HMO STATUS

VALUE:			FREQ	%
1	HMO		9347	47.89
2	NON-HMO		8797	45.08
3	UNINSURED		1372	7.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AI22A\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		427	2.19
-1	INAPPLICABLE		5099	26.13
1	KAISER		2021	10.36
2	BLUE CROSS		3742	19.17
3	UNITED HEALTHCARE (FORMER PACIFICARE)		1449	7.42
4	BLUE SHIELD		1581	8.10
5	HEALTH NET		579	2.97
6	AETNA		593	3.04
7	CIGNA HEALTH CARE		322	1.65
8	OTHER		3703	18.97

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES: CATEGORY CHANGES; CHIS 2013-14 NOW INCORPORATES UPCODING OF OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING AI22A CATEGORIES (DID NOT APPLY IN CHIS 2011 AND PRIOR)

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME14: QA13\_H65

QNAME13: QA11\_H59 QNAME11: QA11\_H59

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		1309	6.71
1	YES		17027	87.25
2	NO		1180	6.05

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		1270	6.51
1	YES		17366	88.98
2	NO		880	4.51

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10747	55.07
	2	NO	2787	14.28
			5982	30.65

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR: AH71

NOTES:

VARNAME: AH72\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11895	60.95
	2	NO	1158	5.93
			6463	33.12

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH74 QNAME14: QA13\_H77  
QNAME13: QA11\_H71 QNAME11: QA11\_H71  
LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN  
VALUE: -1 INAPPLICABLE  
1 YES  
2 NO

	FREQ	%
	18663	95.63
	375	1.92
	478	2.45

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75 QNAME14: QA13\_H79  
QNAME13: QA11\_H73 QNAME11: QA11\_H73  
LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN  
VALUE: -1 INAPPLICABLE  
1 YES  
2 NO

	FREQ	%
	18207	93.29
	581	2.98
	728	3.73

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI28 QNAME14: QA13\_H81  
QNAME13: QA11\_H75 QNAME11: QA11\_H75

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:			FREQ	%
-1	INAPPLICABLE		18481	94.70
1	1 TO 3 YRS AGO		258	1.32
2	MORE THAN 3 YRS AGO		527	2.70
3	NEVER HAD HEALTH INSURANCE COVERAGE		250	1.28

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME  
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AH14 QNAME14: QA13\_H83  
QNAME13: QA11\_H83 QNAME11: QA11\_H83

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		434	2.22
1	YES		1817	9.31
2	NO		17265	88.47

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART  
DISEASE DURING THE PAST 12 MOS

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: IHS QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: COVERED BY INDIAN HEALTH SERVICES  
VALUE: 1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

---

VARNAME: INS QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CURRENTLY INSURED  
VALUE: 1 YES  
2 NO  
UNIVERSE: ALL ADULTS  
INPUT VAR:  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS\_S

QNAME14:   NA

QNAME13:   NA

QNAME11:   NA

LABEL:       SPOUSE CURRENTLY INSURED

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	9901	50.73
	2	NO	9101	46.63
			514	2.63

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME:   INS12M

QNAME14:   NA

QNAME13:   NA

QNAME11:   NA

LABEL:       MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N	19516
MIN	0
MAX	12
MEAN	10.97

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INS64\_P                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	8256	42.30
1	UNINSURED	1340	6.87
2	MEDI-CAL (MEDICAID)	2271	11.64
3	MEDICARE	241	1.23
4	EMPLOYMENT-BASED	6166	31.59
5	PRIVATELY PURCHASED	1075	5.51
6	CHIP/OTHER PUBLIC PRGM	167	0.86

UNIVERSE:   ALL ADULTS UNDER 65

INPUT VAR:   INS64

NOTES:

VARNAME:   INS64S\_P                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	13470	69.02
1	UNINSURED	503	2.58
2	MEDI-CAL (MEDICAID)	581	2.98
3	MEDICARE	210	1.08
4	EMPLOYMENT-BASED	4114	21.08
5	PRIVATELY PURCHASED	537	2.75
6	CHIP/OTHER PUBLIC PRGM	101	0.52

UNIVERSE:   ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:   INS64\_S

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:		FREQ	%
-1	SKIPPED - AGE < 65	11260	57.70
1	MEDICARE + MEDI-CAL (MEDICAID)	1293	6.63
2	MEDICARE + OTHER	6172	31.63
3	MEDICARE ONLY	447	2.29
4	OTHER ONLY	312	1.60
5	UNINSURED	32	0.16

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INS65\_S

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:		FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65	15947	81.71
1	MEDICARE + MEDICAID	301	1.54
2	MEDICARE + OTHER	833	4.27
3	MEDICARE ONLY	2224	11.40
4	OTHER ONLY	200	1.02
5	UNINSURED	11	0.06

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INSANY                                   QNAME14:   NA

  QNAME13:   NA                                   QNAME11:   NA

LABEL:       ANY INS IN LAST 12 MOS

VALUE:	1	CURRENTLY UNINSURED	FREQ	%
	2	UNINS. ANY PAST 12 MO	1372	7.03
	3	INSURED ALL PAST 12 MO	880	4.51
			17264	88.46

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME:   INSEM                                   QNAME14:   NA

  QNAME13:   NA                                   QNAME11:   NA

LABEL:       COVERED BY EMPLOYER-BASED PLANS

VALUE:	1	YES	FREQ	%
	2	NO	7702	39.47
			11814	60.53

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSEM_S	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	SPOUSE COVERED BY EMPLOYER-BASED PLANS			
			FREQ	%
VALUE:	-1	INAPPLICABLE	9901	50.73
	1	YES	4930	25.26
	2	NO	4685	24.01
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

VARNAME:	INSMC	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	COVERED BY MEDICARE			
			FREQ	%
VALUE:	1	YES	8493	43.52
	2	NO	11023	56.48
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSMC_S	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	SPOUSE COVERED BY MEDICARE			
			FREQ	%
VALUE:	-1	INAPPLICABLE	9901	50.73
	1	YES	3630	18.60
	2	NO	5985	30.67
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

VARNAME:	INSMD	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	COVERED BY MEDI-CAL			
			FREQ	%
VALUE:	1	YES	3602	18.46
	2	NO	15914	81.54
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INSMD\_S                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       SPOUSE COVERED BY MEDI-CAL

VALUE:			FREQ	%
-1	INAPPLICABLE		9901	50.73
1	YES		895	4.59
2	NO		8720	44.68

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

---

VARNAME:   INSOG                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		91	0.47
2	NO		19425	99.53

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   INSOG\_S                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:		FREQ	%
-1	INAPPLICABLE	9901	50.73
1	YES	85	0.44
2	NO	9530	48.83

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME:   INSLT\_P                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	8256	42.30
1	MEDI-CAL (MEDICAID) ONLY	1784	9.14
2	EMPLOYER-BASED OR MILITARY ONLY	5913	30.30
3	UNINSURED ONLY	1077	5.52
4	PRIVATEDLY PURCHASED ONLY	786	4.03
5	PARTIALLY INSURED WITH MC/HF	380	1.95
6	PARTIALLY INSURED WITH NO MC/HF	681	3.49
7	INSURE ALL YEAR WITH SOME MC/HF	139	0.71
8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR	500	2.56

UNIVERSE:   ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPR	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	COVERED BY PLANS PURCHASED ON OWN			
			FREQ	%
VALUE:	1	YES	1131	5.80
	2	NO	18385	94.20
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	INSPR_S	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	SPOUSE COVERED BY PLANS PURCHASED ON OWN			
			FREQ	%
VALUE:	-1	INAPPLICABLE	9901	50.73
	1	YES	634	3.25
	2	NO	8981	46.02
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPS

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: PRIMARY OR SECONDARY COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		10790	55.29
1	PRIMARY		6373	32.66
2	SECONDARY		2349	12.04
3	NOT SPECIFIED AS PRIMARY OR SECONDARY		4	0.02

UNIVERSE: ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS

INPUT VAR:

NOTES:

VARNAME: INSPS\_S

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		14592	74.77
1	PRIMARY		2934	15.03
2	SECONDARY		1990	10.20

UNIVERSE: ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: INST\_12 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	8256	42.30
1	MEDI-CAL (MEDICAID) ONLY	1784	9.14
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	5832	29.88
3	PRIVATE COVERAGE ONLY	786	4.03
4	OTHER COVERAGE ONLY	360	1.84
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	360	1.84
6	UNINSURED ONLY	1077	5.52
7	UNINSURED + EMPLOYER-BASED ONLY	238	1.22
8	ANY 1 OR MORE TYPES + UNINSURED	823	4.22

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

---

VARNAME: INSTYPE QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

VALUE:		FREQ	%
1	UNINSURED	1372	7.03
2	MEDICARE & MEDICAID	1633	8.37
3	MEDICARE & OTHERS	6061	31.06
4	MEDICARE ONLY	799	4.09
5	MEDICAID	1966	10.07
7	EMPLOYMENT-BASED	6402	32.80
8	PRIVATELY PURCHASED	1124	5.76
9	OTHER PUBLIC	159	0.81

UNIVERSE: ALL ADULTS

INPUT VAR: INS INSMO INSMC INSEM INSHF INSPR INSMO INSOI INSHK SRAGE

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: UNINSANY QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:		FREQ	%
-1	SKIPPED - AGES>=65	8256	42.30
1	UNINSURED ALL YEAR	1077	5.52
2	UNINSURED PART YEAR	1061	5.44
3	INSURED ALL YEAR	9122	46.74

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

---

VARNAME: OFFTK QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	10950	56.11
1	ACCEPTED EBI	5502	28.19
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	948	4.86
3	WAS OFFERED EBI, NOT ELIGIBLE	793	4.06
4	WAS NOT OFFERED EBI	1323	6.78

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   OFFTK\_S                                   QNAME14:   NA

QNAME13:   NA                                   QNAME11:   NA

LABEL:       OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	14915	76.42
1	ACCEPTED EBI	2977	15.25
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	646	3.31
3	WAS OFFERED EBI, NOT ELIGIBLE	234	1.20
4	WAS NOT OFFERED EBI	744	3.81

UNIVERSE:   ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR:   INSEM\_S   INSPS\_S   AG8   AG11   AG9   AI43   AI44

NOTES:

---

VARNAME:   AH73B                                   QNAME14:   QA13\_H70

QNAME13:   QA13\_H70                                   QNAME11:   NA

LABEL:       SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:		FREQ	%
-1	INAPPLICABLE	11880	60.87
1	YES	1879	9.63
2	NO	5757	29.50

UNIVERSE:   ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS  
COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:       Cannot trend with CHIS 2011 AH73 due to universe change.

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH100 QNAME14: QA13\_H97  
QNAME13: QA11\_H81 QNAME11: QA11\_H81

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19128	98.01
	2	NO	198	1.01
			190	0.97

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH101\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	BROKER	19318	98.99
	2	FAMILY MEMBER/FRIEND	142	0.73
	3	INTERNET	34	0.17
	4	OTHER/MULTIPLE REASONS	3	0.02
			19	0.10

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH102\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # NIGHTS IN HOSPITAL PAST 12 MOS (PUF 1 YR RECODE)

MEAN STATISTICS

N	2251
MIN	0
MAX	9
MEAN	3.93

UNIVERSE: ALL ADULTS WHO WERE HOSPITALIZED FOR ASTHMA/ DIABETES OR HEART DISEASE DURING THE PAST 12 MOS

INPUT VAR: AH102

NOTES: TOPCODE = 9

VARNAME: AH103 QNAME14: QA13\_H93  
QNAME13: QA11\_H78 QNAME11: QA11\_H78

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	17246	88.37
1	YES	847	4.34
2	NO	1423	7.29

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS OR WHO BOUGHT INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH95\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		15557	79.71
0	0 TIMES		83	0.43
1	1 TIMES		2489	12.75
2	2 TIMES		797	4.08
3	3 TIMES		310	1.59
4	4 TIMES		111	0.57
5	5+ TIMES		169	0.87

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:

VARNAME: AH96\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$2,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17361	88.96
1	YES		1148	5.88
2	NO		1007	5.16

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR: AH96

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH97\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: PLAN DEDUCTIBLE COVERING ALL PERSONS >\$4,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17722	90.81
	2	NO	724	3.71
			1070	5.48

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS WITH DEDUCTIBLE GREATER THAN \$2,000

INPUT VAR: AH97

NOTES:

VARNAME: AH98\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	VERY DIFFICULT	19128	98.01
	2	SOMEWHAT DIFFICULT	105	0.54
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	95	0.49
			188	0.96

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH99\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		19128	98.01
1	VERY DIFFICULT		157	0.80
2	SOMEWHAT DIFFICULT		83	0.43
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT		148	0.76

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES:

---

VARNAME: AH104 QNAME14: QA13\_H19

QNAME13: NA QNAME11: NA

LABEL: PURCHASE INS DIRECT OR THRU COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		18430	94.44
1	INSURANCE COMPANY OR HMO		529	2.71
2	COVERED CALIFORNIA		550	2.82
91	OTHER		7	0.04

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS.  
COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH105 QNAME14: QA13\_H22  
QNAME13: NA QNAME11: NA

LABEL: GET INS THRU EMPLOYER, UNION, SHOP PROGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		16310	83.57
1	EMPLOYER		2844	14.57
2	UNION		222	1.14
3	SHOP/COVERED CALIFORNIA		82	0.42
91	OTHER		58	0.30

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

VARNAME: AH109 QNAME14: QA13\_H50  
QNAME13: NA QNAME11: NA

LABEL: SPOUSE COVERED BY COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		19221	98.49
1	YES		212	1.09
2	NO		83	0.43

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED CALIFORNIA/EMPLOYER-BASED SHOP

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH110

QNAME14: QA13\_H94

QNAME13: NA

QNAME11: NA

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	DIRECTLY FROM AN INSURANCE COMPANY OR HM	240		1.23
2	THROUGH COVERED CALIFORNIA	459		2.35
3	BOTH DIRECT AND COVERED CALIFORNIA	148		0.76

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH111

QNAME14: QA13\_H90

QNAME13: NA

QNAME11: NA

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		18909	96.89
1	VERY DIFFICULT	167		0.86
2	SOMEWHAT DIFFICULT	142		0.73
3	NOT TOO DIFFICULT	163		0.84
4	NOT AT ALL DIFFICULT	135		0.69

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH112 QNAME14: QA13\_H91  
QNAME13: NA QNAME11: NA

LABEL: FIND PLAN COULD AFFORD-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	18909	96.89
1	VERY DIFFICULT	197	1.01
2	SOMEWHAT DIFFICULT	125	0.64
3	NOT TOO DIFFICULT	146	0.75
4	NOT AT ALL DIFFICULT	139	0.71

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH113 QNAME14: QA13\_H92  
QNAME13: NA QNAME11: NA

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	18909	96.89
1	YES	256	1.31
2	NO	351	1.80

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12 MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH114 QNAME14: QA13\_H93  
QNAME13: NA QNAME11: NA

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		19260	98.69
1	BROKER		72	0.37
2	FAMILY MEMBER/FRIEND		47	0.24
3	INTERNET		7	0.04
4	CERTIFIED ENROLLMENT COUNSELOR		104	0.53
91	OTHER		26	0.13

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND  
RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES:

VARNAME: AH115 QNAME14: QA13\_H94  
QNAME13: NA QNAME11: NA

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	YES		657	3.37
2	NO		190	0.97

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH117

QNAME14: QA13\_H96

QNAME13: NA

QNAME11: NA

LABEL: COST OF SELECTED PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	VERY IMPORTANT		616	3.16
2	SOMEWHAT IMPORTANT		193	0.99
3	NOT IMPORTANT		38	0.19

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH118

QNAME14: QA13\_H97

QNAME13: NA

QNAME11: NA

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	VERY IMPORTANT		390	2.00
2	SOMEWHAT IMPORTANT		241	1.23
3	NOT IMPORTANT		216	1.11

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH119

QNAME14: QA13\_H98

QNAME13: NA

QNAME11: NA

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	VERY IMPORTANT		285	1.46
2	SOMEWHAT IMPORTANT		273	1.40
3	NOT IMPORTANT		289	1.48

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH120

QNAME14: QA13\_H99

QNAME13: NA

QNAME11: NA

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		18669	95.66
1	VERY IMPORTANT		397	2.03
2	SOMEWHAT IMPORTANT		246	1.26
3	NOT IMPORTANT		204	1.05

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: COVRDCA QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

VALUE:	1	YES	FREQ	%
	2	NO	640	3.28
			18876	96.72

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED CALIFORNIA OR THROUGH EMPLOYER BY COVERED CALIFORNIA SHOP.

INPUT VAR:

NOTES:

VARNAME: COVRDCA\_S QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: SPOUSE WITH PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	9901	50.73
	2	NO	282	1.44
			9333	47.82

UNIVERSE: ADULT RESPONDENT SPOUSES WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED CALIFORNIA OR THROUGH EMPLOYER BY COVERED CALIFORNIA SHOP.

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section J: Health Care Utilization/Access and Dental Health

---

VARNAME: AH1 QNAME14: QA13\_H1  
QNAME13: QA11\_H1 QNAME11: QA11\_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		12298	63.01
2	NO		1706	8.74
3	DOCTOR / MY DOCTOR		4428	22.69
4	KAISER		1032	5.29
5	MORE THAN ONE PLACE		52	0.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AH3\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		1706	8.74
1	DOCTOR'S OFFICE/KAISER/HMO		12974	66.48
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC		4525	23.19
3	EMERGENCY ROOM		151	0.77
4	OTHER/NO ONE PLACE		160	0.82

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: USOC QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		17667	90.53
2	NO		1849	9.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: USUAL QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		17810	91.26
2	NO		1706	8.74

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:    USUAL\_TP                            QNAME14:    NA

QNAME13:    NA                            QNAME11:    NA

LABEL:        USUAL SOURCE OF CARE (7 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	13900	71.22
2	COMMUN/GOV CLIN, COMMUN HOSP	3617	18.53
3	EMERGENCY ROOM	143	0.73
5	SOME OTHER PLACE	103	0.53
6	NO ONE PARTICULAR PLACE	47	0.24
7	NO USUAL SOURCE OF CARE	1706	8.74

UNIVERSE:    ALL ADULTS

INPUT VAR:   AH1 AH3

NOTES:

---

VARNAME:    USUAL5TP                            QNAME14:    NA

QNAME13:    NA                            QNAME11:    NA

LABEL:        USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	13900	71.22
2	COMMUN/GOV CLIN, COMMUN HOSP	3617	18.53
3	EMERGENCY ROOM/URGENT CARE	143	0.73
4	OTHER PLACE/NO ONE PLACE	150	0.77
5	NO USUAL SOURCE OF CARE	1706	8.74

UNIVERSE:    ALL ADULTS

INPUT VAR:   USUAL\_TP

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6 QNAME14: QA13\_J2  
QNAME13: QA13\_J2 QNAME11: QA11\_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:			FREQ	%
-1	INAPPLICABLE		16807	86.12
0	WITHIN THE PAST YR		570	2.92
1	1 TO 2 YRS AGO		1062	5.44
2	2 TO 5 YRS AGO		671	3.44
3	MORE THAN 5 YRS AGO		354	1.81
4	NEVER		52	0.27

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS OR REF/DK

INPUT VAR:

NOTES:

VARNAME: ACMDNUM QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		2709	13.88
1	1 TIMES		3241	16.61
2	2 TIMES		3294	16.88
3	3 TIMES		2348	12.03
4	4 TIMES		2169	11.11
5	5 TIMES		1093	5.60
6	6 TIMES		1233	6.32
7	7-8 TIMES		784	4.02
8	9-12 TIMES		1489	7.63
9	13-24 TIMES		749	3.84
10	25+ TIMES		407	2.09

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DOCT\_YR QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		16807	86.12
2	NO		2709	13.88

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: AJ77 QNAME14: QA13\_J4

QNAME13: QA13\_J4 QNAME11: QA11\_J3

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		1706	8.74
1	YES		16156	82.78
2	NO		1654	8.48

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE ABOUT HEALTH

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ78

QNAME14: QA13\_J5

QNAME13: QA13\_J5

QNAME11: QA11\_J4

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1254	6.43
1	YES		5969	30.59
2	NO		12293	62.99

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ79

QNAME14: QA13\_J6

QNAME13: QA13\_J6

QNAME11: QA11\_J5

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

VALUE:			FREQ	%
-1	INAPPLICABLE		13547	69.41
1	NEVER		152	0.78
2	SOMETIMES		423	2.17
3	USUALLY		1147	5.88
4	ALWAYS		4247	21.76

UNIVERSE: ALL ADULTS WHO HAVE A PERSONAL DOCTOR OR HAD A DOCTOR VISIT IN PAST 12 MOS AND CONTACTED DOC OFFICE WITH A MEDICAL QUESTION

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ80 QNAME14: QA13\_J11

QNAME13: QA13\_J11 QNAME11: QA11\_J11

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

VALUE:			FREQ	%
-1	INAPPLICABLE		14598	74.80
1	YES		3489	17.88
2	NO		1429	7.32

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ50\_P QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		14369	73.63
1	ENGLISH		3286	16.84
2	SPANISH		1014	5.20
3	VIETNAMESE		265	1.36
4	KOREAN		117	0.60
5	CANTONESE		80	0.41
6	MANDARIN		178	0.91
7	OTHER		93	0.48

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	AJ9	QNAME14:	QA13_J14	
		QNAME13:	QA13_J14	QNAME11: QA11_J14
LABEL:	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND			
VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	114	0.58
	1	YES	18840	96.54
	2	NO	329	1.69
			233	1.19
UNIVERSE:	ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING DOCTOR			
INPUT VAR:				
NOTES:				

VARNAME:	AJ10	QNAME14:	QA13_J15	
		QNAME13:	QA13_J15	QNAME11: QA11_J15
LABEL:	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR			
VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	114	0.58
	1	YES	15554	79.70
	2	NO	542	2.78
			3306	16.94
UNIVERSE:	ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND DIDN'T HAVE HARD TIME UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH			
INPUT VAR:				
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ11 QNAME14: QA13\_J16  
QNAME13: QA13\_J16 QNAME11: QA11\_J16

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		18860	96.64
2	AN ADULT FAMILY MEMBER OR FRIEND OF MINE		169	0.87
3	NON-MEDICAL OFFICE STAFF		22	0.11
4	MEDICAL STAFF INCLUDING NURSES / DOCTORS		262	1.34
5	PROFESSIONAL INTERPRETER (BOTH IN PERSON		54	0.28
6	OTHER (PATIENTS, SOMEONE ELSE)		12	0.06
7	DID NOT HAVE SOMEONE TO HELP		23	0.12

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED  
SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

VARNAME: AH16 QNAME14: QA13\_J20  
QNAME13: QA13\_J20 QNAME11: QA11\_J20

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		1945	9.97
2	NO		17571	90.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   AJ19                                   QNAME14:   QA13\_J21

QNAME13:   QA13\_J21                   QNAME11:   QA11\_J21

LABEL:       COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:       -1           INAPPLICABLE                                   FREQ       %

              1           YES   880       4.51

              2           NO   1065      5.46

UNIVERSE:   ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST  
              12 MOS

INPUT VAR:

NOTES:

---

VARNAME:   AJ81                                   QNAME14:   QA13\_J22

QNAME13:   QA13\_J22                   QNAME11:   QA11\_J22

LABEL:       DELAYED PRESCRIPTION FOR ASTHMA

VALUE:       -1           INAPPLICABLE                                   FREQ       %

              1           YES   76        0.39

              2           NO   118      0.60

UNIVERSE:   ALL ADULTS WITH ASTHMA WHO CITED COST/ LACK OF INSURANCE AS REASON  
              FOR DELAY IN GETTING PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AH22 QNAME14: QA13\_J25

QNAME13: QA13\_J25 QNAME11: QA11\_J25

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		2375	12.17
2	NO		17141	87.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AJ20 QNAME14: QA13\_J27

QNAME13: QA13\_J27 QNAME11: QA11\_J26

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		17141	87.83
1	YES		1139	5.84
2	NO		1236	6.33

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ102 QNAME14: QA13\_J9  
QNAME13: QA13\_J9 QNAME11: QA11\_J8

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		529	2.71
1	YES		5711	29.26
2	NO		13276	68.03

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: AJ103 QNAME14: QA13\_J10  
QNAME13: QA13\_J10 QNAME11: QA11\_J9

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		13805	70.74
1	NEVER		512	2.62
2	SOMETIMES		695	3.56
3	USUALLY		1292	6.62
4	ALWAYS		3212	16.46

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO  
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AJ105 QNAME14: QA13\_J17

QNAME13: QA13\_J17 QNAME11: QA11\_J17

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE:			FREQ	%
-1	INAPPLICABLE		17351	88.91
1	YES		1339	6.86
2	NO		826	4.23

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

-----  
VARNAME: AJ106 QNAME14: QA13\_J18

QNAME13: QA13\_J18 QNAME11: QA11\_J18

LABEL: USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		2300	11.79
1	YES		1550	7.94
2	NO		15666	80.27

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   AJ107                                   QNAME14:   QA13\_J19

  QNAME13:   QA13\_J19                   QNAME11:   QA11\_J19

LABEL:       CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE:       -1           INAPPLICABLE                                   FREQ       %

              1           YES   17966      92.06

              2           NO    540       2.77

   1010      5.18

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
             PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF  
             HEALTH CARE

INPUT VAR:

NOTES:

---

VARNAME:   AJ108                                   QNAME14:   QA13\_J41

  QNAME13:   QA13\_J41                   QNAME11:   QA11\_J30

LABEL:       EVER USED INTERNET

VALUE:       -2           PROXY SKIPPED                               FREQ       %

              1           YES   114       0.58

              2           NO   15024     76.98

   4378     22.43

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ110 QNAME14: QA13\_J42  
QNAME13: QA13\_J42 QNAME11: QA11\_J32

LABEL: CONFIDENCE TO COMPLETE APPL ONLINE ON OWN

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		4378	22.43
1	VERY CONFIDENT		10400	53.29
2	SOMEWHAT CONFIDENT		2892	14.82
3	NOT TOO CONFIDENT		1131	5.80
4	NOT AT ALL CONFIDENT		601	3.08

UNIVERSE: ALL ADULTS WHO EVER USED INTERNET

INPUT VAR:

NOTES:

VARNAME: AJ111 QNAME14: QA13\_J43  
QNAME13: QA13\_J43 QNAME11: QA11\_J33

LABEL: SOMEONE TO HELP FILL OUT APPL ONLINE

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		13292	68.11
1	YES		4645	23.80
2	NO		1465	7.51

UNIVERSE: ALL ADULTS WHO ARE NOT VERY CONFIDENT/NOT SOMEWHAT CONFIDENT WHEN  
FILLING OUT AN APPLICATION ON-LINE ON THEIR OWN

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   AJ112                                   QNAME14:   QA13\_J7

  QNAME13:   QA13\_J7                   QNAME11:   QA11\_J6

LABEL:       HOW OFTEN DOC LISTENS CAREFULLY

  

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	NEVER	3360	17.22
	2	SOMETIMES	222	1.14
	3	USUALLY	987	5.06
	4	ALWAYS	3180	16.29
			11767	60.29

UNIVERSE:   ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

---

VARNAME:   AJ113                                   QNAME14:   QA13\_J8

  QNAME13:   QA13\_J8                   QNAME11:   QA11\_J7

LABEL:       HOW OFTEN DOC CLEARLY EXPLAINS WHAT TO DO

  

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	NEVER	3360	17.22
	2	SOMETIMES	265	1.36
	3	USUALLY	1038	5.32
	4	ALWAYS	3377	17.30
			11476	58.80

UNIVERSE:   ALL ADULTS WHO HAVE A PERSONAL DOCTOR

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ114

QNAME14: QA13\_J3

QNAME13: QA13\_J3

QNAME11: NA

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

VALUE:			FREQ	%
-1	INAPPLICABLE		52	0.27
0	ONE YEAR AGO OR LESS		15159	77.67
1	MORE THAN 1 UP TO 2 YEARS AGO		2101	10.77
2	MORE THAN 2 UP TO 5 YEARS AGO		1115	5.71
3	MORE THAN 5 YEARS AGO		722	3.70
4	NEVER		367	1.88

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR:

NOTES:

VARNAME: AJ129

QNAME14: QA13\_J26

QNAME13: QA13\_J26

QNAME11: NA

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

VALUE:			FREQ	%
-1	INAPPLICABLE		17141	87.83
1	YES		914	4.68
2	NO		1461	7.49

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ131\_P1

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		18215	93.33
1	COULDN'T GET APPOINTMENT		210	1.08
2	INSURANCE NOT ACCEPTED/DID NOT COVER OR		88	0.45
5	TRANSPORTATION PROBLEMS		84	0.43
6	HOURS NOT CONVENIENT		82	0.42
9	I DIDN'T HAVE TIME		323	1.66
12	DID NOT THINK SERIOUS ENOUGH/NEEDED		138	0.71
13	NOT SATISFIED WITH HEALTH CARE RECEIVED		106	0.54
14	OTHER REASON		228	1.17
15	ANXIETY, FEAR, OR AVOIDANCE OF MEDICAL C	42		0.22

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES:

VARNAME: AJ133

QNAME14: QA13\_J37

QNAME13: QA13\_J37

QNAME11: NA

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

VALUE:			FREQ	%
1	YES		581	2.98
2	NO		18935	97.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ134 QNAME14: QA13\_J38  
QNAME13: QA13\_J38 QNAME11: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

VALUE:			FREQ	%
1	YES		671	3.44
2	NO		18845	96.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AJ135 QNAME14: QA13\_J39  
QNAME13: QA13\_J39 QNAME11: NA

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		1309	6.71
1	YES		699	3.58
2	NO		17508	89.71

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ136 QNAME14: QA13\_J33  
QNAME13: QA13\_J33 QNAME11: NA

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

VALUE:			FREQ	%
1	YES		9404	48.19
2	NO		10112	51.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AJ137 QNAME14: QA13\_J34  
QNAME13: QA13\_J34 QNAME11: NA

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		10112	51.81
1	YES		625	3.20
2	NO		8779	44.98

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ138 QNAME14: QA13\_J35  
QNAME13: QA13\_J35 QNAME11: NA

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		10112	51.81
1	YES		442	2.26
2	NO		8962	45.92

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

---

VARNAME: AJ139 QNAME14: QA13\_J36  
QNAME13: QA13\_J36 QNAME11: NA

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		10357	53.07
1	YES		689	3.53
2	NO		8470	43.40

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ8B QNAME14: QA13\_J12  
QNAME13: QA13\_J12 QNAME11: NA

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		1076	5.51
1	YES		562	2.88
2	NO		17764	91.02

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES: Cannot trend with CHIS 2011 AJ8 due to universe change.

VARNAME: AH12 QNAME14: QA13\_H3  
QNAME13: QA11\_H3 QNAME11: QA11\_H3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		643	3.29
1	YES		3316	16.99
2	NO		15557	79.71

UNIVERSE: ALL ADULTS WHO DID NOT VISIT ER FOR ASTHMA/ DIABETES/ HEART DISEASE IN LAST 12 MOS

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ER QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		3959	20.29
2	NO		15557	79.71

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

VARNAME: AG1 QNAME14: QA13\_J51

QNAME13: QA13\_J51 QNAME11: NA

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

VALUE:			FREQ	%
0	HAS NEVER VISITED		207	1.06
1	6 MONTHS AGO OR LESS		11797	60.45
2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO		2574	13.19
3	MORE THAN 1 YEAR UP TO 2 YEARS AGO		1613	8.27
4	MORE THAN 2 YEARS UP TO 5 YEARS AGO		1730	8.86
5	MORE THAN 5 YEARS AGO		1595	8.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG3 QNAME14: QA13\_J52  
QNAME13: QA13\_J52 QNAME11: NA

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

VALUE:			FREQ	%
1	YES		10694	54.80
2	NO		8822	45.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CARE\_PV QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE:			FREQ	%
1	YES		15159	77.67
2	NO		4357	22.33

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

VARNAME: FORGO QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HAD TO FORGO NECESSARY CARE

VALUE:			FREQ	%
1	YES		1461	7.49
2	NO		18055	92.51

UNIVERSE: ADULTS 18-64 YEARS

INPUT VAR: AH22 AJ129

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: PC\_INS QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR INSURANCE)

VALUE:			FREQ	%
-1	INAPPLICABLE		1309	6.71
1	YES		699	3.58
2	NO		17508	89.71

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

---

VARNAME: PC\_NEWP QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW PATIENTS)

VALUE:			FREQ	%
1	YES		671	3.44
2	NO		18845	96.56

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   RN\_FORGO                               QNAME14:   NA

QNAME13:   NA                               QNAME11:   NA

LABEL:       REASONS FORGONE NECESSARY CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	17141	87.83
1	COST	1100	5.64
2	COULDN'T GET APPOINTMENT	210	1.08
3	DIDN'T HAVE TIME	405	2.08
4	OTHERS	660	3.38

UNIVERSE:   ADULTS 18-64 YRS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR:   AJ20   AJ130

NOTES:

---

VARNAME:   SC\_INS                               QNAME14:   NA

QNAME13:   NA                               QNAME11:   NA

LABEL:       SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS THEIR  
INSURANCE)

VALUE:		FREQ	%
-1	INAPPLICABLE	10357	53.07
1	YES	689	3.53
2	NO	8470	43.40

UNIVERSE:   INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR:   AJ139

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SC\_NEWP

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS NEW  
PATEINTS)

VALUE:			FREQ	%
-1	INAPPLICABLE		10112	51.81
1	YES		442	2.26
2	NO		8962	45.92

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

VARNAME: TIMAPPT

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

VALUE:			FREQ	%
-1	INAPPLICABLE		13805	70.74
1	YES		5199	26.64
2	NO		512	2.62

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.  
APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section K: Employment, Income, Poverty Status & Food Security**

---

VARNAME: AK1 QNAME14: QA13\_G25  
QNAME13: QA13\_G25 QNAME11: QA11\_G26

LABEL: WORK STATUS LAST WEEK

			FREQ	%
VALUE:	1	WORKING AT A JOB/BUSINESS	7974	40.86
	2	WITH A JOB/BUSINESS BUT NOT AT WORK	394	2.02
	3	LOOKING FOR WORK	691	3.54
	4	NOT WORKING JOB/BUSINESS (UNEMP)	10457	53.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK2\_P1

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	7974	40.86
1	TAKING CARE OF HOUSE OR FAMILY	859	4.40
2	ON PLANNED VACATION	316	1.62
3	COULDN'T FIND A JOB	636	3.26
4	GOING TO SCHOOL/STUDENT	296	1.52
5	RETIRED	6936	35.54
6	PHYSICAL DISABILITY	1256	6.44
7	UNABLE TO WORK TEMPORARILY	97	0.50
8	ON LAYOFF OR STRIKE	117	0.60
10	OFF SEASON	77	0.39
11	SICK	170	0.87
91	OTHER	782	4.01

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,  
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME14: QA13\_G29  
QNAME13: QA13\_G29 QNAME11: QA11\_G30

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10642	54.53
1	PRIVATE COMPANY, NON-PROFIT ORG	5014	25.69
2	GOVERNMENT	1766	9.05
3	SELF-EMPLOYED	1926	9.87
4	FAMILY BUSINESS OR FARM	168	0.86

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AK7\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE)

MEAN STATISTICS	
N	8900
MIN	0
MAX	456
MEAN	140.12

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK7

NOTES: TOPCODE = 456



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		10616	54.40
0	<1 YEAR		585	3.00
1	1 YEAR		877	4.49
2	2 YEARS		715	3.66
3	3 YEARS		543	2.78
4	4 YEARS		356	1.82
5	5 YEARS		410	2.10
6	6-9 YEARS		1204	6.17
7	10-14 YEARS		1229	6.30
8	15-19 YEARS		846	4.33
9	20-29 YEARS		1246	6.38
10	30+ YEARS		889	4.56

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT  
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME14: QA13\_G32  
QNAME13: QA13\_K3 QNAME11: QA11\_K3

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

VALUE:			FREQ	%
-1	INAPPLICABLE		10642	54.53
1	1 OR 2		1698	8.70
2	3 - 9		934	4.79
3	10 - 24		713	3.65
4	25 - 50		582	2.98
5	51 - 100		428	2.19
6	101 - 200		351	1.80
7	201 - 999		597	3.06
8	1,000 OR MORE		3571	18.30

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

VARNAME: AK10\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	8900
MIN	0
MAX	30000
MEAN	4615.85

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK10A\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	5107
MIN	0
MAX	30000
MEAN	5184.88

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

---

VARNAME: AK22\_P QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

## MEAN STATISTICS

N	19516
MIN	0
MAX	300000
MEAN	69859.46

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AK32 QNAME14: QA13\_K17  
QNAME13: QA13\_K17 QNAME11: NA

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH

VALUE:	1	YES	FREQ	%
	2	NO	1674	8.58
			17842	91.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AK33\_P1 QNAME14: NA  
QNAME13: NA QNAME11: NA

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)

MEAN STATISTICS	
N	1674
MIN	1
MAX	3
MEAN	1.41

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN HOUSEHOLD

INPUT VAR: AK33

NOTES: TOPCODE = 3

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME14: QA13\_K25  
QNAME13: QA13\_K25 QNAME11: QA11\_K23

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	11377	58.30
1	OFTEN TRUE	627	3.21
2	SOMETIMES TRUE	1834	9.40
3	NEVER TRUE	5564	28.51

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM2 QNAME14: QA13\_K26  
QNAME13: QA13\_K26 QNAME11: QA11\_K24

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:		FREQ	%
-2	PROXY SKIPPED	114	0.58
-1	INAPPLICABLE	11377	58.30
1	OFTEN TRUE	645	3.30
2	SOMETIMES TRUE	1927	9.87
3	NEVER TRUE	5453	27.94

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS  
OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME14: QA13\_K27  
QNAME13: QA13\_K27 QNAME11: QA11\_K25

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		11433	58.58
1	YES		1349	6.91
2	NO		6734	34.51

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3A QNAME14: QA13\_K28  
QNAME13: QA13\_K28 QNAME11: QA11\_K26

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		18167	93.09
1	ALMOST EVERY MONTH		502	2.57
2	SOME MONTHS BUT NOT EVERY MONTH		476	2.44
3	ONLY IN 1 OR 2 MONTHS		371	1.90

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	AM4	QNAME14:	QA13_K29	
		QNAME13:	QA13_K29	QNAME11: QA11_K27
LABEL:	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS			
VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	114	0.58
	1	YES	11377	58.30
	2	NO	1439	7.37
			6586	33.75
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	AM5	QNAME14:	QA13_K30	
		QNAME13:	QA13_K30	QNAME11: QA11_K28
LABEL:	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS			
			FREQ	%
VALUE:	-2	PROXY SKIPPED	114	0.58
	-1	INAPPLICABLE	11377	58.30
	1	YES	850	4.36
	2	NO	7175	36.76
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS OR NOT KNOWN			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		13113	67.19
1	FOOD SECURITY		4248	21.77
2	FOOD INSECURITY W/O HUNGER		1353	6.93
3	FOOD INSECURITY W/ HUNGER		802	4.11

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: FOOD SECURITY STATUS (2 LVLS)

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		13113	67.19
1	FOOD SECURITY		4248	21.77
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		2155	11.04

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: FPG QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: FEDERAL POVERTY GUIDELINE

VALUE:			FREQ	%
1	FPG 0 TO 138		5028	25.76
2	FPG 139 TO 200		2312	11.85
3	FPG 201 TO 400		4650	23.83
4	FPG 400+		7526	38.56

UNIVERSE: ADULTS 18-64 YEARS

INPUT VAR: POVGWD

NOTES:

---

VARNAME: POVLL\_ACA QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)

VALUE:			FREQ	%
1	0-138% FPL		4380	22.44
2	139%-249% FPL		3497	17.92
3	250%-399% FPL		3370	17.27
4	400%+ FPL		8269	42.37

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   POVGWD\_P                                   QNAME14:   NA  
  QNAME13:   NA                                   QNAME11:   NA

LABEL:       FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N	19516
MIN	0
MAX	24
MEAN	4.27

UNIVERSE:   ALL ADULTS

INPUT VAR:   POVGWD

NOTES:       TOPCODE=24

VARNAME:   POVLL                                   QNAME14:   NA  
  QNAME13:   NA                                   QNAME11:   NA

LABEL:       POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	2753	14.11
2	100-199% FPL	3699	18.95
3	200-299% FPL	2711	13.89
4	300% FPL AND ABOVE	10353	53.05

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED (PRE-ACA)

VALUE:		FREQ	%
-5	INSURED	9920	50.83
-1	INAPPLICABLE-AGES>=65	8256	42.30
1	MEDI-CAL (MEDICAID) ELIG.	79	0.40
2	HEALTHY FAM ELIG.	5	0.03
3	NOT ELIG.	1256	6.44

UNIVERSE: ALL ADULTS UNDER AGE 65 AND UNINSURED

INPUT VAR:

NOTES:

VARNAME: ELGMAGI3 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

VALUE:		FREQ	%
-5	INSURED	9920	50.83
-1	INAPPLICABLE-AGES>=65	8256	42.30
1	MEDI-CAL (MEDICAID) ELIG.	355	1.82
3	NOT ELIG.	985	5.05

UNIVERSE: UNINSURED ADULTS

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON  
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION  
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section L: Public Program Participation

---

VARNAME: AL2 QNAME14: QA13\_L1  
QNAME13: QA13\_L1 QNAME11: QA11\_L1

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		9149	46.88
1	YES		346	1.77
2	NO		10021	51.35

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS  
THAN 300% FPL OR HH POVERTY LEVEL NOT KNOWN

INPUT VAR:

NOTES:

---

VARNAME: AL5 QNAME14: QA13\_L3  
QNAME13: QA13\_L3 QNAME11: QA11\_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		9149	46.88
1	YES		1033	5.29
2	NO		9334	47.83

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS  
THAN 300% FPL

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6 QNAME14: QA13\_L5  
QNAME13: QA13\_L5 QNAME11: QA11\_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		9149	46.88
1	YES		1189	6.09
2	NO		9178	47.03

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL22 QNAME14: QA13\_G28  
QNAME13: QA13\_G28 QNAME11: QA11\_G29

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:			FREQ	%
-1	INAPPLICABLE		16246	83.24
1	YES		845	4.33
2	NO		2425	12.43

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL32 QNAME14: QA13\_L12  
QNAME13: QA13\_L12 QNAME11: NA

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

VALUE:			FREQ	%
-1	INAPPLICABLE		9149	46.88
1	YES		100	0.51
2	NO		10267	52.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL18A QNAME14: QA13\_L14  
QNAME13: QA13\_L14 QNAME11: QA11\_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		13825	70.84
1	YES		4312	22.09
2	NO		1379	7.07

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER  
OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL  
ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

## Section M: Housing & Community Involvement

---

VARNAME: AK23 QNAME14: QA13\_M1  
QNAME13: QA11\_M1 QNAME11: QA11\_M1

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:			FREQ	%
1	HOUSE		14290	73.22
2	DUPLEX		705	3.61
3	BUILDING WITH 3 OR MORE UNITS		3412	17.48
4	MOBILE HOME		1109	5.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AK25 QNAME14: QA13\_M2  
QNAME13: QA11\_M2 QNAME11: QA11\_M2

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
-9	NOT ASCERTAINED		94	0.48
-8	DON'T KNOW		28	0.14
-7	REFUSED		67	0.34
1	OWN		13158	67.42
2	RENT		5400	27.67
3	OTHER ARRANGEMENT		769	3.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19

QNAME14: QA13\_M7

QNAME13: QA11\_M7

QNAME11: QA11\_M7

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	STRONGLY AGREE		5216	26.73
2	AGREE		11581	59.34
3	DISAGREE		2155	11.04
4	STRONGLY DISAGREE		450	2.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM20

QNAME14: QA13\_M8

QNAME13: QA11\_M8

QNAME11: NA

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

VALUE:			FREQ	%
-9	NOT ASCERTAINED		94	0.48
-8	DON'T KNOW		1285	6.58
-7	REFUSED		51	0.26
-2	PROXY SKIPPED		114	0.58
-1	INAPPLICABLE		6	0.03
1	STRONGLY AGREE		264	1.35
2	AGREE		1752	8.98
3	DISAGREE		11873	60.84
4	STRONGLY DISAGREE		4077	20.89

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES:



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21 QNAME14: QA13\_M9  
QNAME13: QA11\_M9 QNAME11: QA11\_M8

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	STRONGLY AGREE		4151	21.27
2	AGREE		12828	65.73
3	DISAGREE		1960	10.04
4	STRONGLY DISAGREE		463	2.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM35 QNAME14: QA13\_M10  
QNAME13: QA11\_M10 QNAME11: QA11\_M9

LABEL: NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	STRONGLY AGREE		4226	21.65
2	AGREE		11196	57.37
3	DISAGREE		1505	7.71
4	STRONGLY DISAGREE		298	1.53
5	NOT APPLICABLE		2177	11.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28 QNAME14: QA13\_M11  
QNAME13: QA11\_M11 QNAME11: QA11\_M10

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE:			FREQ	%
-2	PROXY SKIPPED		114	0.58
1	ALL OF THE TIME		10719	54.92
2	MOST OF THE TIME		7061	36.18
3	SOME OF THE TIME		1387	7.11
4	NONE OF THE TIME		235	1.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM36 QNAME14: QA13\_M12  
QNAME13: QA11\_M12 QNAME11: QA11\_M11

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

VALUE:			FREQ	%
1	YES		8534	43.73
2	NO		10982	56.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AM39 QNAME14: QA13\_M13

QNAME13: QA11\_M13 QNAME11: QA11\_M12

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		2669	13.68
2	NO		16847	86.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AM40 QNAME14: QA13\_M14

QNAME13: QA11\_M14 QNAME11: QA11\_M13

LABEL: MEET INFORMALLY TO DEAL W/COMM PROB PAST YR

VALUE:			FREQ	%
1	YES		4348	22.28
2	NO		15168	77.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

VARNAME: AM37 QNAME14: QA13\_M3

QNAME13: QA11\_M3 QNAME11: QA11\_M3

LABEL: CURRENTLY PAYING OFF MORTGAGE/HOME LOAN

VALUE:			FREQ	%
-1	INAPPLICABLE		13181	67.54
1	YES		2516	12.89
2	NO		3819	19.57

UNIVERSE: ALL ADULTS WHO ARE >= 65 AND OWN HOME

INPUT VAR:

NOTES:

---

DD-171

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AM38\_P1 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14777	75.72
1	CHANGE IN MARITAL/RELATIONSHIP STATUS	316	1.62
2	TO ESTABLISH OWN HOUSEHOLD	482	2.47
3	FOR CHILD'S EDUCATION/TO ATTEND OR LEAVE	132	0.68
5	WORK RELATED	414	2.12
6	COULDN'T AFFORD MORTGAGE/RENT	490	2.51
7	OTHER HOUSING RELATED	1520	7.79
8	BETTER NEIGHBORHOOD/LESS CRIME	265	1.36
91	OTHER	1120	5.74

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR: AM38

NOTES:

---

## Section N: Demographic Info Part III, Geographic Info

---

VARNAME: AM34 QNAME14: QA13\_N10

QNAME13: QA11\_N10 QNAME11: QA11\_N10

LABEL: TELEPHONE CALLS RECEIVED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	1	0.01
-8	DON'T KNOW	48	0.25
-7	REFUSED	15	0.08
-1	INAPPLICABLE	5948	30.48
1	ALL OR ALMOST ALL CALLS ON CELL PHONES	3344	17.13
2	SOME CALLS ON CELL, SOME REGULAR PHONES	5206	26.68
3	VERY FEW OR NO CALLS ON CELL PHONES	4954	25.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_BG

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:			FREQ	%
1	URBAN		6088	31.19
2	2ND CITY		3826	19.60
3	SUBURBAN		4155	21.29
4	TOWN AND RURAL		5447	27.91

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

VARNAME: UR\_CLRT

QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		6642	34.03
2	2ND CITY		5174	26.51
3	SUBURBAN		3093	15.85
4	TOWN AND RURAL		4607	23.61

UNIVERSE: ALL ADULTS

INPUT VAR: BESTZIP

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_CLRT2 QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:	1	URBAN	FREQ	%
	2	RURAL	14909	76.39
			4607	23.61

UNIVERSE: ALL ADULTS

INPUT VAR: UR\_CLRT

NOTES:

VARNAME: UR\_IHS QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: RURAL AND URBAN - IHS

VALUE:	1	URBAN	FREQ	%
	2	RURAL	10822	55.45
			8694	44.55

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR\_OMB QNAME14: NA

QNAME13: NA QNAME11: NA

LABEL: RURAL AND URBAN - OMB

VALUE:	1	METROPOLITAN	FREQ	%
	2	NON-METROPOLITAN	17031	87.27
			2485	12.73

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:	UR_RHP	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	RURAL AND URBAN - RHP			
			FREQ	%
VALUE:	1	URBAN	15411	78.97
	2	RURAL	4105	21.03
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRCNTY CBLK			
NOTES:				

VARNAME:	UR_TRACT	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)			
			FREQ	%
VALUE:	1	URBAN	6198	31.76
	2	2ND CITY	4067	20.84
	3	SUBURBAN	3950	20.24
	4	TOWN AND RURAL	5301	27.16
UNIVERSE:	ALL ADULTS			
INPUT VAR:	CBLK			
NOTES:				

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

**Section O: Full Design and Replicate Weight Series 0-80**

---

VARNAME: RAKEDW0 QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: CHIS2014RAKED WEIGHT - FULL SAMPLE

VALUE:			FREQ	%
.	0 - HIGH		19516	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

---

VARNAME: RAKEDW1 QNAME14: NA

QNAME13: NA

QNAME11: NA

LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 1

VALUE:			FREQ	%
.	0 - HIGH		19516	100.00

UNIVERSE: ALL ADULTS

INPUT VAR: NA

NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW2 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 2  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW3 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 3  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW4 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 4  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW5 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 5  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW6 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 6  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW7 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 7  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW8 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 8  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW9 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 9  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW10 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 10  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW11 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 11  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW12 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 12  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW13 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 13  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW14 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 14  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW15 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 15  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW16 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 16  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW17 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 17  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW18 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 18  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW19 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 19  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW20 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 20  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW21 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 21  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW22 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 22  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW23 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 23  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW24 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 24  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW25 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 25  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW26 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 26  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW27 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 27  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW28 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 28  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW29 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 29  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW30 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 30  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW31 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 31  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW32 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 32  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW33 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 33  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW34 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 34  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW35 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 35  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW36 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 36  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW37 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 37  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW38 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 38  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW39 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 39  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW40 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 40  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW41 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 41  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW42 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 42  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW43 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 43  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW44 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 44  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW45 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 45  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW46 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 46  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW47 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 47  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW48 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 48  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW49 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 49  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW50 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 50  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW51 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 51  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW52 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 52  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW53 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 53  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW54 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 54  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW55 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 55  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW56 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 56  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW57 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 57  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW58 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 58  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW59 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 59  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW60 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 60  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW61 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 61  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW62 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 62  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW63 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 63  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW64 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 64  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW65 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 65  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW66 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 66  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW67 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 67  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW68 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 68  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW69 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 69  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW70 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 70  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW71 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 71  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW72 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 72  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW73 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 73  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---



2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW74 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 74  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW75 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 75  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW76 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 76  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

2014 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: RAKEDW77 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 77  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW78 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 78  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME: RAKEDW79 QNAME14: NA  
QNAME13: NA QNAME11: NA  
LABEL: CHIS2014 RAKED WEIGHT - REPLICATE 79  
VALUE: . 0 - HIGH  
FREQ %  
19516 100.00  
UNIVERSE: ALL ADULTS  
INPUT VAR: NA  
NOTES:

---

VARNAME:	RAKEDW80	QNAME14:	NA	
		QNAME13:	NA	QNAME11: NA
LABEL:	CHIS2014 RAKED WEIGHT - REPLICATE 80			
VALUE:	.	0 - HIGH	FREQ 19516	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:	NA			
NOTES:				