

Asset Manager

- [Analysis](#)
- [Process Flow Diagram](#)
- [Assumptions](#)
- [Cloud SQL Data Model Changes](#)
 - [New Tables](#)
 - [Existing Table Changes](#)

Analysis

- Total 37 Data Points against which user can upload csv while configuring the rules in POD
- Out of those 37 data points, 1 data point is not required in POA.
- From remaining 36 data points, **21 unique reference data sets have been identified.**


Expand the below section for more details.

Data Points which require reference data sets

	Data Point Name	Data Point Variable	Data Point Variable number	Possible Source for reference data	POD Reference Data source	Comments
1	Product Type	cpli_prod_type_cd	1	DAM	TD937_CPLI_PROD_XREF	
2	Application's Channel	cpli_chan_id	2	CRR via BMD	TD954_CPLI_CHAN_XREF	
3	PEP Risk Score	pep_risk_score_no	3	CRR via BMD		Reference Data would be a table containing values from 1 to 10
4	Party ADD Char	pty_add_char_cd	4	DAM	TD997_PTY_ADD_CHAR_XREF	
5	Party Role	acct_pty_role_cd	5	DAM	TD820_ACCT_PTY_ROLE_XREF	
6	Party's Structure/Party Type	cpli_pty_type_cd	6	DAM	TD956_CPLI_PTY_TYPE_XREF	
7	Party's Address Country	iso_etry_cd	7	DAM	TD893_CPLI_CTRY_XREF	
8	Party's Address Purpose	ad_prps_cd	8	DAM	TD948_AD_PRPS_XREF	
9	Party's Address Region	rgn_area_cd	9	DAM		
10	Party's Address Usage	ad_usage_type_cd	10	DAM	TD950_AD_USAGE_TYPE_XREF	
11	Party's Address Postal Code	pstl_cd_tx	11	DAM		Do we really need the reference data set for this? Can we build basic validations on the postal code formats? TBD
12	Party's Country Nationality	cpli_etry_cd	7	DAM	TD893_CPLI_CTRY_XREF	
13	Party's Industry Type	cpli_indus_type_cd	12	DAM	TD906_CPLI_INDUS	
14	Party's Industry Code	cpli_indus_cd	13	DAM	TD909_CPLI_INDUS_XREF	
15	Party's Address Country for Postal Code/Region Code	iso_etry_cd	7	DAM	TD893_CPLI_CTRY_XREF	
16	Transaction Country	cpli_etry_cd	7	DAM	TD893_CPLI_CTRY_XREF	
17	Transaction Type	trans_type_cd	14	DAM	TRANS_TYPE_MAP_CONFIG	
18	Parent Party Type	parnt_cpli_pty_type_cd	15	DAM	TD919_CPLI_PTY_TYPE	

19	Party Date Type	dt_type_cd	16	DAM	TD957_DT_TY PE_XREF	
20	Transaction Origin Country	cpli_etry_cd	7	DAM	TD893_CPLI_C TRY_XREF	
21	Product type As Secondary Data Point	cpli_prod_t ype_cd	1	DAM	TD937_CPLI_P ROD_XREF	
22	Occupation Code	emply_job_ class_cd	17	DAM		
23	Occupation Industry Type Code	cpli_indus_ type_cd	18	DAM	TD906_CPLI_I NDUS	
24	Alert Type	alert_type	19	DAM		
25	Income Type	incom_type_ _cd	20	DAM	T9303_LOOKUP	
26	SIP Risk Score	sip_risk_sc ore_no	3	CRR via BMD		Reference Data would be a table containing values from 1 to 10
27	Transaction Credit List	trans_type_ _cd	14	CRR via BMD	TRANS_TYPE_ MAP_CONFIG	
28	Transaction All List	trans_type_ _cd	14	CRR via BMD	TRANS_TYPE_ MAP_CONFIG	
29	Occupation Description	occpt_ds	21	DAM		Why is Occupation Code and Occupation Description separate data points? Are they not mapped to each other?
30	Occupation Status	emply_type_ _cd	22	DAM		
31	Jurisdiction Geography	iso_etry_cd	7	DAM	TD893_CPLI_C TRY_XREF	
32	Jurisdiction Channel	cpli_chan_id	2	DAM	TD954_CPLI_C HAN_XREF	
33	Jurisdiction Industry Code	cpli_indus_ _cd	13	DAM	TD909_CPLI_I NDUS_XREF	
34	Jurisdiction Industry Type	cpli_indus_ type_cd	12	DAM	TD906_CPLI_I NDUS	
35	Jurisdiction Occupation Code	emply_job_ class_cd	17	DAM		
36	Jurisdiction Product	cpli_prod_t ype_cd	1	DAM	TD937_CPLI_P ROD_XREF	
37	Jurisdiction Structure	cpli_pty_ty pe_cd	6	DAM	TD956_CPLI_P TY_TYPE_XREF	

Process Flow Diagram



Assumptions

1. In Phase 2, we will get all the reference data, identified in Analysis section, from DAM.
2. For Phase 1 delivery, we will maintain all reference data in BigQuery in project space.
3. POs will provide us the exhaustive lists for all reference data for phase 1.

Cloud SQL Data Model Changes

New Tables

Assumptions - Serial/Sequence number and common audit columns (created by, created on etc.) to be taken care while sending request to NGDM for data model updates.

1. **Reference Data Tables Metadata** - Table to maintain the list of available reference data tables

Attributes	Data Type	Nullability	Description	Comments
ref_data_table_id	Numeric	not null	Id for reference data table. For example, 1,2,..., n	
ref_data_table_name	Varchar	not null	Actual name of the reference data table in BigQuery. For example, ref_product_type, ref_country_codes etc.	
ref_data_table_display_name	Varchar	not null	Name that needs to be displayed in the dropdown of reference data sources in the UI. For example "Product Types", "Country Codes" etc.	Optional if on UI business wants to see the actual name of reference data tables itself in the dropdown while creating assests
ref_data_table_desc	Varchar	not null	Description of the type of data reference data table would be holding. For example, "table that holds the list of all product types"	
ref_data_table_column_name	varchar	not null	Name of column in the ref data table from which sublist is to be created/validated	

2. **Asset List** - Table to persist and maintain the assests created by user

Attributes	Data Type	Nullability	Description	Comments
asset_id	Numeric	not null	Id for the assest	
asset_name	varchar	not null	Name of the Asset. For example,	
asset_data	jsonb	not null	File data/List in the form of json	{ "list": ["abc", "pqr"], "filename": "abc.csv" }
ref_data_table_id	Numeric	not null	Id of reference data table from which the asset has been created	
asset_version	Numeric	not null	Version of the assest based on how many times an asset was updated and merged to production	In phase 1 every asset will have version 1 only as no edit/merge process in the scope for phase 1

3. **Data Point to Reference Data Table Mapping** - Static table to maintain the data point to reference data table mapping for all the data points against which user can upload a csv in POD or for which include/exclude operator is valid in POA.

Attributes	Data Type	Nullability	Description	Comments
data_point_id	Numeric	not null		
ref_data_table_id	Numeric	null		Null possible if maintaining all data points in this table. If choosing only to keep the data points that can be mapped with include/exclude operator, then this field can be marked as not null also

4. **Table to capture the lifecycle of an Asset** - Will be required with the edit feature of assets.

Attributes	Data Type	Nullability	Description	Comments
asset_id	Numeric	not null		

asset_version	Numeric	not null	Version of the assest based on how many times an asset was updated and merged to production	
asset_status_id	Numeric	not null	Status of the asset. Sanbox, Pending Approval1, Pending Approval 2, Production, Rejected etc.	In phase 1 asset will only have two statuses - Sandbox and Production. Asset Status will be marked as Production if any Sandbox containing rules that uses that assest is getting merged to production.

Existing Table Changes

1. Risk Rule

Attributes	Data Type	Nullability	Description
asset_id	Numeric	Null	
asset_version	Numeric	Null	
Data Point Value Data	Json	Null	
Data Point Value File Name	Varchar	Null	

**Green rows are new columns to be added and Red rows are columns to be deleted*