

Bootstrap 5 Forms

[< Previous](#)[Next >](#)

Stacked Form

All textual `<input>` and `<textarea>` elements with class `.form-control` get proper form styling:

Email:

Password:

☐ Remember me

Example

```
<form action="/action_page.php">
  <div class="mb-3 mt-3">
    <label for="email" class="form-label">Email:</label>
    <input type="email" class="form-control" id="email" placeholder="Enter
email" name="email">
  </div>
  <div class="mb-3">
    <label for="pwd" class="form-label">Password:</label>
    <input type="password" class="form-control" id="pwd" placeholder="Enter
password" name="pswd">
  </div>
  <div class="form-check">
    <input type="checkbox" class="form-check-input" id="remember-me" />
    Remember me
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```

☐ Dark mode

```

<label class="form-check-label">
  <input class="form-check-input" type="checkbox" name="remember">
Remember me
</label>
</div>
<button type="submit" class="btn btn-primary">Submit</button>
</form>

```

Try it Yourself »

Also note that we add a `.form-label` class to each label element to ensure correct padding.

Checkboxes have different markup. They are wrapped around a container element with `.form-check`, and labels have a class of `.form-check-label`, while checkboxes and radio buttons use `.form-check-input`.

Textarea

Comments:

Submit

Example

```

<label for="comment">Comments:</label>
<textarea class="form-control" rows="5" id="comment" name="text">
</textarea>

```

☐ Dark mode



Form Row/Grid (Inline Forms)

If you want your form elements to appear side by side, use `.row` and `.col` :

Example

```
<form>
  <div class="row">
    <div class="col">
      <input type="text" class="form-control" placeholder="Enter email"
name="email">
    </div>
    <div class="col">
      <input type="password" class="form-control" placeholder="Enter
password" name="pswd">
    </div>
  </div>
</form>
```

Try it Yourself »

You will learn much more about columns and rows in the [Bootstrap Grids Chapter](#).

Form Control Size

☐ Dark mode



You can change the size of `.form-control` inputs with `.form-control-lg` or `.form-control-sm` :

Example

```
<input type="text" class="form-control form-control-lg" placeholder="Large input">
<input type="text" class="form-control" placeholder="Normal input">
<input type="text" class="form-control form-control-sm" placeholder="Small input">
```

Try it Yourself »

Disabled and Readonly

Use the disabled and/or readonly attributes to disable the input field:

Example

```
<input type="text" class="form-control" placeholder="Normal input">
<input type="text" class="form-control" placeholder="Disabled input"
disabled>
<input type="text" class="form-control" placeholder="Readonly input"
readonly>
```

☐ Dark mode



Plain text Inputs

Plaintext input

Normal input

Use the `.form-control-plaintext` class to style an input field without borders, but keep proper margins and padding:

Example

```
<input type="text" class="form-control-plaintext" placeholder="Plaintext input">  
<input type="text" class="form-control" placeholder="Normal input">
```

Try it Yourself »

Color Picker



To style an input with `type="color"` properly, use the `.form-control-color` class:

Example

```
<input type="color" class="form-control form-control-color" value="#CCCCCC">
```

Try it Yourself »