Menu ▾

Log in

☰   ⌂   HTML   CSS   ◑   🌐   🔍

Bootstrap 5 Input Groups

〈 Previous

Next 〉

Input Groups

The `.input-group` class is a container to enhance an input by adding an icon, text or a button in front or behind the input field as a "help text".

To style the specified help text, use the `.input-group-text` class:

@	Username

Your Email	@example.com

Example

```
<form>
  <div class="input-group">
    <span class="input-group-text">@</span>
    <input type="text" class="form-control" placeholder="Username">
  </div>

  <div class="input-group">
    <input type="text" class="form-control" placeholder="Your Email">
    <span class="input-group-text">@example.com</span>
  </div>
</form>
```

Try it Yourself »

Input Group Size

Use the `.input-group-sm` class for small input groups and `.input-group-lg` for large inputs groups:

Small	

Default	

Large	

Example

```
<div class="input-group mb-3 input-group-sm">
   <span class="input-group-text">Small</span>
  <input type="text" class="form-control">
</div>

<div class="input-group mb-3">
  <span class="input-group-text">Default</span>
  <input type="text" class="form-control">>
</div>

<div class="input-group mb-3 input-group-lg">
  <span class="input-group-text">Large</span>
  <input type="text" class="form-control">
</div>
```

Try it Yourself »

Multiple Inputs and Helpers

Add multiple inputs or addons:

Person	First Name	Last Name

One	Two	Three	

Example

```html
<!-- Multiple inputs -->
<div class="input-group mb-3">
  <span class="input-group-text">Person</span>
  <input type="text" class="form-control" placeholder="First Name">
  <input type="text" class="form-control" placeholder="Last Name">
</div>

<!-- Multiple addons / help text -->
<div class="input-group mb-3">
  <span class="input-group-text">One</span>
  <span class="input-group-text">Two</span>
  <span class="input-group-text">Three</span>
  <input type="text" class="form-control">
</div>
```

Try it Yourself »

Input Group with Checkboxes and Radios

You can also use checkboxes or radio buttons instead of text:

☐	Some text

○	Some text

Example

```html
<div class="input-group mb-3">
  <div class="input-group-text">
    <input type="checkbox">
  </div>
  <input type="text" class="form-control" placeholder="Some text">
</div>

<div class="input-group mb-3">
  <div class="input-group-text">
```

```
      <input type="radio">
   </div>
   <input type="text" class="form-control" placeholder="Some text">
</div>
```

Try it Yourself »

Input Group Buttons

Basic Button	Some text

Search	Go

Something clever..	OK	Cancel

Example

```
<div class="input-group mb-3">
   <button class="btn btn-outline-primary" type="button">Basic
Button</button>
   <input type="text" class="form-control" placeholder="Some text">
</div>

<div class="input-group mb-3">
   <input type="text" class="form-control" placeholder="Search">
   <button class="btn btn-success" type="submit">Go</button>
</div>

<div class="input-group mb-3">
   <input type="text" class="form-control" placeholder="Something clever..">
   <button class="btn btn-primary" type="button">OK</button>
   <button class="btn btn-danger" type="button">Cancel</button>
</div>
```

Try it Yourself »

Input Group with Dropdown Button

Add a dropdown button in the input group. Note that you don't need the .dropdown wrapper, as you normally would.

Dropdown button	Username

Example

```
<div class="input-group mt-3 mb-3">
  <button type="button" class="btn btn-primary dropdown-toggle" data-bs-
toggle="dropdown">
    Dropdown button
  </button>
  <ul class="dropdown-menu">
    <li><a class="dropdown-item" href="#">Link 1</a></li>
    <li><a class="dropdown-item" href="#">Link 2</a></li>
    <li><a class="dropdown-item" href="#">Link 3</a></li>
  </ul>
  <input type="text" class="form-control" placeholder="Username">
</div>
```

Try it Yourself »

❮ Previous		Next ❯

NEW

We just launched
W3Schools videos