The Tetrahedral Stereocentre from Packing:
Chirality's Geometric Origin without Hybridisation

Claes Johnson[1]

[1]KTH Royal Institute of Technology, SE-100 44 Stockholm, Sweden,
claesjohnson@gmail.com

October 9, 2026

Abstract

Molecular chirality rests on one geometric fact: a carbon centre is tetrahedral, so four distinct substituents admit two arrangements that are mirror images and not superimposable. That fact was inferred from optical activity in 1874, half a century before quantum mechanics, and the orbital account recovers it by *hybridising* one s and three p eigenmodes into four equivalent lobes — a construction laid over an independent-particle approximation, undertaken because the bare eigenmodes do not give molecular shape. We note that RealQM, a model of non-overlapping unit electron charge densities in three space dimensions, obtains the tetrahedron directly: four unit charges on a shell sit as far apart as the shell allows, and for $N = 4$ that is tetrahedral, with a Coulomb energy of $3.674/R$ against $6.000/R$ for the same four charges smeared over the shell. The stereocentre is then a packing result rather than an orbital repair, and the existence of chirality follows from how charge packs around a kernel. We are equally explicit about what this does not deliver. Enantiomers come out exactly degenerate, which is correct but automatic in any parity-symmetric theory and therefore buys nothing. Enantioselectivity does not come out at all: a 95:5 enantiomeric ratio corresponds to $\Delta\Delta G^{\ddagger} \approx 1.7$ kcal/mol, three orders of magnitude below this model's accuracy floor. Chiral recognition energies are typically under 1 kcal/mol and dispersion-dominated, which is a permanent gap. And the origin of biological homochirality requires parity violation, which the framework does not contain. The contribution is therefore to chirality's *geometric origin*, not to chiral chemistry.

1 One geometric fact

Chirality in carbon chemistry reduces to a single statement about shape. A centre bonded to four groups is tetrahedral; if the four groups differ, there are exactly two ways to arrange them, and the two are mirror images that cannot be brought into coincidence by any rotation. Everything else — optical rotation, enantiomeric excess, the handedness of sugars and amino acids — is built on that.

The historical order is worth keeping in view, because it is the reverse of the usual telling. Van't Hoff and Le Bel proposed the tetrahedral carbon in 1874 *in order to explain optical activity*. The tetrahedron was an empirical inference from chirality, not a prediction about it, and it preceded Schrödinger's equation by fifty-two years. Quantum mechanics inherited the tetrahedron as something to be recovered.




Figure 1: The whole of carbon chirality in one picture. A four-coordinate centre is tetrahedral; with four distinct substituents there are exactly two arrangements, related by reflection and not superimposable by any rotation. Bold wedge toward the reader, dashed away. Everything downstream — optical rotation, enantiomeric excess, the handedness of sugars and amino acids — rests on this.

2 How the orbital account recovers it

The one-electron hydrogenic states are s, p, d, f, classified by angular momentum. For carbon the occupied valence modes are one $2s$ and three $2p$, and the $2p$ lobes point along three mutually orthogonal axes. That is not a tetrahedron; orthogonal axes give 90° between bonds, where methane has 109.47°. The repair is *hybridisation*: one forms four linear combinations

$$\tfrac{1}{2}\,(s + p_x + p_y + p_z)\,, \quad \tfrac{1}{2}\,(s + p_x - p_y - p_z)\,, \quad \text{and two more,}$$

each pointing at a cube corner, and the four together are tetrahedral. VSEPR does the same work by a different route, positing that electron pairs repel and arrange themselves at maximum separation.

Neither device is in the Schrödinger equation. The N-electron equation has no orbitals at all; its solutions are functions on $3N$ variables carrying no s, p, d, f labels. The orbital scheme is an independent-particle approximation laid over it, and hybridisation is a further construction laid over that, undertaken — as the companion article on atoms puts it — because "the bare eigenmodes do not give molecular shape." VSEPR and sp^3 hybridisation are geometric repairs grafted onto the orbital model precisely to recover a shape the decomposition had destroyed.

This is not an objection to the orbital account, which is enormously useful and which we do not dispute. It is an observation about where the tetrahedron comes from in that account: it is put back in, by hand, after an angular decomposition removed it.

3 How packing gives it directly

RealQM carries no angular decomposition to undo. The state is a set of non-overlapping unit charge densities, and the question of where four charges sit on a shell is answered by minimising Coulomb repulsion subject to non-overlap. The answer is the obvious one: as far apart as the shell allows — antipodal for two, trigonal for three, **tetrahedral for four**.

The numbers make the point quantitative. For unit charges at a common radius R, in units of $1/R$:




Figure 2: Two routes to the same tetrahedron. **(a)** The orbital account begins with three mutually orthogonal p lobes at 90° — not a tetrahedron — and recovers 109.47° by hybridising them with s. The shape is restored after an angular decomposition removed it. **(b)** RealQM takes no such decomposition: four non-overlapping unit charges on a shell minimise their mutual repulsion by sitting tetrahedrally, $3.674/R$ against $6.000/R$ for the same charge smeared over the shell. The tetrahedron is the result, not the target.

charges	smeared over the shell	packed
2	1.000	0.500 (antipodal)
3	3.000	1.732 (trigonal)
4	6.000	**3.674** (tetrahedral)

Packing four unit charges tetrahedrally costs $3.674/R$ where smearing the same four charges over the shell costs $6.000/R$ — a factor 1.63. The tetrahedron is not imposed to recover a known shape; it is what four mutually repelling non-overlapping densities do. The same rule gives the shell capacities of the periodic table, where the closed octet appears as $8 = 4{+}4$, two dual tetrahedra, and where there is no s, p or d anywhere in the construction.

So the stereocentre is a packing result. Chirality exists because four unit charges pack tetrahedrally around a kernel, and a tetrahedron with four distinct corners is chiral. No hybridisation is required because nothing was decomposed into orbitals in the first place. Of the two classical repairs, VSEPR is much the closer in spirit — it is a repulsion-and-separation argument, and RealQM is in effect VSEPR promoted from a rule to a solved variational problem.

4 What this does not deliver

The above is a claim about the *origin* of chirality and nothing more. Four limits should be stated plainly, because each of them excludes something a reader might reasonably hope for.

Enantiomer degeneracy is automatic, and therefore worthless as evidence. Two enantiomers have exactly equal energy in any parity-symmetric theory. RealQM is Coulomb-only and hence parity-symmetric, so the degeneracy comes out exactly — and so it does in standard quantum mechanics. Nothing is learned either way.

Enantioselectivity is out of reach by three orders of magnitude. Selectivity is a transition-state energy difference. A 95:5 enantiomeric ratio at room temperature corresponds to $\Delta\Delta G^{\ddagger} \approx 1.7$ kcal/mol. This model's energies are accurate to a few per cent of a total energy, which for an organic molecule is hundreds of kcal/mol. The gap is not a matter of refinement.

Chiral recognition energies lie in the dispersion gap. Discrimination between enantiomers by a chiral host is typically under 1 kcal/mol and is substantially dispersive. RealQM's densities are static, so it has no dispersion; the same limitation that keeps it out of van der Waals complexes keeps it out of recognition thermodynamics. What it *can* address is the shape question — whether an enantiomer geometrically fits a pocket — since hydrogen-bond and steric geometries come out at measured distances. Whether it fits, not how much it prefers to.

Homochirality requires physics the framework lacks. That life uses L-amino acids and D-sugars is a broken symmetry, and breaking it requires parity violation — the weak interaction. RealQM contains Coulomb interaction and nothing else. The origin of biological handedness is outside it, and no amount of computation changes that.

5 What is worth saying, then

Exactly one thing, and it is upstream of chiral chemistry rather than part of it. The founding geometric fact of stereochemistry — that a four-coordinate centre is tetrahedral — is in the orbital account a repair applied after an angular decomposition, and in RealQM a direct consequence of four non-overlapping charges minimising their mutual repulsion. Chirality is then a packing phenomenon: it exists because charge packs tetrahedrally, and a tetrahedron with four distinct corners has no mirror symmetry.

Van't Hoff and Le Bel inferred the tetrahedron from optical activity in 1874. Pauling supplied hybridisation in 1931 to recover it from the new mechanics. The claim here is that a model built from charge densities in three dimensions does not need the second step, because it never takes the decomposition that made it necessary.