

LeetCode

Explore

Problems

Interview

Contest

Discuss

Store

Description

Solution

Discuss (999+)

Submissions

i

Java

Autocomplete

i

{}

↩

🔄

🔍

680. Valid Palindrome II

Easy

5451

296

Add to List

Share

Given a string `s`, return `true` if the `s` can be palindrome after deleting **at most one** character from it.

**Example 1:**

Input: `s = "aba"`  
Output: `true`

**Example 2:**

Input: `s = "abca"`  
Output: `true`  
Explanation: You could delete the character 'c'.

**Example 3:**

Input: `s = "abc"`  
Output: `false`

**Constraints:**

- `1 <= s.length <= 105`
- `s` consists of lowercase English letters.

Accepted 481,965      Submissions 1,223,845

Seen this question in a real interview before?

Companies i

Related Topics

Similar Questions

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

```
class Solution {
    private boolean checkPali(String s, int i, int j) {
        while (i < j) {
            if (s.charAt(i) != s.charAt(j)) {
                return false;
            }
            i++;
            j--;
        }
        return true;
    }

    public boolean validPalindrome(String s) {
        String input = s.toLowerCase();
        int i = 0;
        int j = input.length() - 1;

        while (i < j) {
            if (s.charAt(i) != s.charAt(j)) {
                return (checkPali(s, i, j - 1) || checkPali(s, i + 1, j));
            }
            i++;
            j--;
        }
        return true;
    }
}
```

🏠

Run Code

Submit

🔍

Problems

🔗 Pick One

< Prev

680/2236

Next >

Console

Contribute i