

#### Swift on Windows



#### Swift on Windows

#### Quid Celeri?

```
@main
struct Asynchronous {
   public static func main() async throws {
      try RoInitialize()
      let controller =
            try Windows.System.DispatcherQueueController.CreateOnDedicatedThread()
      try await controller.ShutdownQueue()
   }
}
```

Modern

- Modern
- Type Safe

- Modern
- Type Safe
- Multi-paradigm
- General Purpose

```
@main
struct Asynchronous {
   public static func main() async throws {
      try RoInitialize()
      let controller =
            try Windows.System.DispatcherQueueController.CreateOnDedicatedThread()
      try await controller.ShutdownQueue()
   }
}
```

- Modern
- Type Safe
- Multi-paradigm
- General Purpose

```
@main
struct Asynchronous {
   public static func main() async throws {
      try RoInitialize()
      let controller =
            try Windows.System.DispatcherQueueController.CreateOnDedicatedThread()
      try await controller.ShutdownQueue()
   }
}
```

Source Code: https://github.com/compnerd/SwiftWinRT

Application Programming

- Modern
- Type Safe
- Multi-paradigm
- General Purpose

```
@main
struct Asynchronous {
   public static func main() async throws {
      try RoInitialize()
      let controller =
           try Windows.System.DispatcherQueueController.CreateOnDedicatedThread()
      try await controller.ShutdownQueue()
   }
}
```

- Application Programming
- Systems Programming

#### Wrong Channel?

LLVM Based

- LLVM Based
- Supports Multiple Languages
  - Swift
  - C
  - C++
  - Objective-C

- LLVM Based
- Supports Multiple Languages
  - Swift
  - C
  - C++
  - Objective-C
- Intended to be used as a complete toolchain

**Module System** 

- Modern
- Type Safe
- Multi-paradigm
- General Purpose

```
import WinRT

@main
struct Asynchronous {
  public static func main() async throws {
    try RoInitialize()
    let controller =
        try Windows.System.DispatcherQueueController.CreateOnDedicatedThread()
    try await controller.ShutdownQueue()
  }
}
```

- Application Programming
- Systems Programming

Compile Time FFI

- Compile Time FFI
- Embedded Clang

- Compile Time FFI
- Embedded Clang
- clang modules

#### Recipes

# Recipes Toolchain Hosts and Targets

# Recipes Toolchain Hosts and Targets

#### Host

- Windows
  - X64
  - ARM64

# Recipes Toolchain Hosts and Targets

#### Host

- Windows
  - X64
  - ARM64

#### **Target**

- Windows
  - X86, X64, ARM, ARM64
- Android
  - X86, X64, ARM, ARM64
- Linux
  - X86, X64, ARM, ARM64
- WASI
  - WASM

#### Elastic Sky

Azure Pipelines

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info
  - ~50 GB for a Release Build with Debug Info

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info
  - ~50 GB for a Release Build with Debug Info
- SDK is ~500 MB for a Release Build

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info
  - ~50 GB for a Release Build with Debug Info
- SDK is ~500 MB for a Release Build
- Developer Tools are ~200 MB for a Release Build

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info
  - ~50 GB for a Release Build with Debug Info
- SDK is ~500 MB for a Release Build
- Developer Tools are ~200 MB for a Release Build
- ~8-hours for a single stage, non-LTO, non-PGO build

- Azure Pipelines
- ~30 min to clone sources (~5.5 GB)
- Toolchain is ~10 GB w/o Debug Info.
  - ~50 GB for a Release Build with Debug Info
- SDK is ~500 MB for a Release Build
- Developer Tools are ~200 MB for a Release Build
- ~8-hours for a single stage, non-LTO, non-PGO build
- Unified Installer ~500 MB

#### Flight Manifest

#### Flight Manifest

Windows Swift Toolchain Distribution Contents

### Flight Manifest Windows Swift Toolchain Distribution Contents

Toolchain

### Flight Manifest Windows Swift Toolchain Distribution Contents

- Toolchain
  - clang, clang++, clang-cl, swift, ar, as, ld, db

- Toolchain
  - clang, clang++, clang-cl, swift, ar, as, ld, db
  - nm, objdump, c++filt, ...

- Toolchain
  - clang, clang++, clang-cl, swift, ar, as, ld, db
  - nm, objdump, c++filt, ...
  - mt, rc, ...


- Toolchain
  - clang, clang++, clang-cl, swift, ar, as, ld, db
  - nm, objdump, c++filt, ...
  - mt, rc, ...
- SDK
  - Swift runtime/standard library, libdispatch, Foundation, XCTest


- Toolchain
  - clang, clang++, clang-cl, swift, ar, as, ld, db
  - nm, objdump, c++filt, ...
  - mt, rc, ...
- SDK
  - Swift runtime/standard library, libdispatch, Foundation, XCTest
- Developer Tools
  - Package Manager, clangd, LSP


### Oscillations


Toolchain

MSI











### Build All The Things!


### Build All The Things!

Packaging Explosion





# Build All The Things! Packaging Explosion



### Not So Quick

C/C++ SDK provided by the platform

- C/C++ SDK provided by the platform
  - WinSDK
  - NDK

- C/C++ SDK provided by the platform
  - WinSDK
  - NDK
- WinSDK has depends on MSVC Tool Set

- C/C++ SDK provided by the platform
  - WinSDK
  - NDK
- WinSDK has depends on MSVC Tool Set
- clang modules are defined inline

- C/C++ SDK provided by the platform
  - WinSDK
  - NDK
- WinSDK has depends on MSVC Tool Set
- clang modules are defined inline
- Post-facto modifications

### Ignore Your Target Audience

### Ignore Your Target Audience

Toolchain Flexibility

Uniformity across platforms

- Uniformity across platforms
  - Installation Root (%SystemDrive%)

- Uniformity across platforms
  - Installation Root (%SystemDrive%)
  - Encapsulate Unix layout

- Uniformity across platforms
  - Installation Root (%SystemDrive%)
  - Encapsulate Unix layout
  - Inspired by macOS


- Uniformity across platforms
  - Installation Root (%SystemDrive%)
  - Encapsulate Unix layout
  - Inspired by macOS
- Built for flexibility, not familiarity

- Uniformity across platforms
  - Installation Root (%SystemDrive%)
  - Encapsulate Unix layout
  - Inspired by macOS
- Built for flexibility, not familiarity
- Setup for split, parallel toolchain installations


- Uniformity across platforms
  - Installation Root (%SystemDrive%)
  - Encapsulate Unix layout
  - Inspired by macOS
- Built for flexibility, not familiarity
- Setup for split, parallel toolchain installations
- Multiple parallel SDK installation

### 5 seconds of Fame

# 5 seconds of Fame The Actual Layout



# 5 seconds of Fame The Actual Layout



Developer-Only Platform Content

### Something's Amiss

# Something's Amiss Missing Pieces

### Something's Amiss Missing Pieces

mt is incomplete

#### Something's Amiss Missing Pieces

- mt is incomplete
- Fallback to MSVC Tools

#### The Great Depression

Non-executable components

- Non-executable components
  - runtimes build

- Non-executable components
  - runtimes build
    - VsDevCmd

- Non-executable components
  - runtimes build
    - VsDevCmd
    - Runtime Dependencies

- Non-executable components
  - runtimes build
    - VsDevCmd
    - Runtime Dependencies
    - CMake Dependency

- Non-executable components
  - runtimes build
    - VsDevCmd
    - Runtime Dependencies
    - CMake Dependency
- Custom Package Management

- Non-executable components
  - runtimes build
    - VsDevCmd
    - Runtime Dependencies
    - CMake Dependency
- Custom Package Management
- LLVM is not a cross-compiling build setup

#### Schooling

Prefer MSVC over LLVM

- Prefer MSVC over LLVM
- Integrate into LLVM's build if possible

- Prefer MSVC over LLVM
- Integrate into LLVM's build if possible
- Compose CMake caches for external builds

- Prefer MSVC over LLVM
- Integrate into LLVM's build if possible
- Compose CMake caches for external builds
- Overly verbose distribution cache

# Thank You

winget install swift

https://youtu.be/Zjlxa1NIfJc