## Form 2126 R2.0: Neuroblastoma Post-HSCT Data

Center: CRID:

Key Fields					
Seq	uence Number:				
	e Received:				
	MTR Center Number				
	MTR Recipient ID:				
	ay's Date: e of HSCT for which this form is being completed:				
	HSCT type:(check all that apply)				
8	Autologous				
Æ	Allogeneic, unrelated				
e	Allogeneic, related				
e	Syngeneic (identical twin)				
	Product type: (check all that apply)				
B	Marrow				
ê	PBSC				
e	Cord blood				
6	Other product				
	Specify:				
Visit: 100 day 6 months 1 year 2 years > 2 years,  Specify:					
4 (	Disease Assessment at the Time of Best Response to HSCT Questions: 1 - 159				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment				
ŗ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  Complete response and primary tumor, no metastatic sites, catecholamines normal; included continued complete response.				
ı	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90.99%, no metastatic sites, catecholamines normal; residual 9Tc hone changes allowed				
ľ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment clanned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>99</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment clanned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>99</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of positive sites at diagnosis minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing				
ı	Disease Assessment at the Time of Best Response to HSCT  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>99</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of postive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion				
ī	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual set to be the changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of postive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; increase of any measurable lesion by > 25%; previous penaltive marrow positive for tumor.				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>90</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of positive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>80</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of postive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment oblanned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>36</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of positive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed  unknown / not tested				
ţ	Disease Assessment at the Time of Best Response to HSCT Questions: 1-159 Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>96</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of positive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed  unknown / not tested  Specify the site(s) of persistent tumor:				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual **Tc bone changes allowed*  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of postive sites at diagnosis minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed  unknown / not tested  Specify the site(s) of persistent tumor:  2 Adrenal gland				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>set</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, and measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biopsy allowed if this represents a decrease from the number of positive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed  unknown / not tested  Specify the site(s) of persistent tumor:  2 Adrenal gland  m yes  no				
ţ	Disease Assessment at the Time of Best Response to HSCT  Questions: 1 - 159  Compared to the disease status prior to the preparative regimen, what was the best response since the date of the last report? (Include response to any post-HSCT treatment planned as of Day 0.)  complete response - no primary tumor, no metasraric sites, catecholamines normal; included continued complete response  very good partial response - primary tumor decreased by 90-99%, no metastatic sites, catecholamines normal; residual <sup>96</sup> Tc bone changes allowed  partial response - primary tumor decreased by > 50%, all measurable metastatic sites decreased by > 50%, number of positive bone sites decreased by > 50%, no more than 1 positive bone marrow site allowed, 1 positive marrow aspirate or biposy allowed if this represents a decrease from the number of positive sites at diagnosis  minimal response - no new lesion; > 50% reduction of any measurable lesion (primary or metastases) with < 50% reduction in any other; < 25% increase in any existing lesion  no response - no new lesions; < 50% reduction but < 25% increase in any existing lesion  progressive disease - any new lesions; increase of any measurable lesion by > 25%; previous negative marrow positive for tumor  Not assessed  unknown / not tested  Specify the site(s) of persistent tumor:  2 Adrenal gland  the yes in no  3 Bone				

Center: CRID:
5 Cerebellum
yes <sub>jta</sub> no
6 Cerebrospinal fluid (CSF)
$_{\parallel n}$ yes $_{\parallel n}$ no
7 Cerebrum
yes <sub>jo</sub> no
8 Cranial nerves
th yes in no
9 Liver
yes <sub>fig.</sub> no
10 Lymph node
yes no
11 Mediastinum
ita yes ita no
12 Paraspinal ganglion
$\mathbb{T}_n$ yes $\mathbb{T}_n$ no
13 Retro-orbital area
ita yes ita no
14 Skin / subcutaneous tissue
ita yes no
15 Elevated catecholemines
ita yes in no
16 Other site:
ija yes ija no
17 Specify other site:
Specify the date best response was determined: Date previously reported
9 Were tumor markers evaluated for the best response post-HSCT determination?  yes no
Specify the following tumor marker analyses performed:  20 Homovanilic acid (HVA):
Ha Known Ha Not known
21 [endif] µg/mg creatinine
<[endin]>μg/mg creatinine
22 Date of best response determination:
Known Not known
<b>24</b> ng/mL
25 Date of best response determination:
To Known To Not known

## Form 2126 R2.0: Neuroblastoma Post-HSCT Data

the yes the no

Center:	CRID:
27	ng/mg or μg/L
28	Date of best response determination:
29 Vanil	mandelic acid (VMA):
	Known Not known
30	
	Date of best response determination:
	tumor marker analysis:
33	Specify other analysis:
34	Specify level and units:
35 Was the reci	pient given planned therapy per protocol post-HSCT treatment for neuroblastoma?
yes	no no
<b>36</b> Was	radiotherapy given?
	yes <sub>In</sub> no
m	, lu
	Specify the site(s) of radiotherapy:
37	7 Bone metastases
	yes to no
38	3 Primary tumor
	yes no
39	Other site:
	yes no
44	40 Specify:
	Specify the date radiotherapy was started:
40	Dose per fraction: [endif] cGy (rads)
<b>44</b> Was	MIBG given?
iba	yes $_{\parallel_{\Omega}}$ no
	Specify the radioisotope given:
45	is <sup>131</sup> I-MIBG
	yes no
46	Other
	yes no
	47 Specify:
48	Specify the date MIBG treatment was performed:
	retinoids given?
	yes no
	Specify the retinoids given:
50	) Isotretinoin

Center: CRID:	
51 Other	
yes <sub>ha</sub> no	
<b>52</b> Specify:	
53 Specify the date retinoid therapy was started:	
54 Was immunotherapy given?	
<sub>∄n</sub> yes <sub>∄n</sub> no	
Specify the drug (s) given:	
55 α-interferon	
jų yes ja no	
56 Anti-GD2 anitbody CH14.18	
yes no	
57 Interleukin-2 (IL-2)	
yes no	
58 Other	
j <sub>ba</sub> yes <sub>jba</sub> no	
<b>59</b> Specify:	
60 Specify the date immunotherapy was started:	
61 Was chemotherapy given?	
j <sub>ig</sub> yes j <sub>ig</sub> no	
62 Adriamycin	
yes no	
63 Cisplatin	
j <sub>o</sub> yes j <sub>o</sub> no	
64 Cyclophosphamide	
jha yes jha no	
65 Dacarbazine (DTIC)	
jta yes jta no	
66 Etoposide (VP-16)	
<sub>jba</sub> yes <sub>jba</sub> no	
67 Isosfamide	
yes no	
68 Melphalan (L-PAM)	
<sub>∄n</sub> yes <sub>∄n</sub> no	
69 Teniposide (VM26)	
yes no	
70 Vincristine  yes no	
71 Other	
ita yes in no	
<b>72</b> Specify:	
CIBMTR Form 2126 revision 2.0 last undated July 200	7

## orm 2126 R2.0: Neuroblastoma Post-HSCT Data

Center:	CRID:
	73 Specify the date chemotherapy was started:
74	Was other treatment given?
	yes no no
	75 Specify other treatment:
	76 Specify the date other treatment was started:
Did the	neuroblastoma recur or progress since the date of the last report?
ta ye	es no
	Specify the known site(s) of disease progression / recurrence:
78	Adrenal gland
	to yes no no
	79 Date determined:
80	Bone
	$_{ m ln}$ yes $_{ m ln}$ no
	81 Date determined:
82	Bone marrow
	<sub>Ita</sub> yes <sub>Ita</sub> no
	83 Date determined:
84	Cerebellum
	<sub>In</sub> yes <sub>In</sub> no
	85 Date determined:
	Cerebrospinal fluid (CSF)
	the yes the no
	87 Date determined:
88	Cerebrum
	yes <sub>In</sub> no
	89 Date determined:
90	Cranial nerves
	yes <sub>In</sub> no
	91 Date determined:
92	Liver
	yes <sub>In</sub> no
0.4	93 Date determined:
	the yes the no
	95 Date determined:
	Mediastinum
	yes <sub>ha</sub> no
	97 Date determined:
98	Paraspinal ganglion
	jta yes ja no
	99 Date determined:
	CIPMTR Form 2426 revision 2.0 lost undeted, July 2007

Form Center:	2126 R2.0: Neuroblastoma Post-HSCT Data  CRID:
100	Retro-orbital area
	Jba yes Jba no
	101 Date determined:
102	Skin/subcutaneous tissue
	yes no
	103 Date determined:
104	Other site:
	j <sub>th</sub> yes j <sub>th</sub> no
	105 Date determined:
	106 Specify other site:
107	Specify the methods used to examine sites of disease recurrence / persistence / progression:  Biopsy
107	yes no
	108 Specify disease status:  Positive Negative Negative
109	Bone scan
	yes no
	110 Specify disease status:
	Positive Negative
111	Radiology
	yes no
	112 Specify disease status:
	Positive Negative
113	Other method
	yes no
	114 Specify disease status:
	Positive Negative
	115 Specify other method:
	he recipient given treatment for post-HSCT persistent, progressive or recurrent disease since the date of the last report?
iba	yes no Unknown
117	Was radiotherapy given?
	yes no
	Specify the site(s) of radiotherapy:
	118 Bone metastases
	<sub>jha</sub> yes <sub>jha</sub> no
	119 Primary tumor
	<sub>∄q</sub> yes <sub>∄q</sub> no
	120 Other yes no
	<b>121</b> Specify:

122 Specify the date radiotherapy was started: \_

Form 2126 R2.0: Neuroblastoma Post-HSCT Data Center: 123 Number of fractions given: 124 Dose per fraction: \_\_\_\_\_ ---(endif]-->cGy (rads) 125 Was MIBG given? yes no Specify the radioisotope given: **126** <sup>131</sup>I-MIBG j<sub>ta</sub> yes <sub>jta</sub> no **127** Other yes no **128** Specify: \_\_\_ 129 Specify the date MIBG treatment was performed: \_\_ \_ \_ \_ \_ \_ 130 Were retinoids given?  $_{\mathbb{m}}$  yes  $_{\mathbb{m}}$  no Specify the retinoids given: 131 Isoretinoin yes no **132** Other yes no 133 Specify: \_\_\_\_\_ 134 Specify the date retinoid therapy was started: \_\_\_\_\_-\_\_-\_\_\_ 135 Was immunotherapy given? yes no Specify the drug(s) given: **136** α-interferon yes no 137 Anti-GD2 antibody CH 14.18 yes no 138 Interleuken-2 (IL-2) to yes to no **139** Other yes no 140 Specify: 141 Specify the date immunotherapy was started: \_\_ \_ \_ - \_ \_ - \_ \_ - \_ 142 Was chemotherapy given? yes no Specify the treatment(s) given: 143 Adriamycin

yes no

Center:		CRID:
		Cisplatin
		jha yes jha no
	145	Cyclophosphamide
		yes no
	146	Dacarbazine (DTIC)
		yes no
	147	Etoposide (VP-16)
		yes no
	148	Ifosfamide
		j <sub>ba</sub> yes j <sub>ba</sub> no
	149	Melphalan (L-PAM)
		yes no
	150	Tenoposide (VM26)
		yes no
	151	Vincristine
		yes no
	152	Other
		$_{\parallel n}$ yes $_{\parallel n}$ no
		153 Specify:
	154	Specify the date chemotherapy was started:
15		ther treatment given?
	ta y	ves no
	156	Specify other treatment:
	157	Specify the date other treatment was started:
<b>158</b> What		ırrent disease status?
lba	complet	e remission
h	Not in c	omplete remission
<b>159</b> Speci	ify the da	te the current disease status was determined:
First Name	e:	Last Name:
		Fax number:
= mail add	Irono:	