




Waverly
Block D



PROPOSED FIRST FLOOR PLAN
scale 1:100

0 10m

GROSS INTERNAL AREA	
UNIT	SQ.M./SQ.FT.
Office D1	88 / 947
Office D2	181 / 1,948
Office D3	140 / 1,506
Office D4	88 / 947
Office D5	183 / 1,969
Office D6	44 / 473
Office D9	72 / 775
Office D10	48 / 515

Note:
All installations to be carried out in accordance with the appropriate Service Engineers layout and specifications.
All emergency lighting / alarm system / fire fighting equipment to install and office units to be installed as per 10 and used to suit under separate Building Regulations application.

REVISION 6 - 18 JANUARY 2018
DISABLED HOUSE ADVICE IN LIFT AREA AND ESCAPE SHUT SHUT

REVISION 7 - 16 JANUARY 2018
FIRE STRATEGY UPDATED FOLLOWING BUILDING REGULATIONS OFFICE COMMENT

REVISION 8 - 31 DECEMBER 2017
LAYOUT AMENDMENTS AS REQUESTED BY CLIENT

REVISION 9 - 27 OCTOBER 2017
SQUAD FOR TENDER

REVISION 10 - 11 AUGUST 2017
SQUAD FOR PLANNING

tender issue

Do not erase. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed to architect. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.

Client: **Waverley Square Limited**
Architect: **Waverley Square Limited**
Structural Engineer: **Waverley Square Limited**
Fire Engineer: **Waverley Square Limited**


PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK D
PROPOSED FIRST FLOOR PLAN
1:100000

Date: 02/09/16
Drawn: FH
Checked: FH

8450s/301G

ELEVATION C



ELEVATION D
scale 1:100



NOTES

1. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

2. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

3. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

4. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

5. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

6. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

7. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

8. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

9. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

10. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

NOTES

1. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

2. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

3. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

4. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

5. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.


6. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

7. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.


8. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

9. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.

10. All work to be carried out in accordance with the relevant Building Regulations and Approved Documents, and to the satisfaction of the Local Authority.



KEY PLAN
scale:1:500



ELEVATION E



ELEVATION F


REVISION D : 04 JUNE 2016 ELEVATION D UPDATED, SOME REVISIONS FOLLOWING CHANGES IN FLOOR PLAN	PN
REVISION E : 18 OCTOBER 2017 ELEVATION E UPDATED, ENTRY ACCESS PUSH TO LOCK WITH STEEL RAILING AND WINDOWS TO ELEVATION E CHANGED TO LOOK A LIKE PANEL GLAZED	PN
REVISION F : 27 OCTOBER 2017 ISSUED FOR TENDER	PN
REVISION G : 21 AUGUST 2017 ISSUED FOR PLANNING	PN
REVISION H : 28 MARCH 2017 ISSUED FOR PLANNING	PN
REVISION I : 18 MARCH 2017 ELEVATIONS REVISED AS REQUESTED BY CLIENT	SD

Do not scale. All scaling and alterations to be site confirmed prior to work commencing and any discrepancies confirmed in writing. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.



PROPOSED LOCAL CENTRE WAVERLEY for WAVERLEY SQUARE LIMITED			
BLOCK D PROPOSED ELEVATIONS 2 OF 2			
Date: 08/08/16	Drawn: PN	Checked:	8450s/303G

tender issue



PROPOSED GENERAL ARRANGEMENT SECTION A-A, BLOCK D
Scale 1:50



GENERAL NOTES:

This drawing is indicative only and details of structure and foundations should be read in conjunction with all relevant Architect and Structural Engineer drawings.

Steel fix types/positions and movement joint positions to be confirmed by Structural Engineer.

All steelwork within cavity to be primed with two coats of corrosion paint.

Insulated battings to be provided at all head/corner and joint positions.

All walls built tight to steelwork.

Sealing out steel columns centered on outside transoms unless noted otherwise.

DPC in external leaf to be maintained at a minimum 150mm above external ground level, in cases of sloping ground or where the ground level rises adjacent to the wall above DPC to be stepped to maintain min 150mm clearance above ground level.

DPC in external wall to be laid on full even bed of mortar with 150mm lap at joints and full use of all angles, brackets, / accessories above DPC to be also immediately on even bed of mortar and finished just above DPC level and as close to external as possible.

U VALUES OF BUILDING ELEMENTS

It is the contractor's responsibility to demonstrate compliance with Approved Document L1A of the current Building Regulations through the provision of all appropriate BRECH calculations. Building Target CO₂ Emission Rate (TER) and final Building CO₂ Emission Rate (BER). The contractor must provide a TER calculation for approval by Building Control prior to any work starting on site.

For initial design purposes, it has been assumed that U values for building elements will be as noted below, however it will be at the discretion of the Contractor to confirm these values in order to demonstrate compliance with the required TER and BER calculations.

- Ground floor slab : 0.17 W/m²K
- External masonry walls : 0.25 W/m²K
- External roof construction : 0.17 W/m²K
- Solid doors & windows : 1.5 W/m²K
- External personnel doors : 1.8 W/m²K

Partitions/walls to be installed of construction alternative (untested) building in order to achieve air tightness through the building fabric in accordance with the requirements of Approved Document L1A of the current Building Regulations.

REVISION B - 18 DECEMBER 2017
FIRST FLOOR EXTENDED FOLLOWING CHANGES IN FIRST FLOOR LAYOUT AND MF CEILING HEIGHT.

REVISION A - 27 OCTOBER 17
SEALS FOR TB&ET

Do not scale. All setting out dimensions to be site confirmed prior to work commencing and any discrepancies confirmed by architect. This drawing is to be used in conjunction with all other architectural and structural engineer drawings.

Shaw Domes Chartered Architects
New Office/2000
87000-0000 ROAD
Sheffield
S10 1BB
T:0114-2660000
F:0114-2660001
s.d@shawdomes.co.uk


PROPOSED LOCAL CENTRE
WAVERTLEY
for 'WAVERTLEY' SQUARE LIMITED

PROPOSED GA SECTION A-A
BLOCK D

1:5008A1

Date: 12/04/17
Drawn: PN
Checked:
8450s/305B

tender issue



PROPOSED GENERAL ARRANGEMENT SECTION C-C, BLOCK D
scale:1:50



GENERAL NOTES :

This drawing is indicative only and details of structure and foundations should be read in conjunction with all relevant Architectural and Structural Engineers drawings.

Steel fixings, positions and movement joint positions to be confirmed by Structural Engineer.

All steelwork within walls to be painted with two coats of Munsie paint.

Insulated fixings to be provided at all head/corner and joint positions.

All walls built light to steelwork.

Setting out steel columns centered on groutline intersections unless noted otherwise.

DPC in external leaf to be installed at a minimum 100mm above external ground level. In cases of sloping ground or where the ground level rises adjacent, entrance doors DPC to be stepped to maintain min 100mm clearance above ground level.

DPC's in external wall to be laid on full even bed of mortar with 100mm lap at joints and full lap at angles. Blockwork / cladding above dpc to be laid immediately on even bed of mortar with finished joint thickness even and as close to nominal as practicable.

U VALUES OF BUILDING ELEMENTS:

It is the contractor's responsibility to demonstrate compliance with Approved Document L2B of the current Building Regulations through the provision of all appropriate SAP calculations illustrating Target CO₂, Division Rate (DR) and Fuel Building CO₂ Emission Rate (EBR). The Contractor must provide a TCR calculation for approval by Building Control prior to any work starting on site.

For initial design purposes, it has been assumed that U values to Building Regulations will be as shown below, however it will be at the discretion of the Contractor to confirm these values in order to demonstrate compliance with the required TCR and EBR calculations.

External floor slab :	0.17 W/m ² K
External masonry wall :	0.21 W/m ² K
External roof construction :	0.17 W/m ² K
Glazed doors & windows :	1.8 W/m ² K
Glazed pitched roof :	1.8 W/m ² K

Attic/loft/void to be insulated at contractor's discretion throughout building in order to minimize air infiltration through the building fabric in accordance with the requirements of Approved Document L2B of the current Building Regulations.

REVISION 5 : 18 DECEMBER 2017
BY CELINE KOBEL

On not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed by architect. This drawing is to be used in conjunction with all other architectural and structural engineers drawings.

Waverley Square Limited
Waverley Square
100 Waverley Road
Waverley
Glasgow
G12 8NR
T 0141 3000000
F 0141 3000007
E gpa@waverleysquare.co.uk

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

PROPOSED GA SECTION C-C 1 of 2 1:50 (BA1)

BLOCK D

Date: 12/04/17	Drawn: PH	Checked:	8450s/307A
-------------------	--------------	----------	------------

tender issue

U VALUES OF BUILDING ELEMENTS:

Main contractor to confirm compliance with Part L2 of the current Building Regulations. The U-values indicated on our drawings are for guidance only and it is the main contractor's responsibility to demonstrate compliance with Part L2.

GRC intermediate upstand coping to match reconstituted stone gable coping with Ashlar finish colour buff with Code 4 lead secret gutter flashing below cover flashing each side of upstand to full length of upstand flashed in to gutter. Code 4 lead cover flashing to be flashed over glazing system.

Reconstituted stone gutter brackets with Ashlar finish colour: to match natural stone within outer leaf @ 450mm c/c.

Reconstituted stone bullnosed projecting with ashlar finish colour: to match natural stone

290x100mm Reconstituted stone arched lintel stones with keyhole to center all with Ashlar finish colour: to match natural stone

Briley special semi circle or equal galvanneal steel sheet to carry both leaves exposed lintel to be painted.

Softwood timber windows to be installed in accordance with BS EN 1279. Opening lights to be provided as noted on elevations. Overall U value of window system to be 1.8 W/m²K or better. Sub-contractor to provide all necessary cills, flashings and packs.

19mm mdf bullnosed window board securely fixed to top of blockwork. Board to receive 2 coats of undercoat and 1 coat of glass paint finish.

Window strapped back to blockwork to glazing sub-contractor's detail.

215x140mm Traditional style reconstituted stone all Ashlar finish, colour: to match natural stone

CHS framework fixed back to columns as noted on elevations with curved CHS and curved aluminium sheet to form signage panel to Structural Engineer's detail. All exposed steelwork to be primed and painted grey RAL 7011.

Ancon STS thermal connector or equal approved fixed back to structural steel to Structural Engineer's details.

Feature canopy steelwork designed by others but to be round in section with feature connections. colour to be grey RAL 7011.

Canopy roof to be laminated single pane glazing fixed back to structural steelwork to specialist sub-contractors design.

Steelwork sizes to Structural Engineer's detail.

Powder coated aluminium gutter and square downpipe grey RAL 7011.

All glazing and canopy restraint / support steelwork to Structural Engineer's detail.

Main entrance doors to be manual and subject to automation as part of and user fit out works.

Main entrance door handles to be tubular stainless steel fixed through door leaf with stainless steel brackets.

Weather tight threshold strip to be provided by door manufacturer. Threshold to have a maximum total rise of 15mm.

Minimum 1500 x 1500mm level landing to be provided outside main entrance doors. Max 1:40 fall across level landing for drainage purposes.

External works to fall away from building to be in accordance with Landscape Architects details.

Kingspan kooltherm or equal rigid insulation at the floor slab edge to prevent cold bridging.

All steelwork to Structural Engineer's detail

Air seal between blockwork and roof construction to main contractor's detail with flashing and seal at roof level by cladding sub-contractor to minimise air infiltration at junctions between different types of construction.

factory finished raised access floor by the access flooring company ltd or equal. raised access floor to be anti static & class 0 fire rated complete with all ABS edge trims etc. structural engineer to confirm adequacy of additional loadings.


Kingspan Multideck or equal metal deck with cast in situ concrete and bar/mesh reinforcement all to Structural Engineer's detail.

All columns and beams supporting first floor to be fire protected to provide min. 60 min. fire rating.

All steelwork to Structural Engineer's detail

Foundations and floor slab to Structural Engineers details. Floor slab to be 150mm thick, laid on 25mm Kingspan Kooltherm K103 floorboard insulation and 500um Visqueen high performance DPM on sand binding on well consolidated hardcore to Structural Engineers specification. Overall perimeter/area factor of 0.14 exceeds a U-value of 0.17 W/m²K, perimeter insulation is required to prevent cold bridging

Foundations and floor slab to Structural Engineer's details.



GRC INTERMEDIATE UPSTAND
DETAIL BLOCK D
scale 1:20

DETAIL SECTION 5 BLOCK D

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed to architect. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.



Olson Dawson Chartered Architects
Moar Cote Lodge
6 Moor Cote Road
Broomhill
Sheffield
S10 1BX
T 0114 2553200
F 0114 2553207
E shaffield@olsondawson.co.uk

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK D
PROPOSED DETAIL SECTION 5 & UPSTAND DETAIL
SHEET 3 OF 3
1:20@A1

Date:	22/06/17	Drawn:	PN	Checked:		8450s/311
-------	----------	--------	----	----------	--	-----------

tender issue



Waverly
Block E

PROPOSED FIRST FLOOR PLAN scale 1:100

0 10m

FIRE EXEMPT LEGEND

- 1. Indicates Fire Exit Sign.
- 2. Indicates Fire Exit Sign with directional running way.
- 3. Indicates area/room covered by emergency lighting. Final layout to be confirmed.
- 4. Indicates fire exit.
- 5. Indicates external exit point.
- 6. Indicates area/room covered by smoke detector. Final layout to be confirmed.
- 7. Indicates area/room covered by heat detector. Final layout to be confirmed.
- 8. Indicates fire action refuge. Mandatory sign blue background with white lettering.
- 9. Indicates fire door fitted with sign 'FIRE DOOR KEEP SHUT' notice. Mandatory sign blue background with white lettering.
- 10. Indicates fire door fitted with sign 'KEEP LOCKED SHUT' notice. Mandatory sign blue background with white lettering.
- 11. Indicates fire door fitted with sign 'KEEP CLOSED FROM EMERGENCY EXIT ROUTE' notice. Mandatory sign blue background with white lettering.
- 12. Indicates fire exit sign.
- 13. Indicates door with panic bolts or lock fitted with sign 'PUSH BAR TO OPEN' with exit route sign - green background with white lettering.
- 14. Indicates emergency voice communication in associated sign.
- 15. Indicates evacuation chair to be provided by user.
- 16. Indicates one-hour fire rated door and being fitted with smoke and intumescent seals.
- 17. Indicates half-hour fire rated door and being fitted with smoke and intumescent seals.
- 18. Indicates escape panel.
- 19. Indicates self closing device.
- 20. Indicates hold open device with automatic release/self closing in the event of fire.
- 21. Indicates swing fire with automatic release/self closing in the event of fire.
- 22. Indicates door access control with automatic unlock/self closing in the event of fire.

LEGEND

- 1. Indicates incoming electricity position.
 - 2. Indicates incoming water position.
 - 3. Indicates incoming telecommunications position.
 - 4. Indicates exposed hot duct position.
 - 5. Indicates radiator pipe position.
 - 6. Indicates soil and ventilation pipe position.
 - 7. Indicates sub elect with air admittance valve.
 - 8. Indicates fire existing glazing (integrity only) to match adjacent wall construction.
 - 9. Fire resisting construction 60 minutes minimum.
 - 10. Fire resisting construction 30 minutes minimum.
 - 11. Fire resisting cavity barrier with side 30/60 minutes minimum. Installed at each construction alteration to comply Building Regulations Part B.
- NOTE:
All installations to be carried out in accordance with the appropriate Service Engineers latest standards and specifications.
All emergency lighting / alarm systems / fire fighting equipment to retail and office units to be installed as part of and under separate Building Regulations application.

GROSS INTERNAL AREA:	
NET	SQ.M./SQ.FT.
Gross E10	1,511 / 16,284

REVISION H : 24 AUGUST 2016
ISSUE STAR POSITION NOTICE UNIT F ROOF ACCESS ADDED. ISSUED FOR TENDER
REVISION G : 18 JANUARY 2016
FAC STRATEGY UPDATED/ENHANCED ACTUAL AHEAD AND E10/F11 ISSUPE STAR POSITIONED AND NOT DATED.
REVISION F : 11 DECEMBER 2017
ISSUED FOR TENDER - WC's and stairs handrails omitted
REVISION E : 27 OCTOBER 2017
ISSUED FOR TENDER

tender issue


Blair Brown Chartered Architects Blair Brown Architects 6 Silverdale Road Barnsley S70 6BN Tel: 01226 333333 Fax: 01226 333334 www.blairbrown.co.uk	
PROPOSED LOCAL CENTRE MAVERLEY FOR MAVERLEY SQUARE LIMITED	
BLOCK E PROPOSED FIRST FLOOR PLAN	
Date:	11/11/16
Drawn:	SS
Checked:	
8450a/401H	

Do not scale. All setting out dimensions to be also confirmed prior to works commencing and any discrepancies confirmed to architect. This drawing to be read in conjunction with all other architectural and structural engineers drawings.

REVISION B : 27 AUGUST 2017
ISSUED FOR PLANNING
REVISION C : 20 MARCH 2017
ISSUED FOR PLANNING
REVISION D : 10 MARCH 2017
BUILDING PLAN REDUCED AS REQUESTED BY CLIENT
REVISION A : 21 DECEMBER 2016
FLOOR LEVEL ROUNDED

BLOCK D
Office D5

E10 Open Plan Office
1,511 sqm /
16,284 sqft



PROPOSED GENERAL ARRANGEMENT SECTION A-A BLOCK E
Scale 1:50



GENERAL NOTES:

This drawing is indicative only and details of structure and foundations should be read in conjunction with all relevant Architect and Structural Engineers drawings.

Steel fixings/anchors and movement joint positions to be confirmed by Structural Engineer.

All steelwork within early to be painted with two coats of Warran paint.

Insulated floorings to be provided at all head/cill and jamb positions.

All walls built tight to steelwork.

Setting out steel columns contained on gridding infrastructure unless stated otherwise.

CPC is external but to be maintained at a minimum 150mm above external ground level, in areas of sloping ground or where the ground level rises adjacent entrance doors CPC to be sloped to maintain a 150mm clearance above ground level.

DPE's internal wall to be laid on full even bed of mortar with 150mm lag at joints and full lag at angles. Brickwork / Masonry above also to be laid immediately on even bed of mortar with finished joint thickness even and as close to normal as possible.

U VALUES OF BUILDING ELEMENTS

It is the contractor's responsibility to demonstrate compliance with Approved Documents L2A of the current Building Regulations through the provision of all appropriate SAI calculations illustrating Target E_u, Ceiling E_u (CEU) and final Building CE_u, Ceiling E_u (BCE_u). The Contractor must provide a TCR calculation for approval by Building Control prior to any work starting on site.

For initial design purposes, it has been assumed that U values for building elements will be as noted below, however it will be at the discretion of the Contractor to confirm these values in order to demonstrate compliance with the required SAI and SAI calculations.

- Ground floor slab : 0.17 W/m²K
- External masonry wall : 0.21 W/m²K
- External roof construction : 0.17 W/m²K
- Glazed doors & windows : 1.8 W/m²K
- External partition wall : 1.4 W/m²K

Attenuators/leads to be installed at roofline to prevent rainwater from entering building in order to minimize air infiltration through the building fabric in accordance with the requirements of Approved Document L2A of the current Building Regulations.

Roofing to be in accordance with Part 6 of the current Building Regulations regarding safe loadings in critical locations.

Memorandum to be provided in accordance with Part 6 & 7 of the current Building Regulations. Memorandum to be self adhesive type applied internally to glazing on part of and over 10 m² area.

REVISION 1 : 08 FEBRUARY 2018
ESCAPE STAIR REVISION - PARKER FLOOR SHIFTER (NOT REVED YET)

REVISION 2 : 27 OCTOBER 17
GABLES FOR TOWER

DO NOT SCALE. ALL MEASUREMENTS TO BE TAKEN DIRECTLY FROM THE WORK DRAWING AND ANY DISCREPANCIES CONFIRMED TO ARCHITECT. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND STRUCTURAL ENGINEERING DRAWINGS.



Simon Dwyer Chartered Architect
New Oaks Lodge
6 Main Oaks Road
Barnet
Herts
EN4 8JH
T 0144 200000
F 0144 200001
E s.dwyer@simondwyer.co.uk

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED


PROPOSED GA SECTION A-A

1:2008A1


Date: 30/03/17
Drawn: SS
Checked:

8450a/403B


tender issue




ELEVATION C




ELEVATION D



KEY PLAN



ELEVATION A
scale:1:100



ELEVATION B

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed to architect. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.



Owen Dawson Chartered Architects
Moor Oaks Lodge
6 Moor Oaks Road
Broomfield
Sheffield
S10 1BX
T 0114 2883888
F 0114 2883887
E owdawson@owendawson.co.uk

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

PROPOSED CLOCK TOWER

1:100@A2

Date:
21/07/17

Drawn:
PN


Checked:

8450s/408

tender issue


PROPOSED PLAN

scale 1:50



PROPOSED ELEVATION

scale 1:50




TYPICAL SECTION 1

scale 1:50

TYPE ES2

Senior finish reconstructed stone coping.
Colour : To match natural stone
Location : Windows to south east and north east elevations.
Refer to elevations for ref.



TYPE EC1

Colour : To match natural stone


1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Thermostat at equal level cooler -
between stove and internal wall


None

Blame oil bedded in DPC taken up
near face and topped with cavity closer

Stone oil bedded in DPC taken up
near face and laced with cavity zones




TYPICAL SECTION



TYPE EH1



GRE washed lead.
Colour : To match natural stone
Location : Windows to south west and north east elevations.
Refer to Elevations for ref.



TYPICAL
SECTION


TYPE ES1

Color: to match natural stone
 Location: Windows to south wall and north wall elevations.
 Refer to Drawings for ref.

TYPICAL
SECTION

ELEVATION
scale:1:50

A scale bar with alternating black and white segments, labeled '0' at the left end and '5m' at the right end.



TYPICAL PLAN
scale: 1:10

scale: 1:10

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies notified as a matter of course. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.



Book Canyon Chartered Architects
 Moor-Cuts Lodge
 4 Moor Cuts Road
 Bristol
 Shropshire
 ST10 1UN
 T 0194 260300
 F 0194 260301
 E bookcanyon@bookcanyon.co.uk

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK E


PROPOSED MASONRY DETAILS SHEET 1 OF 2 1:100A

Date: 02/10/17	Owner: PM	Checked:	8450g/409
-------------------	--------------	----------	------------------


8450g/409

tender issue

tender issue



DETAIL SECTION 3 BLOCK E
scale:1:20



DETAIL SECTION 4

tender issue

Waverley Square Architects
Waverley Square
8 Waverley Square
Waverley
Glasgow
G1 1AA

0114 2660000
0114 2660007
E: info@waverleysquare.co.uk


PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK E
PROPOSED DETAIL SECTION 3 AND 4


1:20 (B41)

Date: 29/08/17
Drawn: PH
Checked:


8450s/413




TYPICAL PLAN
scale 1:10




TYPICAL CILL DETAIL




TYPICAL PART ARCH WINDOW ELEVATION



TYPICAL PLAN
scale 1:10



TYPICAL CILL DETAIL



TYPICAL PART
ELEVATION

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed to architect. This drawing is to be used in conjunction with all other architectural and structural engineers drawings.





Drawn: [Name]
Check: [Name]
Date: [Date]
Scale: [Scale]
Project: [Project Name]

PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED


BLOCK E 1:100A1
BLOCK E - TYPICAL WINDOW DETAIL 1:100A1

Date: 12/10/17 Drawn: PN Checked: [Name]
8450s/421

tender issue



FIRST FLOOR PLAN



GROUND FLOOR PLAN OF LIFT PIT
scale 1:100


tender issue

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies notified to architect. This drawing is to be used in conjunction with all other architectural and structural engineers drawings.


PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK E
PROPOSED LIFT PIT DETAIL SECTION 1-1 1:200/41

Date: 18/10/17 Drawn: PN Checked: 8450s/416



PROPOSED ROOF ACCESS STAIRCASE-SECTION E-E
scale 1:20



ROOF ACCESS STAIRCASE-SECTION F-F

Do not scale. All setting out dimensions to be site confirmed prior to works commencing and any discrepancies confirmed in writing. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.

tender issue



PROPOSED LOCAL CENTRE
WAVERLEY
for WAVERLEY SQUARE LIMITED

BLOCK C
PROPOSED ROOF ACCESS STAIRCASE
PROPOSED SECTION E-E & F-F

1:200A1

Date: 14/11/17 Drawn: PN Checked:

8450s/427



Waverly Site Plan



KEY PLAN
scale:1:1250



A horizontal scale bar with a dashed line. The left end is labeled '0' and the right end is labeled '100m'.



PERSON ID : 59 AUGUST 2017 :
PLANNING COLAC

Do not scale. All scaling and dimensions to be site confirmed prior to construction and any discrepancies confirmed in writing. This drawing is to be read in conjunction with all other architectural and structural engineers drawings.



Brown Business Chartered Architects
 West Oaks 10028
 9750 G F Circle POB 6
 Brentwood
 Nashville
 37027-1888
 T 615 352 2888
 F 615 352 2800
 E good@brownarchitect.com

PROPOSED NEW CENTRE WAVERLEY for WAVERLEY SQUARE LIMITED	
PROPOSED STREET ELEVATIONS	1:500@A1

Date: 17/10/16	Drawn: PN	Checked:	8450s/804A
-------------------	--------------	----------	-------------------

planning issues



Paul Narvas (MSC Bsc HONS)