CyPhish Implementation & Operations Guide

A comprehensive step-by-step guide for deploying and maintaining the CyPhish platform.

1. System Pre-requisites

Component	Minimum Requirement	Recommended
CPU	2 vCPUs	4 vCPUs
RAM	4 GB	8 GB
Storage	20 GB SSD	50 GB NVMe
OS	Ubuntu 22.04 / Debian 11	Ubuntu 24.04 LTS
Software	Docker 24+, Docker Compose	Docker 24+, Docker Compose

2. Deployment Procedures

Step 1: SSL Certificate Generation

Navigate to the scripts directory and run the certificate generator. You may choose between a Self-Signed certificate (auto-installed to trust store) or a CSR for Enterprise CA signing.

Command: ./scripts/generate-ssl.sh

Step 2: Environment Configuration

Ensure the .env file is populated with the MONGO_APP_PASSWORD, JWT_SECRET, and necessary SMTP relay credentials.

Step 3: Container Orchestration

Build and deploy the containers using Docker Compose. The environment is configured to restart automatically on failure.

Command: docker compose up -d --build

3. Operational Maintenance

• **Logs:** Access backend logs using *docker compose logs -f cyphish*.

• **Database Backup:** MongoDB dumps can be extracted directly from the database volume mapping.