
prefill-2-rows — 2 rows, seed 420, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-two-rows — 2 rows, seed 42, start 30; single, stride 4, flush all
Outlier Column
Raw candidates
First-group guesses
prefill-4-rows — 4 rows, seed 420, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-four-rows — 4 rows, seed 42, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-8-rows — 8 rows, seed 42, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-16-rows — 16 rows, seed 42, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-32-rows — 32 rows, seed 42, start 0; sweep, stride 5, flush observed
Outlier Column
Raw candidates
First-group guesses
prefill-all-rows — 64 rows, seed 42, start 0; sweep, stride 5, flush all
Outlier Column
Raw candidates
First-group guesses
0
1000
2000
3000
4000
FFN intermediate feature column (group width = 32)