WEEK 2

- Input-Output Machines - Practice quiz on Types of Functions (6 questions)

Practice quiz on Types of Functions
Teste para praticar • 20 min

✓ **Parabéns! Você foi aprovado!**

PARA SER APROVADO 75% ou superior

[Continue aprendendo]

NOTA
83,33%

Practice quiz on Types of Functions

NÚMERO TOTAL DE PONTOS 6

1. Suppose that $A = \{1, 2, 10\}$ and $B = \{4, 8, 40\}$. Which of the following formulae do **not** define a function $f : A \to B$?   [1/1 ponto]

   ○ $f(a) = 4a$, for each $a \in A$

   ○ $f(1) = 4$, $f(2) = 40$, and $f(10) = 8$.

   ○ $f(1) = 4$, $f(2) = 4$, and $f(10) = 4$.

   ⦿ $f(1) = 5$, $f(2) = 8$, and $f(10) = 40$.

   ✓ **Correto**

   A function $f : A \to B$ is a rule which assigns an element $f(a) \in B$ to each $a \in A$. In this case, unfortunately, $f(1) = 5 \notin B$.

2. Suppose that A contains every person in the VBS study (see the second video in the course if you're confused here!). Suppose that $Y = \{+, -\}$ and $Z = \{H, S\}$ [0/1 ponto]

   Suppose that $T : A \to Y$ is the function which gives $T(a) = +$ if person a tests positive and $T(a) = -$ if they test negative.

   Suppose that $D : A \to Z$ is the function which gives $D(a) = H$ does not actually have VBS and $D(a) = S$ if the person actually has VBS.

   Which of the following must be true of person a if we have a false positive?

   ⦿ $T(a) = -$ and $D(a) = H$

○ $T(a) = +$ and $D(a) = H$

○ $T(a) = -$ and $D(a) = S$

○ $T(a) = +$ and $D(a) = S$

> ✕ **Incorreto**
>
> This pair of function values corresponds to a false *negative*.

3. Consider the function $g : \mathbb{R} \to \mathbb{R}$ defined by $g(x) = x^2 - 1$. Which of the following points are *not* on the graph of g?

1 / 1 ponto

○ $(-1, 0)$

○ $(1, 0)$

◉ $(2, -1)$

○ $(0, -1)$

> ✓ **Correto**
>
> Recall that the graph of g consists of all points (x, y) such that $y = g(x)$. Here $g(2) = 3 \neq -1$, so the point $(2, -1)$ is \emph{not} on the graph of g.

4. Let the point $A = (2, 4)$. Which of the following graphs does *not* contain the point A?

1 / 1 ponto

◉ The graph of $h(x) = x - 1$

○ The graph of $s(x) = x^2$

○ The graph of $g(x) = x + 2$

○ The graph of $f(x) = 2x$

> ✓ **Correto**
>
> The graph of h consists of all points (x, y) such that $y = h(x)$. Here $h(2) = 1 \neq 4$, so the point $(2, 4)$ is *not* on the graph of h.

5. Suppose that $h(x) = -3x + 4$. Which of the following statements is true?

○ h is neither a strictly increasing function nor a strictly decreasing function.

○ All statements are correct

◉ h is a strictly decreasing function

○ h is a strictly increasing function

✓ **Correto**
A function h is called strictly decreasing if whenever $a < b$, then $h(a) > h(b)$

Since the graph of h is a line with negative slope, this is in fact true!

6. Suppose that $f : \mathbb{R} \to \mathbb{R}$ is a strictly increasing function, with $f(3) = 15$

Which of the following is a possible value for $f(3.7)$?

◉ 17

○ 14.7

○ -3

○ 3

✓ **Correto**
A function f is called strictly increasing if whenever $a < b$, then $f(a) < f(b)$.

Since $f(3) = 15$ is given and $3 < 3.7$, it must be that $15 < f(3.7)$, and this answer satisfies that.