


Link do repositório: https://github.com/ClaudemirWS/Praticando_Git



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner * ClaudemirWS / **Repository name *** Praticando_Git ✓

Great repository names are short and memorable. Need inspiration? How about [turbo-octo-funicular?](#)

Description (optional)

Repositório criado com o objetivo de praticar o versionamento de códigos utilizando git.

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.

Initialize this repository with:
Skip this step if you're importing an existing repository.

☒ **Add a README file**
This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore
Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: None ▾

Choose a license
A license tells others what they can and can't do with your code. [Learn more.](#)

License: None ▾

This will set `main` as the default branch. Change the default name in your [settings](#).

❗ You are creating a public repository in your personal account.

Create repository

Figura 1 - Criando Repositório




Figura 2 - Tela de ramificações (branches)

Senac – Desenvolvimento de Sistemas




Figura 3 - Tela de commits




Figura 4 - Tela inicial do repositório




Figura 5 - README.MD Editado




Figura 6 – Clonando repositório

```
Claudemir@Ideapad3i MINGW64 /d/MEUS ARQUIVOS/Dev/Praticando_Git (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  LeiloesTDSat/

nothing added to commit but untracked files present (use "git add" to track)

Claudemir@Ideapad3i MINGW64 /d/MEUS ARQUIVOS/Dev/Praticando_Git (main)
$ git pull origin main
From https://github.com/ClaudemirWS/Praticando_Git
 * branch      main       -> FETCH_HEAD
Already up to date.

Claudemir@Ideapad3i MINGW64 /d/MEUS ARQUIVOS/Dev/Praticando_Git (main)
$ git add .
warning: in the working copy of 'LeiloesTDSat/build/classes/cadastroVIEW.form',
LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'LeiloesTDSat/build/classes/listagemVIEW.form',
LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'LeiloesTDSat/src/cadastroVIEW.form', LF will be
replaced by CRLF the next time Git touches it
warning: in the working copy of 'LeiloesTDSat/src/cadastroVIEW.java', LF will be
replaced by CRLF the next time Git touches it
warning: in the working copy of 'LeiloesTDSat/src/listagemVIEW.form', LF will be
replaced by CRLF the next time Git touches it
warning: in the working copy of 'LeiloesTDSat/src/listagemVIEW.java', LF will be
replaced by CRLF the next time Git touches it
```

Figura 7 - Comandos digitados

```
Claudemir@Ideapad3i MINGW64 /d/MEUS ARQUIVOS/Dev/Praticando_Git (main)
$ git commit -m "add projeto inicial"
[main ca2f730] add projeto inicial
35 files changed, 3223 insertions(+)
create mode 100644 LeiloesTDSat/build.xml
create mode 100644 LeiloesTDSat/build/classes/.netbeans_automatic_build
create mode 100644 LeiloesTDSat/build/classes/.netbeans_update_resources
create mode 100644 LeiloesTDSat/build/classes/ProdutosDAO.class
create mode 100644 LeiloesTDSat/build/classes/ProdutosDTO.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW$1.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW$2.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW$3.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW$4.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW.class
create mode 100644 LeiloesTDSat/build/classes/cadastroVIEW.form
create mode 100644 LeiloesTDSat/build/classes/conectaDAO.class
create mode 100644 LeiloesTDSat/build/classes/leiloesTDSat/LeiloesTDSat.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW$1.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW$2.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW$3.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW$4.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW.class
create mode 100644 LeiloesTDSat/build/classes/listagemVIEW.form
create mode 100644 LeiloesTDSat/lib/mysql-connector-java-5.1.47.jar
create mode 100644 LeiloesTDSat/lib/mysql-connector-java-8.0.21.jar
create mode 100644 LeiloesTDSat/manifest.mf
create mode 100644 LeiloesTDSat/nbproject/build-impl.xml
create mode 100644 LeiloesTDSat/nbproject/genfiles.properties
create mode 100644 LeiloesTDSat/nbproject/private/config.properties
create mode 100644 LeiloesTDSat/nbproject/private/private.properties
create mode 100644 LeiloesTDSat/nbproject/project.properties
create mode 100644 LeiloesTDSat/nbproject/project.xml
create mode 100644 LeiloesTDSat/src/ProdutosDAO.java
create mode 100644 LeiloesTDSat/src/ProdutosDTO.java
create mode 100644 LeiloesTDSat/src/cadastroVIEW.form
create mode 100644 LeiloesTDSat/src/cadastroVIEW.java
create mode 100644 LeiloesTDSat/src/conectaDAO.java
create mode 100644 LeiloesTDSat/src/listagemVIEW.form
create mode 100644 LeiloesTDSat/src/listagemVIEW.java

Claudemir@Ideapad3i MINGW64 /d/MEUS ARQUIVOS/Dev/Praticando_Git (main)
$ git push origin main
Enumerating objects: 42, done.
Counting objects: 100% (42/42), done.
Delta compression using up to 8 threads
Compressing objects: 100% (38/38), done.
Writing objects: 100% (41/41), 3.11 MiB | 1.79 MiB/s, done.
Total 41 (delta 8), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (8/8), done.
To https://github.com/ClaudemirWS/Praticando_Git.git
    a1b8797..ca2f730  main -> main
```

Figura 8 - Comandos digitados