

Cooling Man

Claudia Nanez
Solo X

Technical Analysis


June 15th, 2026
London, UK

Coachella Grounds Rendering




AUTODESK Forma Site Design was used to create preliminary festival grounds site evaluation

Systems Map of Festival Goers




Preliminary CAD Modeling




Chimney attached to a large tent


Renderings



Air Flow Simulation




Pressure Simulation - Tent




Pressure Simulation - Outlet


Domain




Inlets



Outlets



Residuals



Life Cycle Analysis

This worksheet allows you to calculate the results using different Life Cycle Impact Assessment Methods (LCIA)

LCIA:

Carbon footprint

Display

Total


Show results as

normal numbers

The carbon footprint is the total greenhouse gases emitted during a product's life cycle, expressed as CO₂ equivalent (CO₂e). CO₂e is a way to measure and compare the impact of different greenhouse gases by expressing them in terms of their equivalent warming effect to carbon dioxide over a specific timeframe, typically 100 years.

Carbon footprint

	kg CO ₂ e
Materials	10.087
Production	30.475
Distribution	3.026
Use	2.476
EndOfLife	13.571
Total	59.635




Sort table by

largest total impact

		Carbon footprint		
Stage	Description	Amount	Unit	(kg CO ₂ e)
Production	Caulk Forming	3.200	kg	22.084
EndOfLife	acryliic	3.000	kg	13.560
Production	Acrylic manufacturing	3.000	kg	8.391
Materials	paint	0.500	kg	6.355
Materials	acrylic sheets	1.300	kg	3.636
Use	Moving	10.000	tkm	2.476
Distribution	Foam Packaging	0.500	kg	1.356
Distribution	Truck	4.500	tkm	1.114
Distribution	Cardboard Packaging	0.500	kg	0.556
Materials	aluminum cans	0.340	kg	0.097
EndOfLife	aluminum scrap	0.500	kg	0.011

Design scenarios carbon footprint



Carbon Footprint Comparison