Sanity Check - 12.2.4 - 8509

Execution Environment

Host name bogdan.eremia - ROECR-L013.roecr.ecrion.com

OS Windows 10 64bit

Katalon version 6.3.2.4

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/Sanity Check - 12.2.4 - 8509

Description Build Nido Patch 3- 8483

Total 4

Passed 3 Failed 1
Error 0 Incomplete 0

Start 2019-08-26 12:41:27 End 2019-08-26 12:51:02

Elapsed 9m - 34.473s

#	ID	Description	Status
1	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases		FAILED
2	Test Cases/TESTCASE COLLECTIONS/Admin - Testcases		PASSED
3	Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases		PASSED
4	Test Cases/TESTCASE COLLECTIONS/Search - Testcases		PASSED

Information

ID Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases

Description

Tag

Start 2019-08-26 12:41:27 End 2019-08-26 12:43:35

Elapsed 2m - 7.362s

Status FAILED

Details

Description Elapsed Status

```
Description
                                                                                                                                                                                                                  Elapsed
                                                                                                                                                                                                                                                           Status
 callTestCase(findTestCase("Sysadmin Portal/Create Multiple Environments"),
                                                                                                                                                                                                             1m - 16.330s
                                                                                                                                                                                                                                                          FAILED
 ["Develop_env":findTestData("Environment Names").getValue(1, 1), "Username":
 Username_Admin, "Experience_Env":findTestData("Environment Names").getValue(1, 2), ...
 ], CONTINUE_ON_FAILURE)
 Unable to call Test Case 'Test Cases/Sysadmin Portal/Create Multiple Environments' (Root
 cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test
  Cases/Sysadmin Portal/Create Multiple Environments' failed
                       at com.kms.katalon.core.keyword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
                       at com.kms.katalon.core.keyword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
 (KeywordMain.groovy:68)
                      at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
 (CallTestCaseKeyword.groovy:81)
                       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
 (CallTestCaseKeyword.groovy:44)
                       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
                      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
 groovy:334)
                      at Sysadmin - Testcases.run(Sysadmin - Testcases:25)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:337)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.
 java:328)
                       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                      at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
 (TestCaseExecutor.java:299)
                       at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor
 java:233)
                       at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
  (TestSuiteExecutor.java:169)
                       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
 (TestSuiteExecutor.java:142)
                       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
 91)
                       at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
  157)
                       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
  Source)
                       at TempTestSuite1566812469776.run(TempTestSuite1566812469776.groovy:35)
  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object
  'Object Repository/Sysadmin Portal/Environments Page/button_New Environment' (Root
  cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object
  'Object Repository/Sysadmin Portal/Environments Page/button New Environment'
                       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
  (WebUlKeywordMain.groovy:64)
                       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:26)
                       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
```

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute

groovy:86)

Status

```
Description
                                                                                                                                                            Elapsed
 (ClickKeyword.groovy:67)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
 (WebUiBuiltInKeywords.groovy:604)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
 (Unknown Source)
                 at sysadmin.Environment.Create_env(Create_environment.groovy:29)
                 at sysadmin.Environment.invokeMethod(Create_environment.groovy)
                 at\ com. kms. katalon. core. main. Custom Keyword Delegating Meta Class.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
                 at Create Multiple Environments.run(Create Multiple Environments:40)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                 at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.
java:328)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:299)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 114)
                 at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
                 at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
 (KeywordMain.groovy:68)
                 at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
 (CallTestCaseKeyword.groovy:81)
                 at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
 (CallTestCaseKeyword.groovy:44)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
                 at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
 groovy:334)
                 at Sysadmin - Testcases.run(Sysadmin - Testcases:25)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
                 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:307)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:299)
                 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
                at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
```

at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase

(TestSuiteExecutor.java:169)

```
Description
                                                                                            Elapsed
                                                                                                              Status
(TestSuiteExecutor.java:142)
          at\ com.kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java:
91)
          at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
          at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
          at TempTestSuite1566812469776.run(TempTestSuite1566812469776.groovy:35)
Caused by: org.openga.selenium.ElementClickInterceptedException: element click
intercepted: Element <button id="openNewEnvDlg" class="btn btn-success">...</button> is
not clickable at point (1815, 97). Other element would receive the click: <div class="modal-
backdrop fade in" style="height: 909px;"></div>
 (Session info: chrome=76.0.3809.100)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce...,
userDataDir: C:\Users\BOGDAN~1.ERE\AppDa...}, goog:chromeOptions:
{debuggerAddress: localhost:56582}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(),
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,
script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 511a04c1b352df6a4e5324cde495de53
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:79)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
```

at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call

(WebUiBuiltInKeywords.groovy:604)

Elapsed

Status

```
Description
(Unknown Source)
          at sysadmin.Environment.Create_env(Create_environment.groovy:29)
          at sysadmin.Environment.invokeMethod(Create_environment.groovy)
          at\ com. kms. katalon. core. main. Custom Keyword Delegating Meta Class.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
          at Script1563806847266.run(Script1563806847266.groovy:40)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:299)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:233)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
          at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          at com.kms.katalon.core.kevword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
         at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.
groovy:334)
         at Script1565689200967.run(Script1565689200967.groovy:25)
          ... 13 more
          at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:39)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUlKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click
(WebUiBuiltInKeywords.groovy:604)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at sysadmin. Environment. Create env(Create environment. groovy:29)
          at sysadmin.Environment.invokeMethod(Create_environment.groovy)
          at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.
```

invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)

Status

```
Description
                                                                                            Elapsed
         at Create Multiple Environments.run(Create Multiple Environments:40)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:337)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object
'Object Repository/Sysadmin Portal/Environments Page/button_New Environment'
Caused by: org.openga.selenium.ElementClickInterceptedException: element click
intercepted: Element <button id="openNewEnvDlg" class="btn btn-success">...</button> is
not clickable at point (1815, 97). Other element would receive the click: <div class="modal-
backdrop fade in" style="height: 909px;"></div>
 (Session info: chrome=76.0.3809.100)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce...,
userDataDir: C:\Users\BOGDAN~1.ERE\AppDa...}, goog:chromeOptions:
{debuggerAddress: localhost:56582}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(),
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,
script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 511a04c1b352df6a4e5324cde495de53
         at\ or g. open qa. selenium. remote. http. W3CHttpResponseCodec. create Exception
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
```

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.

java:84)


Description Elapsed Status

doCall(ClickKeyword.groovy:79)


 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\\ \$_click_closure\\ 1.call\ (ClickKeyword.groovy)$

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 38 more











© Ecrion Software Inc. 2019. All Rights Reserved. Version Nido-12.2.4.8509





© Ecrion Software Inc. 2019. All Rights Reserved. Version Nido-12.2.4.8509



2 delay(3, CONTINUE_ON_FAILURE)

Delayed 3 second(s)

3 callTestCase(findTestCase("Sysadmin Portal/Set_NoOfThreads"), ["EnvName":"QaTest", "Username":"Ere"], CONTINUE_ON_FAILURE)

Call Test Case 'Test Cases/Sysadmin Portal/Set_NoOfThreads' successfully

#	Description	Elapsed	Status
4	delay(3, CONTINUE_ON_FAILURE) NOT_RUN: delay(3, CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
5	callTestCase(findTestCase("Sysadmin Portal/Domain/StorageCompacting"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sysadmin Portal/Domain/StorageCompacting"), [:], CONTINUE_ON_FAILURE)	0.003s	NOT_RUN
6	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.003s	PASSED
7	callTestCase(findTestCase("Sysadmin Portal/Help/Sysadmin_Ask a question_Window"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sysadmin Portal/Help/Sysadmin_Ask a question_Window"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN
8	delay(3, CONTINUE_ON_FAILURE) NOT_RUN: delay(3, CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
9	callTestCase(findTestCase("Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection' successfully	6.768s	PASSED
10	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.002s	PASSED
11	callTestCase(findTestCase("Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection"), ["variable":url_sysadmin], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection' successfully	3.845s	PASSED

#	Description	Elapsed	Status
12	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.004s	PASSED
13	callTestCase(findTestCase("Sysadmin Portal/Edit Account/Edit Account"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Edit Account/Edit Account' successfully	7.561s	PASSED
14	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.004s	PASSED
15	callTestCase(findTestCase("Sysadmin Login Page/Reset password"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Login Page/Reset password' successfully	13.562s	PASSED
16	windowsCommands.taskKill.kill_service() windowsCommands.taskKill.kill_service is PASSED	0.029s	PASSED
17	Start listener action : sampleAfterTestCase	0.006s	PASSED

Admin - Testcases

Information

ID Test Cases/TESTCASE COLLECTIONS/Admin - Testcases

Description

Tag

Start 2019-08-26 12:43:35 End 2019-08-26 12:46:45

Elapsed 3m - 10.664s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Admin/Admin_Settings"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Admin/Admin Settings' successfully SMS Call Test Case 'Test Cases/Admin/Admin Settings' successfully Internal Total Connection I	1m - 30.120s	PASSED
2	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.001s	PASSED
3	callTestCase(findTestCase("Admin/ES_LIcensesTests"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Admin/ES_LIcensesTests' successfully	42.983s	PASSED
4	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.001s	PASSED
5	callTestCase(findTestCase("Contacts/Create_Contact"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Contacts/Create_Contact' successfully	7.612s	PASSED

Admin - Testcases

#	Description	Elapsed	Status
6	delay(2) Delayed 2 second(s)	2.002s	PASSED
7	callTestCase(findTestCase("Workspaces/Create_Workspace"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Workspaces/Create_Workspace' successfully	5.538s	PASSED
8	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.008s	PASSED
9	callTestCase(findTestCase("Groups_Users/Create Group_Users"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Groups_Users/Create Group_Users' successfully	36.272s	PASSED
10	windowsCommands.taskKill.kill_service() windowsCommands.taskKill.kill_service is PASSED	0.020s	PASSED
11	Start listener action : sampleAfterTestCase	0.000s	PASSED

Information

ID Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases

Description

Tag

Start 2019-08-26 12:46:45 End 2019-08-26 12:50:27

Elapsed 3m - 41.466s

Status PASSED


Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("Communications_Projects/Create_Projects"), [:], CONTINUE_ON_FAILURE)	48.916s	PASSED
	Call Test Case 'Test Cases/Communications_Projects/Create_Projects' successfully		
2	delay(2, CONTINUE_ON_FAILURE)	2.002s	PASSED
	Delayed 2 second(s)		

Description Elapsed Status
3 callTestCase(findTestCase("Communications_Projects/Run_Communications"), [:], 1m - 39.483s PASSED

Call Test Case 'Test Cases/Communications_Projects/Run_Communications' successfully

CONTINUE_ON_FAILURE)





			_
#	Description	Elapsed	Status
6	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.003s	PASSED
7	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' successfully	10.230s	PASSED
8	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.002s	PASSED
9	callTestCase(findTestCase("Main Login Page/switch_Environments_Experience"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Main Login Page/switch_Environments_Experience' successfully	0.350s	PASSED
10	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.001s	PASSED
11	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' successfully Continue	10.269s	PASSED
12	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.002s	PASSED

#	Description	Elapsed	Status
13	callTestCase(findTestCase("Communications_Projects/VerifyJobs - 2nd Workspace"), [:], STOP_ON_FAILURE)	8.340s	PASSED
	Call Test Case 'Test Cases/Communications_Projects/VerifyJobs - 2nd Workspace' successfully		
14	windowsCommands.taskKill.kill_service() windowsCommands.taskKill.kill_service is PASSED	0.018s	PASSED
15	Start listener action : sampleAfterTestCase	0.000s	PASSED

Search - Testcases

Information

ID Test Cases/TESTCASE COLLECTIONS/Search - Testcases

Description

Tag Search

Start 2019-08-26 12:50:27 End 2019-08-26 12:51:02

Elapsed 34.755s Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Configure_Search"), ["EnvName":"QaTest", "Username":"Ere"], STOP_ON_FAILURE)	15.700s	PASSED

Call Test Case 'Test Cases/Sysadmin Portal/Configure_Search' successfully



	© Errion Software Inc. 2015. All Rights Reserved. Version Nato-12.2.4.5559		
2	delay(2)	2.003s	PASSED
	Delayed 2 second(s)		
3	callTestCase(findTestCase("Search/Search"), [:], STOP_ON_FAILURE)	16.906s	PASSED
	Call Test Case 'Test Cases/Search/Search' successfully		
4	Start listener action : sampleAfterTestCase	0.000s	PASSED