

# Sanity Check - 12.5.1 - 8499

## Execution Environment

Host name	bogdan.eremia - ROECR-L013.roecr.ecrion.com
OS	Windows 10 64bit
Katalon version	6.3.0.1
Browser	Chrome 76.0.3809.100

## Summary

ID	Test Suites/Sanity Check - 12.5.1 - 8499		
Description	Build Nido Patch 3- 8483		
Total	5		
Passed	3	Failed	2
Error	0	Incomplete	0
Start	2019-08-21 14:26:35	End	2019-08-21 14:41:38
Elapsed	15m - 2.611s		

#	ID	Description	Status
1	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases		PASSED
2	Test Cases/TESTCASE COLLECTIONS/Admin - Testcases		FAILED
3	Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases		FAILED
4	Test Cases/TESTCASE COLLECTIONS/Search - Testcases		PASSED
5	Test Cases/TESTCASE COLLECTIONS/Cleanup		PASSED

# Sysadmin - Testcases

## Information

ID	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases		
Description			
Tag			
Start	2019-08-21 14:26:36	End	2019-08-21 14:29:30
Elapsed	2m - 53.977s		
Status	PASSED		


## Details

#	Description	Elapsed	Status
---	-------------	---------	--------


# Sysadmin - Testcases


#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Create Multiple Environments"), ["Develop_env":findTestData("Environment Names").getValue(1, 1), "Username":Username_Admin, "Experience_Env":findTestData("Environment Names").getValue(1, 2), ... ], CONTINUE_ON_FAILURE)	58.365s	PASSED

Call Test Case 'Test Cases/Sysadmin Portal/Create Multiple Environments' successfully



# Sysadmin - Testcases

#	Description	Elapsed	Status
			
2	<code>delay(3, CONTINUE_ON_FAILURE)</code>  Delayed 3 second(s)	3.006s	PASSED
3	<code>callTestCase(findTestCase("Sysadmin Portal/Set_NoOfThreads"), [{"EnvName":"QaTest", "Username":"Ere"}], CONTINUE_ON_FAILURE)</code>  Call Test Case 'Test Cases/Sysadmin Portal/Set_NoOfThreads' successfully	3.812s	PASSED
4	<code>delay(3, CONTINUE_ON_FAILURE)</code>  Delayed 3 second(s)	3.003s	PASSED
5	<code>callTestCase(findTestCase("Sysadmin Portal/Domain/PreProd_Test"), [:], CONTINUE_ON_FAILURE)</code>  Call Test Case 'Test Cases/Sysadmin Portal/Domain/PreProd_Test' successfully	46.045s	PASSED



## Sysadmin - Testcases

#	Description	Elapsed	Status
6	delay(3, CONTINUE_ON_FAILURE)  Delayed 3 second(s)	3.001s	PASSED
7	callTestCase(findTestCase("Sysadmin Portal/Help/Sysadmin_Ask a question_Window"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Sysadmin Portal/Help/Sysadmin_Ask a question_Window' successfully	9.575s	PASSED
8	delay(3, CONTINUE_ON_FAILURE)  Delayed 3 second(s)	3.002s	PASSED
9	callTestCase(findTestCase("Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection' successfully	7.423s	PASSED
10	delay(3, CONTINUE_ON_FAILURE)  Delayed 3 second(s)	3.002s	PASSED
11	callTestCase(findTestCase("Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection"), ["variable":url_sysadmin], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection' successfully	4.034s	PASSED
12	delay(3, CONTINUE_ON_FAILURE)  Delayed 3 second(s)	3.002s	PASSED
13	callTestCase(findTestCase("Sysadmin Portal/Edit Account/Edit Account"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Sysadmin Portal/Edit Account/Edit Account' successfully	8.046s	PASSED

## Sysadmin - Testcases

---


#	Description	Elapsed	Status
14	delay(3, CONTINUE_ON_FAILURE)  Delayed 3 second(s)	3.002s	PASSED
15	callTestCase(findTestCase("Sysadmin Login Page/Reset password"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Sysadmin Login Page/Reset password' successfully	15.282s	PASSED
16	windowsCommands.taskKill.kill_service()  windowsCommands.taskKill.kill_service is PASSED	0.027s	PASSED
17	Start listener action : sampleAfterTestCase	0.028s	PASSED

# Admin - Testcases

## Information

ID	Test Cases/TESTCASE COLLECTIONS/Admin - Testcases		
Description			
Tag			
Start	2019-08-21 14:29:30	End	2019-08-21 14:35:36
Elapsed	6m - 6.308s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Admin/Admin_Settings"), [:], CONTINUE_ON_FAILURE)	1m - 28.691s	PASSED
<div>Call Test Case 'Test Cases/Admin/Admin_Settings' successfully</div> 			
2	delay(2, CONTINUE_ON_FAILURE)	2.002s	PASSED
<div>Delayed 2 second(s)</div>			

## Admin - Testcases

#	Description	Elapsed	Status
3	<p>callTestCase(findTestCase("Admin/ES_LicensesTests"), [:], CONTINUE_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Admin/ES_LicensesTests' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Admin/ES_LicensesTests' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Admin - Testcases.run(Admin - Testcases:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1566386788861.run(TempTestSuite1566386788861.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to call Test Case 'Test Cases/Admin/ES_License_Install' (Root cause: com.kms.katalon.core.exception. StepFailedException: Call Test Case 'Test Cases/Admin/ES_License_Install' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>	3m - 38.132s	FAILED



## Admin - Testcases

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:56)   at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)   at ES_LicensesTests.run(ES_LicensesTests:22)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)   at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44)   at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)   at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)   at Admin - Testcases.run(Admin - Testcases:20)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)   at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:150)   at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:123)   at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:87)   at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)   at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)   at TempTestSuite1566386788861.run(TempTestSuite1566386788861.groovy:35)</pre>		

## Admin - Testcases

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at ES_License_Install.run(ES_License_Install:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at ES_LicensesTests.run(ES_LicensesTests:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)		

## Admin - Testcases

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Admin - Testcases.run(Admin - Testcases:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1566386788861.run(TempTestSuite1566386788861.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' located by 'By. xpath: //a[@href = '#ecrionAccount' and @id = 'manage-integration' and (text() = 'Sign-In' or . = 'Sign-In')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77)</pre>		

## Admin - Testcases

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1563373492610.run(Script1563373492610.groovy:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1563375729609.run(Script1563375729609.groovy:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		

## Admin - Testcases

#	Description	Elapsed	Status
114)	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at Script1565689163809.run(Script1565689163809.groovy:20) ... 13 more ) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:39) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call(Unknown Source) at ES_License_Install.run(ES_License_Install:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 36 more Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' ... 53 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		

## Admin - Testcases

#	Description	Elapsed	Status
	<pre>element with id: 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' located by 'By. xpath: //a[@href = '#ecrionAccount' and @id = 'manage-integration' and (text() = 'Sign-In' or . = 'Sign-In')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 51 more )     at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39)     at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:70)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)     at ES_LicensesTests.run(ES_LicensesTests:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Admin/ES_License_Install' failed     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword</pre>		

## Admin - Testcases

#	Description	Elapsed	Status
	(KeywordMain.groovy:68) ... 34 more Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at ES_License_Install.run(ES_License_Install:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at ES_LicensesTests.run(ES_LicensesTests:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		



## Admin - Testcases

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Admin - Testcases.run(Admin - Testcases:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1566386788861.run(TempTestSuite1566386788861.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In' located by 'By. xpath: //a[@href = '#ecrionAccount' and @id = 'manage-integration' and (text() = 'Sign-In' or . = 'Sign-In')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)</pre>		



## Admin - Testcases

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1563373492610.run(Script1563373492610.groovy:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1563375729609.run(Script1563375729609.groovy:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</pre>		


## Admin - Testcases

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Script1565689163809.run(Script1565689163809.groovy:20) ... 13 more ) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:604) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at ES_License_Install.run(ES_License_Install:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 36 more Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Admin/SettingsHome/Settings_ES_LicensingPage/a_Sign-In'</pre>		

# Admin - Testcases


#	Description	Elapsed	Status
---	-------------	---------	--------

... 53 more  
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Admin/SettingsHome/Settings\_ES\_LicensingPage/a\_Sign-In' located by 'By.xpath: //a[@href = '#ecrionAccount' and @id = 'manage-integration' and (text() = 'Sign-In' or . = 'Sign-In')]' not found  
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1097)  
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27)  
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:26)  
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.doCall(ClickKeyword.groovy:77)  
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call(ClickKeyword.groovy)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)  
... 51 more






# Admin - Testcases




#	Description	Elapsed	Status
---	-------------	---------	--------



# Admin - Testcases

#	Description	Elapsed	Status
			
			
			




# Admin - Testcases

#	Description	Elapsed	Status
	 <p>The screenshot shows the Eronn Engage application interface. At the top, there's a header bar with 'Eronn Engage' and a user profile. Below it, a sidebar contains navigation icons. The main content area is titled 'Product Keys' and contains a table with columns: 'Key', 'Expiration Date', and 'Assigned To'. The table is currently empty. A modal dialog box titled 'Add Key' is open in the center, displaying the text 'To install online product keys, click Log in.' and a 'Continue Office' button. A 'Close' button is also visible in the bottom right of the dialog.</p>		
	 <p>This screenshot shows the same Eronn Engage interface, but the 'Add Key' dialog box is closed. The 'Product Keys' table is still empty, and a 'No Items' message is displayed at the bottom of the table area.</p>		
	 <p>This screenshot is identical to the previous one, showing the Eronn Engage interface with the 'Product Keys' table and 'No Items' message.</p>		

## Admin - Testcases

#	Description	Elapsed	Status

## Admin - Testcases

#	Description	Elapsed	Status
			
			
			



## Admin - Testcases

#	Description	Elapsed	Status

## Admin - Testcases

[illegible]

# Admin - Testcases

#	Description	Elapsed	Status
---	-------------	---------	--------

Product Keys

Key	Expiration Date	Maintenance Expiration Date	Assigned To
No Items			




Product Keys

Key	Expiration Date	Maintenance Expiration Date	Assigned To
No Items			

Product Keys

Key	Expiration Date	Maintenance Expiration Date	Assigned To
No Items			


# Admin - Testcases

#	Description	Elapsed	Status
	 <p>The screenshot shows the 'Product Keys' page in the Eron Engage application. The page has a blue header with the Eron Engage logo and a navigation bar with 'Settings' and 'Eron Account'. Below the header, there is a table with columns: 'Key', 'Expiration Date', 'Maintenance Expiration Date', and 'Assigned To'. The table is currently empty, displaying 'No Items'.</p>		
	 <p>This screenshot shows the 'Product Keys' page with an 'Add Key' dialog box open. The dialog box contains the text: 'To install online product keys, click Log in.' and a 'Continue offline' button. There is also a 'Close' button at the bottom right of the dialog box. The background table is dimmed.</p>		
	 <p>This screenshot is identical to the first one, showing the 'Product Keys' page with an empty table and the text 'No Items'.</p>		

## Admin - Testcases

#	Description	Elapsed	Status
	<p>The screenshot shows the 'Product Keys' section of the Eron Engage application. It features a table with four columns: 'Key', 'Expiration Date', 'Maintenance Expiration Date', and 'Assigned To'. Below the column headers, there is a single row containing the text 'No Items' under the 'Maintenance Expiration Date' column.</p>		
	<p>This is a duplicate of the first screenshot, showing the same 'Product Keys' interface with the 'No Items' entry in the maintenance expiration date column.</p>		
	<p>This is another duplicate of the first screenshot, displaying the identical 'Product Keys' table and interface elements.</p>		

# Admin - Testcases

#	Description	Elapsed	Status
			
4	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.002s	PASSED
5	callTestCase(findTestCase("Contacts/Create_Contact"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Contacts/Create_Contact' successfully	8.036s	PASSED
6	delay(2)  Delayed 2 second(s)	2.003s	PASSED
7	callTestCase(findTestCase("Workspaces/Create_Workspace"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Workspaces/Create_Workspace' successfully	6.011s	PASSED
8	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.002s	PASSED
9	callTestCase(findTestCase("Groups_Users/Create Group_Users"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Groups_Users/Create Group_Users' successfully	37.150s	PASSED
10	windowsCommands.taskKill.kill_service()  windowsCommands.taskKill.kill_service is PASSED	0.021s	PASSED

# Admin - Testcases

---

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.001s	PASSED

# Projects\_Communications - Testcases

---

## Information

ID	Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases		
Description			
Tag			
Start	2019-08-21 14:35:36	End	2019-08-21 14:39:24
Elapsed	3m - 48.305s		
Status	FAILED		

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("Communications_Projects/Create_Projects"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Communications_Projects/Create_Projects' successfully	50.037s	PASSED
2	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.002s	PASSED




# Projects\_Communications - Testcases


#	Description	Elapsed	Status
3	callTestCase(findTestCase("Communications_Projects/Run_Communications"), [:], CONTINUE_ON_FAILURE)	1m - 39.911s	PASSED

Call Test Case 'Test Cases/Communications\_Projects/Run\_Communications' successfully




# Projects\_Communications - Testcases

#	Description	Elapsed	Status
			
4	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.003s	PASSED
5	callTestCase(findTestCase("Communications_Projects/PublishProject_NewEnv"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Communications_Projects/PublishProject_NewEnv' successfully	32.454s	PASSED



## Projects\_Communications - Testcases

#	Description	Elapsed	Status
6	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.002s	PASSED
7	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' successfully	10.486s	PASSED
8	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.003s	PASSED
9	callTestCase(findTestCase("Main Login Page/switch_Environments_Experience"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Main Login Page/switch_Environments_Experience' successfully	0.378s	PASSED
10	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.002s	PASSED
11	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE)  Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' successfully	10.414s	PASSED
			
12	delay(2, CONTINUE_ON_FAILURE)  Delayed 2 second(s)	2.004s	PASSED

## Projects\_Communications - Testcases

---


#	Description	Elapsed	Status
---	-------------	---------	--------

## Projects\_Communications - Testcases

#	Description	Elapsed	Status
13	<p>callTestCase(findTestCase("Communications_Projects/VerifyJobs - 2nd Workspace"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Communications_Projects/VerifyJobs - 2nd Workspace' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/VerifyJobs - 2nd Workspace' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Projects_Communications - Testcases.run(Projects_Communications - Testcases:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1566386788861.run(TempTestSuite1566386788861.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/Admin/Sysinternals_Jobs' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)</p>	12.397s	FAILED

# Projects\_Communications - Testcases

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText(WebUiBuiltInKeywords.groovy:3663) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$36.call(Unknown Source) at VerifyJobs - 2nd Workspace.run(VerifyJobs - 2nd Workspace:34) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Admin/Sysinternals_Jobs' located by 'By.cssSelector: [id="eos-views-grid"] div:nth-child(2) tbody:nth-child(1) &gt; tr:nth-child(1) td:nth-child(2)' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.doCall(VerifyElementTextKeyword.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 35 more )</pre>		




#	Description	Elapsed	Status
14	Start listener action : sampleAfterTestCase	0.000s	PASSED

# Search - Testcases

## Information

ID	Test Cases/TESTCASE COLLECTIONS/Search - Testcases		
Description			
Tag	Search		
Start	2019-08-21 14:39:24	End	2019-08-21 14:40:00
Elapsed	36.064s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Configure_Search"), [{"EnvName":"QaTest", "Username":"Ere"}, STOP_ON_FAILURE)	16.733s	PASSED
Call Test Case 'Test Cases/Sysadmin Portal/Configure_Search' successfully			
			
2	delay(2)  Delayed 2 second(s)	2.005s	PASSED
3	callTestCase(findTestCase("Search/Search"), [:], STOP_ON_FAILURE)	17.200s	PASSED
Call Test Case 'Test Cases/Search/Search' successfully			
4	Start listener action : sampleAfterTestCase	0.000s	PASSED



# Cleanup

## Information

ID	Test Cases/TESTCASE COLLECTIONS/Cleanup		
Description			
Tag			
Start	2019-08-21 14:40:00	End	2019-08-21 14:41:38
Elapsed	1m - 37.615s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/delete_Workspaces"), [:], STOP_ON_FAILURE)	29.828s	PASSED

Call Test Case 'Test Cases/Sysadmin Portal/delete\_Workspaces' successfully

Sysadmin Portal

sysadmin

Environments

Manage environments present on this server.

Users

Manage users present on this server.

Domain

Manage domain settings, view system status and configure maintenance  
System status  
Background services monitor

Licensing

Manage licenses

© Ericson Software Inc. 2019. All Rights Reserved. Version Evaluation-12.5.1.8499

Sysadmin Portal

sysadmin

Environments

Export to CSV

New Environment

Name

Email

Enabled

Last Login


# Pages

Date Created

© Ericson Software Inc. 2019. All Rights Reserved. Version Evaluation-12.5.1.8499

2	delay(2)	2.000s	PASSED
Delayed 2 second(s)			

# Cleanup

#	Description	Elapsed	Status
3	<div>callTestCase(findTestCase("Sysadmin Portal/Domain/StorageCompacting"), [:], STOP_ON_FAILURE)</div> <div>Call Test Case 'Test Cases/Sysadmin Portal/Domain/StorageCompacting' successfully</div> 	1m - 4.967s	PASSED
4	<div>closeBrowser()</div> <div>Browser is closed</div>	0.650s	PASSED
5	<div>windowsCommands.taskKill.kill_service()</div> <div>windowsCommands.taskKill.kill_service is PASSED</div>	0.022s	PASSED
6	Start listener action : sampleAfterTestCase	0.000s	PASSED