Sysadmin - Testsuite

Execution Environment

Host name	bogdan.eremia - ROECR-L013.roecr.ecrion.com
OS	Windows 10 64bit
Katalon version	6.3.0.1
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/Sysadmin - Testsuite		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-08-14 15:00:39	End	2019-08-14 15:02:52
Elapsed	2m - 12.799s		

#	ID	Description	Status
1	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases		FAILED

Sysadmin - Testcases

Information

ID	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases
Description	
Tag	

Start	2019-08-14 15:00:39	End	2019-08-14 15:02:52
Elapsed	2m - 12.414s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Sysadmin - Testcases

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Create Multiple Environments"), ["Develop_env":findTestData("Environment Names").getValue(1, 1), "Username": Username_Admin, "Experience_Env":findTestData("Environment Names").getValue(1, 2), ...], CONTINUE_ON_FAILURE) <style forecolor='#0099FF'>Unable to call Test Case 'Test Cases/Sysadmin Portal/Create Multiple Environments' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Sysadmin Portal/Create Multiple Environments' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at Sysadmin - Testcases.run(Sysadmin - Testcases:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source) at TempTestSuite1565784033178.run(TempTestSuite1565784033178.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Sysadmin Portal/Environments Page/button_New Environment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Sysadmin Portal/Environments Page/button_New Environment' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	57.069s	FAILED

Sysadmin - Testcases

#	Description	Elapsed	Status

(ClickKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:604)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at sysadmin.Environment.Create_env(Create_environment.groovy:29)
at sysadmin.Environment.invokeMethod(Create_environment.groovy)
at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
at Create Multiple Environments.run(Create Multiple Environments:32)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
at Sysadmin - Testcases.run(Sysadmin - Testcases:25)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase

Sysadmin - Testcases

#	Description	Elapsed	Status

(TestSuiteExecutor.java:123)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:87)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)
at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
at TempTestSuite1565784033178.run(TempTestSuite1565784033178.groovy:35)
Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button id="openNewEnvDlg" class="btn btn-success">...</button> is not clickable at point (1815, 97). Other element would receive the click:
(Session info: chrome=76.0.3809.100)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.24', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\BOGDAN~1.ERE\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:51150}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: a35d9217edc3d9d39feebf27a1662da6
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.doCall(ClickKeyword.groovy:79)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call(ClickKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:604)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call

Sysadmin - Testcases

#	Description	Elapsed	Status

(Unknown Source)
at sysadmin.Environment.Create_env(Create_environment.groovy:29)
at sysadmin.Environment.invokeMethod(Create_environment.groovy)
at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
at Script1563806847266.run(Script1563806847266.groovy:32)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
at Script1565689200967.run(Script1565689200967.groovy:25)
... 13 more
)
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:39)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:604)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at sysadmin.Environment.Create_env(Create_environment.groovy:29)
at sysadmin.Environment.invokeMethod(Create_environment.groovy)
at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)

Sysadmin - Testcases

#	Description	Elapsed	Status

at Create Multiple Environments.run(Create Multiple Environments:32)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Sysadmin Portal/Environments Page/button_New Environment'
... 40 more
Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button id="openNewEnvDlg" class="btn btn-success">...</button> is not clickable at point (1815, 97). Other element would receive the click:
(Session info: chrome=76.0.3809.100)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.24', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\BOGDAN~1.ERE\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:51150}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: a35d9217edc3d9d39feebf27a1662da6
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.

Sysadmin - Testcases

#	Description	Elapsed	Status

doCall(ClickKeyword.groovy:79)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
... 38 more
)</style>





Sysadmin - Testcases

#	Description	Elapsed	Status







Sysadmin - Testcases

#	Description	Elapsed	Status







Sysadmin - Testcases

#	Description	Elapsed	Status
			
2	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.002s	PASSED

Sysadmin - Testcases

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Sysadmin Portal/Set_NoOfThreads"), ["EnvName":"QaTest", "Username":"Ere"], CONTINUE_ON_FAILURE) Unable to call Test Case 'Test Cases/Sysadmin Portal/Set_NoOfThreads' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Sysadmin Portal/Set_NoOfThreads' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at Sysadmin - Testcases.run(Sysadmin - Testcases:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:123) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:87) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source) at TempTestSuite1565784033178.run(TempTestSuite1565784033178.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Sysadmin Portal/Environments Page/select_2_Experience_Env' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	6.237s	FAILED

Sysadmin - Testcases

#	Description	Elapsed	Status

(WebUiBuiltInKeywords.groovy:604)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at Set_NoOfThreads.run(Set_NoOfThreads:27)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 20 more
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web
element with id: 'Object Repository/Sysadmin Portal/Environments
Page/select_2_Experience_Env' located by 'By.cssSelector: [id="environments-table"] >
tbody > tr:nth-child(3) [id="openEditEnvDlg"]' not found
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1097)
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:77)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
... 35 more
)



© Ecrion Software Inc. 2019. All Rights Reserved. Version Nido-12.1.3.8483

Sysadmin - Testcases

#	Description	Elapsed	Status
4	delay(3, CONTINUE_ON_FAILURE) NOT_RUN: delay(3, CONTINUE_ON_FAILURE)	0.000s	NOT_RUN
5	callTestCase(findTestCase("Sysadmin Portal/Domain/Run_PreProdTest"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sysadmin Portal/Domain/Run_PreProdTest"), [:], CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
6	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
7	callTestCase(findTestCase("Sysadmin Portal/Help/Sysadmin_Ask a question_Window"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Help/Sysadmin_Ask a question_Window' successfully	11.163s	PASSED
8	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.005s	PASSED
9	callTestCase(findTestCase("Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection' successfully	8.607s	PASSED
10	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
11	callTestCase(findTestCase("Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection"), ["variable":url_sysadmin], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection' successfully	4.953s	PASSED

Sysadmin - Testcases

#	Description	Elapsed	Status
12	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.004s	PASSED
13	callTestCase(findTestCase("Sysadmin Portal/Edit Account/Edit Account"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Edit Account/Edit Account' successfully	9.653s	PASSED
14	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
15	callTestCase(findTestCase("Sysadmin Login Page/Reset password"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Login Page/Reset password' successfully	16.205s	PASSED
16	windowsCommands.taskKill.kill_service() windowsCommands.taskKill.kill_service is PASSED	0.026s	PASSED